

CRANE - UPTON COUNTY BOUNDARY

Report of resurvey by
J. J. Goodfellow, Special Surveyor.

To the Hon. Ben F. Allen, County Judge of Crane County
and Hon. J. D. Patterson County Judge of Upton County.

As special surveyor appointed by your Honorable Courts to resurvey the common boundary between your respective counties, I beg to submit the following report:

I was furnished by the Commissioner of the General Land Office a certified copy of the original Survey of this line, made by R. W. Cushman and J. R. Wadsworth in February 1911 and filed in the General Land Office February 3, 1913 with instructions from the Commissioner of the General Land Office, to use it as my guide in this resurvey. I also secured a working sketch from the General Land Office of surveys adjacent to the County line to be surveyed.

With the above data as my guide, I began the work by making a preliminary survey of the line beginning at the N.E. corner of Crane and N.W. corner of Upton County as set up by said Cushman & Wadsworth, a cedar post. From this point I ran South to find original Mile posts described in said Cushman-Wadsworth report. On the line I found the 1st, 3rd, 4th, 6th and 7th miles, the 6th and 7th mile posts were large mounds of stone. The course of the line to this point was S. 0 deg, 25' E.

The next original post found was the 21st mile, a large mound of rock on a North rocky hillside. The course from 7th mile to this point was S. 1 deg 17' E.

The next original post found was the 24th mile. A large mound of rock in the valley about 700 varas South of the foot of hills. The course from mile 21 to this point was S. 2 deg. E.

The next original post found was mile 31 a large old mound of Stone on the S. edge of the West point of the Cap Rock of Castle Mountain. The course of the line from mile 24 to this point was S. 2 deg 08' E.

The next original mile post found was 36th, a mesquite post marked "Upton Co." on E. side, around which the surveyors had placed some rock and broke their jug, as described in report. The course of the line from mile 31 to this point was S. 5 deg. 03' E.

The next and last post found was the S.W. corner of Upton and S.E. Corner Crane County, as described in the surveyor's report, a large mound of stone, one mkd "S.W. Upton Co." The distance from original mile post 36 to this original S.W. corner was found to be 2 miles and 1614 varas and the course South. (This post may or may not be on the North line of Crockett County)

Returning to the original North Common Corner of these two counties, a cedar post about 7" square marked "N.E. Crane Co." on West side, N.W. Upton Co. " on East side and "Line Ector Co. " on North side. This post is one mile and 1532 varas West of a large red sand stone about 10" x 14" at bottom and 10" square at top and marked "S.E. corner E. Co." on one side and "M.C.S.W. cor" on End. This stone is lying on the ground at an excavation from which it appeared to have fallen, being about 5 feet long. I set a 2" x 5' iron pipe in mound of stone at the S. edge of above described Cedar Post, said pipe marked "N.E. Crane Co." on W. side, "N.W. Upton Co. " on E. and "J.J.G." on South side. From this corner a mound of stone brs. W. 468½ varas and another bears E. 1532 varas.

No. 2

Thence, with original line, S. 0 deg. 25' E at 1301 varas crossed S. line Survey 16, Block 42 T. 4 S. T & P. R.R. Co. 788 varas North 75 deg. 37' E. from its S.W. corner in all 1901 varas and set a 2" x 5' iron pipe mkd "U. Co." on E. - "C. Co." on W. "J.J. G." on South and "1 Mile" on N. Side, in a mound of stone, 1 vr. North of a mes. stake in Earth md the original Mile post No. 1.

Thence S. 0 deg. 25' E. at 1374 varas crossed S. line Survey 21, Block 42, T. 4 S. T & P. Ry. Co. 272 varas N. 75 deg 37' E. from its S.W. corner, in all 1901 varas and set 2" x 5' Iron pipe in mound stone in a dry lake, pipe marked "U. Co." on E. " C. Co." on W. "J.J. G." on S. and " 2 M." on North side.

Thence S. 0 deg. 27' E. at 1441 varas crossed S. line Survey 29, said Block, 253 varas S. 75 deg. 37' W. of its S.E. corner in all 1901 varas and set 2" x 5' Iron pipe in md stone, 2 varas North of old mes. stake in Earth mound the original mile 2 on Cushman-Wadsworth line, said pipe marked "U.Co." on East - "C Co." on W. "J.J.G." on S. and "3 M." on North side.

Thence S. 0 deg. 25' E. at 1525 varas crossed the South line of survey 32 said township, 777 varas S. 75 deg. 37' W. of its N.E. corner, in all 1901 varas and set 2" x 5' iron pipe, in mound of stone, 3 varas N. of an old mound of earth in a circle pit, Cushman-Wadsworth original 4 mile post. Pipe marked "U. Co." on E. - "C. Co." on W. "J.J. G." on S. and "4 M" on North side.

Thence S. 0 deg. 25' E. at 1566 varas crossed S. line Survey 41, said Block, 607 varas N. 75 deg. 37' E. of its S. W. corner and 716 varas North 75 deg 37' E. of the N.W. corner Survey 44 same block, in all 1901 varas and set 2" x 5' Iron pipe in mound stone in a draw (Co.W.) no original post found. Said pipe mkd. "U. Co." on E. "C Co." on West "J.J.G." on S. and "5.M." on North side.

Thence S. 0 deg. 25 E. at 1630 varas crossed S. line Survey 44, Block 42, T 4 S. 213 varas N. 75 E. of its S.W. corner, and 89 varas N. 75 deg. E. from the N.W. corner of Survey 5, Block 42 T. 5 S. T & P.Ry. Co. in all 1901 varas and set 2" x 5' iron pipe in md. stone, 8 varas North of a large old mound of stone the original 6 mile post on Cushman-Wadsworth line, said pipe marked "U.Co." on E. - "C. Co." on W. "J.J.G." on South and "6 M." on North side.

Thence S. 0 deg. 25' E. at about 60 varas crossed branch (co. S.W.) at 1725 varas crossed S. line Survey 6 T. 5 S. 452 varas S. 75 deg. 36' W. from its S.E. corner and 357 varas S. 75 deg. 36' W. from N.E. corner Survey 7 this Block at 950 varas on high ridge in all 1911 varas to original 7th mile post on Cushman Wadworth line, an old mound of large stone in Valley near the foot hill, whence a 2" x 5' iron pipe set in mound of stone bears North 16 varas, said pipe mkd "U. Co." on East "C Co." on W. "J.J. G." on S. and "7 M." on North side.

Thence, from said old mound of stone, the original 7th mile, S. 1 deg. 17' E. at 1777 varas crossed the S. line of Survey 7 T. 5 S., 815 varas S. 75 deg. 41' W. of its S.E. corner and 861½ varas S. 75 deg. 41' W. of the N.E. corner Survey 18, same Block, in all 1901 varas and set 2" x 5' iron pipe in mound of stone, pipe marked "U. Co." on E. " C.Co." on W. "J.J. G." on South and "8 M." on N. side.

Thence S. 1 deg. 17' E. 1901 varas and set 2" x 5' iron pipe in mound stone pipe marked "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "9 M." on North side.

Thence S. 1 deg. 17' E. 1901 varas and set 2" x 5' iron pipe in mound of stone, said pipe marked "U. Co." on East - "C.Co." on W. "J.J. G." on S. and "10 M." on N. side.

Thence S. 1 deg. 17' E. at 12 varas crossing S. line Survey 19 T. 5 S. 96 varas N. 75 deg. 37' E. from its S.E. corner, at 402 varas crossed the E. line of Survey 25 Block 30 U of T. lands 423 varas S. 15 deg. 30' E. of its N.W. corner at 1700 varas on sand hill in all 1901 varas and set 2" x 5' iron pipe, in mound stone in low sandy ground pipe marked "U. Co." on E. "C. Co." on West "J.J.G." on S. and "11 M." on North side.

Thence S. 1 deg. 17' E. 34 varas crossed S. line Survey 25 Block 30, at 1237 varas set 1" iron pipe 65 varas E. of a water well, in all 1901 varas and set a 2" x 5' iron pipe in mound of stone in smooth sandy land, said pipe marked "U.Co." on E. "C.Co." on W. "J.J.G." on South and "12 M." on North side.

Thence S. 1 deg. 17' E. 1901 varas and set 2" x 5' iron pipe in mound stone on sodded sand ridge, said pipe marked "U.Co." on E. - "C. Co." on W. "J.J.G." on South and "13 M." on North side.

Thence S. 1 deg. 17' E. 1901 varas and set 2" x 5' iron pipe in mound stone in a sink hole in level sandy land (in oil fields), said pipe mkd "U.Co." on E. "C.Co." on W. "J.J.G." on South and "14 M." on North side.

Thence S. 1 deg. 17' E. at 224 varas crossed the S. line of survey 48 Block 30, U. of T. lands 54 varas N. 75 deg. 34 E. of its S.W. corner (as now surveyed on ground) at 312 varas crossed the N. line of Survey 200 Block "F", C.C. S.D. & R. G. N.G. Ry. Co. 33 varas S. 75 deg. 23' W. of its N.E. corner, in all 1901 varas and set 15th mile post a 2" x 5' iron pipe in a mound of stone in Sandy land, set post mkd "U.Co." on E. "C. Co." on W. "J.J. G." on S. and "15 M." on North side.

Thence S. 1 deg. 17' E. 1950 varas and set mile post 16 a 2" x 5' iron pipe in a mound of stone on a small sand hill, said pipe marked "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "16 M." on North side.

Thence S. 1 deg. 17' E. at 375 varas crossed the S. line of Survey 199 Block "F" 875 varas N. 75 deg. 23' E. from its S.W. corner, in all 1901 varas and set 17th mile post a 2" x 5' iron pipe in a mound of stone on low gravelly hill, said pipe marked "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "17 M." on North side.

Thence S. 1 deg. 17' E. through the Gulf Production Cds. material yards and camp, at 431 varas crossed the S. line of Survey 198, said Block "F" 378 varas N. 75 deg. 23' E. of its S.W. corner, at 530 varas set 2" x 5' iron pipe in E. line of a Street in said Gulf Production Co.'s camp at 1864 varas crossed the McCamey-Odessa Road, in all 1901 varas and set 18 mile post, a 2" x 5' iron pipe in a mound of stone on a N. rocky hillside, said pipe mkd "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "18 M." on North side.

Thence S. 1 deg. 17' E. at 486 varas crossed S. line Survey 204 Block "F" 118 varas S. 75 deg. 23' E. of its S.E. corner, at 700 varas in edge of small dry lake, in all 1901 varas and set 19th mile post, a 2" x 5' Iron pipe in mound of large stone in valley S. of a ridge, said pipe marked "U. Co." on E. "C.Co. on W. "J.J.G." on S. and "19 M." on North side.

Thence S. 1 deg 17' E. 1901 varas and set 20th mile post on a low gravelly ridge, a 2" x 5' iron pipe in a mound of stone, said pipe marked "U.Co" on E. "C.Co." on W. "J.J.G " on S. and "20 M." on North side.

See letter of June 7, 1947 to Roy. D. Golstrom, P.O. Box 68, Tyler, Texas Sec. 48

No. 4.

Thence S. 1 deg. 17' E. at 598 varas crossed S. line Survey 206 Block "F", 793 varas N. 75 deg. 23' E. of S.W. corner in all 1901 varas and set 21st mile post a 2" x 5' iron pipe in a mound of stone at North edge of a large old mound of stone on North slope of a rocky ridge, the original 21st mile post on Cushman-Wadsworth line, said pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S. and "21 M." on North side.

Thence S. 2 deg. E. at 624 varas crossed S. line Survey 207 Block "F", 306 varas N. 75 deg. 23' E. from its S.W. corner, in all 1901 varas and set 22nd mile post in a mound of stone, a 2" x 5' iron pipe marked "U. Co." on E. "C.Co." on W. "J.J.G. on S. and "22 M." on north side.

Thence S. 2 deg. E. at 10 varas crossed W. line survey 208 at 699 varas crossed S. line Survey 209 Block "F" 167 varas S. 75 deg. 23' W from its S.E. corner, in all 1901 varas and set 23rd mile post in a mound of stone in a draw (co W) a 2" x 5' iron pipe mkd. "U.Co." on E. "C. Co." on W. "J.J. G." on S. and "23 M." on North side.

Thence S. 2 deg. E. at 1400 varas brow of breaks, at about 1600 varas foot of hill, in all 1933 varas to a large old mound of stone in valley the original 24th mile post on Cushman-Wadsworth line, here set 2" x 5' iron pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S. and "24 M." on North side.

Thence S. 2 deg. 08' E. at 826 varas crossed the S. line Survey 87 Block "X" 109 varas S. 75 deg. 08' W. of its S.E. corner, at 1344 varas crossed the stage road running through Castle Gap to Horse head Crossing on Pecos River, in all 1901 varas and set 25th mile post in a mound of stone on level grease wood flat, a 2" x 5' iron pipe marked "U.Co." on E. "C. Co." on W. "J.J.G." on S. and "25 M." on North side.

Thence S. 2 deg. 08' E. in all 1901 varas and set 26th mile post in a mound of stone in Grease wood flat, a 2" x 5' iron pipe marked "U.Co." on E. "C.Co." on W. "J.J. G." on S. and "26 M." on North side.

Thence S. 2 deg. 08' E. at 946 varas crossed S. line survey 93 Block "Y" 1076 varas S. 75 deg. 08' W. of its S.E. corner in all 1901 varas and set 27th mile post in a mound of stone a 2" x 5' iron pipe mkd. "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "27 M." on North side.

Thence S. 2 deg. 08' E. at 1088 varas a point 193 varas W. of a S.W. corner Survey 2 J.A. Prater and 254 varas W. of the S.W. corner Survey 1, J.A. Prater in all 1901 varas and set 28th mile post in a mound, in level land, a 2" x 4' iron pipe Marked "U.Co." on E. "C Co." on W. "J.J.G." on S. and "28 M." on North side.

Thence S. 2 deg. 08' E. at 1095 varas a point 635 varas W. of S.W. corner of Survey 11, Block 3 $\frac{1}{2}$, at 1844 varas crossed N. line Survey 3, G.C. & S.F. Ry. Co. 192 varas E. of its N.W. corner, in all 1901 varas and set 29th mile post in a md of stone in level land, a 2" x 5' iron pipe marked "U.Co." on E. "C.Co." on W. "J. J. G." on S. and "29 M." on North side.

Thence S. 2 deg. 08' E. at 1771 varas crossed old fence line in all 1901 varas and set 30th mile post in mound of stone a 2" x 5' iron pipe marked "U. Co." on E. "C.Co." on W. "J.J.G." on S. and "30 M." on North side.

No. 5

Thence S. 2 deg. 08' E. at 50 varas a small gravelly ridge at 226 varas crossed the N.E. line of Survey 22, Block 35, H. & T.C. Ry. Co. 511 varas S. 50 E. from its N. corner ~~in all 1901~~ at 1550 varas began to ascend W. slope of W. end of Castle Mt. in all 1901 varas and set 2" x 5' iron pipe in a mound of stone on N.W. Hillside of Castle Mt. said pipe marked "U. Co." on E. "C.Co." on W. "J.J.G." on S. and "31 M." on North side.

Thence S. 2 deg. 08' E. at 180 varas N.W. point of cap rock at 190 varas passed about 50 E. of E. end of "Castle Rock" in all 352 varas to a large old mound of stone on cap rock at S.W. edge of same the original 31st mile post on Cushman-Wadsworth line, set a 2" x 5' iron pipe in mound of stone at W. side of said original rock mound.

Thence S. 5 deg. 03' E. at 55 varas crossed the S.E. line of Survey 22 said H. & T.C. Ry. Block, 370 varas N. 40 E. from its S. corner in all 1657 varas and set mile post 32, in mound stone a 2" x 5' iron pipe marked "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "32 M." on North side, a large newly set stone marked C.L. on E. side bears N. $75\frac{1}{2}$ E. 143 varas.

Thence S. 5 deg. 03' E. crossing the S.E. line Survey 24 H. & T.C. Ry. 369 varas N. 40 E. from its S. corner in all 1901 varas and set mile post 33 in a mound of stone, a 2" x 5' iron pipe marked "U. Co." on E. "C.Co. on W. "J.J.G." on S. and "33 M." on North side.

Thence S. 5 deg. 03' E. 1901 varas and set mile post 34 in a mound in grease wood flat a 2" x 5' iron pipe marked "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "34 M." on North side.

Thence S. 5 deg. 03' E. crossed N.E. line Survey 40 Block 35 H. & T.C. Ry. 344 varas S. 50 E. from its N. corner, in all 1901 varas and set mile post 35 in a mound of stone, a 2" x 5' iron pipe marked "U. Co." on E. "C.Co. on W. "J.J.G." on S. and "35 M." on North side.

Thence S. 5 deg. 03' E. at 950 varas low sand ridge, in all 1901 varas to Cushman-Wadsworth 36th mile post, a cedar post marked Upton Co. on E. side and set in ground with rock and broken jug around it, whence the N. corner of Survey 46, Block 35, Brs. N. 20 W. 878 varas, here we set a 2" x 5' iron pipe on North side of said cedar post and placed some large stone around same, said pipe marked "U.Co." on E. "C.Co." on W. and "J.J.G." on S. and "36 M." on North side.

Thence due South at 1443 varas set large stone, marked "Co. line" on North side, in North line of San Angelo Fort Stockton road, in all 1901 varas and set mile post 37 in a mound of stone in level Sandy land, a 2" x 5' iron pipe marked "U.Co." on E. "C.Co." on W. "J.J.G." on South and "37 M." on North side.

Thence due South, at 843 varas set a 2" x 5' iron pipe in mound of stone on North line of Rt. of way of K.C.M. & O.R.R. co. said pipe marked "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "Co. Line" on North side at 862 varas crossed said R.R. tract, in all 1901 varas and set 28th mile post in mound of rock in Sand Hills, said pipe marked "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "38 M." on North side, whence W. end of a ridge bears S. 48 deg. 10' E. about $\frac{3}{4}$ mile distance, the N.E. point of rim rock bears S. 74 E. the center of top of a round mt. bs. N. 89- $\frac{3}{4}$ th E. about 1 mile, a windmill brs. S. 88 - $\frac{3}{4}$ W. about $\frac{3}{4}$ mile.


No. 6

Thence due South at 632 varas crossed the S.W. line of Survey 56 Block 35, H. & T.C. Ry. Co. 320 varas North 50 W. from its S. corner, in all 1614 varas to a large old mound of stone one ~~marked~~ "S.E. Upton Co." "S.E. Crane Co." the original S. common corner of Upton and Crane Counties as established by Cushman and Wadsworth, at this point we set a 2" x 5' iron pipe in a very large mound of stone, said pipe marked "S.W. U.Co." "S.E. C.Co." "J.J.G." on S. and "38 1722 varas" on North side. Attached is a map which is made a part of this report.

Surveyed from March 21st to April 12, 1928

W.J. Hurd, Transit Man
John Christie } Chain Carries
Roy Bennett } }

Signed this the 25th day of April 1928.


Special Surveyor,
to resurvey Co.Line.

Following is a list of the surveys through which the County line runs showing the acreage in each County of said Surveys.

Survey No.	Block No.	Township	Name of Survey	Acres in Crane Co.	Acres in Upton Co.
16 - F. 120155	42	4 S	T & P.R.R.Co	245.2	197.2
21 - B.S. 20572	42	4 S	"	178.4	461.6
28 - 120211	"	"	"	23.5	658.9
29 - B.S. 20576	"	"	"	619.2	20.9
32 - 97511	"	"	"	510.0	174.4
41 - B.S. 20582	"	"	"	291.2	349.9
44 - 90189	"	"	"	155.5	508.6
5 - B.S. 20588	"	T 5 S	"	2.5	637.5
6 - 136709	"	"	"	606.1	64.9
7 - B.S. 20589	"	"	"	442.0	198.0
18 - 136712	"	"	"	282.9	375.0
19 - B.S. 20595	"	"	"	116.5	523.5
30 - 136715	"	"	"	3.6	660.3
25	30		University Land	588.4	51.6
36	"		"	428.1	211.9
37	"		"	264.2	375.8
48	"		"	100.2	539.8
			J.M. Cowden	34.0	33.5
200 - SF. 12948	F		C.C.S.D. & R.G.N.G.R.R.	545.5	94.8
199 - B.S. 30552	"		"	378.3	262.0
198 - 139479	"		"	210.7	429.6
197 - B.S. 30551	"		"	48.3	592.0
204 - 139480	"		"	635.5	4.8
205 - B.S. 30555	"		"	517.1	123.2
206 - 104030	"		"	355.1	285.2
207 - B.S. 30556	"		"	184.4	455.9
208 - 102379	"		"	33.0	607.3
209 - B.S. 30557	"		"	630.3	10.0
6 - 710456			J.H. Gibson	504.6	135.4
90 - 135399	Y		G.C. & S.F. R.R.	51.4	610.1
87 - B.S. 37332	X		C.C.S.D. & R.G.N.G R.R	655.7	4.1
92 - 91416	Y		G.C. & S.F. R.R.	527.3	118.1
93 - B.S. 37665	Y		F. Rooney	364.7	280.7
2 - E. 142601			Julia M. Prater	589.0	104.0
6 - W. 98380			W.P.L. Nugent	733.9	310.7
3 - B.S. 51257			G.C. & S.F. R.R.	103.1	503.5
22 - 104921	35		H. & T.C. R.R.	448.4	189.2
23 - B.S. 4251	"		"	12.1	634.1
24 - E. 104922	"		"	439.6	212.4
35 - B.S. 4257	"		"	12.0	640.4
34 - 112647	"		"	437.0	217.1
39 - B.S. 4259	"		"	10.8	642.7
40 - 111064	"		"	428.1	220.5
47 - B.S. 4263	"		"	9.3	640.2
46 - 88425	"		"	396.1	243.9
56 - 86047	"		"	244.1	395.9
57 - B.S. 4268	"		"	445.7	110.2

Accompanying this report is the certified copy, from the General Land Office, of the Cushman-Wadsworth Report of original survey, which I used as a wuide in making this resurvey.


J.J. Gboddellow
 J.J. Gboddellow,
 Special Surveyor.

THE STATE OF TEXAS }
 }
COUNTY OF CRANE }

I, F. L. Boyd Clerk of the County Court and custodian of the records of the Surveyors Office in and for Crane County, Texas, do hereby certify that the above and foregoing is a true and correct copy of the report of J. J. Goodfellow, as special Surveyor to re-survey the common boundary line between Crane and Upton County, as the same appears in the record of the Surveyors Office of Crane County, Texas, in Volume 5, at page 594-603.

Filed on the 27th day of April, 1928, at 5 P. M.

Given under my hand and seal of office this the 20th day of March, A. D. 1933.


Clerk of the County Court
and Custodian of the re-
cords of the Surveyors
Office.

Crane Co Bdry File No la

Surveyor's Report

Crane Upton Counties Boundary Line

By

J.J. Goodfellow

Filed in General Land
Office, May 8th 1933-
J. H. Walker, Comm.
Clerk

Abstracted in Vol. 56
May 27, 1933
R. B. N.

County 51968