

2

Dallam and Hartley
County Boundary

Filed in Genl. Land Office,
Nov. 23. 1905.

J. T. Robison
Surveyor & Acting Comm.

Dallam Co. Bdry.

Land Office

Amarillo, Texas. May 13, 1905.

Field Notes for south line of Dallam County and north line of Hartley County,

Beginning at a large stone 30" x 22" x 6" above ground marked N W Sherman on E side, N E Dallam on W side and 4 large pits identified by W. D. Twichell as N W Sherman:

Thence due south 30 miles 585.44 vrs set stone 30" x 24" x 8" marked Sherman whence a stone in ground marked N E H (and 4 bearing stones N-S-E and W 5 vrs from stone) bears S60° 38' 50" E 403 vrs and Frank Williams wind mill bears N 79° 37' 20" W and his S wind mill bears S 71° 50' 40" W and another mill bears S 18° 40' 40" W and the Cold Water and Hartley road crossing on Paladuro draw bears S 23° 22' E ~~9~~ miles:

Thence tangent W at 1397 cross fence 1901 set earth mound 2' high and 2 pits 2/10 vrs N of line on true parallel ~~3~~ miles:

1 mile:-

Thence west at 1421 cross fence at 1901 set earth mound 2' high and 2 pits 7/10 N of line on true parallel ~~4~~² miles:

2 miles:-

Thence west 622 cross fence at 1415 vrs cross line of fence to S whence a stone in ground at corner of fence the N E of 4, E T R R Co. bears true S0° 9' W 615.4 vrs from which the N E corner 422 bears S 9' W 4 miles at 1901 vrs earth mound 2' high and 2 pits N.1.5 vrs on parallel whence Polaris (at 7-26 P M 90th Meridian time April 4, 1905) bears true N 1° 29' 20" W deflect tangent to N 3' 30" ~~4~~³ miles:

3 miles:-

Thence W at 1330-1/2 vrs cross road 1901 vrs mound 2' high, and 2 pits 7/10 north on parallel ~~5~~⁴ miles:

4 miles

Thence W at 1445.4 vrs cross fence at 1901 vrs mound 2' high and 2 pits N 2/10 on parallel ~~6~~⁵ miles:

5 miles:-

Thence W at 1440 vrs cross fence 1901 vrs mound 2' high on parallel: ~~7~~⁶ miles.

6 miles:-

Thence W at 1901 vrs mound 2' high and 2 pits 2/10 N on parallel whence Frank Williams wind mill bears S 76° 55' 0" E and Co. E. Mitchell wind mill bears S 70° 52' 40" E. 7 miles:

7 miles:-

Thence W at 1766 vrs cross road at 1901 vrs earth mound 2' high and 2 pits 7/10 vrs N on parallel whence Frank Williams S wind mill bears S 79° 24' 50" E and Mithcell's wind mill S 78° 55' E. 8 miles:

8 miles:-

Thence W 1901 vrs an earth mound 2' high and 2 pits 1.5 vrs north on parallel deflect N 3' 50" ~~9~~ miles:

9 miles:-

Thence W at 1205.4 vrs a stone set in ground semi-circular trench the S E corner of Sur. 19 ~~and~~ bears N 700.5 vrs at 1901 vrs set stone and earth mound 2' high and 2 pits 7/10 N on true parallel. 10 miles:

10 miles:- Thence W at 1182.5 vrs cross line of fence to N at 1901 vrs an earth mound 2' high 7/10 N on true parallel. 11 miles:

11 miles:- Thence W at 1200 vrs fence to N at 1901 vrs an earth mound 2' high and 2 pits on parallel whence stand pipe at Dalhart bears N 89° 19' 10" W. 12 miles:

12 miles:- Thence W at 1901 vrs an earth mound 2' high and 2 pits 2/10 N to parallel. 13 miles:

13 miles:- Thence W at 1198 vrs N W corner of Survey 25 bears N 0° 6' 20" E at 1901 vrs and earth mound 2' high and 2 pits N 7/10 to parallel. 14 miles:

14 miles:- Thence W at 931 vrs and 1839 vrs cross roads 1901 vrs an earth mound 2' high and 2 pits 1.5 vrs N to true parallel defect N 0° 3' 50". 15 miles:

Thence W at 127.5 vrs cross road at 1199 vrs stone set in ground at S E corner of 8, Block 48 bears N 716.6 vrs at 1200 ~~x~~ vrs cross fence 1901 vrs ~~se~~ and earth mound 2' high and 2 pits 7/10 vrs N to parallel. 16 miles:

16 miles:- Thence W 1193.4 vrs cross fence 1901 vrs an earth mound 2' high and 2 pits N 2/10 vrs to parallel whence stand pipe at Dalhart bears N 88° 19' 10" and a wind mill bears N 50° 27' 10" E and Polaris at 7-19P M @ 90th Meridian April 5, 1905 bears N 1° 29' 10" W. 17 miles:

17 miles:- Thence W 1901 vrs an earth mound 2' high and 2 pits. 18 miles:

18 miles:- Thence W 1901 vrs an earth mound 2' high and 2 pits 2/10 vrs N on parallel. 19 miles:

19 miles:- Thence W 1187.9 vrs cross fence 1261 vrs cross Ft. W. & D C R R Co. siding at 1269.4 to 1272.4 vrs cross Ft. W & D C R R Co. main track, course of road parallel S 50° 17' 50" E whence S E head ^{block} ~~clock~~ bears S 50° 17' 50" E 67.7 vrs at 1811 vrs cross E side of Scott Ave. whence S W corner of block on 7th St. bears S 39.9 vrs from parallel at 1901 vrs plung coupling an earth mound 2' high and 2 pits 7/10 vrs N to parallel. 20 miles:

20 miles:-

Thence W at 307 vrs cross east side of Main St. at 393 vrs to 398.7 vrs pass through Howell's buggy house at 990.5 vrs cross W side of street whence a prg at S E corner of block bears S 42.5 vrs from tangent and 43.5 vrs from county line at 1203 vrs cross fence N 0° 4' E whence a stone at N W corner of 32 under fence bears N 0° 4' E 712 vrs at 1401 vrs cross rail road whence Hartley county sign board bears N E 350 vrs and S ^{head block} ~~Hartley County sign board~~ bears N 53° 39' E 334 vrs, course of rail-road parallel N 53° 39' ~~E-334 0"~~ E at 1901 vrs an earth mound 2' high and 2 pits N 1.5 to parallel deflect N 3' 50". 21 miles.

21 miles Thence W 1350 vrs a wind mill bears N about 90 vrs at 1456 vrs cross road at 1901 vrs an earth mound 2' high $\frac{7}{10}$ vrs N to parallel. 22 miles:

22 miles Thence W 1901 vrs a pile of stone 2' high N $\frac{2}{10}$ vrs on parallel whence cap rock bears W 37.2 vrs. 23 miles:

23 miles Thence W at 155-337 and 935 vrs cross and recross Rito Blanco at 900 vrs cross cap rock at 1233.2 vrs cross fence course N 0° 2' 10" W at 1238.5 vrs Old pile stone the original N E corner of 48, Block 2, B & B bears N 0° 2' 10" W 711 vrs at 1901 vrs an earth mound 2' high and 2 pits on parallel. 24 miles:

24 miles Thence W at 1225 vrs cross fence at 1901 vrs an earth mound 2' high and 2 pits N $\frac{2}{10}$ vrs ~~W~~ on parallel. 25 miles:

25 miles Thence W at 1901 vrs an earth mound and 2 pits 2' high $\frac{7}{10}$ vrs north on parallel. 26 miles:

26 miles Thence W 1901 vrs an earth mound 2' high in sandy flat N 1.5 vrs on parallel whence Paloris bears N 1° 28' 50" W at 7-13 P M 90th Meridian April 6, 1905 deflect N 3' 0":

27 miles Thence W at 1200 vrs cross old deep road at 1901 vrs an earth mound 2 ft high and 2 pits N $\frac{7}{10}$ vrs on parallel. 28 miles:

28 miles Thence W at 1901 vrs an earth mound 2' high and 2 pits on sandy ridge $\frac{2}{10}$ vrs N on parallel whence a Sampson wind mill bears N 75° 56' 40" W and Eclipse mill bears S 62° 9' 30" W and another mill bears S 37° 37' 20" E and another mill bears S 36° 46' E. 29 miles:

29 miles Thence W at 1763- $\frac{1}{2}$ vrs cross road at 1901 vrs an earth mound 2' high and 2 pits whence Sampson mill ^{58'} bears by house bears N 10° 55' 20" W about one fourth miles Eclipse mill bears S 37° 12' 30" W by house.

4 Amarillo, Texas.

May 13, 1905.

30 miles:

Thence W at 1901 vrs. Earth mound 2' high and 2 pits $2/10$ N on parallel .31 miles:

31 miles

Thence W at 1238- $1/2$ vrs set stake and circular trench on side of road at 1588 vrs set a stake and gallon can under fence course of fence parallel N $0^{\circ} 30' 30''$ E 1901 vrs set an earth mound 2' high and 2 pits $7/10$ vrs N on parallel whence a wind mill bears N $56^{\circ} 46' 30''$ W and south gate post N $27^{\circ} 6' 10''$ E and short cedar post in ground bears N $34^{\circ} 37' 20''$ W .32 miles:

32 miles

Thence W at ~~498~~ 49 and 1069 vrs cross roads at 1901 vrs set an earth mound 2' high and 2 pits N 1.5 vrs on parallel deflect $0^{\circ} 3' 50''$ N. 33 miles:

33 miles.

Thence W at 666 vrs cross road at 1157 vrs cross draw at 1901 vrs set an earth mound 2' high and 2 pits $7/10$ vrs N on parallel. 34 miles:

34 miles

Thence W at 933 vrs W line of league 130 whence N W corner of 116 3 ^{pits} pile of stones 5 varas apart bears N 22° E 10-565-5 vrs at 450 and 1311 vrs ^{and recross} cross draw at 1901 vrs an earth mound 2' high and 2 pits $2/10$ vrs N on parallel. 35 miles:

35 miles

Thence W at 450-610 vrs cross and recross draw at 903 vrs cross road at 1215 vrs touch draw at 1901 vrs set an earth mound 2' high and 2 pits on parallel. 36 miles:

36 miles

Thence W at 439 vrs cross draw at 1901 vrs set an earth mound 2' high and 2 pits $2/10$ vrs N on parallel. 37 miles:

37 miles

Thence W at 1901 vrs an earth mound 2' high and 2 pits N $7/10$ vrs ^{on} true parallel. 38 miles:

38 miles

Thence W at 722⁶ vrs ~~6-1131~~³ vrs cross roads at 1901 vrs set an earth mound 2' high and 2 pits N 1.5 vrs on a true parallel deflect $0^{\circ} 3' 50''$ N. 39 miles:

39 miles

Thence W at 1901 vrs an earth mound 2' high and 2 pits N $7/10$ vrs on true parallel. 40 miles:

40 miles

Thence W at 1846-vrs 1846.5 vrs cross road 1901 vrs set an earth mound 2' high and 2 pits $2/10$ vrs N on parallel. 41 miles:

41 miles

Thence W at 1901 vrs set mound 2' high and 2 pits on parallel.
42 miles:

Thence W at 1901 vrs set earth mound 2' high and 2 pits N $2/10$
vrs on a true parallel whence Polaris at 7-9 P M 90th Meridian time on
April 7, 1905 bears N $1^{\circ} 29' 15''$ W. 43 miles:

43 miles

Thence W at 967 vrs cross road 1901 vrs set an earth mound
~~8-1/2'~~ high and 2 pits N $7/10$ vrs on a true parallel whence a Leader
wind mill bears S $49^{\circ} 12'$ W. 44 miles:

44 miles

Thence W at 1901 vrs an earth mound 2' high and 2 pits N 1.5
vrs to true parallel whence Leader wind mill bears S $10^{\circ} 44' 40''$ E and
Sampson wind mill bears N $26^{\circ} 40' 00''$ E and Butte far away bears N $23^{\circ} 51'$
 $40''$ W and Rabbit Ear Mt. bears N $24^{\circ} 58' 50''$ W to N $25^{\circ} 22' 40''$ W deflect
N $0^{\circ} 43' 30''$. 45 miles:

45 miles

Thence W 1901 vrs set an earth mound 2' high and 2 pits $7/10$ ^N ~~W~~
on true parallel. 46 miles:

46 miles

Thence W at 182 vrs cross road 1901 vrs set an earth mound 2'
high and 2 pits $2/10$ ^N ~~vrs~~ on parallel. 47 miles:

47 miles

Thence West 1901 vrs set an earth mound 2' high and 2 pits
whence N E corner 2, block A1 an iron casing by gate bears South 1474 v
vrs and East 739 vrs. 48 miles:

48 miles


Thence West at 1901 vrs set an earth mound 2' high and 2 pits
North $2/10$ vrs to true parallel. 49 miles:

49 miles


Thence West 327 vrs cross fence at 331.7 vrs Priest & James
S W corner of Dallam County bears North 172 vrs at 367.4 vrs set an
earth mound 2' high and 4 pits on meridian passing through the north
west corner of Texas.

Cement stones are being made to set at each mile, said stones
being 6 x 6 x 30 inches marked H D with number of mile on top.

I, W. D. Twichell, surveyor duly appointed to survey the south line of Dallam County, Texas, and E. F. Batte, surveyor duly appointed to survey the north line of Hartley County, Texas, do and each of us hereby certify that the foregoing survey is correct truly showing the boundary between Dallam and Hartley Counties as surveyed by us jointly and that said survey was actually made in the field under special instructions from the Hon. John J. Terrell Commissioner of the General Land Office of Texas, said instructions dated March 30, 1905 and April 4, 1905, given in response to certified disagreement of said surveyors dated March 23, 1905; and we further certify that said Dallam and Hartley Counties boundary is placed upon the ground precisely as directed by said Hon. John J. Terrell.



Surveyor for Dallam County, Texas.



Surveyor for Hartley County, Texas.

W. D. TWICHELL,
.....Surveyor.....

Texas Land Boundaries a Specialty

Amarillo, Texas, May 13th, 1905.

I, W. D. Twichell, surveyor duly appointed to survey the boundary between Dallam county Texas, and E. F. Batte, surveyor duly appointed to survey the north line of Hartley county Texas, do and each of us hereby certify that the sketches attached hereto truly show the boundary between Dallam and Hartley counties and the county line through Dalhart as surveyed by us jointly, and that said survey was actually made in the field under special instructions from Hon. John J. Terrell, commissioner of the general land office of Texas, said instructions dated March 30th, 1905, and April 4th, 1905, given in response to certified disagreement of said surveyors dated March 23rd, 1905; and we further certify that said Dallam and Hartley boundary is placed upon the ground precisely as directed by said Hon. John J. Terrell.

W. D. Twichell Surveyor for Dallam County Texas

E. F. Batte Surveyor for Hartley County Texas

379-CERTIFICATE OF RECORD-Class X

Maverick-Clarke Litho. Co., Stationers, Printers, Lithographers, San Antonio.

THE STATE OF TEXAS,

COUNTY OF Dallam } I, W. T. Allen

Clerk of the County Court, in and for said County, do hereby certify that the foregoing field notes & sketches attd dated the 13th day of May, 1905, with its Certificate of Authentication, was filed for Record in my office the 24th day of May, 1905, at 9 o'clock A.M., and duly Recorded the 14th day of June, 1905, at 3 o'clock P.M., in Deed Record of said County, in Vol. 7 on Pages 624-5-6-7-8-9.

WITNESS my hand and seal of the County Court of said County, at office in Dalhart, Texas Texas, the day and year last above written.

W. T. Allen Clerk,

By _____ Deputy. County Court Dallam County, Texas.

A-EH-OE

The State of Texas. }

County of Hartley.

I, J. C. Thompson Clerk of the field notes & sketches attached

County Court of said county, do hereby certify that the foregoing instrument, dated the 13 day of May A. D. 1905, with its Certificate of Authentication, was filed for Record in my office the 16 day of June A. D. 1905, at 9 o'clock A.M. and duly recorded this 15 day of November A. D. 1905 at 10 o'clock A.M., in the Deed Records of said county in Volume 11 on Pages 87, 88, 89, 90, 91, 92

Witness my hand and the seal of the County Court of said county, at office in Channing the day and year last above written.

J. C. Thompson Clerk
County Court, Hartley County
By _____ Deputy

C⁶ Counties 52060

Regular May Term of County Court Hartley County
Tex 1905

It is hereby ordered by the Court that the foregoing report of Boundary survey between Hartley and Dallam Counties be and is hereby approved and that the same be filed for record with the clerk of this Court and that he forward to Commissioner of the General Land Office a certified copy of same as provided by law together with map and field notes of said Boundary line

I Attest J. C. Thompson Clerk County Judge
J. E. Moore County Judge

State of Texas }
County of Hartley } I J. C. Thompson Clerk
of the County Court of Hartley County Texas
do hereby certify that the above and foregoing is a true and correct copy of order made by County Judge of Hartley County as the same appears in the minutes of said Court on Page 97 in Minute Book 1 Hartley County Texas

Witness my hand and official seal this 15 day of November 1905

J. C. Thompson
Clerk Co Court Hartley Co Texas

Dallam Co Bdry File No 2

57061