

December 22nd 1891. In Company With
 N. W. Barker Surveyor appointed by Dimmit
 County Commissioners Court and N. W.
 Townsend and John Bell, chain carriers
 duly qualified. I began at the
 SW corner corner of Zavalla and NW corner
 of Dimmit Counties on the East Boundary
 line of Maverick County at a large live
 oak Post 10" in dia 4 1/2 ft high marked M.D. 1 in
 a slough from which a L.C. 18 1/2" by N 85 E 30 1/2 O
 L.C. 12" by N 81 E 31 O a 3 post mark 14" by N 89 1/2 W
 59 O this post is set 35 var west of Comanche creek.
 Thence South (at May Va 9° 10' E) at 270 O
 1809 O cross bline no 57 S.E. & N.W. 80 ft. 1102 x 1277 O 1/2 W of its SW & E corners.
 cross Comanche cr. at N.E. & N.W. 665 O + 6 x 6 O W.
 1450 O cross mt^d line E to W. 1900 O set the
 1st M.P. 8" x 5' long from a m 8" by N 40 O
 3 O do 10" by N 83 1/2 W 15 1/4 O.
 again at 200 O leave bottom 400 O top of hill
 1757 O pass over SNE cor 657 x NW cor 658
 1900 O 2nd M.P. 8" x 4 1/2 ft high marked D.M. from
 a m 7" by S 85 E 4 1/2 O do by N 21 W 9 O
 again at 1900 O 3rd M.P. 8" x 4 1/2 ft from a
 m 9" by S 10 W 9 1/2 O do S 33 1/2 E 19 1/2 O
 again at 184 var cross S-line no 657 & N line
 no 8. 1140 O 470 E of their SW & NW corners.
 351 var a mark tree 17.55 O + 62. 1900 O 4th
 M.P. 8" x 4 1/2 ft from a m 6" by N 30 E 4 1/2 O do
 S 30 W 28 1/2 O.
 again at 445 var cross S. line no 8. & N line
 no 7. 400 O 470 E of their respective SW & NW corners.
 1900 O set 5th M.P. 8" x 5' from a m 6" by S
 67 W 31 O do 15" S 51 1/2 E 29 1/4 O.
 again at 673 var cross S line no 1. & N line

(over)

- 1 No. 4. 1575 $\frac{1}{2}$ v. N70 $\frac{1}{2}$ E of their S.W. + N.W. corner.
 2 1900 v. set 6th M.P. 8" x 5' fr. wh. a m 12" br
 3 N65 W 19 $\frac{1}{2}$ v.
- 4 again at 793 v. cross wire fence on S-
 5 line of no 4. 885 $\frac{1}{2}$ v. N70 $\frac{1}{2}$ E of S.W. corner. at
 6 1578 v. N line no 25. 290 v. West of its N.E. corner
 7 1710 v. cross R.O. lake 1878 v. cross wire fence on
 8 220 $\frac{1}{2}$ v. 1900 v. set 7th M.P. 8" x 5' fr. wh. a m 12"
 9 14" br S63 W 18 $\frac{1}{2}$ v. do 12" S85 E 22 $\frac{1}{2}$ v.
- 10 again at 195 v. cross Comanche creek ^{ca 1130 v} 260 v
 11 pass through bend of same. 483 v. cross Carriage
 12 R.E.P. rd. 1580 v. N line 16. 286 v. W of its N.E. corner.
 13 1900 v. set 8th M.P. 8" x 5' fr. wh. a m 6" br S46 W
 14 33 v. do 14" S10 E 123 $\frac{1}{2}$ v.
- 15 again at 1585 v. line of no 16 + 9. 280 v. W
 16 of their S.E. + N.E. corner. 1900 v. set 9th M.
 17 P. in prairie 8" x 4 $\frac{1}{2}$ ft. fr. wh. a cluster of Brazil
 18 trees 5" each br N28 E 33 v. another cluster each
 19 same size S76 E 48 $\frac{1}{4}$ v.
- 20 again at 1596 v. S line No 9 + 8. 1900 v.
 21 set 10th M.P. in prairie on S slope of ridge.
- 22 again at 1598 v. line of no 8 + 4. 1900 v.
 23 set 11th M.P. 8" x 4" x 4 $\frac{1}{2}$ ft. fr. wh. a 4 $\frac{1}{2}$ mes
 24 W S62 E 122 v.
- 25 again at 1600 v. line of no 4 + 2. 1720 v. + Roxita
 26 cr. on S.E. 1900 v. set 12th M.P. in flat.
- 27 again at 2400 v. top of gravel ridge S60 v. + draw
 28 br N.E. 1183 v. cross Glass's pasture fence crs N34 W
 29 from Roxita de San Juan. 1795 v. cross River grant
 30 line. N33 W from the Roxita de San Juan. 1900 v. set
 31 13th M.P. 4" x 8" x 4 $\frac{1}{2}$ ft. fr. wh. a mes 10" br N65 E
 32 37 $\frac{1}{2}$ v. do 8" N12 W 33 $\frac{1}{2}$ v.

1 again at 370 v₂ + br. crs N 70° E. 1900 v₂
 2 set 14th M.P. on open ^{mesq^t} Ridge 8" dia x 5 ft. fr wh
 3 a well brs N 63° 35' E 335 v₂ a mes 4" $\frac{1}{2}$ brs S 79° W
 4 11 v₂.

5 again at 66 v₂ + road on S.W. 444 v₂ + rd + drain
 6 to S.E. 910 v₂ was old Pineda rd. crs N 60° E. 1181 v₂.
 7 pass over a fl^d mesq^t stump 5 ft high 15" dia 1900
 8 was set 15th M.P. in open mesq^t flat. fr wh. a
 9 M 8" brs S 65° E 73 $\frac{1}{2}$ v₂ do fl^d 12" S 31 $\frac{1}{2}$ W 87 v₂.

10 again at 400 v₂ top of high ridge overlooking
 11 country to southward 1900 v₂ set 16th M.P.
 12 1 ft x 8" fr wh a leaning mes 12" brs S 65° W 83 $\frac{1}{2}$ v₂
 13 do 10" S 47 $\frac{1}{2}$ E 30 $\frac{1}{2}$ v₂.

14 again at 1900 v₂ set 17th M.P. on S. Slope
 15 of brushy ridge.

16 again at 112 $\frac{1}{2}$ v₂ cross river fence on S-
 17 line of Glass' lower Lg + half 845 v₂ + br. S 52 $\frac{1}{2}$ W
 18 of its S.E. cor on Rivas Estⁿ line 475 v₂ + br. of
 19 curiole cr. S 35° W + br. 645 v₂ + br. 900 v₂ + br. 1100 v₂
 20 + br. 1180 v₂ cross last br. 1200 v₂ pass through bend
 21 of same. (corner fall S.E.) 1900 v₂ set 18th M.P.
 22 on S slope of ridge M 18 + D.

23 again at 260 v₂ pass 500 v₂ E of a rock ledge
 24 at 420 top of ridge. S 30° E + br. crs E. 940 v₂ + br.
 25 1260 v₂ top of sand ridge. 1900 v₂ set 19th M
 26 P. on S. slope of open ridge. M 19 + D 44 v₂
 27 west of fence on grant line.

28 again at 285 v₂ cross fence on E line of
 29 the ant. Rivas Est. Do for crs of line S 84° 5' W 796 v₂
 30 + draw. 1900 v₂ set 20th M.P. 8" dia x 4 ft. M 20
 31 + D. in valley.

32 again at 600 v₂ bend of cr 100 v₂ to East. 700 v₂

(over)

Report of ⁽⁶⁾ Dimmit Co. B'dry. ⁽³⁾
A. H. Hector
Co. Surveyor

& filed notes of
County line bet.
M.K. & Dimmit Co.

Filed July 27th 92
J. H. Hancock
Co. Clerk

Recorded in Book
Vol. pp. 301 & 302 of
Maxwell Co. records &
Certify - J. H. Hancock
Co. Clerk
M.K. Co.

1 line trees and bearing trees are well
2 marked and that a plainly cut out
3 line from beginning to end of line ex
4 -ists on ground

5 signed this 27th day of January 1892
6 W. W. G. Barker

7 A. H. Hector
8 Surveyor for Dimmit & Maxwell
9 Counties Texas

16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
95
94
93
92
91
90
89
88
87
86
85
84
83
82

County 52569

0 - 6

- 1 bed of sand in bend 765 v. + fence 773 v. + cr.
 2 800 v. again 836 v. again 917 v. + Larida road 1040
 3 + cr. 1450 v. enter 1190 v. leave cr 1900 v. set 21st
 4 M.P. in draw fr wh a mes 10" brs N49; W 5 v.
 5 do 12" S66¹/₄ E 25³/₄ v.
 6 Again at 120 v. a very large rock 200 v. to East
 7 200 v. + cr + road. 220 v. upper end of lake
 8 50 v. to N. cr S30 W 300 v. long and 600 v. wide. 1380 v.
 9 rock mt. on rock ledge mt. County line 1900 v.
 10 set 22nd M.P. in mesq. flat fr wh. a m 10" brs
 11 S68¹/₂ E 9¹/₄ v. do 14" S8¹/₄ W 45 v.
 12 again at 300 v. + draw crs W. 400 v. begin to
 13 descend loose sand hill 900 v. top of same
 14 1900 v. set 23rd M.P. 5" x 4¹/₂" in sand valley.
 15 no trees near.
 16 again at 240 v. pass over a m stump 12" dia
 17 630 v. top of hill 1400 v. top of hill 1900 v.
 18 set 24th M.P. in open mesq. flat overlooks the
 19 valley to west, ^{again} at 80 v. + old trail which I take to be
 20 the old Royal rd. 1678 v. road 1900 v. set 25th
 21 M.P. in mesq. flat fr wh the center of top of a
 22 hill brs S135 W another S64 E.
 23 Again at 552 v. + old rd. crs S.E. 830 v. low gravel
 24 ridge 1900 v. set 26th M.P. + slab rock 2¹/₂" x 1¹/₂"
 25 fr wh. a mes 15" brs N 2550 W 66 v.
 26 again at 105 v. N side of a long water hole
 27 in San Antonio cr. 130 v. S. bank. 1110 v. S. line
 28 of Lombraus St 243 v. S84 W of the NE cor no 587.
 29 1318 v. top of gravel hill fr wh. Vataw's house brs
 30 S63¹/₂ E 1540 v. top of hill 1865 v. + draw 1900
 31 v. set 27th M.P. on N slope of gravel hill.
 32 again at 240 v. top of hill 960 v. top of

1 hill. From Cathedral rock brs $S 65^{\circ} 10' E$. 1900
 2 ~~100~~ ~~set~~ 28th M.P. a mesquit tree topped
 3 8 in dia mtk M.D. in brushy flat.

4 again at 125 var + br. 500 v top of rocky
 5 ledge 70 v East of a high prominent rock
 6 $8 \times 10 \times 10'$ 1100 v. pass 200 v East of a high hill
 7 ~~1400 v~~ 1775 v top of hill 1900 v set 29th
 8 M.P. on E. slope of hill in low *Juarua*
 9 brush $8" \times 4 \frac{1}{2} ft$ from the high point on Cathedral
 10 rock brs $S 88^{\circ} 48' E$ and the crotch between two hills
 11 $S 20^{\circ} 15' N$.

12 again at 208 v + ^{various} rise fence crs $S 84^{\circ} 3' W$.
 13 $510 v + br.$ 1200 v open 1400 v set 30th
 14 M.P. For the SW & S.E. corners of Dimmit^{and}
 15 Maverick counties on the N line of Webb county
 16 from which a mes 10" brs $S 87 \frac{1}{2} E$ 4 v do $11 \frac{1}{2}$
 17 $12" N 73 W$ 19 v do 10 $S 80 W$ 15 var. corner post
 18 $12" \times 5 ft$ high marked M.W.D. and a crotch
 19 between two hills brs $S 41 \frac{1}{2} W$ and the Cathedral
 20 Rock brs $N 70 \frac{1}{2} E$.

21 N.B. From the 26th to 29th miles, over very rough
 22 hills and gorges, covered with thick undergrowth
 23 land no good. Last mile over brushy valley
 24 all bearing trees to west of line are mtk.
 25 \bar{M} all to the East \bar{D} and all the post mtk.
 26 \bar{M} on West side. and \bar{D} on the East side.

27 We, W.W. Barker surveyor appointed from Dimmit
 28 County and O.H. Hector from Maverick county do
 29 hereby certify to the foregoing field notes and
 30 sketch hereto attached as being true and
 31 correct, and further certify that the work was
 32 done with great care and that all the