

No. 26

Report of Co. Board
of Eastland Co

North and West lines

Filed August 18th 1880
and May 5th 1883.

Abstract Corrected
June 3rd 1884 and
copy for "Compt.
Banner"

Eastland-Stephens

See County Sketch
SK File No. 14 for
Surveyors Certificate
as to N. Boundary

1871

State of Texas } Field notes of a
County of Eastland } Survey of the North
Boundary line of Eastland County
and South boundary line of Stephens
County. Said Survey was made in
accordance with the provisions of
an act establishing and prescribing
the manner of ascertaining the
boundaries of Counties approved
April 22nd A.D. 1879

Beginning at the N.W. corner of
Eastland County. S.W. corner of Stephens
County a Stone for corner Mk'd S.W.
Cor. S.C. & N.W. Cor. E.C. from which
a Musquite Mk'd S.W. cor S.C. brs $N46^{\circ}E$
120 varas. Do Mk'd S.W. cor S.C. brs
 $S75^{\circ}E$ 120 varas which Stone is 515 ns.
West and 380 ns. South of the N.E. cor
nr of Quarter Section No 99. Uni-
versity etc. Thence East at 1870 varas
crosses Branch 1900 varas set 1st Mile
Stone Mk'd S.C.L.I on North side and
E.C.L.I on South from which a Live
Oak Mk'd S.C.L. brs $S77^{\circ}W$ $48\frac{1}{2}$ brs. Do Mk'd
E.C.L. brs $S73^{\circ}W$ 60 brs. Thence on East at
5 ns crosses the East boundary line
of Section No 465. S.P.R.R. Survey 740
ns South of the N.E. corner of said Section

also same distance from N.W. corner
 of section No 464. Thence on East at
 1160 ns. crossed Branch 1200 crossed
 same branch at 1900 ns. Set 2nd
 mile stone Mk'd S.C.L. II on North
 side and E.C.L. II on South side from
 which a Live Oak Mk'd S.C.L. brs. $N55^{\circ}$
 $E45$ ns. Do Mk'd Do Mk'd E.C.L. brs $S72^{\circ}$ E
 79 ns. Thence on East at 800 ns crossed the
 East line of section No 463 and west
 line of section No 462. 740 ns south of
 the N.E. and N.W. corners of said sections
 at 1900 ns set the 3rd mile stone Mk'd
 S.C.L. III on North side and E.C.L. III on the
 South side from which a P.O. Mk'd S.C.L.
 brs $N64^{\frac{1}{4}}$ $W.21^{\frac{1}{2}}$ ns. Do Mk'd E.C.L. brs
 $S36^{\circ}$ $E7^{\frac{3}{4}}$ ns said stone is 740 ns South and
 1100 ns East of the N.W. corner of section
 No 462. S.P. Railroad survey. Thence on East
 at 100 ns crossed a branch at 540 ns crossed
 West Pecan. at 1900 ns set 4th mile stone
 Mk'd S.C.L. IV on North side and E.C.L. IV
 on South side from which a Mesquite
 Mk'd S.C.L. brs $N6^{\frac{1}{2}}$ $E28$ ns a Live Oak Mk'd
 E.C.L. brs $S33^{\frac{1}{2}}$ $E12^{\frac{3}{4}}$ ns. Thence on East at
 1900 ns set 5th mile stone on top of a
 High hill Mk'd S.C.L. V on North side and

E.C.L.V on the south side from which
a Musquite Mk'd E.C.L. brs $S54^{\circ}W13$ as.
Live Oak Mk'd S.C.L. brs $S68^{\circ}W26$ as. Thence
on East at 960 as crossed west line
of the R. A. Pace Survey 580 as South
from the N.W. corner on East at 1900
as set the 6th Mile Stone Mk'd S.C.L
V.I on North side E.C.L.VI on South
side from which a Musquite Mk'd
S.C.L. brs $N35^{\circ}E59$ as. Do Mk'd E.C.L. brs
 $S54^{\circ}E63$ as. Thence on East at 180 as crossed
Main Pean creek 440 as Top of high
hill 1900 as set 7th Mile Stone Mk'd
S.C.L.VII on North side and E.C.L.VII on
South side from which a Double Live
Oak Mk'd S.C.L. and E.C.L. brs $N6^{\circ}W$ and
 $N5^{\circ}W80$ as. Thence on East 1540 as crossed
Branch 1900 as set 8th Mile Stone on
West Bank of Cedar creek Mk'd S.C.L.V
I.II on North side and E.C.L.V.III on South
side from which a Live Oak Mk'd S.C.L. brs
 $N31^{\circ}E7\frac{1}{2}$ as P.O. Mk'd E.C.L. brs $N74\frac{1}{2}^{\circ}E9\frac{1}{2}$ as
Thence on East at 550 as crossed the
West line of H.W. Merrill & East line of Section
No 385. 650 as South from the N.W. corner
at 1760 as crossed Sandy Creek 1900 as
set 9th Mile Stone Mk'd S.C.L.IX on
North and E.C.L.IX on South side

from which a P.O. Mk'd S.C.L. bro $S65\frac{1}{2}^{\circ}E$ 8 $\frac{3}{4}$ as
 Do Mk'd E.C.L. bro $S34\frac{1}{2}^{\circ}E$ 9 $\frac{1}{2}$ as said corner is
 550 as from the East line of the Merrill Survey
 650 as South from the North line thence on
 East 940 as crossed a Branch 1900 as set
 10th mile Stone Mk'd S.C.L. X on North side and
 E.C.L. X on South side from which a Live
 Oak Mk'd S.C.L. bro $N45^{\circ}W$ 86 as. Do Mk'd E.C.L.
 bro $S85\frac{1}{4}^{\circ}E$ 143 as thence on East at 680 as
 crossed a Branch at 900 as crossed Little Sandy
 Creek at 1200 as crossed a Branch 1900 as
 set 11th mile Stone Mk'd S.C.L. XI on
 North side and E.C.L. XI on South side
 in Mesquite flat No Bearings thence
 on East at 1870 as crossed East boundary
 line of the George Child Survey 1900 as
 set 12th mile Stone Mk'd S.C.L. XII on
 North side and E.C.L. XII on South side
 from which a Post Oak Mk'd E.C.L. bro
 $S51^{\circ}E$ 21 as Do Mk'd S.C.L. bro $S6\frac{1}{2}$ as. thence
 on East at 1900 as set 13th mile Stone
 Mk'd S.C.L. XIII on North side and E.C.L.
 XIII on South side from which a P.O.
 Mk'd E.C.L. bro $S72\frac{3}{4}^{\circ}W$ 46 as Do Mk'd S.C.L.
 bro $S82\frac{1}{2}^{\circ}W$ 48 as thence on East at 865 as
 crossed the East line of Section No 456
 S.P.R.R. Survey 1103 as from the S.E. corner

at 1640 us crossed west fork of Duck or
Gonzales creek 1900 us set 14th Mile Stone
Mtd S.C.L. XIV on North side and E.C.L.
XIV on South side from which a P.O.
Mtd E.C.L. brs $S68^{\circ}E1\frac{1}{2}$ us Do Mtd S.C.L. brs
 $N70\frac{1}{2}^{\circ}W11$ us. This Stone is 787 us South
and 865 us West of the N.W. corner of
Section No 457. S.F.R.R. Survey. Thence
on East crossing Mountain at 1900 us
Set 15th Mile Stone Mtd E.C.L. XV on South
side and S.C.L. XV on North side from which
P.O. Mtd S.C.L. brs $N84^{\circ}W24$ us Do Mtd E.C.L. brs
 $N68^{\circ}E11$ us This Stone is on the west bank
of Middle Gonzales creek. Thence on
East at 10 us crosses M. Gonzales creek at
1900 us set 16th Mile Stone Mtd E.C.L.
XVI on South side and S.C.L. XVI on North
side from which P.O. Mtd E.C.L. brs $S87^{\circ}E18$ us
Do Mtd S.C.L. brs $N65^{\circ}E32\frac{1}{2}$ us Thence on
East at 1160 us crosses East fork of
Gonzales creek at 1900 us set 17th Mile
Stone Mtd S.C.L. XVII on North side and
E.C.L. XVII on South side from which a
P.O. Mtd S.C.L. brs $S56^{\circ}W15\frac{3}{4}$ us. Do Mtd E.C.L.
brs $S50^{\circ}E16$ us. Thence on East at 1900 us
Set 18th Mile Stone Mtd E.C.L. XVIII on
South side and S.C.L. XVIII on north
side from which a P.O. Mtd S.C.L. brs $N87^{\circ}E$

16 $\frac{1}{2}$ us Do Mk'd E.C.L. bro S 62 $\frac{1}{2}$ ° E 23 $\frac{1}{5}$ us
 Thence on East at 1900 us set 19 $\frac{1}{4}$ mile
 Stone Mk'd E.C.L. XIX on South side and
 S.C.L. XIX on North side from which a
 P.O. Mk'd E.C.L. bro S 71° W 11 us Do Mk'd S.C.L.
 bro N 52° E 17 $\frac{2}{5}$ us. Thence on East at 906 us
 crossed the East line of Section No 128. West
 line of Section No 127 H & B. R. R. surveys
 715 us North from the S.E. corner of Section
 No 128. on East at 1900 us set 20 $\frac{1}{4}$ mile
 Stone Mk'd E.C.L. XX on South side and
 S.C.L. XX on North side from which a
 P.O. Mk'd S.C.L. bro N 4° S 5 us Do Mk'd E.C.L. bro
 S 3° W 16 us. This Stone is 984 us East and 715
 us North of S.W. corner of Section No
 127. H. & B. R. R. Sur. Thence on East at
 1900 us set 21 $\frac{1}{4}$ mile Stone Mk'd E.C.L.
 XXI on South side and S.C.L. XXI on
 North side from which a P.O. Mk'd E.C.L.
 bro S 44 $\frac{1}{2}$ ° W 6 $\frac{3}{5}$ us Do Mk'd S.C.L. bro N 13 $\frac{1}{2}$ ° W
 2 $\frac{2}{5}$ us. This Stone is 984 us East and 715 us
 North of the S.E. corner of Section No 126
 Thence on East 700 us crosses Colony
 creek at 1900 us set 22 $\frac{3}{4}$ mile Stone
 Mk'd S.C.L. XXII on North side and E.C.L. XX
 II on South side from which a P.O. Mk'd S.C.L.
 bro N 41 $\frac{1}{4}$ ° W 1 $\frac{1}{5}$ us. Do Mk'd E.C.L. bro S 76 $\frac{1}{2}$ ° W 15 $\frac{2}{5}$
 20

Thence on East at 916 us crosses the
 East line of Section No 125. 715 us
 North of the S.E. corner and 61 us North
 of J.E. Barnes Preemption Survey. at 1900 us
 set $23\frac{1}{4}$ mile Stone Marked S.C.L. XXIII on
 North Side and E.C.L. XXIII on South
 side in Sand rough this Stone is 34 us
 East and 61 us North of S.J. Beck's
 N.W. corner and J.E. Barnes, N.E. corner.
 Thence on East at 1900 us set $24\frac{1}{4}$ mile
 Stone Marked S.C.L. XXIV on North Side and
 E.C.L. XXIV on South side from which a
 P. Marked S.C.L. brs $N13\frac{1}{2}^{\circ}W4\frac{1}{2}$ us do Marked E.C.L.
 brs $S47^{\circ}E4$ us. Thence on East at 1300 us
 crossed the E.B. line of Barnes Survey
 40 us South of the S.W. corner of Wm No-
 lars Preemption Survey at 1647 us passed
 Thomas Bullock's N.W. corner 35 us
 to the North at 1900 us set $25\frac{1}{4}$ mile
 Stone Marked S.C.L. XXV on North Side
 and E.C.L. XXV on South side from
 which a P. Marked E.C.L. brs $S13\frac{3}{4}^{\circ}E15\frac{3}{5}$ us
 do Marked S.C.L. brs $S45\frac{1}{2}^{\circ}E10$ us. This Stone is
 South 35 us and West 72 us from Wm
 Nolars S.E. corner. Thence on East at
 1900 us set $26\frac{1}{4}$ mile Stone Marked S.C.L. XXVI
 on North side and E.C.L. XXVI on South
 side from which a small Black gacke brs $N27\frac{1}{2}^{\circ}W$
 $10\frac{2}{5}$ us

Thence on East ~~road~~ at 800 us Blow
of Mountain on East at 1200 us
crossed Texas and Pacific Railroad
at 1900 us Set 27th mile Stone Mk'd
S.C.L. XXVII on North Side and E.C.L. XXVII
on South Side This Stone is ^{on the brow of a high hill} on the West
and North Thence on East crossing
North Palo Pinto Creek at 1900 us set
28th mile Stone Mk'd S.C.L. XXVIII on
North and E.C.L. XXVIII on South side.
from which a Forked P.O. Mk'd S.C.L. brs
N 21 $\frac{1}{2}$ ° E 76 us. P.O. Mk'd E.C.L. brs S 6° W 73 $\frac{1}{2}$ us
Thence on East at 1900 us set 29th mile
Stone Mk'd S.C.L. XXIX on North Side and
E.C.L. XXIX on South side No Bearings
Thence on East at 400 us crossed the
West Line of the O. Bailey Survey 300 us
North from its S.W. corner on East at
1132 us a Point 300 us North of J.R.
Andersons N.E. corner on East at
1900 us set 30th mile Stone Mk'd
S.C.L. XXX on North Side and E.C.L. XXX
on South side from which a P.O. Mk'd
S.C.L. brs N $\frac{1}{2}$ ° W 8 $\frac{1}{2}$ us do Mk'd E.C.L. brs
S 47° E 3 $\frac{1}{2}$ us. This corner is in the O. Bai
ley Survey 265 us West and 45 us South
of the S.E. corner of J. H. Hartfield
Preemption Survey

Also 187 bars West and 115 bars
 South of the NE corner of W. F.
 Davis Preemption Survey thence on
 East 800 rods came to the Old Palo Pinto
 County line set a Stone Mk'd S.E. cor.
 S.E. from which a Post Oak Mk'd S.E. C
 S.E. hrs N 20° E 6 rods

Surveyed June 22nd 1880

D. S. Davis } chain
 E. M. D. Hudelson } Carriers

I J. H. Hudelson Surveyor Eastland
 County do hereby certify that the
 foregoing Survey was made accor-
 ding to law and that the ~~limits~~
 Boundary and corners with the marks
 natural and artificial are truly
 described in the foregoing field
 notes

J. H. Hudelson
 Surveyor Eastland
 County Texas

Received, examined and approved
in open Court this August, 10, 1880.

And ordered to record

and also that a certified Copy
of this report be sent to the Com-
missioner of the Gen. Land Office at
Austin.

J. D. Harmon,
County Judge,
Presiding.

16.—CERTIFICATE OF TRUE COPY.

Jennings Bros., Printers, Binders and Blank Book Makers, Marshall, Texas.

THE STATE OF TEXAS, }

COUNTY OF } Eastland

I, J. P. Schmick Clerk of the County Court.

of Eastland County, Texas, do hereby certify that the foregoing is a true and correct copy of
the original Field Notes of the Dr Bay of Eastland ^{of record in my office} _{now on file in said Court}

Given Under my Hand and the Seal of said Court, at office, in Eastland

this the 13th day of August A. D. 1880

J. P. Schmick Clerk.

26

X

Eastland County.

Fieldnotes of North line.

lines by one surveyor but our
start starting point - 1/4 sec N. of
University land showed be a
defted for the same work
the Stephens Co Surveyor has
returned and adapt
ed the line

Rec'd Aug 18. 1880

McNash
Cove

7500