

Weller
Sch. League

-- N^o 12.

23. 25.
B.S.F. J.H.
Gibson

26.

1756.

V.V.A.

Hardin.

6.
Mrs.
Sallie.
Weaver

1758.
Martha
Elbridge

1696.

7.
M. J.
J.L.
Carey

1688.

1687.
T.C.Ry.
Co.

1813.
T.C.Ry.C.

1814.

1806.

C.C.Ry. 3 T.C.Ry.C. 1805.

98. 99.

89. 88.

72. 73.

63. 62.

46. 47.

37. 36.

21. 22.

20. 18.

19. 17.

G.C.Ry. 1. 2.

524.

22.

65.

47.

573.

489.

21.

17.

C.T.Ry.

Co.

18.

16. 17. 18.
C.T.Ry. T.C.Ry.
Co. Co.
16. 27.

C.C.Ry. Ry. Co.

N
W
E
S
Var: 9° E
4000 ft.

L'andmarks C.

Kenos. Co

1 mil. publ. of drawbs
Counter 52853

Borden Co

2087

The State of Texas.

County of Edwards ³ filed Notes of
a Recurvey of the boundary line between
Edwards and Kerr Counties made under
an order of the Comr. Courts of said
Counties and in accordance with
the provisions of an act establishing
and prescribing the manner of ascertaining
the boundaries of Counties Approved
April 22nd 1879

Beginning at a Stone Md. on the
East slope of Elm Canon set for the
S.W. corner of Kerr and N.W. cor. of Bandera
County said stone Md. being 650 ft. West
and 651 ft. South from the N.E. cor. of Sur.
No. 16 C.T.Ry. Co. as determined from N.E.
cor. of Sur. No. 19 and S.W. cor. of Sur. No. 18
C.T.Ry. Co. from which a st. 0 5ⁱⁿ d bears
N. 3^m W 24^{1/2} ft. and a st. 5ⁱⁿ d N. 39^{1/2} W 27 ft.
a Cedar 10 in d lies N. 3^m E 10^{1/2} ft. and a high
bluff on W. bank of Elm br. 3' 80" W about
500 ft.

Hence N. abt 651 ft. N. line of Sur. No. 16
650 ft. W. from its N.E. cor.

Abt 1900 ft. Rock Md. "In good bearings near"
Abt 2080 ft. Rk. Md. on E. slope of a hill
below the S.E. point of a high Bluff which
faces W. bank of Elm Canon sp. coh. a class-
ter of 3 L. Ms. 5 in d. abt 3' 58" E 35^{1/2} ft.

1-651

- Ab 2551 is crosses S. line of Sur No. 18 C.I.
Ry. Co. 50 is E. of its N. W. cor.
- Ab 3470 is a Rk. Md. about $\frac{2}{3}$ the way up
a point of Mountain facing E. pt. wh. the
mouth of the hollow on wh. Joy Bluff
is situated lies S. 87 E.
- Ab 3720 is crosses Spring branch
- Ab 3800 is Rk. Md. pt. wh. a Cedar 12 in d
bs N. 87 W and 20 10 in d bs S. 63 $\frac{1}{2}$ E 33 is)
- (Ab 4461 is crosses N. line of Sur. No. 18
C.I. Ry. Co. 50 is E. of its N. W. cor.
- Ab 5060 is Rk. Md. abt. 30 is S. from the
edge of a deep rocky gulch
- Ab 5700 is Rk. Md. "No good bearings")
- (Ab 6351 is crosses N. line of Sur. No. 17
C.I. Ry. Co. and S. line of Sur. No. 515-A.B.M.
50 is E. of the N. W. cor. of 17 and S. W.
cor. of No. 515-
- Ab 6960 is Rk. Md. on Sh. O. 3 in d bs N.
73 $\frac{1}{2}$ E 40 $\frac{3}{5}$ -ts and 20 4 in d bs N. 57 W 11 $\frac{1}{5}$ -ts
- Ab 8251 is crosses N. line of Sur. No. 515-
A.B.M. 50 is E. of its N. W. cor.
- Ab 8860 is Rk. Md. pt. wh. L. O. 3 in d bs
N. 80 E 13 ts and 20 4 in bs N. 85 E 12 $\frac{3}{5}$ -ts
- Ab 10151 is crosses N. line of Sur. 524 A.
B.M. and S. line of Sur. No. 1 G.C. & S.F. Ry. Co.
50 is E. of S. W. cor. of last named Sur.
- Ab 10460 is crosses Nevers Rd. about 70 is
E. of flat Rk. water hole.

me m
5-12-60

at 10760 ft Md. p. wh. a L.O. 4 in hrs

N 15½ E 10½ in a do 5 in hrs at 10 E 10 85

6 At 11500 ft Crosses N line of Surv. No 17
p. Kegville a R.R. Md. p. wh. a P.M. L.O. hrs N. 16 2 in

At 12051 ft Crosses N line of Surv. No 1

G.C. & S. Ry Co. and S. line of Surv. No 17 At.
E.W. & Ry Co. Blk D 50 yrs E from S. W. cor
of last named Surv.

6-12-60 At 12660 a R.R. Md. p. wh. a L.O. ^{3 in} hrs N 5-3½ E
83 75 a do 10 in hrs S 14 W 108 75

At 13951 crosses N line of Surv. No 17 and S.
line of Surv. No 18 A.E. W.T. Ry Co. Blk D
50 yrs E of S. W. cor of latter Surv.

7-12-60 At 14460 ft a R.R. Md. p. wh. a L.O. 9 in hrs
S. 7 W 70 75 a do 3 in hrs N 69½ E 35-75

At 15851 ft crosses N line of Surv. No 18
and S. line of Surv. No 22 A.E. W.T. Ry Co.
Blk D 50 yrs E of S. W. cor of latter Surv.

8-12-60 At 16460 ft a R.R. Md. with low Sh. O. thickets
on W. slope of a hill p. wh. a B.J. 8 in
hrs N. 70 W 110 75 a do 6 in hrs N. 69 W 110 75
At 17751 ft N. line of Surv. No 22 and S.
line of No. 36 Blk D 50 yrs E. of S. W. cor of
last named Surv.

9-12-60 At 18360 ft a R.R. Md. in Paint Creek
valley p. wh. a L.O. 8 in hrs at 39 E 11 75
a do 9 in hrs N. 32 75

10-6-67 At 19651 ft Crosses N. line of Surv. No 36
and S. line of No. 47 Blk D 50 yrs E. of S. W.
corner 52856

Cir. of Surv. No. 47.

At 20260 rs a Rk. Md. pr. wh. a L. O. 4 in d
bs 566 N 65° ts a do 5-in 569 N 64° ts.

At 20840 Crosses old Rd. pr. This water hole
from Paint Cr. a Rk. Md. pr. wh. a L. O.
4 in d hrs N 19° 17' ts

At 21551 ts Crosses S. line of Surv. No. 47
and S. line of Surv. No. 62 BMD 50 m E.
from S. W. Cir. of last-named Surv.

At 22160 ts a Rk. Md. a L. O. 14 in d hrs
N 99° E 15 1/5 ts a do 16 inbs 580 E 16° ts.

At 23451 ts Crosses S. line of Surv. No. 73

BMD 50 m E of S. W. Cir. of same

At 24060 ts a Rk. Md. on S. slope of a
valley pr. wh. a L. O. 10 in dia hrs 569 E 60° ts
an do 6 in hrs West 32 1/2° ts

At 25351 ts Crosses S. line of Surv. No. 88

BMD 50 m E from S. W. Cir. of same

At 25960 ts a Rk. Md. near the bottom
of a long draw of Paint Cr. running
S. W. a Sh. O. hrs N 33° W 34° m a L. O.
10 in hrs 581 W 135° ts

At 27251 ts Crosses S. line of Surv. No. 99

BMD 50 m E of S. W. Cir. of same

At 27860 ts a Rk. Md. pr. wh. a L. O. 5 in
hrs N 54° W 40° ts do 3 in hrs N 43° W 40° ts

At 29151 ts Crosses S. line of Surv. No. 99

A. E. N. T. Ry Co. BMD 50 m E of its S. W. Cir.

15-1260

Ab 29760 rs a Rk Md N.W. cor of Surv.
D. 1805 - G.C & S & Ry Co fs wh. a dry pond
bs 535-8 60 rs a L.O 8 in bs 45-8 220 rs
16 mi
Ab 30400 rs Crosses Keweenaw & Green Lake
Rd.

16-1260
Ab 31660 rs Rk Md. N.W. cor of Surv. D. 1806.
G.C & S & Ry Co. fs wh. a L.O 4 in bs 57-8
30 rs a do 4 in bs 313 N 36 W

17-3100
Ab 32610 rs N.W. cor of Surv. D. 1814
17-1260
Ab 33560 rs N.W. cor of Surv. - 1813

T C RY Co. a Rk Md. fr wh. a L.O 6 in bs
482 E 50 rs a do 5 in bs 53 1/2 E 33 rs

18-1260
Ab 35460 - rs a Rk Md. opn divide between
Johnsons pr of Llans and Paint Ch.
being also the N.W. cor of Surv. 1686.
and S.W. cor of Surv. D. 1687 T C RY Co.
fs wh a L.O 2 in d bs N. 54-8 rs and a
do 2 in bs N 19 N 29 rs

19-1260
Ab 37860 rs a Rk Md the N.W. cor of
Surv No 1687 fs wh a L.O. 2 1/2 in bs 57 9/10 E
42 rs a Cedar 10 in bs N 3/4 E 107 5-10.

20-1260
Ab 39260 N.W. cor of Surv D. 1688 a
Rk Md. fr wh a L.O 2 1/2 in bs 343 E
3 rs a do 3 in bs N 7 1/2 N 3 1/2 rs

21-1260
Ab 41160 rs N.W. cor of Surv D. 1696 T C RY Co.
and S.W. cor of Surv D. 1758 Martha Ettridge
a Rk Md. fr wh a L.O 2 1/2 in bs 383 3/4 E
17 rs a do 2 1/2 in bs 382 8 17 1/5 rs

22-1260
Ab 43060 rs a Rk Md in N line of Surv 1758

a L.O. 9 in br A. 23 N $4\frac{1}{5}$ - Fr a Mts 7 a
 br S 17 N 66 m
 At ²³⁻⁹⁰⁷⁰ 43790 to N. W. cor of Said Surv. $\vartheta^{\circ} 175^{\circ} 8'$ and
 S. N. cor of $\vartheta^{\circ} 175^{\circ} 6'$ Fr a Nardin
 At ²³⁻¹²⁶⁰ 44960 a Rk Md in N. line of last named
 Surv. on top of a high ridge "No bearings clear"
 At ²⁴⁻⁸²⁰ 46420 to N. W. cor of Said Surv. $\vartheta^{\circ} 175^{\circ} 6'$
 in S^o line of Surv. $\vartheta^{\circ} 25^{\circ}$ J. H. Gibson 240 m
 E of it - S. N. cor
 At ²⁴⁻¹²⁶⁰ 46860 to a Rk Md p. wh. a L.O. 4 in br
 A. 28 E $4\frac{2}{5}$ -ts a do 6 in br A. 26 $\frac{3}{4}$ N 90 m
 At ^{25m-820} 48320 to a point in N. line of Said
 Surv. $\vartheta^{\circ} 25^{\circ}$ 240 m E of it - N. W. cor
 "old bearing found"
 At ²⁵⁻¹²⁶⁰ 48760 to a Rk Md p. wh. a B.J.
 6 in br A. 89 E $81\frac{4}{5}$ -ts a L.O. 5 in br
 A. 60 N $133\frac{1}{5}$ -ts a Cedar Mt br North
 At ^{26 m b.} 49400 to a Rk Md made for the
 N. N. cor of Kerr and N. E cor of
 Edwards County in the S line of
 Kimble Co a Rk L.O. 10 in br 8098
 $81\frac{3}{5}$ -ts a do 5 in br A. 64 E 90 m
 and the S. W. cor of Waller Co. School
 Leagn $\vartheta^{\circ} 12^{\circ}$ br $3^{\circ} 75^{\circ} 8^{\prime} N$ and 4209 to
 and S. E cor of Same br $3^{\circ} 42^{\circ} 48^{\prime} E$
 1472 ts "old bearing of this land found
 Bearings Marked ^K I
 Surveyed June 1st 1892

100
200

Jan 1st 9° E.

Frank Payne

for Lantz 3 Chain Carriers
I for Baswell Special Surveyor
Appointed by Coms. Court of Edwards Co.
for the purpose of running above and
before described line & hereby Certify
that Said Survey was actually made
in the field according to Law at
the time above designated and in
Company with J. H. Davis Special
Surveyor for Peur Co. and that the
line is - bounded and corners with
the Marks Natural and artificial
are truly described in the foregoing
Plat and Field Notes given under my hand,
at Rock Springs this 31st day of January 1892

Jos Baswell

Spec. Surv. Edwards C.

To (f)

J. H. Davis Special Surveyor
for Peur Co. I hereby Certify above
and foregoing Plat and Field Notes
together with the Surveys (Certificates
there attached are true and correct.

J. H. Davis
Spec. Surv. Peur Co.
Lef.

The State of Texas } G W Mumpford Clerk of the
County of Edwards } County Court in and for the
County of Edwards State of Texas do hereby certify
that the foregoing is a true and correct copy of the
original field notes of a Survey of the boundary line
between Edwards and ~~Kosciusko~~ counties on file
in my office and recorded in the minutes of the
Commissioners Court of said County in Vol 2
pages 243-244-+ 245.

Given under my hand and the seal of the
County Court at office in Sweet Springs Texas
this the 15th day of June AD 1892

W Mumpford Clerk
Comrnt Edwards Co

(6) Filed No 125
" Survey of the
Edwards &
Kosciusko

Filed June 20 1892

Examined and
Approved
June 20 1892 Beaumont

C. Boundary line
between
Edwards Co
and
Kosciusko