

The State of Texas }
Cottle County }

Field notes of
the survey of the East line of Cottle
and the West line of Foard Counties.

Situated between said Cos.
& Beg. at a stake three feet high &
four fits, the N.W. Cor. of Knox, the
N.E. Cor. of King and the old S.W. Cor.
of Hardeman and S.E. Cor. of Cottle Cos.

Thence West
at 2000 ft. cross Wichita River course
N 15° E & at 1900 ft. three large rocks
one set in ground and mkd. C. L., be-
tween two fits, from which a H.B. br.
S 36° W 39 ft.

Thence West
1900 ft. to two fits & md. of Earth and
two large stones one set in ground &
mkd. C. L. from which a bunch of H.B. br.
S 73° W and bunch of mesq. br. S 59° W 29 ft.

Thence West 1900
ft. to a large stone set in ground and
mkd. King on South side and S.W. Foard
& S.E. Cottle on North side, said stone
being the one erected by Ira Millington
and from which a tripple H.B. mkd.
X br. S 33°-35° W 25 ft. and four other H.B.
one mkd. X br. S 50° W 30 ft. The foregoing
three miles were run on the line established by
Ira Millington, Thence turning at Right
Angles to said Millingtons line - - -

(1) Thence North on the Hoard - Cottle Co. Line & at 533 vt. cross draw & up mesq hill to Mt., at 1011 vt. cross N.B.L. of sec. 45 for F.P. Knott at 786 vt. E. from the N.W. Cor. at 1090 vt. cross small draw & Break & at 1900 vt. a mile stone set in ground mkd. 1. M. C. C. on W side & C. L. on E. from which a tripple A.B. mkd. $\bar{7}$ br. N $47^{\circ}45'$ E 220 vt. & Buffalo Hump br. S $7^{\circ}45'$ E.

(2) Thence North & at 248 vt. cross draw, at 284 vt. cross draw, at 720 vt. ascend Mt. side, at 936 vt. cross flat Top of Mt., at 1011 vt. cross N.B.L. of sec. 28 for F.P. Knott at 786 vt. E. from N.W. Cor. & at 1900 vt. a mile stone set in ground & mkd. 2. M. C. C. on W. side & C. L. on E. from which a A.B. mkd. $\bar{7}$ br. S 33° W 146 vt.

Thence North at 864 vt. cross small ctk. Course N.E. three times, at 1011 vt. cross N.B.L. of sec. 26 F.P. Knott at 311 vt. E of N.W. Cor. at 1512 vt. cross point which projects to E and at 1900 vt. a mile stone mkd. 3. M. C. C. on W side & F. C. L. on E. from which a mesq. mkd. $\bar{7}$ br. S $57^{\circ}30'$ E 11 vt.

Thence North & at from 288 vt. to 360 vt. cross & recross draw course E., at 1008 vt. cross ctk. Course N.E., at 1011 vt. cross

(4). N. B. L. of sec. 11 for said knot at 308 vp. E. of N. W. Cor. & at 1900 vp. a mile stone set in ground & mkd, 4. m. c. c. on W. side & F. C. L. on E. No Bearings in sight.

Thence north & at 1011 vp. cross N. B. L. of sec. 8 for said knot at 305 vp. E. of N. W. Cor. & at 1900 vp. a mile stone mkd. 5. m. c. c. on W. side & F. C. L. on E. no Bearings to be seen.

(5). Thence north & at 1800 vp. cross small crk. course N. E., at 5640 vp. cross N. B. L. of sec. 5-8 for said knot at 302 vp. E. of N. W. Cor. at 828 vp. Cross draw course E., at 1188 vp. cross draw course E., at 1728 vp. cross plain wagon road course N. E. & S. W. & at 1900 vp. a mile stone mkd, 6. m. c. c. on W. side & F. C. L. on E. no. Bearings in sight.

(6). Thence north & at 2090 vp. descend steep, rocky Bluff, at 2450 vp. cross N. B. L. of sec. 61 for said knot at 299 vp. E. of N. W. Cor., at 360 vp. cross draw, at 1895 vp. cross S. B. L. of Jno. J. Smith sur. at 1050 vp. E. of S. W. cor. & at 1900 vp. a mile stone set in ground & mkd, 7. m. c. c. on W. side & F. C. L. on E. no. Bearings to be seen.

Thence north

1 & at 1440 ft. cross N. Prong of Niche-
 2 ita River course S 64° E about 500 ft
 3 above mouth of crk, coming in from
 4 the north, at 3600 ft. ascend high bluff,
 5 at 12960 ft. cross rough Brks. of crk.,
 6 at 13100 ft. cross crk. & at 19000 ft. a
 7 mill stone mkd. 8. M. C. C. on W. side
 8 & F. C. L. on E. from which a cedar
 9 tree mkd. 7 bp. S 79° W 12.00 ft. and
 10 clump of H. B. on mkd. 7 bp. N.
 11 26°-45' W 35.00 ft.

Thence north &

12 at 3890 ft. cross deep gulch, at 1731
 13 ft. cross wire fence, at 18950 ft. cross
 14 N. B. L. of Jno. J. Smith sen. at 10440 ft.
 15 E. of N. H. Cor. & at 19000 ft. a mill
 16 stone mkd. 9. M. C. C. on W. side and
 17 F. C. L. on E. from which a bunch of
 18 willow trees on mkd. 7 bp. N 20°-28' E
 19 283.00 ft.

Thence north &

20 at 10800 ft. ascend hill, at 16380 ft.
 21 cross N. B. L. of old sec. 35 S. P. A. C. Co.
 22 at 30800 ft. E. of N. H. Cor. & at 19000 ft.
 23 a mill stone mkd. 10. M. C. C. on W. side
 24 & F. C. L. on E. situated about 1/4 mile
 25 S. E. from high Brks. & from which a
 26 H. B. mkd. 7 bp. S 79° W 123.00 ft.

Thence north &

27 at 32400 ft. cross road course N. E. & S. W.,
 28 at 43200 ft. pass foot of bluff, at 57600 ft. ascend
 29 bluff, at 97200 ft. ascend high bluff at 163800 ft.

(11) Cross N. D. L. of sec. 27, S. P. R. R. Co. at 305 vp. E. of N. W. cor. at 1900 vp. a mile stone MKd. 11. m. C. C. on W side & F. C. L. on E. No Bearings in sight.

Thence North &

at 864 vp. cross crk, at Bench of N. D. S., at 1200 vp. cross road, at 1638 vp. cross S. D. L. of sec. 19 for S. P. R. R. Co. at 302 vp. E. of S. W. cor. & at 1900 vp. a mile stone MKd. 12. m. C. C. on W side and F. C. L. on E. from which a stone mon. on high hill bp. S 31° W 282 vp. and situated 72 vp. S. of Good Cr. corner S. C.

Thence North &

at 1476 vp. cross fork of Good Cr., at 1638 vp. cross N. D. L. of sec. 19 for S. P. R. R. Co., at 299 vp. E. of N. W. cor., at 1656 vp. cross fence & at 1900 vp. a mile stone MKd. 13. m. C. C. on W side & F. C. L. on E. from which a st. bp. N 85° E. 115 vp.

Thence North &

at 828 vp. ascend steep, rocky Break, at 1638 vp. cross N. D. L. of sec. 16 for S. P. R. R. Co., at 296 vp. E. of N. W. Cor. & at 1900 vp. a large pile of stones one MKd. 14. m. C. C. on W & F. C. L. on E. from which a st. bp. N 77° 45' W 43 vp. & a large stone MKd. 7. P. S. N 14° 15' W 43 vp.

Thence North &

at 1080 vp. cross rocky Point, at 1638 vp. cross N. D. L. of sec. 9 for

(15)

S. P. R. Co., at 293 vp. E. of N. W. Cor.
at 1663 vp. cross wire fence & at 1900 vp.
a large pile of rocks on S. slope of ^{gap} tall
course N. E., one mkd. 15. m. C. C. on Weide
& F. C. L. on E., from which a mesqr. Br.
N. 60°-45' W 690 vp.

Thence North &

at 1080 vp. cross crk. course E., 15 vp.
below two large China trees, at 1281 vp.
cross road course E., at 1638 vp. cross
N. B. L. of sec. 6. S. P. R. Co., at 290 vp.
E. of N. W. Cor., at 1692 vp. ascend high

(16)

hill or Bluff pointing to S. W. & at
1900 vp. a large pile of stones one mkd.
16. m. C. C. from which a bunch of st. ps.
one mkd. 7 Br. N. 31° W 204 vp.

Thence North &

at 673 vp. cross S. B. L. of sec. 102 S. P. R.
Co., at 284 vp. W. of S. E. cor. & at

(17)

1900 vp. a mile stone mkd. 17. m. C. C.
on one side & F. C. L. on E. no. Bear-
ings in sight

Thence North &

at 673 vp. cross S. B. L. of sec. 99 at 296
vp. W. of S. E. cor., at 1296 vp. ascend rough
Crk., at 1332 vp. cross road & at 1900 vp.
a large md. of Earth & two pits. no.
Bearings in sight.

(18)

Thence North &

at 673 vp. cross S. B. L. of sec. 91. for
S. P. R. Co., at 308 vp. W. of S. E.
Cor., at 792 vp. descend rough draw

2

(19) course North, at 1572 vp, cross small
 crk, course East & at 1900 vp, a mile
 stone MKd, 19, M, C, C, on W side and
 S, C, L, on E, from which a S. B. MKd,
 \bar{x} Brs, S 86 E, 499 vp.

Thence North &
 at 673 vp, cross N. B. L. of sec, 91 for
 Tr N. C. R. R. Co, at 320 vp. W of N. E. Cor,
 (20) at 1440 vp, cross road at 1620 vp, cross
 fence & at 1900 vp, a mile stone MKd,
 20, M, C, L, No. Bearings in sight.

Thence North &
 at 673 vp, cross the S. B. L. of sec, 37 Tr
 N. C. R. R. Co, at 345 vp. W of S. E. Cor, at
 (21) 1584 vp, cross small crk, course about
 N 75 W & at 1900 vp, a large pile of stones
 from which a S. B. Brs, S 36 W 235 vp.

Thence North &
 at 673 vp, cross S. B. L. of sec, 5 Tr N. C. R.
 R. Co, at 357 vp. W of S. E. Cor, & at 1900 vp
 (22) a meqt. Post 3 ft. high MKd, 22, M, C, C,
 from which a meqt. tree Brs, N 44 W
 147 vp.

Thence North &
 at 673 vp, cross S. B. L. of sec, 60, Tr N,
 C. R. R. Co, at 370 vp, W of S. E. Cor & at
 (23) 1900 vp, a mile stone MKd, 23, M, C,
 C, on W side & S, C, L, on E, from which
 a S. B. MKd, \bar{x} Brs, S 4-30 W 39 vp.

Thence North
 & at 673 vp, cross S. B. L. of sec, 86, for
 A. J. Smyth at 382 vp, W of S. E. Cor,

(24)

at 792 vp. cross crk. course East and
at 1900 vp, a mile stone mkd. 24. M.
C.C. on W side & S.E. L. on E. from
which a mesqt. mkd. \bar{x} br. S.W. 149 vp.

Thence north

(25)

& at 673 vp. cross S. B. L. of sec. 87 for A.
Forsythe at 405 vp. Pt. of S.E. Cor. & at
1900 vp, a mile stone mkd. 25. M. C.
C. No. Bearings to be seen.

Thence north

(26)

& at 673 vp. cross S. B. L. of sec. 90 for
A. Forsythe at 418 vp. Pt. of S.E. Cor. and
at 1900 vp, a mile stone mkd. 26. M.
C.C. from which a large S.P. in branch
br. N $84^{\circ}15'$ 31 vp.

Thence north

(27)

& at 673 vp. cross S. B. L. of sec. 93 for
A. Forsythe at 431 vp. Pt. of S.E. Cor.,
at 1572 vp. descend Pease River Bluff
& at 1900 vp, a stake from which a
China mkd. \bar{x} Br. N $73^{\circ}30'$ W 43 vp,
& China mkd. \bar{x} Br. S $78^{\circ}45'$ W 61 vp.

Thence north

at 270 vp. the middle of Pease River
from which a round, rocky, point of
River Bluff on S. Bank of River br. S 66°
about 400 vp, and Point on W. side
of River Br. N 47° about 250 vp.

Bearings mkd. \bar{x} ,

Surveyed on the 11, 12, 13, & 14th days of
Jan, 1893.

9-

S. A. Moose }
J. D. Short } Chain Carriers.

W. D. L. Reavis,
County surveyor of Foard Co, and
A. A. Neff, County Sur, of Cottle
Co, Texas, do hereby certify that
the foregoing described survey was
made by us, on the ground ac-
-cording to law, on the dates and
with the Chain Carriers aforesaid,
duly qualified, and that all the
mile stones, connections, Bearings
and marks of the same, whether
natural or artificial, are truly
and correctly described and set
forth in the fore going Plat
and Field Notes,

Witness our
hands this the 3rd day of Feb-
-ruary A. D. 1893

W. D. L. Reavis
A. A. Neff,

29.-CERTIFICATE OF RECORD.

TEXAS PRINTING AND LITHOGRAPHING CO., FORT WORT.

Class 6.

THE STATE OF TEXAS,
COUNTY OF Foard

I, G. W. Thompson County Clerk in
Eximmi

and for said county, do hereby certify that the foregoing
dated the 3 day of Feb 1893, with its certificate of authentication, was
filed for Record in office the 7th day of June A. D. 1893,
at 2 o'clock P. M., and duly Recorded the 8 day of June A. D. 1893,
at 8 o'clock A. M., in the deu Records of said County, in Vol. 1 on Page 1-15-10530

Witness my hand and the seal of the County Court of said County, at office
in Crowell Texas, the day and year last above written.

G. W. Thompson
Clerk County Court Foard County.

By _____ Deputy.

82 81 80 29 28 27 26 25 24 23 22 21 20 19 18

This Instrument
was Filed for
Record this 7th
day of June 1893
at 2 o'clock P.M.
G. H. Thompson
clerk

Received this the
8th day of June 1893
at 8 o'clock A.M. in
Book 1 Page 545-
10 550 from Record
of Fourn vs Tex
G. H. Thompson
C C C F C T
OK

Board Co

boundary between Dells
& Board Cos.

Filed June 13th 1893

Examined and approved
June 13th /93 G. W. Beaumont