

The State of Texas  
Foard County

I D. S. Reavis  
County surveyor of Foard County Texas  
Do hereby certify that the foregoing  
survey was made by me in strict accordance  
with an order issued by the commissioners  
court of Foard County at its regular  
term November 1893, and that the  
commissioners court of Hardeman Co.  
was served with legal notice - time and  
place of beginning said survey being  
duly stated - and that I proceeded at  
the time and place of beginning men-  
tioned in said notice to make said  
survey - and that a representative surveyor  
from Hardeman Co. failing to put in  
appearance at the appointed time and  
place then and in that event I  
proceeded alone to complete the survey.

D. S. Reavis  
Surveyor of Foard County Tex.

Foard Co Bdry Line 5

Surveyors Certificate  
that Corner Court of  
Hordman & was  
legally notified  
of the running of  
a line between  
Foard & Hordman

Filed Mich 24<sup>th</sup> 1894.

Report of a Survey of the North  
Line of Hoard County made by  
order of the Commissioners Court of  
Said County at its regular term Nov  
14 - 1893.

Beginning at the  
N.E. corner of Hoard County a  
point on the S. bank of Peas River  
40 vrs N. of the 17th Mile Stone from  
N.W. cor of Baylor Co. on E.  
line of Hoard and N. line of Wilbarger  
counties from which stems a chittin  
tree brs  $S 49 \frac{3}{4} E$  25 vrs and two chittins  
5 inches in dia br  $N 54 \frac{1}{2} W$  12  $\frac{1}{2}$  vrs)

Thence up the River with its mean-  
ders (from point 40 vrs N. of Stone) as  
follows  $S 29 W$  1000 vrs Thence  $S 45 \frac{1}{2} W$   
1020 vrs a point from which a cotton  
wood tree at Antelope Springs brs  $S 43 E$   
112 vrs, Thence  $S 37 W$  914 vrs -

Thence West 516 vrs Thence  $N 62 \frac{1}{4} W$   
744 vrs Thence  $N 47 \frac{1}{2} W$  923 vrs

Thence  $N 77 \frac{3}{4} W$  at 584 vrs end of 3rd Mile  
at 1731 vrs a point. Thence  $S 48 \frac{1}{2} W$  at  
753 vrs end of 4th Mile at 1674 vrs a  
point, Thence  $S 67 \frac{3}{4} W$  at 979 vrs end  
of 5th Mile at 1950 vrs a point,

Thence  $N 78 \frac{1}{2} W$  at 658 vrs cross the E. line  
of Sec 279 Blk A. H & T C R.R. Co. 446 vrs  
N. of its S.E. corner. at 929 vrs end of  
6th Mile at 1900 vrs a point.

Thence  $N 38 W$  at 471 vrs end of 7th Mile  
at 1088 vrs a point. Thence  $N 60 W$  at 14 vrs  
cross the W. line of sec 279 Blk A. 1303 vrs  
N. of its S.W. corner. at 1783 vrs end

Hoard Co Bd'y Line 5

2  
1 of 8<sup>th</sup> mile at 2208 vrs cross the W.  
2 line of sec 287 Blk A. 501 vrs N.  
3 of its S.W. corner at 2250 vrs a point.  
4 Thence N 79° W 1330 vrs. Thence N 47 1/4° W  
5 at 103 vrs end of 9<sup>th</sup> mile at 738 vrs a pt.  
6 Thence N 60 1/4° W at 20 vrs cross the W.  
7 line of sec 318 Blk A. 1282 vrs N. of <sup>1748 vrs cross N. line of sec</sup>  
8 its S.W. corner at 1248 vrs cross the N. line  
9 of sec 325 Blk A. 1064 vrs from N.E. corner  
10 at 1265 vrs end of 10<sup>th</sup> mile at 1285 vrs  
11 a point. Thence N 73 3/4° W 615 vrs a point  
12 Thence N 33 3/4° W at 385 vrs cross the W. line  
13 of sec 324 Blk A. 484 vrs N. of its S.W. cor.  
14 at 1265 vrs end of 11<sup>th</sup> mile at 1500 vrs a  
15 point. Thence N 63 1/2° W 900 vrs. Thence N 75 1/4° W  
16 at 252 vrs cross the W. line of sec 357 Blk  
17 A. 232 vrs from N.W. corner. at 491  
18 cross W. line of sec 358 - 61 vrs N. of its  
19 S.W. corner. at 765 vrs end of 12<sup>th</sup> mile  
20 at 935 vrs a point. Thence S 73 1/2° W  
21 at 681 vrs cross the N. line of 362 Blk  
22 A. 1079 vrs from N.E. corner at 731  
23 vrs a point. Thence S 62° W 831 vrs  
24 a point. Thence S 78 1/4° W at 168 vrs  
25 end of 13<sup>th</sup> mile (at 41 vrs cross the W. line  
26 of sec 362 - 431 vrs S. of N.W. corner)  
27 at 500 vrs a point. Thence N 77 1/4° W  
28 838 vrs a point. Thence S 19° W  
29 at 730 vrs end of 14<sup>th</sup> mile at 1641 vrs  
30 a point. Thence West at 100 vrs cross  
31 the W. line of sec 395 - 8 vrs N. of  
32 S.W. corner at 600 vrs a point.  
33 Thence N. 47° W at 389 vrs end of 15<sup>th</sup> mile  
34 at 1028 vrs a point.

Thence N66W at 708 vrs cross the  
w. line of sec 400 Blk A. 1100 vrs  
N. of S.W. corner at 1261 vrs end of  
16<sup>th</sup> mile at 1380 vrs a point.

Thence S87W at 1240 vrs cross the  
w. line of sec 433 - 1300 vrs N. of its  
S.W. corner at 1481 vrs end of 17<sup>th</sup> mile  
at 3041 vrs a point. Thence S87W

at 152 vrs cross the w. line of sec 438  
Blk A. 1200 vrs N. from S.W. corner.  
at 640 vrs end of 18<sup>th</sup> mile at 1756  
vrs a point. Thence S82W at 3031

vrs cross the w. line of sec 471 -  
1100 vrs N. of its S.W. corner. at 784 vrs end  
of 19<sup>th</sup> mile at 900 vrs pt. Thence West

at 1311 vrs cross the w. line of sec 476 Blk A. 977 vrs N.  
of its S.W. corner at 1893 vrs the mouth  
of canal creek a point from which  
a mesquite at foot of bluff brs S19W

91 vrs - Thence N54 1/2 W at 500  
vrs a point, on S. bank of River

Thence N54 1/2 W at 1076 vrs cross the  
N. line of sec 509 Blk A. 48 vrs E. of its  
N.W. corner at 1135 vrs cross the E. line  
of sec 513, Blk A. 33 vrs N. of its S.E. corner

at 1900.8 vrs a Stone mound and Hwy  
Stake - Stone marked F.C.L. from which  
a Hwy 10" brs N31E 13 vrs and a Hwy  
6" brs S54E 16 vrs.

Thence N54 1/2 W at 1554 vrs cross the  
w. line of sec 513. - 1379 vrs N. of its  
S.W. corner at 1900.8 vrs a Stone mound  
in edge of cedar brakes.

Thence N54 1/2 W at 770 vrs cross cañon

1 Course N.E. at 1215 vrs cross same  
 2 cañon twice at 1460 vrs cross  
 3 same cañon. at 1500 vrs cross  
 4 same cañon at junction of two at  
 5 1900.8 vrs a Stone Mid of Gyp and lime  
 6 rock in scrub cedar brakes, one Stone  
 7 mark'd F.C.L.

8 Thence N $54\frac{1}{2}$ W at 37 vrs cross the N. line  
 9 of sec 2. Blk A. T.V.U.O.R.R. Co. 52 vrs E. of  
 10 its N.W. corner. at 95 vrs cross the W. line  
 11 of sec 1. Blk A. 37 vrs N. of S.W. corner  
 12 at 1900.8 vrs over cedar brakes a Stone  
 13 Mid at foot of hill. mark'd F.C.L.

14 Thence N $54\frac{1}{2}$ W at 23 vrs cross the N. line  
 15 of sec 3. Blk A. 412 vrs from its N.W.  
 16 corner. at 531 vrs cross the W. line of  
 17 Sec No 8. Blk A. 300 vrs N. of S.W. corner  
 18 at 1900.8 vrs over rough cedar brakes  
 19 a Stone on flat top point of ridge  
 20 pointing N.E. one Stone mark'd F.C.L.

21 Thence N $54\frac{1}{2}$ W at 955 vrs cross the W.  
 22 line of sec 6 Blk A. 1635 vrs N. of its  
 23 S.W. corner. at 1900.8 vrs a pile of  
 24 Stone on mesquite prairie.

25 Thence N $54\frac{1}{2}$ W at 1392 vrs cross the  
 26 E. line of Sec No 41 Blk A. 1097 vrs from  
 27 its S.E. corner at 1900.8 vrs over rough  
 28 brakes, a Stone mid - mark'd F.C.L.

29 Thence N $54\frac{1}{2}$ W at 883 vrs cross the  
 30 N. line of sec 41 - 822 vrs from its  
 31 N.W. corner at 1828 vrs cross the E.  
 32 line of No 7 Brooks and Burleson 556 vrs  
 33 N. of its S.E. corner at 1900.8 vrs a  
 34 Stone mid mark'd F.C.L.

1 Thence  $N 54\frac{1}{2} W$  at 772 vrs cross cañon  
 2 course (W) at 1153 vrs cross cactus cañon  
 3 course N.E. at 1900.8 vrs a Stone mid-  
 4 mark'd F.C.L.

x 5 Thence  $N 54\frac{1}{2} W$  at 364 vrs cross the N. line  
 6 of sec No 1. Brooks & Burlison - 6 vrs from  
 7 N.W. corner at 1540 vrs cañon N. at 1900.8  
 8 vrs a Stone mid on W. bank of cañon  
 9 from which a Mesquite 6 inches in dia  
 10 brs  $N 27 W$  8 vrs

11 Thence  $N 54\frac{1}{2} W$  at 139 vrs a cluster of Hays  
 12 on line mark'd 4 backs, 4 and aft. at  
 13 1900.8 vrs a Stone mid at foot of bluff  
 14 on W. side of large cañon from which  
 15 a Hay brs S. 2 vrs -

16 Thence  $N 54\frac{1}{2} W$  at 210 vrs cañon N.  
 17 at 1225 vrs cross the E. line of sec  
 18 C. B. & B. 820 vrs N. from its S.E. x  
 19 corner at 1800 vrs wire fence, at  
 20 1900.8 vrs a Stone mid in cañon mark'd  
 21 F.C.L.

22 Thence  $N 54\frac{1}{2} W$  at 347 vrs cross Talking  
 23 John creek N.E. at 1181 vrs cross the  
 24 N. line of sec C. B. & B. 581 vrs E.  
 25 of N.W. corner, at 1900.8 vrs a Stone  
 26 mid mark'd F.C.L. from which Olivens  
 27 House brs  $S 68 W$  about  $\frac{3}{4}$  of a mile.

28 Thence  $N 54\frac{1}{2} W$  at 268 vrs cross the  
 29 E. line of sec 43 C. L. & R.R. R.R. Co.  
 30 390 vrs N. of S.E. corner at 1332 vrs  
 31 cross the E. line of sec 44 C. L. & R.R.  
 32 705 vrs N. of its S.E. corner at 1900.8  
 33 vrs a Stone mid in cañon from which a  
 34 Double cut brs  $S 67\frac{1}{2} W$   $9\frac{1}{2}$  vrs,

see copy of Certificate filed 4/6/94

6 Thence  $N 54\frac{1}{2} W$  at 303 vrs cross  
 1 the w. line of sur 44, 1207 vrs N.  
 2 of S.W. corner at 660 vrs cañon  
 3 N. at 1400.8 vrs a Stone M'd on  
 4 side of line M'd F.C.L.  
 5 Thence  $N 54\frac{1}{2} W$  at 218 vrs cross the  
 6 N. line of the W.C. Hutton survey  
 7 1478 vrs from its N.E. corner, at 752  
 8 vrs cañon at 1013 vrs a point  
 9 in old w. line of Hardeman County  
 10 on S. bank of Peas River - a large  
 11 Stone monument on top edge of bluff  
 12 bank from which a cedar vrs  $N 75 W$   
 13 2 vrs - one Stone in monument m'd F.C.L.  
 14 and another m'd C.C.L.  
 15 Thence up the River with its meanders  
 16 as follows  $S 87\frac{1}{2} W$  772 vrs Thence  
 17  $N 42\frac{3}{4} W$  648 vrs Thence  $N 14 W$  at 646  
 18 vrs cross the N. line of the ~~W.C.~~<sup>J.B.</sup>  
 19 ~~Hutton~~<sup>see</sup> survey and S. line of the  
 20 A.L. Clements sur. at 602 vrs  
 21 E. from the N.W. corner of the ~~Hutton~~<sup>see</sup>  
 22 at 1326 vrs a point from which a  
 23 cut vrs  $N 77 W$  200 vrs  
 24 Thence  $N 45 W$  307 vrs Thence  $S 85 W$   
 25 1336 vrs. Thence  $S 79\frac{3}{4} W$  807 vrs  
 26 Thence  $S 75 W$  691 vrs Thence  $S 37 W$   
 27 at 553 vrs cross the S. line of the  
 28 Clements sur. and the N. line of  
 29 sur 92 for a Forecylinder 552 vrs N.  
 30 from the N.E. cor. of 92, at 1364 vrs  
 31 a point. Thence  $S 78 W$  350 vrs to  
 32 a point on S. bank of River 200 vrs  
 33 N. of last corner on w. line of  
 34

15



1 Ford County from which corner  
2 (a china post) a china bar  $N 73\frac{1}{2} W 43$  rods  
3 and another bar  $S 78\frac{3}{4} W 61$  rods.

4 Bearings marked  $\bar{X}$

5 Surveyed Nov 30 to Dec 7 - 1893

6 P. D. Hightower } Chain  
7 C. B. Rountree } Men

8 I D. L. Reavis Surveyor duly  
9 appointed by the commissioners  
10 court of Ford County do hereby  
11 certify that the foregoing survey was  
12 made on the ground according  
13 to Law and that the limits  
14 boundaries and corners with the  
15 marks natural and artificial  
16 are truly described in the fore-  
17 going Plat and field notes

18 D. L. Reavis

19 Co. Surveyor of Ford Co. Texas.

20  
21 The State of Texas } J. W. Thompson Clerk  
22 County of Ford } County Court in and for  
23 Ford County Texas do hereby certify the fore-  
24 going Plat and field notes of the is a true  
25 and correct copy of North Line of Ford  
26 County now on record in minutes of the Com-  
27 missioners Court of Book 1 Pages 265-266  
28 267-268 & 269. Given under my hand and  
29 Seal of office in Orwell Texas this 22<sup>nd</sup>  
30 day of February A.D. 1894

31 J. W. Thompson Clerk Co  
32 of Ford County - Texas

5/ North Line

Foard Co.

Filed Feb'y 26<sup>th</sup> 1894

Examined and approved this 8<sup>th</sup> day of March 1894.

