OSTETE YORKUM CO. ET AL VS GAINES COUNTY NO 7894. SUPREME COURT OF TEXAS CUNI= 17- 1942. REHEARING DENNED OULY 15th 1942 SAR S. W. R. 2nd 163. W.S. CONFIRMING A.L. HARRIS SURVEY.

Ô





RECEIVED AND FILED IN GENERAL LAND OFFICE JUNE 12,1935

- Abstracted 2-10-1936. Vol. 58-

nter 536710

Court Decree with Lynn Garza Report.

Received and filed in General Land Office on June 12th, 1935. JHWalker, Comm, by C.F. Blude Cek Platted on map Feb. 1936



LUBBOCK COUNTY

LUBBOCK, TEXAS

June 11th, 1935.

Hon. J.H. Walker, Commissioner GLO

Austin, Texas.

Dear Sir :-

GTY 2 counter 53621

Hereto attached is the supplemental report on mile 30 of the Terry-Yoakum boundary line, and attached thereto is orders of the several County Courts agreeing to the location as set out in this report.

Enclosed also is my report of the Gaines-Terry-Yoakum line which gives final approval of the agreement and fixes the locations thereof, definitely on the ground.

And man of this as son on would great. I want to file make their records ours very truly, with on the file and the one of the file of the I would appreciate your gointo this as soon as possible, and if it is alright in all respects, then would greatly appreciate your issueing approval in triplicate for I want to file copy of approval with the clerk of each court to make their records clear in the future.



REFERRED TO MAP



Du

3273

LUBBOCK COUNTY

LUBBOCK, TEXAS

July 5th, 1935.

Hon. J.H. Walker, Commissioner,

Austin, Texas.

Dear Sir:-

On June 11th, last I mailed you report on the Gaines-Terry-Yoakum county boundary line and regret that I have not as yet had a reply therto.

Would greatly appreciate hearing from you as to this at once.

Yours very truly,

A.P.A.

RECEIVED JUL 8 - 1935 Answerd 7/11/30-

REFERRED TO MAP

GTY 3 55628

July 11, 1935

Mr. A. L. Harris, Lubbock, Texas

Dear Sir:

GTY Hunter 53629

Replying to your letter of July 5th which refers to your report on the Gaines-Terry-Yoakum county boundary line, I shall state that I have held up reply until I had opportunity to properly examine it.

In general, I find nothing wrong with this report; it would appear that there is a typographical omission in the 14th mile field notes where the distance for the full mile was omittedthis in the Terry-Gaines county line.

I note that some of these county line markers are not on the line but fall either to the North or South. Please let me have a statement for your reason in doing this, which statement I wish to place with your report; also, furnish a connection to the **crassing** of the railroad. I note that you give the distance to both right-of-way fences, but not to the center line of the track. I consider this of sufficient importance to request the information.

I return herewith copies of agreement as to the location of this line, as made by Gaines and by Yoakum counties, inasmuch as these two agreements do not show the county **chenkts** certificate of record and that same is an order of the county court. I also return the Yoakum-Terry county line addenda report. It is desired that yhis state in a little clearer form if that is convenient the references concerning connections to or calls for, corners of sections 79 blk DD and 879 blk D.

In running South at 543.9 varas a Ford axle under South fence is called for in the field notes mentioned in your addenda report, whereas, in the report of the Terry-Yoakum line this distance is given as 453.9 varas. Kindly make any necessary corrections. With the above few exceptions your report, I believe, is in proper form for the abstract clerk to proceed with the correct abstracting of surveys affected by this new county line.

I would like to know if Teryy county contemplates completing the run on that portion of its South line, coincident with the North line of Dawson county, or will those two counties stand on the survey of the North line of Dawson as run by W R Standifer?

Very truly yours,

Commissioner

Blucher:eb 3 enes

GTY 15 counter 53630

-2-



LUBBOCK COUNTY RECEI

LUBBOCK, TEXAS

------EIVEL

JUL 1 71935

July 16th, 1935.

REFERRED TO MAP

Hon. J.H. Walker, Commissioner GLO Austin, Texas.

Dear Sir:-

GTY6. countil 53631

Your letter of the llth, regarding Gaines-Terry-Yoakum county line, received and have just returned from Plains, Seminole and Brownfield and enclose herewith certified copies of records showing appointment of surveyor, you kept the former one sent from Terry, so this makes all Courts accounted for.

Your paragraph 2, have inserted at the end of mile fourteen, "1900 varas to the end of mile fourteen " Paragraph 3, where there was improved roads east-west and north-south it was necessary to set the marker out of the roads and call for it as a bearing. The chainmen are instructed to take all fences but they missed taking the center line of the railway; it evidently should fall at 441.5 vs for the railway is approximately N45°E, secant of a 100 foot right-of-way would be the difference in the two calls or 51 varas.

I am enclosing corrected calls for mile 30 of the Terry-Yoakum line.

It ismy understanding that Dawson and Terry intend keeping the line as run by Standefer as the line between them, they are talking of having me mark it with concrete but the deal has not been closed yet.

I believe that this meets the objections, and would greatly appreciate complete approval in triplicate by return mail regarding only the Gaines-Terry-Yoakum line, any statment regarding the Yoakum-Terry line in another letter please. I have to file final approval before they issue me time warrants for the work, and the delay in getting your approval causes me to loose the interest from time work is completed until I receive your final approval, this is the reason I am constantly asking for an early reply.

Yours very truly,

a f. Daris

Received and filed in General Land Office on July 17th, 1935. At Walker Commissioner S.F. Blucker, Cek.

The State of Texas | In The County Court of Frry County, Texas. County of Wry | Ruess Term, A.D. 1935.

6/12/35

On this the 7th day of March A.D. 1935, come on to be considered the matter of legally and permanently extablishing the South Line of Yoakum County, the South Line of Terry County adjacent to the North Line of Gaines County and the North Line of Gaines County, Texas, and it appears to the Court that said boundary Line has never been defined , surveyed, marked and due returns thereof made in accordance with law, and that the County and Commissioner's Courts of Gaines County, Terry County and Yoakum County having met Jointly in Bromsfield Texas, on this date and mutually agreed that the said Line should be surveyed, marked and due returns made permanently extablishing said Line by agreement as follows:

That the South line of Yoakum County and the North Line of Gaines County, and the South line of Terry County adjacent to said north line of Gaines County shall hereafter be located along the present surveyed sections; the south lines of the following sections - 6 and 7 Block A6-Start Line 34,4 35A, 35B, 36A, 36B, 37 and 38 Block Ax, Sections 28, 29 and 30 in Block C-35, Sections 19 and 20 Block C-34, Sections 19 and 20 Block C-33, Sections 19 and 20 Block C-32, Sections 19 and 20 Block C-31, the NE corner of Gaines County to be set in said east-west tangent in line north-south of the NW corner of Dawson County as marked by W.R.Standefer, about 1912, that all lands north of the said south line of said sections shall hereafter be assessed in Yoakum-Terry counties and lands south of said south line of said sections shall be assessed as in Gaines County.

The Commissioner's of said Counties having jointly employed A.L. Harris, surveyor of Lubbook Texas, to mark and make his returns as above set out; Wherefore, this Court appoints said Harris to so mark and make hisreturns thereto as set out in said proposal hereto attached and made a part hereof.

Erry County, Texas.

It Walker Commission C.F. Blucher, Cek.

mano

Land Office

filed in Gener on June 12th, 1935. Counter 53632

across

THE STATE OF TEXAS

+ ··+ C

country \$ 3633

I, W.A. Tittle, Clerk of the County Court of said county, do hereby certify that the above and foregoing instrument in writing is a full, true and correct copy of an order of the County Court of said County, Approving the report of A.L. Harris, Surveyor, in the matter of establishing the true boundary line between Terry County and Yoakum County and the true Terry-Yoakum-Gaines line; as same was filed for record the 13 day of April, A.D. 1935, and recorded in Vol. 3, Page 191 Minutes of County Court of said County, and also remain on file in my office among the papers of said report.

Witness my hand and seal of office, in Brownfield, Texas, this the /6 day of April, A.D. 1935.

M. C. Juitle CLERK COUNTY COURT Terry County, Texas

The state of Texas \$ In The County Court of <u>Aaines</u> County, Texas. County of <u>Saines</u> } _____ Term, A.D. 1935.

On this the 7th day of March A.D. 1935, come on to be considered the matter of legally and permanently extablishing the South Line of Yoakum County, the South line of Terry County adjacent to the Horth line of Gaines County and the North line of Gaines County, Texas, and it appears to the Court that said boundary line has never been defined , surveyed, marked and due returns thereof made in accordance with law, and that the County and Commissioner's Courts of Gaines County, Terry County and Yoakum County having met Jointly in Bromwfield Texas, on this date and matually agreed that the said line should be surveyed, marked and due returns made permanently extablishing said line by agreement as follows:

That the South line of Yoskum County and the North Line of Gaines County, and the South line of Terry County adjacent to said north line of Gaines County shall hereafter be located along the present surveyed sections; the south lines of the following sections- 6 and 7 Eleck A6ceruss Let 34 and along the Leuth Line 7 35, 35A, 35B, 36A, 36B, 37 and 38 Eleck Ax, Sections 19 and 20 Eleck C-33, Sections 19 and 20 Eleck C-32, Sections 19 and 20 Eleck C-31, the ME corner of Gaines County to be set in said east-west tangent in line north-south of the NN corner of Dawson County as marked by N.R.Standefer, about 1918, that all lands north of the said south line of said sections shamil bereafter be assessed in Yoskum-Terry counties and lands south of said south line of said sections shall be assessed as in Gaines County.

The Commissioner's of said Counties having jointly employed A.L. Harris, surveyor of Lubbook Texas, to mark and make his returns as above set out; Wherefore, this Court appoints said Harris to so mark and make hisreturns whereto as set out in said proposal hereto attached and made a part hereof.

Recuried and filed in General La

on July 17th, 1935.

counce JS2 = 4

W.S. Gibbs.

Sames county, Texas.

AMalker, Comm C.F. Blucher, Cet. The Stateof Tgxas

County of <u>Laines</u> I, <u>Lono County</u> Clerk of <u>Jaines</u> I, <u>Lono</u> thet the attached is a true copy of County Court Order Jointly appointing A.L.Harris, tosurvey and mark the North line of Gaines County and the south line of Yoakum and Terry Courty adjacent thereto, and that sameis recorded in Vol. Page 433 Minutes of the County Court of <u>Annes</u> Texas.

Given undermyhand and seal of said court in Plains, Texas, this the 12th, day of April A.D. 1935.

County Clerk, Que es County, Texas.

counter State 10

Dupeicate

6/12/35

The state of Texas | In The County Court of Woskim County, Texas. County of Yookum | February Term, A.D. 1985.

on this the 7th day of March A.D. 1935, come on to be considered the matter of legally and permanently extablishing the South Line of Yoskum County, the South line of Terry County adjacent to the North line of Gaines County and the North line of Gaines County, Texas, and it appears to the Court that said boundary line has never been defined , surveyed, marked and due returns thereof made in accordance with law, and that the County and Commissioner's Courts of Gaines County, Terry County and Yoskum County having met Jointly in Bronsfield Texas, on this date and mitually agreed that the said line should be surveyed, marked and due returns made permanently extablishing said line by agreement as follows:

That the south line of Yeskum County and the North Line of Gaines County, and the South line of Terry County adjacent to said north line of Gaines County shall hereafter be located along the present surveyed eactions; the south lines of the following sections - 6 and 7 float AS-Mass 5L 34, 35A, 35B, 36A, 36B, 37 and 38 floak Ax, Sections 28, 29 and 30 in floak C-38, Sections 19 and 20 floak C-34, Sections 19 and 20 floak C-31, the HE corner of Gaines County to be set in said east-west tangent in line north-south of the NV corner of Dawson County as marked by W.R.Standefer, about 1918, that all lands north of the said south line of said sections shmall bereafter be assessed in Yoshum-Terry counties and lands south of said south line of said sections shall be assessed as in Gaines County.

The Commissioner's of said Counties having jointly employed A.L. Harris, surveyor of Lubbook Texas, to mark and make his returns as above set out; Therefore, this Court appoints said Harris to so mark and make hisroturns thereto as set out in said proposal hereto attached and made a part hereof.

countre 53636 11 11

County Sunge yoskim county, Texas.

Received and filet in General Lond Office on July 17th, 1935, Comme.

The Stateof Texas County of Jookenne

counter GTY 12

I, <u>UN Xague</u> County Clerk of Jostun County Texas, do hereby certify that the attached is a true copy of County Court Order Jointly appointing A.L.Harris,tosurvey and mark the North line of Gaines County and the south line of Yoakum and Terry County adjacent thereto, and that same is recorded in Vol. <u>2</u> Page <u>22</u> Minutes of the County Court of Jostun Texas.

Given undermyhand and seal of said court in Plains, Texas, this the 12th, day of April A.D. 1935.

County Clerk, Joak County, Texas.

N. COUNTY OF Terry I, W.A.Tittle, County Clerk of Terry County, Texas. do hereby cortify that the foregoing is a true correct cony of a typewritten and blue print man report of A.L.Harris, Surveyor, who was duly authorized to survey and mark the boundary line between Terry County and County, together with its certificate of Gaines authentication, was filed for record in dunlicate in my office this the Sthe day of June A.D. 1935 , and duly recorded the same day in Special County Line Volume Vo.1 : one cony in the Cler's Records and one cony in the Surveyors Records. Witness my hand and the of icial seal, at my of ice in Texas, this the sthe, day of June A.D. 1935.

THE STATE OF TEXAS

- counters3632

W. a Tiele

County Clerk Terry County, Texas

THE STATE OF TEXAS . [In the County Court of . Terry COUNTY OF Terry [County, Texas, lacation Term, A.D. 1935.

In The Matter of Establishing the Terry and Gaines County Poundary Line.

This the <u>stip day of June</u> A.D. 1935 , came on to be considered the report. consisting of typewritten field notes and blue **print map**: of A.E. Tarris, Surveyor, who heretofore having been duly and lointly employed by said Counties to survey and mark said boundary line, and the court having examined the same, it is ordered by the court that said report be and is hereby in all respects a proved, and said report has been duly filed for record in durlicate with the County Clerk of said county.

County Judre

Terry

The STAR OF TEXAS COUNTY OF <u>Terry</u> I I, W.A.Tittle, <u>Clerk of the</u> County court of said county, do hereby certify that the above an foremains instrument in writing is a full, true and correct cony of an order of the County Court of said County, approving the report of A.L. arris, Surveyor, in the matter of establishing the true boundary line between <u>Terry</u> County and <u>Gaines</u> County: as same was filed for record the <u>Star</u>ay of <u>June</u> A.D. 1935, and recorded in Vol. <u>2</u> <u>201</u> Minutes of County Court of said county, and also remain on file in my office among the papers of said report.

Witness my hand and seal of office, in <u>Brownfield</u> Texas, this the <u>Sther</u>ay of <u>June</u> A.D. 193 5.

> Clerk County Court of <u>Terry</u> County, Texas.

County, Texas

(seal)

GTV 14

THE STATE OF TEXAS (COUNTY OF Gaines (

GT415

Counter

I, Lora Brown County Clerk of Gaines County, Texas. do hereby certify that the foregoing is a true correct cony of a typewritten and blue mint man remort of A.L.Harris, Surveyor, who was duly authorized to survey and mark the boundary line between <u>Gaines-Yoakum Example</u> and <u>Terry</u> Countiestogether with its certificate of authentication, was filed for record in durlicate in my office this the <u>Noth</u> day of <u>June</u> A.D. 1935, and duly recorded the same day in Special County Line Volume Voll : one cony in the Clerk's Records and one cony in the Surveyors Records.

Witness my hand and the official seal, at my office in Seminole Texas, this the <u>Noth</u> day of <u>June</u> A.D. 1935.

Quener Gaines County, Texa. County Clerk

THE STATE OF TEXAS [In the County Court of Gaines COUNTY OF GAINES & County, Texas, Velation Torm, A.D. 1935 In The Matter of Establishing the Gaines-Yoakum and

County Poundary Line. Terry

This the the day of June A.J. 193 5 , came on to be considered the report. consisting of typewritten field notes and blue print map . of A.L. Tarris, Surveyor, who heretofore having been duly and jointly employed by said Counties to survey and mark said boundary line, and the court having examined the same, it is ordered by the court that said report be and is hereby in all respects a proved, and said report has been duly filed for record in durlicate with the County Clerk of said county. M. G. hebbs

County Judge Gaines The STALE OF TEXAS I I, Lora. Brown Clerk of the COUNTY OF Gaines County court of said county, do hereby certify that the above an foregoing instrument in writing is a full, true and corpect comp of an order of the County Court of said County, ammroying the report of A.L. "arris, Surveyor, in the matter of establishing the true boundary line between Gaines-Yoakun County and Terry County: as same was filed for record the Nothay of June A.D. 1935, and recorded in Vol. > Popust 'inutes of County Court of said county, and also remain on file in my office amon the paners of said report.

Witness my hand and seal of office, in Seminole, Texas, this the Sth day of June A.D. 1935

> Clerk County Court of Gaines County, Texas.

Lona

County, Texas

(seal)

THE STATE OF TEXAS COUNTY OF Yoakum

I, <u>W.H. Hague</u>, <u>County Clerk of Yoakum</u> County, Texas. do hereby certify that the foregoing is a true correct cony of a typewritten and blue mint man remort of A.L.Harris, Surveyor, who was duly authorized to survey and mark the boundary line between <u>Yoakum</u> <u>County and Gaines</u> <u>County</u>, together with its certificate of authentication, was filed for record in durlicate in my office this the <u>Sthe</u> day of <u>June</u> A.D. 1935, and duly recorded the same day in Special County Line Volume Woll : one cony in the Clerks Records and one cony in the Surveyors Records Witness my hand and the official seal, at my office in _____

Texas, this the <u>Sthe</u>, day of <u>June</u> A.D. 193 5.

WTHIN ague County Clerk Yoakum County, Texas

THE STATE OF TEXAS | In the County Court of Yoakum COUNTY OF Yoakum | County, Texas, Ye Cation Term, A.D.193 25

In The Matter of Establishing the Yoakum and Gaines County Poundary Line.

This the <u>etheley</u> of <u>June</u> A.B. 193<u>5</u>, came on to be considered the report. consisting of typewritten field notes and blue print map of A.L. Tarris, Surveyor, who heretofore having been duly and jointly employed by said Counties to survey and mark said boundary line, and the court having examined the same, it is ordered by the court that said report be and is hereby in all respects a proved, and said report has been duly filed for record in duplicate with the County Clerk of said county.

County Judge Yoakum County, Te:

The STAR OF TEXAS [COUNTY OF <u>Yoakum</u> I, <u>W.H.Hague</u>, <u>Clerk of the</u> County court of said county, do hereby certify that the above ar foreroing instrument in writing is a full, true and correct comp of an order of the County Court of said County, approving the report of A.L. arris, Surveyor, in the matter of establishing the true boundary line between <u>Yoalum</u> County and <u>Gaines</u> County: as same was filed for record the <u>Sthelay</u> of <u>June</u> A.D. 193<u>5</u>, and recorded in Vol. <u>2</u> <u>37</u> Minutes of County Court of said county, and also remain on file in my office amon, the papers of said report.

Witness my hand and seal of office, in Plains Texas, this the <u>Stheday of June</u> A.D. 193 5.

Magur

Clerk County Court of Yoakum County, Texas.

(seal)

In the matter of permanetly establishing the County boundary line between Yoakum and Gaines Counties.

This work was duly authorized by the County and Commissioner's Courts of both said counties, and a record thereof made in minUtes of said courts.

Field notes of a survey of the south line of Yoakum County and the North line of Gaines County adjacent thereto.

Beginning at an A concrete marker set for the SW cornerof Terry County, the SE corner of Yoakum County, being in the south line of section 19 Block C-34, and is 670 varas south and 82 varas east of the south common corner of section 79 Block DBdand the SE corner of section 879 Block D John H. Gibson surveys, and in the agreed North line of Gaines County.

(1) Thence West at 1256 varas set C concrete county line marker at the north corner of sections 17 and 18 Block C-34, at 1900.8 varas the end of mile one.

(2) Beginning mile two at the end of mile one, thence West at 1256 varas set C concrete marker at the common corner of sections 18 and 19 Block C-34 and sections 19 and 30 Block C-35, wire fence line 5 vs. north, another 16 varas east, another 24 varas south of marker, the north corre of sections 19 and 30 is 675 varas north of marker, in all 1900.8 the end of mile twose.

(3) Beginning mile three at the end of mile two, thence West at 1256 varas set C concrete marker at fence corner, fence line extends east-westsouth from marker, at 1900.8 varas the end of mile three.

(4) Beginning mile the four at the end of mile three, thence West at 1256 varas set concrete marker in east-west fence line and sand ridge, old field to north, the north corner of sections 20 and 21, at 1900.8 vs. the end of mile four.

(5) Beginning mile five at the end of mile four, thence West at 1256 vs. concrete marker at fence corner, fence line north-south-east from marker, the north corner of sections 21-22 the south corner of sections 29 and 30 Block C-35, at 1900.8 varas the end of mile five.

(6) Beginning mile six at the end of mile five, thence West at 1256 vs. pass C concrete marker set in north-south fence line, fence line turns east 33 vs. north of marker, at 1900.8 vs. the end of mile six.

(7) Beginning mile seven at the end of mile six, thence West at 1256 vs. C concrete marker the north corner of sections 24 and 23, at 1900.8 vs. the end of mile seven.

(8) Beginning mile eight at the end of mile seven, thence West at 1256 vs. pass C concrete marker set in north-south fence line at the north corner of sections 24 and 25, the south corner of sections 28-29 the north corner of said sections 28-29 is north 696.5 vs, at 1900.8 vs the end of mile eight.

(9) Beginning mile nine at the end of mile eight, thence West at 1256 vs. C concrete marker, at 1900.8 vs, the end of mile nine.

(10) Beginning mile ten at the end of mile nine, thence W st at 1256 vs. pass C concrete marker, at 1900.8 vsras the end of mile ten.

(11) Beginning mile eleven at the end of mile ten, thence West at 1257 varas pass C concrete marker set in north-south fence line, the west corner of sections 27-28 Block C-35 and the East corner of sections 38 and 39 Block AX, the north corner of sections 28 and 38 are north 708 varas, at 1900.8 varas the end of mile eleven.

(12) Beginning mile twelve at the end of mile eleven, thence West at 1257 varas pass C concrete marker, in all 1900.8 varas to the end of mile twelve.

GTY 19

Beginning mile thirteen at the end of mile twelve, thence West at 1257 varas pass C concrete marker, in all 1900.8 vs. to the end of mile thirteen.

(14) Beginning mile fourteen at the end of mile thirteen, thence West at 658 varas pass iron pipe set to mark the south corner of sections 37 and 38, placed by W.D.Twichell in a resurvey of Spearman lands, at 1257 varas pass C concrete marker, in all 1900.8 varas the end of mile fourteen.

(15) Beginning mile fifteen at the end of mile fourteen, thence West at 1258 varas pass C concrete marker, at 1275 cross fence, in all 1980.8 varas the end of mile fifteen.

(16) Beginning mile sixteen at the end of mile fifteen, thence West at 1258 pass C concrete marker, at 1900.8 varas the end of mile sixteen.

(17) Beginning mile seventeen at the end of mile sixteen, thence West at 65 waras pass the south corner of sections 36B and 37, 710.5 varas south of their north corner, at 1258 vs. pass C concrete marker, in all 1900.8 vs. the end of mile seventeen.

(18) Beginning mile eighteen at the end of mile seventeen, thence West at 1259 varas C concrete marker set in north-south fence line for the north corner of sections 62-57 and the south corner of sections 36A-36B, in all 1900.8 vs. to the end of mile eighteen.

(19) Beginning mile nineteen at the end of mile eighteen, thence West at 1260 varas pass C concrete marker, at 1372 pass the south corner of sections 35B and 36A, in all 1900.8 varas to the end of mile nineteen.

(20) Beginning mile twenty at the end of mile nineteen, thence West at 1260 pass C concrete marker set for the north corner of sections 63-68 the south corner of sections 35A dnd 35B, in all 1900.8 vs. to the end of mile twenty.

(21) Beginning mile twenty-one at the end of mile twenty, thence West at 1260 vs, pass C concrete marker, in all 1900.8 vs. to the end of mile twenty-one.

(22) Beginning mile twenty-two at the end of mile twenty-one, thence West at 770 vs, pass the south corner of sections 34 and 35A, at 1254 vs. C concrete marker set in north-south fence line for the NW corner section 69 and an L corner of section 34; thence N88^oW 646 varas to the end of mile twenty-two.

(23) Beginning mile twenty=three at the end of mile twenty-two thence N88°W 293 varas to the SE corner of section 7 Block A-6, its NE corner is 686 varas north; thence West at 467 pass iron pipe marked 1-7, set for the NE corner of section 1 Block AX, at 1418 vs, C concrete marker set by iron pipe marked 1-7, at 1609 vs, in all 1902, the end of mile twenty-three.

(24) Beginning mile twenty-four at the end of mile twenty-three, thence West at 760 vs. pass iron pipe marked 1-2-7, at 1711 C concrete set by iron pipe, in all 1900.8 vs, the end of mile twenty-four.

(25) Beginning mile twenty-five at the end of mile twenty-four thence West at 761 vs. passiron pipe marked 2-3-7, at C concrete marker set by iron pipe marked 3-6, at 1901 vs, the end of mile twenty-five.

(26) Beginning mile twenty-six at the end of mile twenty-five thence West at 514 varas pass $39\frac{1}{2}$ varas south of USGS triangulation Station Jones, at 764 varas iron pipe in large pile of stone marked 3-4-6, at 1715 vs. C concrete marker set by iron pipe, in all 1903 varas to the end of mile twenty-xix.

(27) Beginning mile twenty-seven at the end of mile twenty-six, thence West at 765 pass iron pipe, at 1716 vs. C concrete marker set by iron pipe, in all 1901 vs, to the end of mile twenty-seven.

(28) Beginning mile twenty-eight at the end of mile twenty-seven thence West at 609 vs, set A concrete marker by iron pipe marked 5-6 placed in the Texas-New -Mexico State line, mile marker 66 is 116.3 vs, south Yoakum-Gaines Page 2

Counter GTY 20 53645

(13)

the NW corner of section 6 A6 as marked is north along the State line 690 vs, and the south corner of sections marked with iron pipe in center of east-west graded roadway, is 500 varas easterly of the said NW corner section 6, this iron pipe in roadway placed to mark the south line of Block D John H. Gibson surveys.

(Note-There is a graded, and evidently a surveyed, roadway from the said NW corner of 6 in the Texas-New Mexico State line, easterly along the south line of said Block D, easterly to the NE corner of section 19 Block C-34. W.D.Twichell resurveyed and marked the south line of section 20 Block C-34, and the south line of section 38 Block AX, I constructed the County Line over said markings continuțing a straight line on through Block AX to the NW corner of section 69, bending the line there to meet the marked line along the south side of sections 6 and 7 Block A6. ∮

I, A.L.Harris, Licensed State Land Surveyor, duly appointed by the County and Commissioner's Courts of Yoakum and Gaines Counties, do hereby certify that the foregoing described survey was actually made by me on the ground, according to law, on the date and with the chain carriers as named, duly qualified and that all the corners, lines and marks of the same are truly and correctly described and set forth in the foregoing field notes and plat.

Surveyed April 4th, to June 3rd, 1935. T.H.Thomas, Jack Medley, chainmen.

Licensed State Land Surveyor,

Received and filed in General Land Office on June 12th, 1935. Ht Walker, Comm. C.F. Blucker, Cek.

GTY21

In the matter of permanently establishing the County Boundary line between Terry and Gaines Counties.

FOREWORD:

counter 53647

GTY 22

· · C

Certified copies of County and Commissioner's Courts order appointing me to do this work, are attached hereto and made a part hereof.

Field Notes of a survey of the south line of Terry County from its SW corner Eastward to the NE Corner of Gaines Conty and the North line of Gaines County adjacent thereto:

Beginning at an A concrete marker set to mark the SW corner of Terry County, the SE corner of Yoakum County, said marker is in the south line of section 19 Block C-34, and is 670 varas south and 82 varas east of the south common corners of section 79 Block DD and section 879 Block D John H. Gibson surveys; and in the agreed North line of Gaines County.

(1) Thence East at 634 varas pass C concrete marker, at 644.8 varas pass the north common corners of section 17 and 16 Block C-34, at 1900.8 varas the end of mile one, in the north line of section 16 and the south line of section 19 Block C-34;

(2) Beginning mile two at the end of mile one, thence East at 634 varas set C concrete marker on the west side of graded roadway, at 645 varas pass the north corners of sections 16 and 15, the south common corner of sections 19 and 20 Block C-34, at 1900.8 varas the end of mile two;

(3) Beginning mile three at the end of mile two, thence East at 114 varas pass iron pipe, at 645 varas pass the north corner of sections 15 and 14, concrete C marker set 11 varas south and 11 varas east of section corner, graded roadway south into Seagraves, at 1900.8 vs the end of mile three, in the north line of section 14 the south line of section 20 Block C-34;

(4) Beginning mile four at the end of mile three, thence East at 365 varas pass 7.2 varas north of B concrete marker set in the western line of Paved State Highway, at 416 varas cross the west fence of railway, at 467 varas cross east railway fence line, at 645 varas pass iron pipe the north common corner of sections 14 and 13 and in the south line of section 20 Block C-34, at 1900.8 varas the end of mile four.

(5) Beginning mile five at the end of mile four, thence East at 645 varas set C concrete marker by iron pipe set to mark the north corner of sections 13 C-34 and 18 C-33, the SW corner 19 C-33 and the SE corner section 20 C-34, the north common corner of sections 20 and 19 bears north 650 varas, at 1900.8 varas the end of mile five.

(6) Beginning mile six at the end of mile five, thence East at 645 varas set C concrete marker by iron pipe set to mark the north corner of sections 18 and 17 Block C-33, in all 1900.8 varas to the end of mile six.

(7) Beginning mile seven at the end of mile six, thence East at 645 varas set C concrete marker at the north corner of sections 17 and 16 Block C-33, in all 1900.9 varas to the end of mile seven.

(8) Beginning mile eight at the end of mile seven, thence East at 645 varas set C concrete marker by iron pipe, the East common corner of sections 16 and 19, the west corner of sections 15 and 20 Block C-33, at 1900.9 varas the end of mile eight.

(9) Beginning mile nine at the end of mile eight, thence East at 645 varas pass iron pipe the north corner of sections 15 and 14, at 652 varas pass C concrete marker, at 1900.8 varas the end of mile nine.

(10) Beginning mile ten at the end of mile nine, thence East at 634 varas pass C concrete marker, at 645 pass the north common corner of sections 14 and 13, at 1900.8 varas the end of mile ten.

(11) Beginning mile eleven at the end of mile teh, thence East at

Terry-Gaines page 1.

639 waras set C concrete marker, at 646 varas pass iron pipe the East corner of sections 13 and 20 Block C-33 and the west corner of sections 19 and 18 Block C-32, at 1900.8 varas the end of mile eleven.

(12) Beginning mile twelve at the end of mile eleven, thence East at 646 varas pass iron pipe the north common corner of sections 18 and 17 Block C-32, at 653 varas pass C concrete marker, at 1900.8 varas the end of mile twelve.

Beginning mile thirteen at the end of mile twelve, thence East (13)at 637 varas pass 11 varas south of C concrete marker, at 647 varas pass the north co rner of sections 17 and 16 Block C-32, graded roadway extending East and South from corner, at 1900.8 varas the end of mile 13.

(14) Beginning mile fourteen at the end of mile thirteen, thence East at 647 varas the north common corner of sections 16 and 15, the south corner of sections 19 and 20 Block C-32, C concrete marker set 7 varas north of section corner, at 1900. 8 varas, the end of mile 14. (see A.L. Horris letter of 7-16-35) for authority to correct.)

X

(15) Beginning mile fifteen at the end of mile fourteen, thence East at 647 varas iron pipe and wood stake the north corner of sections 15 and 14, graded roadway East-West and South, C concrete marker set 11 varas north of section corner in east-west fence line, at 1900.8 varas the end of mile fifteen.

(16) Beginning mile sixteen at the end of mile fifteen, thence East at 636 varas pass 11 varas north of C concrete marker set inm north-south fence line, at 1900.8 varas the end of mile sixteen.

(17) Beginning mile seventeen at the end of mile sixteen, thence East at 636 varas pass C concrete marker, at 647 varas pass iron pipe set to mark the East corner of sections13 and 20 Block C-32, the West corner of sections 18 and 19 in Block C-31, at 1900.8 varas the end of mile 17.

(18) Beginning mile eighteen at the end of mile seventeen, thence East at 648 varas a wood stake, the north corner of sections 18 and 17, at 655 varas C concrete marker, at 1900.8 varas the end of mile eighteen.

(19) Beginning mile nineteen at the end of mile eighteen, thence East at 648 varas set C concrete marker by 2 inch galvanized iron pipe set to mark the north correr of sections 17 and 16 Block C-31, in all 1900.8 varas to the end of mile nineteen.

Beginning mile twenty at the end of mile nineteen, thence East (20)at 648 varas Set C concrete marker at the north corner of sections 16 and 15 the south comer of sections 19 and 20 Block C-31, in all 1900.8 varas to the end of mile twenty.

(21) Beginning mile twenty one at the end of mile twenty, thence East at 649 varas set C concrete marker at the north corner of sections 15 and 14, at 1900.8 varas the end of mile twenty-one.

(22) Beginning mile twenty-two at the end of mile twenty-one, thence East at 649 varas set C concrete marker at the north corner of sections 14 and 13, at 1900.8 varas the end of mile twenty-two.

(23) Beginning mile twenty-three at the end of mile twenty-two, thence East at 650 varas the east common corner of sections 13 and 20 Block C-31, at 780 varas set A concrete county corner in section 11 Block C-38, and 35 varas north of iron pipe and pile of stones placed by W.R.Standefer -for the NW corner of Dawson County, this A marker being the NE-Northeast corner of Gaines County and in the south line of Terry County, as agreed upon by said Terry and Gaines Counties.

I, A.L.Harris, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chaincarriers aforesaid, duly qualified, and that all the corners, lines, boundaries both natural and artificial are truly described and set forth in the above field notes and plat attached, of which 5 copies are made, two copies to be delivered to each County, and one sent to the Commissioner of the GLO Austin, Texas. Surveyed April 4to June 3rd, 1935.Jack Medley, T.H.Thomas Chainmen.

Received and filed in General Load a. L. Houses Unall Office on June 12th, 1935 Licensed State Land Surveyor. 53648 GTY 23 HWalker, Comme by C.T. Blucker, Clk.

ACREAGE DIVISION for the North line of Gaines County, the South line of Yoakum County and that part of Terry County adjacent to the north line of Gaines County.

Acreage to be assessed in Terry County;

Section	11	Block	C-38	143 acres	
	20		C-31	653.2 Calculated from measurements *	
	19		C-31	658.7 *	
	20		C-32	661.5 *	
	19		C-32	659.3 *	
	20		C-33	658.4 *	
	19		C-33	657. *	
	20		C-34	664.6 corrected field notes	
	19		C-34	320 *	

682ª

Acreage to be assedded in Yoakum County

Section 19	Block	C-34	363	*	
30		C-35	686.8	*	
29		C-35	698	*	
28		C-35	709.4	*	
38		AX	640.8	corrected	by Twichell
37		AX	641.7		
36	В	AX	389.4	张	
36.	A	AX	253.7	*	
35.	B	AX	225.5	*	
35.	A	AX	418.5	*	
34		AX	177.5	*	
7		A-6	595.4	*	
6		A-6	597	쑸	

Acreage to be assessed in Gaines County

Block A-6 all of sections 5,4,3,2, and 1;

Block AX S252¹/₂acres 34, and all of sections 69,68,63,62,57,56,51,50,45, 44,39;

Block C-35 all sections 27,26,25,24,23,22,21,20 and 19;

Block C-34 all sections 18,17,16,15,14,13;

Block C-33 all sections 18,17,16,15,14,13;

Block C-32 all sections 18,17,16,15,14,13;

Block C-31 all sections 18,17,16,15,14,13;

Block C-38 59 acres section 11.

Counter 53649



