

State of Texas +
County of Glasscock +
County of Sterling +

Jan'y 19th 1906

Magnetic Variation
10° 32' East
Angle from Palosis 1° 24'
in Western Elongation

Field notes of a survey of the Eastern boundary
line of Glasscock County & the western boundary
line of Sterling County. Beginning at a large stone
monument (3) three feet high & three feet at the
base with (2) two large flat stones set in same
One a red flat stone facing South West. Marked
N. E. cor. A. Co. and the other a large flat lime
stone facing South East. Ed. Marked N. W. cor. B. Co
from which a large stone monument (3) three
feet high on east side of small canyon bro 88° 45'
E 112.7000 and the other stone monument (3) three
feet high on south brink of canyon. bro S. 42° 30'
E 203.4000 a windmill in the valley bro N. 86° East

1/2 mile Thence South at 144.000 cross canyon at 1900.8000
set stone in stone mound. marked 1. M. S. from
which the S. W. cor. of sur. No. 15-1. N. W. N. Ry. Co. Bk
2. as placed by State Surveyor Williams is
North 95° 00' 00" and East 35° 00' 00" Ed from the above
stone marked 1. M. S. a mesq. S. 38° 40' W. 1700
a mesquite bro S. 25° 40' E 40 1/2 000.

2/2 mile Thence South at 475 000 cross fence. at 1900.8000
set stone marked 2. M. S. from which a double mesquite
bro S 83° 20' E 41 000. a windmill bro S. 57° 55' West

3/2 mile Thence South 1900.8000 set stone in a stone mound.
marked 3. M. S. on south slope of hill from which
the S. W. cor. of sur. No. 179. N. W. N. Ry. Co. is east
212 000 and North 98 000

4" Thence South crossing branch course west.
1900.8. vrs to a stone set in the ground and marked
4. M.S. from which a mesquite bears N. $21^{\circ} 10'$
W. $6\frac{1}{2}$ vrs on another mesquite bears S. $78^{\circ} 30' E$ $3\frac{1}{2}$ vrs.

5" Thence South crossing a branch, ascending a
rocky slope, descending a rocky hill. 1900.8 vrs
set stone marked 5. M.S. from which a mesquite
bears N. $19^{\circ} 35' E$. 31. vrs the S.W. cor of sur No 207. N & N.W.
Angles is North 101 vrs and East 72 vrs.

6" Thence South passing over rocky foot hills crossing
a drain course west, crossing a rocky hill. 1900.8 vrs
to a flat stone set in stone mound, and marked 6. M.S.
from which a windmill bears S $13^{\circ} 10' W$ a
mesquite bears S. $70^{\circ} 30' E$ 65 vrs.

7" Thence South at 177 vrs cross Leushing's fence
and crossing Big Springs and Sterling City Road. at
1900.8 vrs. set stone in stone mound, marked 7. M.S. ✓
The N.W. cor of Sur. No 18. Bth 30. N & N.W. Angles is North
91.6 vrs and west 78 vrs.

8" Thence South at 93 vrs cross branch course west
and crossing the Preliminary Survey of the West Texas
and Northern Rail Road, crossing the North Cancho
River. at 1900.8. vrs set stone in valley marked 8
M.S. from which a large mesquite bears N. $35^{\circ} 40' W$
38 vrs a windmill bears N. $48^{\circ} 45'$ west, a clump of
hunks on point bears S. $44^{\circ} 40'$ west.

9" Thence South crossing drain and ascending a
rocky hill 1900.8 vrs stone set in stone mound,
and marked 9. M.S. at top of hill from which a
mesquite bears S $59^{\circ} 20' W$ 16 vrs.

- 10" Thence S. crossing Cushing's fence. at 1900.8 vrs
 Mile set stone in stone mound on the east side of
 hill. 80 vrs west of drain and marked 10. M.S.
- 11" Thence South, 1900.8 vrs to a large stone set in
 Mile the ground. and marked 11. M.S.
- 12" Thence South at 9 vrs cross Hobson Creek, crossing
 Mile a rocky hill. at 1900.8 vrs set stone. marked 12 M.S.
 in stone mound in Valley.
- 13" Thence South at 144 vrs crossing a drain. 1900.8.0 vrs
 Mile to a stone set in ground on the south slope of
 hill and marked 13 M.S. from which a meridian
 bro S. $56^{\circ} 35'$ East
- 14" Thence South at 48 vrs crossing a drain. at 1900.8 vrs
 Mile set stone in stone mound. marked. 14. M.S.
 from which a meridian bro N. 81° East.
- 15" Thence South. at 1900.8 vrs to a stone set in
 Mile stone mound. marked 15. M.S. 7.2 vrs
 east of fence.
- 16" Thence South 1900.8 vrs to stone set in stone
 Mile mound in open prairie and marked 16. M.S. The
 S.E. cor of sur. No 25" Bth 32. Sep 7. South. Tex or
 Pacific Rail Road Co is East 486 vrs. and
 North 94 vrs. This corner was identified from the
 field notes by its bearings on the ground, which
 are well preserved.
- 17" Thence South 1900.8 vrs. to stone set in
 Mile stone mound. marked 17. M.S from which a
 meridian bro S. 40° West.

18th Thence South at 204 vs. cross a drain course
1/2 mile west. cross another drain course North west at
1900.8 vs. set Stone in stone mound. Marked 18 M.S.
from which a mound is N. $38^{\circ} 5'$ west. a mesquite
bears S $45^{\circ} 45'$ West $6\frac{1}{10}$ vs.

19th Thence South at 1900.8 vs. to a large stone monument
1/2 mile at foot of hill. an stone marked 19 M.S. and another stone
marked N. L. S. as jaw 21" 1906. from which a large
stone monument bears N $85^{\circ} 40'$ west the D. W. cor of
survey no 48 with 40 132. Top. 4 S. Texas & Pacific Rly is
South 214 vs. and East 126 vs.

20th Thence South crossing point of hill at 1387 vs
1/2 mile cross Sterling City and Gordon City Road. at 1900. From
set stone in valley. marked 20 M.S. from which a
mesquite bears S. $26^{\circ} 20'$ N. $3\frac{3}{10}$ vs. a mesquite bears N.
 $22^{\circ} 45'$ W $10\frac{8}{10}$ vs.

21st Thence South at 540 vs cross Road on North
1/2 mile side of fence and Telephone line crossing a creek
called Lacy creek. and passing over point of hill - at
1900.8 vs set stone in stone mound. Marked 21 M.S.
from which a stone monument on a hill bears S.
 $64^{\circ} 30'$ East mound is at Jeff Snow Ranch bears
N $54^{\circ} 10'$ East.

22nd Thence South at 1900.8 vs set stone in the middle
1/2 mile or center of Road marked 22 M.S. 3600 vs west of Hook
creek from which a large stone monument on hill
bears N. $39^{\circ} 35'$ East.

23
Mile Thence South crossing Hook creek and ascending hill at 1900.8 vrs to a stone set in stone mound. Marked 23 M.S. from which a stone mound lies East 287.8 vrs from said stone mound at above. A mesquite bears $S 7^{\circ} 45' N. 53 \frac{2}{10}$ vrs. a mesquite bears $N 74^{\circ} 45' E 84 \frac{6}{10}$ vrs.

24
Mile Thence South 1900.8 vrs set stone in stone mound marked 24 M.S.

25
Mile Thence South crossing a Road crossing a fence crossing a drain. 1900.8 vrs to a stone set in stone mound marked 25 M.S. W.L.S. Co in Mr. James field South East of house

26
Mile Thence South crossing a drain at 1900.8 vrs set stone in stone mound: marked 26 M.S. from which a stone mound in head of a drain bears East 327 $\frac{6}{10}$ vrs.

27
Mile Thence South 1900.8 vrs crossing a drain set stone in stone mound. Marked 27 M.S. on west side of drain.

28
Mile Thence South crossing a drain 1900.8 vrs set stone in stone mound. Marked 28 M.S. from which a windmill at Mr Sheppards bears $S 89^{\circ} 55' West$. a windmill in draw bears $N. 15^{\circ} 10' East$. A mesquite bears $N. 87^{\circ} 15' East$. The S.E. cor of Sec. No 44 Bk 32 Texas & Pacific Ry Co, Tr. 5 South is 760 vrs West 44 604 vrs North of the above 28" mile stone

29
Mile Thence South 1900.8 vrs to stone set in ground and marked 29 M.S. in stone mound.

11 30
Miles
Thence South crossing a dry Lake or basin,
1900.800 to a large lime stone Rock 5 feet
long. 40 marked for the S.E. cor A. Co and N.E.
cor B. Co on west face of Rock of raw which a
Mesquite 6" in diameter bis N. 44° W. 156 7/10 or
a double mesquite bis N. 89° 10' E 223 ors.

Chain carriers
J. F. Morrow.
John Rausel

We, J. N. Seay Surveyor for Glasscock County and
Mrs. Clift Surveyor for Sterling County, Tex. do
hereby Certify that the foregoing described
Survey was actually made by us on the
ground, according to law and the data and
with the Chain carriers aforesaid duly qualified
and that all the corners, measured lines and
boundaries of same are truly and correctly
described and set forth in the foregoing Plat and
Field Notes

J. N. Seay Surveyor for Glasscock County
Mrs. Clift Surveyor for Sterling County Tex. Co.

603-CERTIFICATE OF TRUE COPY-Class 1*

Sold by GAST, St. Louis, Mo.

THE STATE OF TEXAS, }

County of Glasscock }

I, Wm Houston Clerk

of the County Court of Glasscock County, Texas, do hereby certify that

the foregoing is a true and correct copy of the original Field Notes

recorded in Deed Book 3 on pages 272, 3, 4, 5, & 6

and
now on file in said Court.

GIVEN UNDER MY HAND and the seal of said Court, at office in Sardis City

this 23rd day of March 1896

Wm Houston Clerk.

By _____ Deputy.

Counter 53786

60

✓ (2)
East line of
Glasscock County

1-19-1906

Glasscock Co. Bdry

(2)

Count 53798

Jose Maria Musqez

Jose Maria Martinez

T. November 8th 1833

pta

F. 41, p. 43.

Maria Josefa Sanchez

pta

26

A.M. Cartwright

Casildo Aguilera

T. Apr. 30th 1835

F. 18, p. 19

2/

⁴
Glasscock County
Boundary Lines

South, North & East.

Filed
July 30, 1906.