

Keall Co Boundaries

Filed Dec 21st 1891.

~~5~~ (1)

Examined, approved and
applied.

Jan'y 4th 1892

G. H. Beaumont

Abstract corrected 4/16/92
Beaumont

Additional Corrections
made for abstr Vol 20
May 15th 1899

G. H. Beaumont
Abst. Clerk

[Faint, mostly illegible handwriting]

Field-notes of a survey of the North, West and South boundary lines of Hall County Texas, made by order of the Court of said County dated the 8th day of May 1891

Beginning at a rock, 1 x 3 ft. x 4 in. marked N.W. Cor. C.C. on South side and N.E. H.C. on West side and C.L.C. on North side, from which a four prong Cottonwood tree br. S. 45° 50' E. 68 1/2 vrs. North rocky bluff pt. of Mountain br. N 86 1/4 W. a 12 in. Cottonwood tree br. N. 77 1/2 W. 109 1/2 vrs a round point peak br. N 25 1/2 E and another br. N 34° 25' E, the same being the established N.W. corner of Childers County.

Thence West at 200 vrs. Cross Cañon, Course S.W., at 1010 vrs. Cross West Salt Creek, Course S 21 E, at 1700 vrs. Cross a deep Cañon, Course N.E., at 1850 enter a deep Cañon, Course N.E. at 1900 a large pile of stones in the West bank of same Cañon 12 ft. from the base of same, a high bluff the head of the Cañon br. S. 33 W. 100 vrs.

Thence West at 20 vrs. top of bluff at 140 vrs. top of a high point, at 150 edge of bluff of deep Cañon at 180 1/2 vrs. pass 57 vrs. North from an Iron pipe marked B. 19 16, 17, 24, 25; at 700 vrs. a high point on West side of Cañon at 1190 vrs. a pt. on N. slope of a high rocky peak at 1900 vrs a large earth & stone mound from which a high rock pt. br. S. 59 E. a flat top Butte S 50 W

Thence West at 260 vrs. enter Cottonwood Creek, at 480 leave the same at 680 vrs. Cross the same Creek, Course N.E. at 880 recross the same Creek Course S.E. at 1760 cross a branch Course N.E. at 1900 a large ^{earth} mound from which N. end of a flat top mountain br. S. 57 W.

Thence West at 222 1/2 vrs. pass 43.7 vrs. North from an Iron pipe marked B. 19 14, 15, 26, 27. at 1900 vrs. a large earth mound from which S. pt. of flat top mountain br. N 85 E.

Thence West 1900 vrs. a large earth mound.

Hall Co. Bary line 4th

1 Thence West at 230 vrs. pass 6 1/4 vrs. North from an
 2 Iron pipe marked 12, 13, 28, 29, ^{B. 19} at 780 vrs. Cross Jonah Creek
 3 Course South at 1900 vrs. a large earth mound, from
 4 which a Cottonwood tree 3 ft. dia. br. N. 4 E. 60 vrs and
 5 a do. same dia. N. 9 3/4 W. 62 vrs.

6 Thence West 1900 vrs. set a stone marked S.E.D.C. and
 7 S.W.C.C. and H.L. from which a Cottonwood tree br. S 18 1/2 W.
 8 and another br. N. 42 W. and another br. N. 88 1/2 W. the
 9 same being the S.E. corner of Donley County and the S.W.
 10 Corner of Collingsworth County

11 Thence West at 130 vrs. Cross a branch Course S.E. at
 12 253 vrs. pass 6 7/4 vrs. North from an Iron pipe marked
 13 11, 30, 20, 21, ^{B. 19 & B. 20} at 365 vrs. Cross Parkers Creek Course S.E. at 560
 14 recross same creek Course N.E. at 610 recross same Creek
 15 Course South at 1800 vrs. Cross Fort Worth and Deussen

8th 16 City Rail Road Course of same S. 38 E. at 1900 vrs. a large
 17 mound from which Mt. Pine br. S. 38 1/2 E. and Queens Peak br. S 33 E.

9th 18 Thence West 1900 vrs. a large earth mound

19 Thence West at 240 vrs. pass 8 3/2 vrs. North from an Iron
 20 pipe marked 22, 23, 18, 19, ^{B. 20} at 1900 a large earth mound.

21 Thence West at 195 vrs. Cross a branch Course S. at 227
 22 vrs. pass 84 vrs. North from an Iron pipe marked 17, 18, 23, 24, ^{B. 20}
 11th 23 at 1900 a large earth mound

24 Thence West 237 1/2 vrs. pass 85 vrs. North from an Iron
 25 pipe marked 16, 17, 24, 25, ^{B. 20} at 590 vrs. Cross a branch Course S.W.
 26 at 1135 vrs. East bank of Indian Creek at 1349 vrs. West bank
 12th 27 of same creek, Course of Creek S 27 1/2 E., at 1900 vrs. a large earth
 28 mound

13th 29 Thence West 1900 vrs. a large mound on a high ridge

30 Thence West at 240.6 vrs. pass 94 1/2 vrs. North from an Iron
 31 pipe marked 26, 27, 14, 15, ^{B. 20} at 1750 vrs. Cross a branch Course S.W.
 14th 32 at 1900 a large earth mound.

15th 33 Thence West at 1780 vrs. Cross a sandy branch Course S.W. at 1900
 34 a large mound in the forks of branch

H2

- 1 Thence West at 4000 vs. Cross a sandy branch, Course S.E.
 2 at 247 vs. pass 106 1/2 vs. North from an Iron pipe marked
 3 12, 13, 28, 29. at 1560 vs. Cross a sandy branch, Course, S.W. at 1840 vs.
 16th 4 East bank of Oaks Creek at 1900 a large mound in
 5 the bed of same creek from which a 10' Cottonwood tree
 6 marked X brs. S 38 W 40 vs. and a do. 12' brs. S 54 1/2 W 68 vs.
 7 and a do. 12' brs. S 55 1/4 W. 68 vs. all marked X
- 8 Thence West at 350 vs. West bank of Oaks Creek course
 17th 9 of creek S 48 1/2 E at 1900 vs. a large mound about 350 vs.
 10 South from West prong of Oaks Creek
- 11 Thence West at 272 vs. pass 124, 2 vs. North from an
 12 Iron pipe marked ^{B 20.} 11, 30, at 950 vs. pass 132 vs. North
 13 from a stone mound on a hill, at 1070 cross a small draw
 14 Course North at 1350 cross a draw Course N. at 1700 cross a
 18th 15 branch Course N. at 1900 vs. a large mound, about 400 vs.
 16 South from West prong of Oaks Creek
- 19th 17 Thence West at 640 vs. cross a draw Course N. at 1900 vs.
 18 a large mound on the West slope of a hill, from which
 19 a cluster of Cottonwood trees brs. N 50 W and a lone Cottonwood
 20 brs. S 41 W.
- 21 Thence West at 600 vs. cross E. fork of John Mann Creek
 22 Course South at 909 1/2 vs. pass 664 1/2 vs. North from a
 23 Gyp rock mound the S.W. corner of sun. No. 5 in block
 24 No. C. of L. G. Coleman surveys at 940 vs. cross a draw
 25 Course S.E. at 1240 vs. cross a draw, Course S.E. at 1840 vs.
 20th 26 cross West fork of John Mann Creek Course S.E. at 1900 vs.
 27 a large mound in head of a small draw
- 28 Thence West at 880 vs. pass 650 vs. North from a red
 29 sand stone mound, the S.W. corner Sun. No. 4 Block C
 30 L. G. Coleman surveys at 1000 vs. cross a branch Course S.W.
 31 at 1180 vs. cross a branch Course S. at 1420 vs. cross a draw
 21st 32 Course S.W. at 1640 cross a draw, Course S.E. at 1900 vs. a
 33 large mound 200 vs. South from a deep cañon.
- 34 Thence West at 630 vs. cross a branch Course N.W. at

- 1 1240 vs. Cross a small creek at 1440 vs. recross the same
 2 at 1900 vs. a large mound in head of a little draw
 3 Thence West at 80 vs. Cross a draw, Course North at 850 vs.
 4 E. bank of East Bitten Creek at 990 vs. West bank of same
 5 Course S. 31th. at 1580 vs. Cross a deep branch Course South
 23 6 at 1900 vs. a large mound on the West slope of a hill
 24 7 Thence West at 860 vs. Cross a branch, Course South, at 1900
 8 vs. a large mound on North bank of a little draw.
 9 Thence West at 960 vs. East bank of West Bitten Creek
 10 at 1135 vs. West bank of same, Course South, at 1780 vs.
 25 11 Cross a creek, Course S. at 1900 vs. a large mound 1000
 12 South from the edge of a bluff
 13 Thence West at 600 vs. Cross a draw, Course N.E.
 14 at 665 vs. pass 888 vs. North from a large pile of pebble
 15 stones the S.E. corner of Sec. 13 in Block B of John
 16 G. Adair surveys at 1560 Cross a deep cañon, Course S.
 26 17 at 1900 a large mound on the East slope of a high
 18 ridge.
 19 Thence West at 600 vs. Cross a deep cañon Course S. at
 27 20 1460 vs. Cross a cañon, Course S.E. at 1900 vs. a large mound
 21 on N.E. slope of a hill.
 28 22 Thence West 1900 vs. a large mound on E. bank of
 23 Brushy Creek.
 24 Thence West, Crossing Creek, Course S. at 220 vs. pass
 25 through a grove of Hackberry trees at 700 vs. pass 963.4
 26 vs. North from a pebble stone mound the N.E. cor. of Sec. 6
 29th 27 in Block B. of John G. Adair surveys at 1900 vs. a
 28 large mound on a Mesquite flat
 30th 29 Thence West 1900 vs. set a white sand stone
 30 mound, composed of two stones, the under one of
 31 which is marked N.W. Cor. H and N.E. Cor. B and D.C.L. the
 32 mound being on the South bank of a cañon and 30 vs.
 33 South from the channel of the same; Cañon flows N.W.
 34 into Sandy Creek about 1/2 mile from the mound

1 from which wd. a cluster of cedar brush br. N 42 E
2 116 vs. and a cedar tree 7' dia. br. N 9 1/2 E. 135 vs. marked X
3 a round top Butte br. N 25 W. and a prominent point
4 on edge of the Plains br. N. 74 3/4 W. The said mound
5 being established for the NW. corner of Hall County
6 and also the NE. corner of Briscoe County,

1 7 Thence South 1900 vs. ⁽¹⁾ a large earth mound on
8 the south slope of a hill

2 9 Thence South 1900 vs. ⁽²⁾ a large earth mound in
10 Mesquite brush on top of a high ridge

3 11 Thence South 1900 vs. ⁽³⁾ a large mound on East
12 side of a sand hill, from which a 6' China tree marked X
13 br. N. 75 3/4 W. 38 vs.

14 Thence South at 1000 vs. North bank of Mulberry
15 Creek at 1880 vs. South bank of same, Course S 48 E,
4 16 at 1900 ⁽⁴⁾ a large mound from which a forked Cot.
17 Toward tree marked X br. N. 79 W. 85 vs.

18 Thence South 1806 vs. pass 525 vs. East from a stake
19 the SW. corner of Sur. No. 96 in Block No. 2 Texas and
5 20 Pacific R.R. Co. Surveys at 1900 ⁽⁵⁾ a large mound in a flat

21 Thence South at 1806 vs. pass 525 vs. East from a
22 stone mound the SW. corner of Sur. No. 89 in Block
6 23 No. 2 T.P. R.R. Co. Surveys at 1900 ⁽⁶⁾ a large earth mound

7 24 Thence South 1900 vs. ⁽⁷⁾ a large mound in John Heekman's farm

25 Thence South at 820 vs. ⁽⁸⁾ left bank of Battle Creek at
8 26 1520 vs. ⁽⁹⁾ left bank of same Creek at 1900 vs. a large
27 mound.

28 Thence South at 250 vs. the North bank of Red
29 river at 720 vs. South bank of same, Course S. 78 1/2 E,
30 at 822 vs. pass 55 vs. West from a stone mound

31 the NE. corner of Sur. No. 32 in Block G.C. of D.V.R.
9 32 R.R. Co. Surveys at 1900 ⁽⁹⁾ a large mound on East slope
33 of a hill and about 180 vs. West from Antelope Creek

34 Thence South at 278 vs. pass 67 vs. West from

- 1 a stone mound, the S.E. corner of Sur. No. 32 Block E.C.
 2 of Dennison & South Eastern R.R. Co. surveys at 400 vrs.
 3 Cross Antelope Creek, Course N15E, at 1160 vrs. Cross a
 10 4 branch, course NW, at 1900⁽¹⁰⁾ vrs. a large mound on
 5 North slope of a high ridge in Mesquite brush
 6 Thence South at 1220 vrs. Cross a branch course NW
 11 7 at 1900 a⁽¹¹⁾ large mound on East bank of a branch.
 8 Thence South at 80 vrs. Cross a branch, course NW, at
 12 9 1900 a⁽¹²⁾ large mound on South slope of a high hill
 10 and near head of a deep cedan cañon, course of same SE,
 11 Thence South at 1424 vrs. Cross a deep creek, course E,
 13 12 at 1900 vrs.⁽¹³⁾ a large mound on North side of a draw in
 13 Mesquite and Cedan brush
 14 Thence South at 230 vrs. Cross a deep cañon C.E.
 15 at 490 vrs. Cross a creek course SE, at 850 vrs. Cross a
 14 16 cañon C.S.E. at 1900 a large Stone mound on a high hill
 17 Thence South at 371 vrs. Cross a deep branch, course E, East,
 15 18 at 580 vrs. Cross a deep branch, course East, at 1900 a large
 19 mound on West bank of a cañon
 20 Thence South at 700 vrs. a deep branch, course S.E., at
 16 21 1180 a deep creek course S.E. at 1900⁽¹⁶⁾ vrs. a large mound
 22 on North slope of a high point and East side of a deep cañon
 23 Thence South at 780 vrs. North bank of a sandy creek at
 17 24 930 vrs. South bank of same, course S.E., at 1900 vrs.⁽¹⁷⁾ a
 25 large mound on South slope of high hill
 26 Thence South at 100 vrs. a deep cañon, course E, at 920
 27 North bank of Little Red river at 1360 vrs. South bank
 28 of same and East bank of Mule Creek at its mouth. Course
 18 29 of river N2E at 1900 a⁽¹⁸⁾ large mound in East bluff
 30 of Mule Creek
 19 31 Thence South 1900 vrs.⁽¹⁹⁾ a large mound on West face
 32 of hill and 250 vrs. East from E. bank of Mule Creek.
 33 Thence South at 300 vrs. Cross a branch course NW, at
 20 34 1900 vrs.⁽²⁰⁾ a large mound on West face of a high hill.

1 and East side of a deep branch

2 Thence South at 1200000 a deep branch Course NW. at 17500

21 3 000000 a deep branch Course NW. at 1900000⁽²¹⁾ a large mound on
4 a high point between two cañons

5 Thence South at 1380000 a deep Cañon, Course NW. at

22 6 1740000 a deep Cañon Course NW. at 1900000⁽²²⁾ a large mound
7 on West face of a hill

8 Thence South at 500000 a Cañon Course NW. at 400000

9 a deep Cañon Course NW. at 570000 a red sand stone
23 10 bluff at 1900000⁽²³⁾ a large mound on smooth prairie

11 Thence South at 664000 pass 930000 East from a

12 stone mound the N.W. corner of Sec. No. 57 in Block
24 13 No. 3 T. & P. R. R. Co. Surveys at 1900000⁽²⁴⁾ a large mound

14 on smooth valley

15 Thence South 1900000⁽²⁵⁾ a large mound on South

25 16 slope of a high ridge

17 Thence South at 894000 pass 895000 East from a

18 stone mound for the N.W. corner of Sec. No. 68 in
26 19 Block No. 3 for T. & P. R. R. Co. at 1900000⁽²⁶⁾ a large mound

20 on smooth prairie

21 Thence South 1900000⁽²⁷⁾ a large mound on valley of

27 22 Kent Creek

23 Thence South at 800000 cross Kent Creek, Course

28 24 S.E., at 1900000⁽²⁸⁾ a large mound on a sand hill

29 Thence South 1900000⁽²⁹⁾ a large mound on South

26 25 slope of a small sand hill

30 Thence South 1900000⁽³⁰⁾ a large stone mound

31 marked S.W. Cor. H. & S.E. Cor. B. and N.C.T. from which a
32 Hackberry tree on a sand knoll bro. N 59 1/2 W. 56.50000 and a
33 do. bro. S 78 W. 620000 both marked X Quitague Peak bro.

34 S. 35 W. and a round top mountain at edge of Plains bro.
S 38 1/2 W. the same being established for the S.W. corner
of Hall County and the S.E. corner of Briscoe County

Thence East 1900000 a large mound on high sand flat

Thence East 1900 vs. a large mound on Sand hills

" " 1900 " " " " " " " "

" " 1900 " " " " " " " "

" " 1900 " " " " " " " "

" " 1900 " " " " " " " "

" " 1900 " " " " " " " Smooth prairie

" " at 23 vs. pass 124 vs. North from a stone for S.W. corner of sun. No. 204 in Block S5 D. & P. R. R. Co. surveys at 1875 vs. Cross Turkey Creek, Course S.E. at 1900 vs. a large mound on bank of Turkey Creek

Thence East at 18 vs. pass 104 vs. North from a stone for S.E. corner of sun. No. 204 in Block S5 D. & P. R. R. Co. surveys

at 976 vs. pass 77 vs. North from the N.W. corner of sun. No. 2 in Block S5 E. L. & R. R. R. R. Co. surveys at 1900 vs. a large mound in valley of Turkey Creek

Thence East at 420 vs. pass 63 vs. North from the N.W. corner sun. No. 1 in Block S5 E. L. & R. R. R. R. Co. surveys

at 580 vs. a cañon, course S.E. at 1480 vs. a cañon course south at 1700 vs. a cañon, course south, at 1900 vs. a large mound in E. breaks of cañon

Thence East at 460 vs. a cañon course south at 1900

a large mound on smooth prairie

Thence East at 300 vs. a cañon course south at 1900 vs.

a large stone mound on East bank of a cañon

Thence East at 1060 vs. a deep cañon at 1900 vs. a

large mound in head of a small cañon

Thence East at 120 vs. a cañon course N.E. at 640 vs. a

course North, at 1340 vs. a cañon course N.E. at 1900 a

large mound on East slope of a hill

Thence East at 170 vs. a deep cañon, course N. at 1290 vs.

a cañon at 1816 vs. a deep cañon at 1900 a large mound

on East side of a deep cañon

Thence East at 620 vs. a cañon, course N. at 1620 vs. a

deep cañon course N.E. at 1875 vs. a small cañon at

- 16 1 1900 a large mound on E. side of small cañon
 2 Thence East at 3500 vs. a deep cañon course N. at 1290
 3 a cañon course N.E. at 1900 vs. a large mound on
 17 4 the north slope of a high hill
 5 Thence East at 1550 vs. Cross Wind river, course
 6 S. 87 E, width 30 vs., living water, very salt, at 1900 vs
 7 a large mound on valley of Pease River
 8 Thence East at 258 vs. the left bank of Pease river
 9 at 640 vs. the right bank of the same, course N 2 1/2 E,
 19 10 at 1900 vs. a large mound in sand hills
 11 Thence East at 900 vs. the right bank of Pease river
 12 at 1700 vs. the left bank of the same, course S 60 1/2 E,
 13 at 1800 vs. top of a high point getting into river
 20 14 at 1900 vs. a large mound at foot of high hill
 15 Thence East at 1167 vs. the left bank of Pease
 16 river at 1600 vs. the right bank of the same
 17 course N 44 1/2 E, at 1769 West bank of a sandy creek
 21 18 at 1865 E. bank of same, course NW, at 1900 vs. a mound
 19 on E. bluff bank of creek
 20 Thence East at 700 vs. a branch, course N, at 1390
 21 a branch, course N, at 1860 a branch, course N, at 1900
 22 a large mound on E. bank of a branch
 23 Thence East at 1340 vs. a branch, course N, at 1840
 24 a cañon, course N, at 1900 vs. a large stone mound
 23 25 60 vs. E. from a cañon and about 200 vs. South from
 26 the South bank of Pease river and opposite the
 27 mouth of a creek on N. side of the river, from
 28 which mound a 4' Mesquite marked X br. N 73 W 22 vs
 29 Thence East at 530 vs. a branch, course N.E. at 1440
 30 a branch course N, at 1900 vs. a cedar post and
 31 earth mound, on river valley
 32 Thence East at 1128 vs. the right bank of Pease
 25 33 river at 1470 vs. the left bank of the same,
 34 course S. 42 E. at 1810 vs. a branch, course S, at 1900 vs

1 in large mound in Sage brush on river valley
 2 Thence East at 1660 vs. a deep cañon, course SW.
 3 at 1900 vs. a large mound on the North slope of
 4 a high point

5 Thence East at 1180 vs. a deep cañon, course S.
 6 at 1900 vs. a large mound on West side of small draw

7 Thence East at 1560 vs. a cañon course NE. at 1900
 8 a large mound in the head of a small draw course

9 Thence East at 1290 vs. Cross Running Water Creek
 10 course SE. at 1900 a large mound on a high
 11 point

12 Thence East at 1000 vs. a cañon course SW. at
 13 1000 vs. a cañon course SE. at 1100 vs. a cañon

14 course SW. at 1900 vs. a large Gyp stone marked
 15 S.W.C.C. and S.E.C. and C.C.Z from which a large stone

16 and earth mound between the heads of two draws
 17 (course West) vs. $\angle 4^{\circ} 21' W 346.7$ vs. dist. The said

18 stone, marked as described, being the S.W. corner of
 19 Childress County as established by J.L. Terrell

20 by authority of the Court of Childress County and
 21 hence the S.E. corner of Hall County

22 Surveyed Aug. 17 to Sept 4 - 1891

23 H.L. Heath }
 24 J.J. Bell } Chairman
 25 Robert Reed }

26 A.M. Churchill } mound builder

27 D. Will. P. Hedgecock, County Surveyor of Hall
 28 County, ^{Tex} and also duly appointed by the Court of said County

29 to locate and establish the boundaries of the said Hall County

30 do hereby certify that the foregoing described survey was
 31 actually made by me on the ground, on the dates and with

32 the Chairmen aforesaid, duly qualified, and that all the
 33 marks natural and artificial are well and truly described

34 in the foregoing field-notes, and that the rules respecting
 the curvature of the earth have been strictly observed, in
 making the survey.

Will. P. Hedgecock
 Co. Surveyor
 Hall Co. Tex

1 The State of Texas
2 County of Hall S.

3 I S. A. Simpson Clerk

4 County Court in and for Hall County
5 Texas do hereby certify that the fore-
6 going is a true and correct copy of
7 the minutes of the County Court
8 made at its November Term A. D.
9 1891 as the same appears of record on
10 the minutes of said Court on pages
11 55 to 64 in Vol 1 of the County
12 Court minutes and would
13 further certify that all the adjoin-
14 ing Counties were legally notified
15 Given under my hand and seal of
16 office this 19th Day of December A. D. 1891

17 I A Simpson Clerk
18 County Court Hall County Texas

Hall County ⁽¹⁾
Boundaries

Filed Dec. 21st 1891

Wm Braullette
Chief Clerk

Suspended several months
as judges are received

1-2-92


See Sept 1891

to the Hall Co

OK

Examined, approved and ap-
plied & abstract corrected
April 16th 1892

Wm Braullette



Counter 54170

10

142

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34