

It is ordered by the Court that the report of E. J. Flynt
Surveyor appointed by this Court to Survey the West boundary
line of Hardeman County be and the same is hereby in all
things confirmed and said line as designated in said
report shall hereafter be the West Boundary Line of Hardeman
County and the same is hereby in all things confirmed
and Said line as designated in Said report Shall here-
after be the West Boundary Line of Said County. Said report
is as follows. to wit:

W. body of Hardeman Co
Mo. 10 Oct 1893

To the Hon Commissioners Court of Hardeman Co.
I E. J. Flynt Surveyor duly appointed by your Hon Court to
lay off Survey mark and designate part of the West-
line of Hardeman County the same being the E. B.
line of Childress County did in conjunction with
T. L. Crenas a Surveyor duly appointed by the Commissioners
Court of Childress County for the same purpose did
from the 28th day of August to the 19th day of September
A.D. 1892 Survey mark and designate on the ground
part of the West line of Hardeman County the same
being the East line of Childress County the field
notes of which line are hereto attached together with
a Map stereov of E. J. Flynt Surveyor.

Field notes of a Survey as ordered by the Commissioners
Court of Childress and Hardeman Counties for the
Establishment of the East line of Said Childress County
and that part of the West Boundary line of Hardeman
County by T. L. Crenas duly appointed and
qualified by the Commissioners Court of Said
Childress County and E. J. Flynt duly appointed
and qualified by the Said Commissioners Court
of Said Hardeman County.

Beginning at the North-West corner of Baylor County
and the South-West corner of Willbarger County a Sand
Stone set in the earth 3x3. in a valley of South Beaver
Creek and marked $\{K\}$ and $\{xx\}$ on the South side
counter 54375

Hardeman Co Bdy Line 3

and H/W on the North-Side from which a Hackberry tree bears North $25^{\circ}45' E.$ 138 varas. Another bears North $21^{\circ}30' E.$ 131 varas (neither one marked) a Red Sand-Stone marked A on a natural Red Round mound bears South $57^{\circ}45' W.$ 112 varas. dist. Thence North at fifteen miles and 1850 varas reach the South-Bank of Pease River Course N $30^{\circ} E.$ at twenty eight miles and 1416 varas cross the Fort Worth and Denver City Rail Road Course North $77^{\circ}13' W.$ Continuing North at thirty one miles and 240 varas in all reach a point 58 varas South of Wanders Creek - thence West at 641 varas cross Wanders Creek Course N $20^{\circ} E.$ at 1774 a point 47 varas South of the South-East-Corner of Survey No 37 Block N 10. 14. + T. C. R. R. Co. in Hardeman Co. Continuing West at fourteen miles and 67 varas a point 33 varas South of the North-East-Corner of Survey No 140 in Block H. N. & N. W. R. R. Co. in Hardeman County Continuing West at sixteen miles and 110 varas a point 44 $\frac{1}{2}$ varas South of the South-East-Corner of Survey No 165 Block H. aforesaid at seventeen miles and 712 varas pass Stone on Knoll and Continuing West at twenty three miles 397 varas a point 358 varas South of the N.W. corner Survey No 256. Said Block H. Continuing West at twenty nine miles and fifteen hundred and ninety varas to a point in the West-Boundary line of Hardeman County. Where the South Boundary line of Childress County intersects the same at said point set a Sand Stone "5" x 24" x 36" in earth mound fully described above and 4 pits marked F on the top for Center $\left\{ \begin{smallmatrix} SE \\ CO. \end{smallmatrix} \right\}$ on the North-Side $\left\{ \begin{smallmatrix} NE \\ CO. \end{smallmatrix} \right\}$ on the South-Side from which stone a stone mound on a natural mound bears S. $61^{\circ}13' W.$ small natural M. at East-end of large M. South $28^{\circ}3' E.$ East-point Cedar Mountain bears South $5^{\circ}35' E.$ the South-East-Corner of Survey No 386 Block N 14. T. C. R. R.

R. R. Co. bears South 1100 varas and West 457 mrs -
Thence North at 801 varas a point 905 varas East of
said North East Corner of Said Survey No 386 & the
N.W. corner of Sur 385 of same Block at 1134.1170
and 1377 varas cross. Recross and cross same Branch
1900 varas set stone in dirt mound and 4 pits
marked \textcircled{C} on the West side from which a 6"
Hackberry tree will \textcircled{X} between two Rocky points bears
South $30^{\circ} 9'$ West 226 mrs. Small natural mound
at East end of mountain bears South $20^{\circ} 2'$ East
Small Gap in mountain bears South $33^{\circ} 55'$ East

2nd Thence N. at 278 mrs a Rocky edge of Hill at 802 $\frac{1}{2}$
mrs a point 853 mrs East of the North West corner of
Survey No 384. Said Black H at 1720 mrs. a Red Knoll
at 1900 mrs. Set Stone marked \textcircled{C} on the West side
and between 4 pits on E. W. Slope of Hill

3rd Thence North at 81 mrs cross draw (NW) at 792 mrs.
put 4 piles of Stone on Rocky Ridge at 804 mrs a
point 801 mrs. East of N. W. Cor. of Survey No 383 Said
Black H at 1900 mrs. Set a Red Stone in mound
of Stone marked \textcircled{C} the Bluff point of a Hill
bears North $85^{\circ} 30'$ West 40 mrs. Point of Small Red
Hill bears South $73^{\circ} 25'$ E

4th Mile - Thence North at 805 $\frac{1}{2}$ mrs. a point 748 mrs.
East of the N. W. corner of Survey No 382 Black H afre-
Said at 1376. varas. Cross the Ft Worth and Denver
City Railroad at a point from which mile
Post marked D 597 and Ft W. 207 bears N. $75^{\circ} 45'$ W.
102 $\frac{1}{2}$ varas. at 1900 mrs. Set a Stone marked CC in
an Earth mound and 4 Pits from which Red
mound bears South $12^{\circ} 29'$ East point of Ridge South
 $89^{\circ} 30'$ W. a Hackberry in a sink bears N. $60^{\circ} 16'$ W. 1742 mrs.
marked \textcircled{X} on North & South Sides

5th Mile Thence North 807. varas a Point 695 varas
West of the North West corner of Survey No 381 Said
Bk. H. a Stake Earth mound & 4 Pits at 882 mrs. cross.

a Branch Course S.E. at 1638 a Gravelly Hill at 1900 ns. Set Stone marked E. on West Side in mound and four pits. Huckleberry tree in Suck marked $\frac{1}{2}$ out N. & S. Side bears South $2^{\circ} 53'$ West 162 ns. North-end of Ridge bears South $51^{\circ} 34'$ W. South-point of Ridge South $84^{\circ} 15'$ W.

6th Mile Thence North at 807 varas a point 640 $\frac{1}{10}$ varas East of the North-West corner of Survey 380 Said Block H at 1900 ns. Set a Stone marked CL on West-Side a 4 pits from which a large Cottonwood marked $\frac{1}{2}$ bears N $3^{\circ} 1'E$. 334 varas Cottonwood marked $\frac{1}{2}$ bears N $2^{\circ} 32' West$ 337 varas a 3 Pronged Cottonwood not marked bears N $60^{\circ} 15' West$

7th Mile - Thence North 288 varas cross a branch west of mouth at 365 varas cross North Goresbeck Creek Course East at 808 $\frac{1}{10}$ varas a point 586 $\frac{1}{2}$ varas East of the N.W. corner of Survey No 379. Said Block H at 1080 varas and 1379 varas Ewes and across draw Course at 1400 varas

Set Stone marked CL in mid and 4 pits in open Valley

8th Mile - Thence North at 809 $\frac{4}{10}$ varas a point 531 $\frac{3}{10}$ varas East of the North-West corner of Survey 378 Said Block H at 1900 ns. a stone set in the ground marked CL on the West-Side a 4 pits from which the Court-house in the town of Childress bears S $89^{\circ} 19' West$ natural mound S $84^{\circ} 57' West$ Red Bluff bears N. $00^{\circ} 28' W$.

9th Mile - Thence North at 870 $\frac{7}{10}$ varas a point 474 $\frac{4}{10}$ ns East of the N.W. corner 377 Block H at 1900 varas a stone marked CL on the West-Side and 4 pits from which South-end mound bears N $43^{\circ} 30' W$. Center Small hill N $42^{\circ} 56' W$.

10th Mile - Thence North at 288. varas cross small draw (SW) at a point 423 varas East of the N.W. Cor. Survey 376. Said Block H at 1900 Set a Stone marked CL on West-Side and 4 pits from which Red Bluff bears N $2^{\circ} 11' W$.

11th Mile Thence North at 572 $\frac{7}{10}$ ns cross small draw.

- (Course S.E.) at 806 vs. a point 365^{1/2} vs. East of the North West Corner Survey No 375 Block H at 1085 a Cobble Stone mound and 4 pits on hill from which forked Cottonwood in branch bears N 85° 30' West about 600 vs. Court house in town of Childress South 82° 52' W. Large Medicine Mound South 48° East Elevator in town of Quanah S. 52° 30' E. at 1497^{1/2} vs. Cross Branch Courses Nat-1900 vs set-stone in East Mound + 4 pits.
- 12th Mile Thence North 640^{1/2} vs. Center of small dry lake at 801 vs. a point 308 East of the North West Corner 374 said Block H at 858 varas a point 2208 varas East of Stone mound the N.W. corner of Survey 397 Said Block H at 1900 varas set-stone in Earth mound and 4 pits marked CL on the West side from which a small grove of Oak trees bears N. 69° 1/4' West and a small mound S. 84° 57' W. head of draw. Course N.E. S. 81° 46' E.
- 13th Mile Thence Nat 324 crosses a draw. Course North East at 801 vs. a point 251 varas East of the N.W. corner of Survey No 373 Said Block H 1900 varas set-stone in mound and 4 pits Red Bluff bears N. 63° 3' E. Cottonwood N. 48° 40' East
- 14th Mile Thence North at 801 vs. a point 194 vs. East of the N.W. corner of Sur 371 Said Block H at 1900 varas set-stone marked CL in mound and 4 pits in Oak bushes on North slope of hill
- 15th Mile Thence North at 396 vs. a point 1409 varas E of S. W. corner 801 vs. a point 136 vs. East of the North West corner of Survey No 371. Said Block H at 1900 varas a ~~stone~~ set-stone marked CL on West Side + 4 pits from which Rock Bluff on N. Bank of Red River bears N 36° 45' W. the Initial Monument on the 100th Meridian bears N 15° 2' W.
- 16th Mile Thence North at 196 vs. a point 404 vs. East of the South West corner of Survey No 1.

J.W. Stephens certificate 1385 and also set
Common corner of Survey No 2 J.W. Stephens at 1900
varas set stone marked CL

17th Mile - Thence North at 45° 8' cross branch at 534
varas small dry lake at 1116 cross same branch
course N.E. at 1534 $\frac{4}{10}$ m.s. a stone marked stns
(NW Co.) on East and (CL) on west side - The initial
monument on the 100th Meridian bears North 31°
53' W. a low round mound N 48° 2' E a Forked
Cottonwood in valley on south side of River N.W.
79° 41' W. a do N 79° 37' W. and 3 Hackberry trees 4 in
diameter \pm S. 30° 17' E. 25 m.s. a Hackberry 4" diam
marked \pm North 52° 43' E. 10 varas. Thence west
562 varas a point in the north Boundary line of
Said Survey No. 1. J.W. Stephens and 404 varas
East from its North West corner at 876 $\frac{7}{10}$ m.s.
a point in channel of the Prairie Dog Hole of
Red River for the North West corner of Hard-
eman County and the most easterly point
point is 708 m.s. South and 3733 varas west
of the main corner sit in the north line
of Survey No 4 Le M. R.R. Co. on Hardeman County
and described as follows. or Stake set at the
end of the S. 32 $\frac{1}{4}$ W. 1129 m.s. course from which
Cottonwood mld & bears N 42 $\frac{1}{4}$ E. 19 m.s. Survey Beginning 28th day of
August and continuing until Sept 19th A.D. 1892
Chain Carries D. L. Ryns and J. A. Brusters variations
at 1040 E.

We J. L. Crews and E. J. Flynt Surveyors duly
appointed and qualified by the Comrs Courts of
Childress and Hardeman Counties respectively
to locate Survey and mark the boundary
line between Childress and Hardeman

Counties do hereby certify that the foregoing Survey as shown by the above field notes and accompanying Map of boundary line of Childress & Hardeman County was made by us on the ground with chain Carriers aforesaid duly qualified according to Law and that all points bearings and distances Corrections and marks natural and artificial are correctly described in the foregoing field notes and accompanying Map.

Witness our hands at Denison Texas this
the 9th day of March 1892.

J. L. Crenns for Childress County
E. J. Flynn for Hardeman County

Exhibit 36 - H. M. Dauber

The State of Texas, J. M. Dauber,
County of Hardeman, County Court in and for said
County hereby certify that the above and
foregoing is a true and correct transcript
of the records of the Commissioners Court of
said County as appears in Minute Book No 2
pages. 73-74-75-76-77-78+79. of order. Field Notes
& Map of West line of Hardeman County entered
on the 17th day of November A.D. 1893.

Witness my hand and Seal of
said Court May 4th 1893.

J. M. Dauber Clerk County
Court Hardeman Co Tex

3/ West line of (36)
Hardeman Co
Filed May 10th 1893.

Examined and approved
May 23rd 1893
S. M. Beaumont

Hardeman Co. Bdry line

Hardeman Co 6'd's

Hardeman Co. Bdry. line
East & West Lines

(3)

Filed May 10th 1893

Abstract corrected
April 3rd 1894
G. W. Beaumont

Counter 54383