

Boundary of
Haskell

Separating
Shawbelford, Jones,
Stonewall and Snow

Filed Jan'y 8th 1887

Abstract corrected July
8th 1887 and Copy
ed the Court & Rec-
G. N. Beaman

The boundary between
with a variation of 1/2
to the true location of
the survey does not
of the court in
point 630 as shown of
of the survey for the
Shawbelford, Jones
now appear that the
of the survey
of the survey
of the survey
of the survey
of the survey

count 54518

Handwritten text on the right side of the page, including the date "Sept. 9/87" and the name "J. N. Beaman".

Variation $9^{\circ} 30'$

State of Texas

County of Haskell

To the Honorable
County Judge of Haskell County
Texas: In compliance with an
order of your Honorable Court
made at the March Term 1885 or-
dering the County Surveyor to
survey the following lines viz:
South, west and North lines
of Haskell County:

Beginning at 883 vrs
East and 10 vrs South of the
S. E. corner of A. Rodriguez sur-
vey which is 885 vrs West and 640
vrs South of the S. W. corner of
Abrahamson County establish-
ed by J. H. Butler Surveyor
of said County in 1880
Thence West at 883 vrs past S. E.
corner of A. Rodriguez 10 vrs North
of S. E. corner at 1296 vrs Making
a line at 1900 a stone 20 inches
high marked S. L. H. C. No 1
Thence West 1900 vrs a stone 20 in
high mkd S. L. H. C. No 2
Thence West 1159 vrs cross west line
of A. Rodriguez survey 10 vrs North
S. W. corner at 1900 vrs a stone
mkd S. L. H. C. No 3
Thence West 698 vrs cross west
line A. B. & M. ^{No 1} 44 vrs South of

its N.W. corner

Thence west 1900 vrs stone 20 inches
high mkd S.S. H.C. No 4 which is
560 vrs east of 4 vrs south of the N.W.
corner of No. 12 H. & G. R.R. Co.

Thence west at 560 vrs cross west
line No 12 at 1667 vrs cross Jay-
Kee & Albany road 1900 vrs stone
20 inches high mkd S.S. H.C. 5
which is 444 vrs south and 422
vrs east of the N.W. corner No 11
H. & G. R.R. Co

Thence west 422 vrs cross west
line No 11 1900 vrs stone 18 in
high mkd S.S. H.C. 6 which is
444 vrs south and 284 east of
N.W. corner of survey No 10 H. & G.
R.R. Co

Thence west 284 cross west line No
10 1900 stone 15 in high mkd
S.S. H.C. 7 which is 444 vrs
south and 146 vrs east of the N
W corner No 9 H. & G. R.R. Co

Thence west 146 vrs cross west
line No 9 1900 vrs stone 20
in high mkd S.S. H.C. No 8
which is 444 vrs south and 80 vrs
east of its N.W. corner

Thence west 8 vrs cross west
line No 8 at 602 vrs a large stone
3 ft high mkd "N.E. corner of
James County" at 462 vrs Cala-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

Jornia Creek, course north,
at 1444 vrs cross East line of
Andrew Jones survey which
is 744 vrs south of its N.E. corner
at 1900 vrs a stone 20 in high mks
S. S. H. C. 9

Thence west 1900 vrs stone 20
in high S. S. H. C. 10

Thence west 1000 vrs cross
west line of Andrew Jones
which is 744 south of its
N.W. corner at 1900 vrs stone 8
in high S. S. H. C. 11

Thence west cross west line
of Aaron Bagby at 944 vrs which
is 744 vrs south of its N.W. corner
at 1900 vrs a stone mks S. S.
H. C. 12

Thence west 1033 vrs west line
No. 6 N. & P. C. R. R. Co 744 vrs south
of its N.W. corner at 1900 vrs
a stone 18 in high mks S. S. H. C.
#13 which is 1046 vrs north and
106 vrs east from the S.W. corner
of No. 6 N. & P. C. R. R. Co

Thence west 1900 vrs a stone
20 inches high which mks S. S.
H. C. 14 which is 744 vrs south
and 72 vrs east of the N.W. corner
sect 3 N. & P. C. R. R. Co

Thence west at 643 vrs east line
Mary Jones at 1805 vrs cross west

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

line of Mary Jane at 1900 was
a stone 20 in high ^{mk'd} S. S. H. C. 15
which 940 south and 950 west
of N.W. corner B B B B C C R R C
No 1

Quadrant at 1856 was cross west
line No. 1. B B B B C C R R C 940
was of its N.W. corner at 1900
was a stone 20 in high S. S. H.
C. 16

Quadrant 1900 was stone 20 in
high mk'd S. S. H. C. 17 which
940 was south and 950 east
of N.W. corner No 6 same as

Quadrant 1900 was stone 18 in high
mk'd S. S. H. C. 18 which is 940
was south and 980 east
of the N.W. cor No 7 same as

Quadrant 1900 was stone 20 in
high mk'd S. S. H. C. 19 which
is 1162 was south and 86 was
east of N.W. corner No 12 same as

Quadrant 1900 was a stone 18
in high mk'd S. S. H. C. 20 which
is 1162 was south and 86 was east
of N.W. corner 13

Quadrant 1900 was a stone 20 in
high mk'd S. S. H. C. 21 which is
1162 south and 86 was east of
N.W. corner 18

Quadrant 1900 was stone 20 in
high mk'd S. S. H. C. 22 which is

1162 000 south and 110 000 east
of the N.W. corner of 21 4000
thence west 1900 000 a stone 20
in high MK'd S.S. 26 26 which
is 1162 000 south and 168 000 east
of the N.E. corner No 26 (Both sets
bearing true found at the N.W.
corner of 26 making an excess of 110
000 from the N.W. corner of 26
(to S.E. corner of No 12)

Thence west 1900 000 a stone 18 in
high MK'd S.S. 26 24 which is
1162 000 south and 168 000 east
of the corner No 29

Thence west 1900 000 a stone 20 in
high MK'd S.S. 26 25 which is
1162 000 south and 168 000 east
of the N.W. corner No 34

Thence west 1900 000 a stone 20 in
high S.S. 26 26 which is 1162
000 south and 168 000 east of
the N.W. corner 37

Thence west 1900 000 a stone 20
in high MK'd S.S. 26 24 which
is 1162 000 south and 168 000 East
of the N.W. corner No 82

Thence west 1900 000 a stone
20 in high MK'd S.S. 26 28
which is 1162 000 south and 226
east of N.W. corner 84

Thence west 1900 000 a stone 20 in
high MK'd S.S. 26 29 which is

1162 or south and 226 or East
 of the N.W. corner of 106
 Thence west at 1644 or main hole of
 Paint Creek at 1900 or a stone 20
 in high mkd S. N. 260 thirty
 miles (30. m) a large mesquite
 post four foot high beside of stone
 which is 1162 or south and 226
 or east of the N.W. corner of
 115. (making an excess of 168
 or from the west line of 115
 to the east line of No 12 as the
 corners were put in by Martin
 Aural ex surveyor of Jones Co. Tex)

Beginning at S.W. corner of Adell
 County a stone 20 in high mkd S. N.
 260 30. m) a large mesquite post four feet
 high beside of stone.
 Thence North 1162 or cross N line
 115 226 or east of that N.W. cor at
 1900 or a stone mkd N. S. 260 1
 Thence North 1162 or cross north
 line 114 226 or ^{east} from its N.W. cor
 at 1900 or a stone mkt post
 2 1/2 feet high mkd N. S. 260 2
 Thence North 1162 or cross north
 line 113 at 226 or east of its N.W. cor
 at 1900 or a stone marked N. S. line
 260 3 on the north side of road
 at ⁸⁹⁰ 1090 or east of Flat Top Mt at 1090
 or summit of Flat Top at 1162 or N line

X
 W. line
 Haskell
 locating SE
 cor King Co
 Tex.

112 226 vrs east of its N.W. Corner at
 1900 vrs a stone 2 feet high mkd
 W.L. D.C. #
 Thence ~~west~~^{North} 1167 vrs cross North
 line 111 which is 226 vrs from its
 N.W. Corner at 1224 vrs Old Path
 trail at 1655 vrs cross a deep ravine
 course N.W. at 1900 vrs stone 2
 feet high mkd W.L. D.C. #
 Thence North 1167 vrs cross N line
 110 at 226 vrs from its N.W. Corner
 at 1149 south line of F.H.K. Day
 1200 East of its S.W. Corner at 1200
 summit of Great Top Mt at 1300
 foot of Great Top at 1900 vrs a stone
 18 in high mkd W.L. D.C. #
 Thence North 1900 vrs west part 3
 ft high mkd W.L. D.C. # on East
 branch near a small China grave
 Thence North 349 vrs cross North line
 of F.H.K. Day 400 vrs East of its most
 N.W. Corner at 1349 vrs cross N line
 of Milford Boston survey 400 east
 of its N.W. Corner at 1609 vrs cross
 south line Etheridge's pre-empt
 survey at 1900 vrs west part 2 ft
 high mkd W.L. D.C. #
 Thence North at 1246 vrs cross north
 line of Etheridge's pre-empt at 1900
 vrs west part 2 ft high on south
 side of same Mt for R. Brooks River
 Thence North at 4900 vrs cross south

line No 30 1212 ^{west} from its S. E. Cor.
at 90 ^{North} ~~West~~ bank above Mt
Fort Brazos River (North bank
of River receding leaving a large
Sand Bank about 600 yards wide)
at 90 ^{West} cross south line No 29
1485 ^E from its S. W. Corners
at 1900 ^{West} a ^{West} ~~West~~ post 2 ft high
marked W. L. H. C. 10.

Thence North 49 ^{West} cross south
line 28 at 1485 ^{West} from its
S. E. Corners at 90 ^{West} cross line
25 1485 ^{West} from its S. E. Corners
at 1900 ^{West} a ^{West} ~~West~~ post 2 ft high
marked W. L. H. C. 11

Thence North 49 ^{West} cross south
line 24 at 3680 ^{West} East from its
S. W. Corners at 90 ^{West} cross south
line 23 at 3680 ^{West} from its S. W.
Corners at 1900 ^{West} a ^{West} ~~West~~ post
2 ft high marked W. L. H. C. 12

Thence North 49 ^{West} cross south
line 22, 846 ^{West} East from its
Corners at 90 ^{West} cross south
line No 11 1041 ^{West} East from its
S. W. Corners at 1900 ^{West} a ^{West} ~~West~~ post
2 ft high marked W. L. H. C. 13

Thence North 49 ^{West} cross south
line No 10 at five hundred and forty
four ^{West} East from its S. W. Corners
at 90 ^{West} cross south line No 9
186 ^{West} East from its S. W. Corners

at 1900 vrs ^{post} meast 2 ft MK'd W.L.
H.C. 12

Thence North at 49 vrs cross a well
line of No 13 14 vrs west of its in-
tersect S.E. corner at 901 vrs
cross No sub line No 13 at 14
vrs from its N.E. corner at
1810 vrs Mulberry Creek at 1900
vrs meast post 2 ft high
MK'd W.L. H.C. 15

Thence North at 901 vrs cross with
line No 15, 94 vrs from its N.E. Cor.
at 1900 meast post 2 ft high MK'd
W.L. H.C. 16

Thence North 49 vrs N.W. corner No
5 at 901 vrs cross south line
No 3 941 vrs East of its S.W. corner
at 1900 vrs meast post 2 ft high
MK'd W.L. H.C. 17

Thence North 49 vrs cross south
line No 2 which is 941 vrs East
from its S.W. corner at 901 vrs
cross south line No 1 941 vrs
east from its from its S.W. corner
at 1900 vrs meast post 2 ft high
MK'd W.L. H.C. 18

Thence North 1900 vrs through ^{49 vrs} ^{from line No 17 south line from B. Cook} Green
B. Cook survey to meast post 2 ft
high MK'd W.L. H.C. 19

Thence North 1900 vrs meast post
2 ft high MK'd W.L. H.C. 20

Thence North 500 vrs south bank

1 of Danau Mt fork Brazos River
2 at 1900 or 6 Mout post 2 ft high
3 marked W. L. G. Co 21

4 Hence North 1900 or 6 stone 2 ft high
5 marked W. L. G. Co 22

6 Hence North 1900 or 6 stone 2 ft high
7 marked W. L. G. Co 23

8 Hence North 1846 or 6 cross north line
9 of Arthur Slaydon at 1281 or 6 West of
10 its N. E. Corner at 1900 or 6 stone
11 20 in high marked W. L. G. Co 24

12 Hence North 1900 or 6 stone 2 ft high
13 marked W. L. G. Co 25

14 Hence North 46 or 6 north line Josling
15 M. G. ~~which is~~ 1281 or 6 west of
16 its N. E. Corner at 1443 or 6 cross
17 north line of Geo. J. Alford at 400

18 west of its N. E. Corner at 1900 or 6 stone
19 20 in high marked W. L. G. Co 26

20 Hence North 600 or 6 high river bank
21 at 1900 or 6 in bed of River (27)

22 Hence continuing same course 5306
23 high river bluff and south line
24 of Ruthy Campbesuray at 2400 or 6
25 a stone 20 in high W. L. G. Co 29

26 Hence North at 1006 or 6 cross north
27 line of R. Campbell and south line of
28 J. B. Boren at 1900 or 6 a large stone
29 2 ft high marked W. L. G. Co 30

30 at the south bank of Brazos River from
31 which Kiawa Peak is south 45° W

North line

1 Beginning at N.W. corner of Hamilton
2 County at Palong stone ~~4~~ 3 ft high
3 on south bank of Brazos River. Marked
4 N.W. Cor. H.C. 30

5 Thence East 19000 to West post Mark
6 N.S. H.C. 1

7 Thence East 19000 to West post
8 2 ft high Marked N.S. H.C. No 2

9 Thence East 19000 to West post
10 2 ft high Marked N.S. H.C. 3

11 Thence East 19000 to West post
12 2 ft high Marked N.S. H.C. 4

13 Thence East 23000 cross East line
14 of John Bowen survey which 894
15 or north of its south East corner
16 at 19000 West post 2 ft high
17 Marked N.S. H.C. 5.

18 Thence East 85500 cross East line of
19 Lewis Jackson at 96600 south of
20 its N.E. corner at 140300 cross
21 West line of G.C. & P.R. Co south
22 20° East from its N.W. corner at
23 19000 West post 2 ft high Marked
24 N.S. H.C. 6.

25 Thence East 16000 cross West
26 line north of G.C. & P.R. Co at 1900
27 or West post Marked N.S.
28 H.C. No 7 which is north 6 East
29 61600 to the N.W. Cor No 25 H.C. by

30 Thence East 16000 cross N. line of
31 G.C. & P.R. Co at 19000 West post
32 2 ft high Marked N.S. H.C. 8

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

Thence East at 1300 vrs cross west
line of 246 N. & G. C. R. R. Co north
to N. 400 vrs from its southwest
corner at 1900 vrs most part
2 ft high M. & D. U. S. G. 9.

Thence East 1265 cross west line
of 2022 N. & G. C. R. R. Co which is
685 vrs south of its N. W. corner
at 1900 vrs most part 2 ft high
M. & D. U. S. G. 10

Thence East 1265 vrs cross west
line of 211 N. & G. C. R. R. Co which
is 685 vrs south of its N. W. corner
at 1900 vrs most part 2 ft high
M. & D. U. S. G. 11

Thence East 1265 vrs cross west line
of 204 N. & G. C. R. R. Co which is 685 vrs
south of its N. W. corner at 1900
vrs most part 2 ft high M. & D.
U. S. G. 12

Thence East 1265 cross west line
of 196 N. & G. C. R. R. Co which is 685
vrs south of its N. W. corner at
1900 vrs most part 2 ft high M. & D.
U. S. G. 13

Thence East 1265 vrs cross west
line 191 N. & G. C. R. R. Co which is
685 vrs south of its N. W. corner
at 1900 vrs most part 2 ft high
M. & D. U. S. G. 14

Thence East 1265 vrs cross west
line 182 which is 685 vrs south of

its N.W. corner at 1900.00 West
post marked N.S. & Co 15

Thence east 1265.00 cross west line
No 144 to V.G.C.R.R. which is 685

0.00 south of its N.W. corner at
1900.00 West post 2 ft high
marked U.S. & Co. 16

Thence East 1265.00 cross west line
of No 165 to V.G.C.R.R. which is
685.00 south of its N.W. corner

at 1900.00 West post 2 ft
high marked U.S. & Co 17

Thence East 1265.00 cross west line
to V.G.C.R.R. which is 685

0.00 south of its N.W. corner at 1900
0.00 West post 2 ft high marked
U.S. & Co. 18

Thence East 1265.00 cross west
line 144 to V.G.C.R.R. which is
685.00 south of its N.W. corner

at 1900.00 West post 2 ft
high marked U.S. & Co 19.

Thence East 1265.00 cross west
line No 136 to V.G.C.R.R. which
is 685.00 south of its N.W. corner

at 1900.00 West post 2 ft high
marked U.S. & Co. 20

Thence East 1265.00 cross west
line No 137 to V.G.C.R.R. which
is 685.00 south of its N.W. corner

at 1900.00 West post 2 ft high
marked U.S. & Co. 21

1
2
3
4
5
6
7
8
Thence East at 845000 cross
west line of section 86 N 29
E R R D at 365000 from its N.W.
corner at 1563000 cross East line
no 137. N 29 E R R D which is
685000 south from its N.E. corner
at 1900000 mesq post 2 ft high
M.R.D. N.S. D.C. 22

9
10
11
12
13
Thence East at 845000 west line of
Robt. Hume 365000 south of
its N.W. corner at 1840000 Lake
Creek at 1900000 mesq post
2 ft high M.R.D. N.S. D.C. 23

14
15
16
17
18
19
Thence East at 845000 west line
of J. Rogers at 1794 west line of Mal-
colm M. Ferguson which is 365000
south of its N.W. corner at 1900
000 mesq post 2 ft high M.R.D.
N.S. D.C. 24

20
21
22
23
24
Thence East at 1109000 west line
no 11 N 29 E R R D B E R 46 which
is 365000 from its N.W. corner at
1900000 mesq post 2 ft high
M.R.D. N.S. D.C. 25.

25
26
27
28
29
Thence East 1175000 to west line
no 10 N 29 E R R D which is 365
000 from its N.W. corner at 1900
000 mesq post 2 ft high M.R.D.
N.S. D.C. 26

30
31
32
Thence East 1486000 cross west
line no 9 N 29 E R R D which is
365000 south of its N.W. corner at 1900

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

was met at post marked A. L. N
C 24

Thence East at 1135 or 6 cross
west No 8 R & G C R R Co which
is 4300 or 6 from its N. W. corner
at 1900 or 6 met post 2 ft
high marked A. L. N C 28

Thence East at 1135 or 6 cross
west line of No 7 R & G C R R Co
at 430 or 6 south from its N. W. corner
at 1900 or 6 met post 2 ft high
marked A. L. N C 29

Thence East 1735 or 6 cross west
line of No 6 R & G C R R Co which
is 430 or 6 south from its N. W.
corner at 1900 or 6 four large
stones set in ground stone
facing S. W. marked H Stone
facing S. E. marked T dated
April 1880 Stone facing N. E.
marked B Stone facing N. W.
marked K the N. E. corner of
Haskell County

I W. R. Standefer Co Sur. Haskell
County Texas do hereby certify
that the foregoing field notes being
designed with the most natural and
artificial were actually made by
myself in the field as directed by said
Court

W. R. Standefer

County Surveyor Haskell Co. Tex.

1 State of Texas
2 County of Haskell J. L. Jones Co.
3 Clerk in and for Haskell Co. Texas
4 do hereby certify that the foregoing
5 fifteen pages is a true complete &
6 correct copy copy of the field notes
7 of the South East and North
8 Lines of Haskell County as is
9 shown from the county court minutes
10 of said County in Book no 1 pages
11 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 + 23

12 In Testimony Whereof witness my
13 hand and seal of office this the
14 13 day of November A.D. 1886
15 J. L. Jones
16 Clerk of the Co. Tex

17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

Boundary Lines of
Hoaskell Co. separating it
from the Counties of
Shackelford, Jones,
Stonewall & Knox

Filed in Genl. L. Office
January 8th 1887

D. N. Robinson
Chf. Clerk.

