

42

Haskell Co

~~Line~~

Haskell Co. Bdry. line

Filed in Genl Ld.

Office May 21<sup>st</sup> - 1894

1894

Examined & approved

May 21<sup>st</sup> 94. G. N. Beaman

Abstract Corrected  
for 1894 Recurrence  
6/11/94

Abstract from May  
34545

The State of Texas }

County of Haskell }

June Term A.D. 1893.

Be it remembered that on the 12<sup>th</sup> day of June A.D. 1893 there was begun and held in a special session of the Non Comus Court of Haskell Co. Tex., all the members of said Court being present, when the said Court made and entered of record the following order to wit:

"Then came on to be considered by the Court the establishment and marking definitely on the ground the lines of Haskell County, and it is; Ordered that J. A. Fisher be and is hereby appointed and instructed to run, Survey and mark definitely on the ground as required by law the East, South, West and North boundary lines of Haskell County and make return thereof to this Court with map or plat together with field notes showing natural and other objects adjacent to said lines and each Survey of Land crossed by said lines and the number of acres of Land in each of such Surveys on each side of said lines, and on the North line where there are conflicting Surveys said map or plat shall show such conflicting Surveys and the number of acres on each side of said lines in each of said conflicting Surveys. And in running the South line he shall follow the North lines of Shackelford and Jones Counties as directed by the Commissioner of the General Land Office. And that said J. A. Fisher begin on August 21<sup>st</sup> 1893 at the North West corner of Throckmorton

Haskell Co. Bdry. Line 4a

1 county to run the North line of Haskell County  
2 and that he begin on August 28<sup>th</sup> 1893 at the North  
3 West corner of Throckmorton County to run the  
4 East line of Haskell County; And that he begin  
5 on the 2<sup>nd</sup> day of Sept. 1893 at the North West  
6 corner of Haskell County to run the West  
7 line of Haskell County. And the clerk of this  
8 court is hereby instructed to transmit  
9 a certified copy of this order to the Com-  
10 missioners courts of Throckmorton, Knox  
11 and Stone wall Counties.

14 Counter 54517

THE STATE OF TEXAS,  
County of Waskell

KNOW ALL MEN BY THESE PRESENTS:

THAT WE, J A Fisher as Principal, and

as Securities, are held and firmly bound unto O S Sanders County  
Judge of Waskell County and his successors in office,  
in the sum of One Thousand DOLLARS,  
for the payment of which we hereby bind ourselves and our heirs, executors and administrators,  
jointly and severally by these presents.

Signed with our hands and dated this 16<sup>th</sup> day of August 1893.

THE CONDITION OF THE ABOVE OBLIGATION is such, that whereas the above bounden

J A Fisher  
was on the 12 day of June 1893, duly appointed Sur-  
veyor to survey, mark and establish definitely on the  
ground all the boundary lines of Waskell County, in the State of Texas.

NOW, THEREFORE, If the said J A Fisher  
shall well and truly perform and discharge all the duties required of him by law as  
such Surveyor aforesaid,

Counter 54548

en this obligation shall be void, otherwise to remain in full force and effect.

IN TESTIMONY WHEREOF, Witness our hands,

*JA Fisher*  
*J. M. Ellis*  
*P. B. Fields*  
*B. H. Dodson*

THE STATE OF TEXAS,

County of *Waskell*

BEFORE ME,


*J. L. Jones* Clerk

*Court Waskell County Tex* on this day personally appeared  
*JA Fisher, J. M. Ellis, P. B. Fields &*  
*B. H. Dodson*

known to me (or proven to me on the oath of )  
to be the person *S* whose names *all* subscribed to the foregoing instrument, and acknow-  
ledged to me that *they* executed the same for the purposes and considerations therein expressed.

Given under my hand and seal of office, this *16*

day of *August* A. D. 18 *93*



*J. L. Jones* Clerk  
*Waskell Co Tex*  
By *JA Jones* Notary

THE STATE OF TEXAS,

County of

WE,

do swear that we are  
worth in our own right, after deducting from our property all that which is exempted by law  
and Constitution of the State from forced sale, and after the payment of all our debts of every  
description, whether individual or security debts, and after satisfying all incumbrances upon our  
property which are known to us; that we reside in the County of  
and have property in this State, liable to execution worth

the said ..... the sum of ..... Dollars,  
the said ..... the sum of ..... Dollars.


Subscribed and Sworn to, this ..... day  
of ..... 18 ....., before me

THE STATE OF TEXAS, }  
County of Waskell

THE FOREGOING BOND of J. A. Fisher  
as County Surveyor in and for Waskell County,  
and State of Texas, this day approved in open Commissioner's Court.

Dated Aug 16 18 93  
J. D. Sanders County Judge.  
Waskell County, Texas.


ATTEST:

 J. L. Jones  
Clerk County Commissioner's Court Waskell Co. Texas.

OATH OF OFFICE.

I, J. A. Fisher do solemnly swear  
~~(or affirm)~~ that I will faithfully and impartially discharge and perform all the duties incumb-  
ent upon me as County Surveyor of Waskell Co. Tex.  
according to the best of my skill and ability agreeably to the Constitution and Laws of the United  
States and of this State; and I do further solemnly swear ~~(or affirm)~~ that since the adoption of the  
Constitution of this State, I being a citizen of this State, have not fought a duel with deadly  
weapons within this State, nor out of it, nor have I sent or accepted a challenge to fight a duel  
with deadly weapons, nor have I acted as second in carrying a challenge, or aided, advised or as-  
sisted any person thus offending; and I furthermore solemnly swear ~~(or affirm)~~ that I have not,  
directly or indirectly, paid, offered or promised to pay, contributed nor promised to contribute, any  
money or valuable thing, or promised any public office or employment, as a reward <sup>to secure</sup> ~~for the securing~~  
~~or in consideration of my appointment~~ my appointment ~~or in consideration of my election~~ for the securing  
~~or in consideration of my election~~ for the securing, So Help me God.\*

J. A. Fisher  
Sworn to and subscribed before me, this 16 day of August A. D. 1893



J. L. Jones Clerk Waskell Co. Tex.  
By J. A. Jones Deputy

\*If a County Commissioner, add this, here; "And I further swear, that I will not be directly or indirectly interested in any contract with, or claim against the County, in which I reside, except such warrants as may issue to me as fees of office."

1—Bonds of District Clerk, County Clerks, Sheriffs, Assessor, County Attorney, Constables, Notaries, and Surveyors are made to the GOVERNOR. Bond of County Treasurers and Hide and Animal Inspectors, Justices of the Peace, and Tax Collectors, (County Bond) are made to the COUNTY JUDGE. Bonds of County Judge and County Commissioners are made to the COUNTY TREASURER. Bond of County Superintendent of Public Instruction is made to the County Commissioners in trust for the Public School Fund of the County.  
2—If District Clerk, bond required is \$5,000, If County Judge, bond required is from \$1,000 to 5,000; If County Clerk, bond required is from \$2,000 to \$10,000 regulated by the Commissioner's Court; If Notary Public or Justice of the Peace as such \$1,000; If Hide and Animal Inspector, from \$1,000 to \$10,000, regulated by the Commissioner's Court; If Sheriff, bond required is \$5,000 to \$30,000, regulated by the Commissioner's Court; If Assessor, a sum equal to one-fourth the amount of the State Tax of his County, as shown by last preceding assessment not to exceed \$10,000; If County Attorney, \$2,500; If Constable, bond required is \$500 to \$1,500, regulated by the Commissioner's Court; If Surveyor, \$10,000; If County Treasurer, any amount the Commissioner's Court may elect, bond for school fund required in double amount of the fund, to be estimated by County Judge; If Tax Collector, (County Bond), in a sum not less than the whole amount of the County Tax of the County, as shown by the last preceding assessment; If County Commissioner, bond required is \$3,000; If Justice of the Peace, bond required is \$1,000.  
3—Elected or appointed.  
4—If Precinct Officer, state number of Precinct.  
5—If District Clerk, condition is for the safe keeping of the records of his office; If County Clerk, condition is for the safe keeping of the records of his office; If notary, condition is for faithful performance of duty only; If Sheriff, conditions are that he will account for and pay over to the persons authorized by law to receive the same, all fines, forfeitures and penalties that he may collect for the use of the State or any County, and that he will well and truly execute and due return make of all processes and precepts to him lawfully directed, and pay over all sums of money collected by him by virtue of any such process or precept, to the persons to whom the same are due, or their lawful attorney; If Assessor, conditions are that he will faithfully dis-

charge all the duties of his office; If County Attorney, conditions are that he will faithfully pay over in the manner prescribed by law, all moneys which he may collect or which may come to his hands for the State or any County; If Constable, condition is for faithful performance of duty only; If Hide and Animal Inspector, condition is for faithful performance of duty only; If Surveyor, condition is for faithful performance of duty only; If Treasurer, additional conditions are, shall pay, according to law, all moneys that shall come into his hands as County Treasurer, and render a just and true account thereof to said Court, at each regular term; School Fund Bond conditioned that he will safely keep and faithfully disburse the school fund according to law, and pay such warrants as may be drawn on said fund by competent authority; If Justice of the peace, conditions are for faithful performance of duty, and that he will promptly pay over to the party entitled to receive it, all moneys that may come into his hands during his term of office; If County Judge, conditions are that he will pay over to the person or officer entitled to receive it, all moneys that may come into his hands as County Judge, within thirty days after he shall have received the same; If Collector of (Co.) Taxes, conditions are for faithful performance of the duties of his office as collector of Taxes, for and during the full term for which he is elected, If County Commissioner, conditions are for the faithful performance of the duties of his office only.

CERTIFICATE OF RECORD.

The State of Texas,

County of Wassell } I J. L. Jones, County Clerk,

in and for said County do hereby certify that the foregoing Bond dated

the 16 day of Aug 1893, with its certificate of authentication, was filed for Record


in my office, this 16 day of Aug A. D. 1893, at - o'clock - M., and

duly Recorded the 12 day of Sept A. D. 1893, at 3 o'clock P. M.

in the Official Bond Records of said County, in Vol. 2 on Page 91

Witness my hand and the seal of the County Court of said County, at office in

Wassell Texas, the day and year last above written.



J. L. Jones  
Clerk County Court Wassell County.

By J. A. Jones Deputy

FILE No. \_\_\_\_\_  
**OFFICIAL BOND**  
-OF- J. A. Fisher  
-AS- County  
Surveyor.

SECURITIES:

Filed August 16"  
1893  
J. L. Jones  
Co. Clerk Wassell Co., Texas.  
By J. A. Jones Deputy.  
LWS. 15 F. 312

1 The State of Texas }  
2 County of Haskell } April Term A.D. 1894.

3 Be it remembered that on  
4 the 11<sup>th</sup> day of April 1894 there was begun  
5 and holden a special session of the Hon.  
6 Court of Haskell County, all the  
7 members of said Court being present,  
8 and at said term said Court made an  
9 order in these words:

10 "This day came on to be considered by the  
11 County Court the report of J. A. Fisher of  
12 field notes and map of the boundary lines  
13 of Haskell County made by him under ap-  
14 pointment heretofore made by this Court  
15 directing him to survey and mark said lines  
16 definitely on the ground; And said report  
17 having been carefully examined, and it  
18 appearing to the Court that said lines  
19 have been run in accordance with  
20 the instructions given by the Commissioner  
21 of the General Land Office of Texas and that  
22 the law has been complied with in every par-  
23 ticular in running said lines and that said  
24 lines have been definitely marked upon the  
25 ground in the manner directed by law  
26 and that the field notes and map of said  
27 lines as contained in said report are cor-  
28 rect and that said lines are well defined;  
29 It is ordered by the Court that said report  
30 be and is hereby in all things approved  
31 and the Clerk is hereby directed to record  
32 said report as evidence of the boundary  
33 lines of Haskell County and make a  
34 certified copy thereof and forward it to

1 The Commissioner of the General Land Office  
2 of Texas Said field notes and map are in words  
3 and figures as follows to wit:  
4  
5

6 Counter 54553  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34

4a

4

X

N. 90° 42' E. The State of Texas } Field Notes of the Survey of E.  
Haskell County } Bdy. line of Haskell Co  
Beginning at the N.W. Cor. of Throckmorton  
County for the N.E. Cor. of Haskell Co. a stone set  
in the ground 3 feet high about 1 ft. sq. in. wd.  
on S.E. S. "N.W. T." on S.W. side "N.E. N." on N.W.  
side "S.E. K." on N.E. side "S.W. B." from wh. stone  
the S.W. Cor. of Sur. No. 3 N. & T. Ry. Co. brs. South  
82° 50' W. 802 wrs.

N.W. Cor. of same Survey brs. N. 24° 05' W. 1885½.  
Thence S. at 100 wrs. cross S. line of sd. No. 3 and  
N. line No. 6 same Co. 796 wrs. E. of S.W. Cor. of sd. No. 3 and  
1123 wrs. E. of N.W. Cor. of No. 6 at 939 wrs. set a stone in  
the ground; sd. stone Mkd. on E. side "N.W. T." on N.S.  
"N.E. N." "XXX" on Top.

Thence S. at 1063 wrs. pass 1150 wr. E. of S.W. Cor. of No. 6  
& N.W. Cor. of No. 17 at 1900<sup>8</sup> set min. stu. mkd. on N. side  
C.O.L.H-T on E. N. XXIX. Thence S. at 1065 wrs. cross S.  
line of No. 17 and N. line of No. 19, 1175 wrs. E. of S.W. Cor. of  
No. 17 & N.W. Cor. 19, Mkd. 4 pits at sd. Cor. at 1900<sup>8</sup> wrs. set  
min. stu. mkd. on N. side "C.O.L.H-T" on E. side "XXVIII"

Then South at 1067 S. line of No. 19, 1200 wrs. E. of its S.W.  
Cor. 1330 wrs. S. line of Wildreth preemption and N. line  
of Sur. No. 100 N. & T. Co. 378 wrs. N. of its N.E. Cor. at 1900<sup>8</sup>  
wrs. set min. stu. mkd. on N. side "C.O.L.T-H" on N.S. "XXVIII"

Thence S. crossing Wild Horse Creek 767 wrs. S. line of  
No. 100 & N. L. of 99 same Co. 380 wrs. W. of S.E. Cor. of 100  
and N.E. of 99 at 1900<sup>8</sup> wrs. set min. stu. mkd. on N. side  
"C.O.L.T-H" on E.S. "XXVI". Thence S. at 204 S. line of sd.

No. 99, 582 wrs. N. of its S.E. Cor. and same distance N. of  
Winters and N. line of a Survey in name of Chris-  
topher Winters 1640 wrs. Miller Creek at 1900<sup>8</sup> set  
min. stu. mkd. on N. side "C.O.L.T-H" on E.S. "XXV"

Thence S. 306 wrs. S. line of sd. Winters and N. line of

1 The Pew 385 vrs N. of its S.E. Cor. and 14 vrs. E. of N.E.  
 2 L. F. King at 1900<sup>8</sup> vrs set mi. stu. und. on N. side  
 3 COL T-H on E. side XXIV. Thence S. at 190 vrs. the South  
 4 line of the Pew, the N. line of Sur. N. 5 G. L. & S. F. 15 vrs  
 5 E. of its N.W. Cor. at 1900<sup>8</sup> vrs. set mi. stu. und. on N. side  
 6 COL T-H on E. S. XXIII

7 Thence S. at 1107 vrs. S. line of sd. No. 5 and N. line of No.  
 8 18, B. P. P. & L. 480 vrs. N. of its N.E. Cor. at 1900 vrs set  
 9 22 mi. stu. und. on N. side COL T-H on E. side XXII

10 Thence S. 808 vrs. S. line of No. 18 and N. line of No. 20, 320  
 11 vrs. E., N.W. Cor. of No. 20 and S.E. of No. 18, 1900<sup>8</sup> vrs. set  
 12 21<sup>st</sup> mi. stu. und. on N. side COL T-H on E. side XXI

13 Thence South 810 vrs South line No. 20 and N. line 21, 335  
 14 vrs E. of S.W. Cor. 20 on N.W. Cor. 21 at 1900<sup>8</sup> set mi. stu.  
 15 und. on N. side COL T-H on E. side XX.

16 Thence S. 820 vrs S. line 21 & N. line 22, 350 vrs. E. of S.W.  
 17 Cor. of 21 and N.W. 22 at 1900<sup>8</sup> set mi. stu. und. on N.  
 18 side COL T-H on E. S. XIX.

19 Thence S. at 830 vrs. S. line of No. 22 and N. line of No.  
 20 23, 365 vrs. E. of S.W. 22 and N.W. 23 at 1900<sup>8</sup> set mi. stu.  
 21 und. on N. side COL T-H on E. side XVIII.

22 Thence S. at 840 vrs. pass 380 vrs. E. of S.W. Cor. ~~of S.W. Cor.~~  
 23 23 and N.W. No. 24 at 1900<sup>8</sup> vrs. set mi. stu. und. on N.  
 24 side COL T-H on East side XVII

25 Thence S. 850 vrs pass 395 vrs. E. of S.W. No. 24 and N.W. Cor  
 26 25 at 1900<sup>8</sup> set mi. stu. und. on N. side COL T-H on E.  
 27 side XVI.

28 Thence S. at 860 vrs. pass 410 vrs. E. of S.W. Cor. No. 25 and  
 29 N.W. Cor. 26 at 1900<sup>8</sup> set mi. stu. und. on N. side COL T-H  
 30 on E. side XV

31 Thence S. at 870 vrs. pass S. line No. 26 and N. 27, 425  
 32 vrs. E. of S.W. 26 & N.W. 27 ~~and for X XXXX~~ at 1900 vrs set  
 33 mi. stu. und. on N. side COL T-H on E. S. XV.

34 Thence S. crossing a prong of North Point at 880 vrs.

1 pass S. line of No 27 and N. line of No. 28, 440 vrs. E. of S. W.  
2 27 & N.W. 28 at 1900<sup>8</sup> vrs. set in situ. und. on N.S.  
3 COL T-H on E. XIV. fr. wh. a mesq. brs. S.  $73^{\circ}15'$  E 24 vrs.  
4 do 10 in dia. brs. S.  $54^{\circ}15'$  N. 68 vrs. do 8 in dia brs. S.  $53^{\circ}45'$   
5 N. 67 vrs.

6 Thence S. at 890 vrs. pass S. line No 28 and N. line No. 29  
7 450 vrs E. of their common N. corner at 1900<sup>8</sup> vrs. set in  
8 situ. und. on N. side COL T-H on E. side (XII)

9 Thence S. at 900 vrs S. line of No. 29 and N. line of No. 30  
10 465 vrs. E. of S. W. cor. of sd. 29 & N.W. of 30 at 1900<sup>8</sup> set in  
11 situ. und. on N. side COL T-H on E. side (XI) Court  
12 House at Naxwell brs. N.  $84\frac{1}{2}$  N.

13 Thence S. at 910 vrs. S. line of No. 30 & N. of No. 31, 485  
14 vrs. E. of S. W. 30 & N.W. 31 at 1900<sup>8</sup> vrs. in bed of Paint  
15 creek in a very rocky place. Said point inaccess-  
16 ible to instrument

17 Thence S. at 920 vrs. S. line of sd. No. 31 and N. line (of 7  
18 C. & M. P. R. Co.) 495 vrs. E. of S. W. cor. of 31 and (N.W. of No 7) at  
19 1900<sup>8</sup> vrs. set in situ. und. COL T-H and on E. side IX, fr.  
20 wh. a mes. brs. S.  $41\frac{1}{2}$  N. 28 vrs. dbl. mes brs. N.  $57^{\circ}45'$  E. 71<sup>1/2</sup> vrs  
21 mes stump brs. N.  $17^{\circ}45'$  E. 17 vrs.

22 Thence S. at 1120 vrs. S. l. of No. 7 on N. l. of Survey in name  
23 of M. L. Niggins 887 vrs. E. of stu. set in grid (and und. on top  
24 "M. L. Niggins") N.W. cor. of Niggins, and 510 E. of  
25 S. W. cor. of No. 7 at 1900<sup>8</sup> vrs set in situ. und. on N.S.  
26 COL T-H on E. S. VIII.

27 Thence S. at 1130 vrs. S. line of sd. Niggins and N. line of D.E.  
28 Brock 894 vrs. E. of stu. set in ground and und. on top  
29 "D. B." supposed to be the N.W. cor. of the Brock & S.W. cor.  
30 of Niggins at 1900<sup>8</sup> set in situ und. on N. side COL T-H  
31 on E. side VII a large rock ledge und. X brs. N.  $57\frac{3}{4}$  N.  
32 17 vrs.

33 Thence S. at 1140 vrs. S. line of sd. Brock and N. line  
34 of No. 96 N. & S. l. 894 vrs. E. of S. W. cor. of sd. Brock and

1 N. W. Cor. of 96 at 1900 set in stone mound on N. side  
 2 COL T-H on E. side V 1

3 Thence S. 1150 yrs. S. line of 96 and N. line of gas Ryan  
 4 902 yrs. E. of S. W. Cor. of sd. No. 96 and N. W. of Ryan at  
 5 1900 yrs. set in stone mound on N. side COL T-H on  
 6 E. S. (V)

7 Thence S. at 2050 yrs. S. line of Ryan and N. line of  
 8 W. B. C. Gaines at 1160 S. line of the Gaines 913 yrs. E. of  
 9 S. W. Cor. of Gaines and N. W. Cor. of No. 4 Indianola  
 10 at 1900<sup>8</sup> yrs. set in stone mound on N. side COL T-H on  
 11 E. side (IV) sd stone is in canyon on E. slope  
 12 of high hill fr. wh. ever. brs. S. 57 N. 41 do brs. S. 56  
 13 N. 41 yrs. large stone imbedded in earth brs.  
 14 N. 10 1/2 E. 64 yrs.

15 Thence S. at 117 yrs. S. line of sd. No. 48 N. line of No.  
 16 104, 924 yrs. E. of S. W. Cor. of sd. No. 4 and N. W. No. 104, 1645  
 17 yrs. Wolf creek 1900 yrs. set in stone mound on N. side  
 18 COL T-H on E. side (III)

19 Thence S. at 1170 yrs. S. line No. 104 and N. line of  
 20 Becknell 935 yrs. E. of the S. W. Cor. of 104 & N. W. Beck-  
 21 nell 1900<sup>8</sup> set in stone mound on N. side COL T-H  
 22 on E. side (II) a mes 4 in dia near it grooves brs.  
 23 S. 17° 30' 30 yrs.

24 Thence S. 614 yrs. across Clear Fork of Brazos River  
 25 at 823 yrs. S. line Becknell 946 yrs. E. of its S. W. Cor.  
 26 on N. W. Cor. of B. & P. 15, 1900<sup>8</sup> yr. set in stone mound on  
 27 N. side COL T-H on E. side (I)

28 Thence S. at 715 yrs. recross Clear Fork of Brazos  
 29 river at 1080 yrs. S. line of B. & P. 15 and N. line of No.  
 30 B. & P. 1900<sup>8</sup> S. E. Cor. of Haskell and S. W. Cor. of Throckmar-  
 31 ton Co. in N. line of Shackelford County a large stone  
 32 set in the ground and mound on N. side S. E. H. on E.  
 33 side S. W. T. On N. side Sept 2-93, a pile stone the  
 34 N. E. Cor. of Sarah Blythe Survey brs. S 9° 22' N. 789

48

1 and the clear Fork of the Brazos river is E. 1591  
2 vrs. and a ste set in ground and mud X  
3 supposed to be N. E. Cor. Jesse Pate vrs. N.  
4 85 E. 432 vrs. the N. W. cor. of No. 16 P & B not  
5 found) br. N. 27° 26' W. 1769 vrs. Shackelford  
6 Co. 22<sup>nd</sup> mi is W. 310 vrs.

7 W. M. Rice } chain carriers  
8 J. L. Welford }

9 Surveyor of Throckmorton Co. present.

10 I, J. A. Fisher, Special Surveyor for Haskell Co. do  
11 hereby certify that the foregoing field notes are  
12 made out by me from a survey actually made  
13 by me on the ground and with the chain  
14 carriers above named duly qualified, and  
15 that the milestones, lines, boundaries, marks  
16 of same whether natural or artificial are  
17 truly described and set forth.

18 J. A. Fisher Special Surv.  
19 Haskell Co.

20  
21 X  
22  
23  
24  
25  
26  
26  
27

28  
29  
30  
31  
32  
33  
34

State of Texas } Field Notes of Survey of North Boundary  
County of Haskell } line of Haskell County Texas.

Beginning at N. W. cor. of Throckmorton  
Co. a stone set in the ground 3 ft high and about 12  
inches square and marked on S. W. side "N. E. N." on N.  
W. side "S. E. N." on N. E. side "S. W. P." on S. E. side  
"N. W. T." from wh. stone the S. W. cor. of Survey No. 3  
Blk 46 N. & T. Co. R. R. Co. brs. S.  $82^{\circ} 50'$  N. 802 yrs.  
and the N. W. cor. of same Surv. br. N.  $24^{\circ} 05'$  N.  
1885  $\frac{1}{2}$  yrs.

Thence N. at 796 yrs. cross E. line of Surv. No. 2 same  
Co. 100 yrs. N. of its S. E. cor. 1900<sup>s</sup> yrs set 1<sup>st</sup> mi. stone  
marked S. side "S. L. H." on N. side "W. I."

Thence N. 856 yrs. pass 710 yrs. N. of earth mound & 4 pits  
the S. W. cor. of No. 2 and S. E. cor. of No. 1 same Co. at  
1900<sup>s</sup> yrs set 2<sup>nd</sup> mi. stone marked on S. side "COL. H-K"  
on N. S. "W. II" from wh. an old stone mound & 4 pits brs. N.  
438 yrs. and S. 162 yrs.

Thence N. at 918 yrs. pass 42 yrs. N. of mound & 4 pits  
the S. W. Cor. of No. 1 & same Co. 104 N. of S. E. Cor. of No.  
10. N. T. & P. Ry Co. 1900<sup>s</sup> yrs. set 3<sup>rd</sup> mi. stone marked on  
S. S. "COL. H-K" on N. side "W. III"

Thence N. at 1277 yrs. pass at 48 yrs. N. of mound & 4  
pits the S. W. Cor. of No. 10 and 257 yrs. N. of S. E. Cor. of No.  
9 same Co. 1900<sup>s</sup> yrs. set 4<sup>th</sup> mi. stone marked on S. S.  
"COL. H-K" on N. S. "W. IV"

Thence N. 1279 yrs. pass 207 yrs. N. of mound & 4 pits S. W.  
Cor. of sd. No. 9 and S. E. cor. of Saul Washburn Surv.  
No. 1900<sup>s</sup> yrs. set 5<sup>th</sup> mi. stone marked on S. S. "COL. H-K" on N.  
side "W. (V)"

Thence N. 1755 cross Waines Hollow at 1790 & 1885  
Cross & recross same Hollow. — 1900<sup>s</sup> yrs. set 6<sup>th</sup> mi  
stone marked on S. S. "COL. H-K" on N. side "W. VI" from wh.  
stone a large elm brs. S. 35 E. 88 yrs. another in. dia. brs. S. 44 E. 64 yrs.

1 Thence N. 1458 vs. N.B. line of the Samuel Wash-  
 2 burn Survey & E. B. line of Surv. No. 85 Blk. 4 S. & T.  
 3 C. Ry. Co. 79 vs N. of S.W. Cor. of the sd. Washburn  
 4 & S.E. Cor. of the said No. 85. 1900<sup>s</sup> set 7" mi. stu  
 5 and on S. side "COL H-K" on N. side "N. VII" from  
 6 wh a mes. & ~~xxxx~~ brs. S. 76:30. N. 27 vs. do N. 30.  
 7 E 38 vs.

8 Thence N. 270 vs. Lake Creek at 1520 vs. pass  
 9 <sup>one</sup> over. N. of an old stu. set in grid. for S.W. Cor.  
 10 of Surv. No. 85 and N.E. Cor. of No. 86 same company  
 11 1900<sup>s</sup> vs. set 8" mi. stu. and on S. side "COL H-K"  
 12 on N. side "N. (VIII)"

13 Thence N. 1604 vs. pass 50 vs. S. of med. & 4 pits  
 14 the N.W. Cor. of No. 86 and 532 vs. N. of Extreme S.E.  
 15 Cor. of 122 1900<sup>s</sup> set 9" mi. stu. and on S.S. "COL H-K"  
 16 on N.S. "N. IX"

17 Thence N. 504 vs. pass 553 vs. N. of S.W. Cor. of Sd.  
 18 No. 122 & S.E. Cor. of Sd. No. 135 1900<sup>s</sup> vs. set 10" mi  
 19 stu. and on S.S. "COL H-K" on N.S. "N. X"

20 Thence N. 487 vs. E. B. line of 145 and N.B. of 135  
 21 596 vs. N. of their com. S. Cor. 1900<sup>s</sup> vs. set 11" mi. stu  
 22 and on ~~the~~ S. side "COL H-K" on N.S. "N. (XI)"

23 Thence N. 472 vs. pass 642 vs. N. of S.E. Cor. of 158  
 24 and S.W. Cor. of 145 1900<sup>s</sup> set 12" mi. stu. and on  
 25 S.S. "COL H-K" on N.S. "N. XII"

26 Thence N. 458 vs. E. B. line No. 166 and N.B. line  
 27 158, 691 vs. N. of their com. S. Cor. 1900<sup>s</sup> set 13" mi. stu  
 28 and on S.S. "COL H-K" on N.S. "N. XIII"

29 Thence N. 457 vs. E. B. line 176 & N.B. line of sd. No.  
 30 166, 74 vs. N. of med. & 4 pits the S.E. Cor. of 176  
 31 and S.W. Cor. of 166. 1900<sup>s</sup> set 14" mi. stu. and on  
 32 S.S. "COL H-K" on N.S. "N. XIV"

33 Thence N. 458 vs. pass 781 vs. N. of med. & 4 pits  
 34 the S.E. Cor. 183 and S.W. Cor. of 176, 1900<sup>s</sup> set 15" mi.

1 stn. unkd. on S.S. "COL. H-K" on N.S. "W. XV"

2 Thence N. 456 vs. pass 823 vs. North of S.E. Cor  
3 Sur. No. 190 and same distance N. of S.W. Cor.  
4 of No 183, 1900<sup>s</sup> vs set 16" mi. stn. unkd. on S.S.  
5 "COL. H-K" on N.S. "W. XVI."

6 Thence N. at 456 vs pass N.B. line of sd. 190  
7 & E.B. line of 197, 863 vs North of its S.E. Cor.  
8 1900<sup>s</sup> vs set 17" mi. stn. unkd. on S.S. "COL. H-K"  
9 on N.S. "W. XVII."

10 Thence N. at 457 vs the E.B. L. of No 203, 901 vs. N.  
11 of its S.E. Cor. and same dis. North of S.W. Cor. of  
12 197 at 1751 vs N. line of same Survey 938 vs. N. of  
13 its S. line and also E. line of No. 47 S. & N. Ry. 889  
14 vs. N. of its S.E. Cor. 1900<sup>s</sup> vs set 18" mi. stn.  
15 unkd. on S.S. "COL. H-K" on N.S. "W. XVIII."

16 Thence N. 1798 vs. N.B. line of No 47, 943 vs N. of its  
17 S.W. Cor. and 891 vs. N. of S.E. Cor. No 48, 1900<sup>s</sup> vs. set  
18 19" mi. stn. unkd. "COL" on S.S. and "W. XIX" on N. side.

19 Thence N. 1839 vs. pass E.B. line 49 & N.B. line of 48,  
20 935 vs. N. of common S. Cor. 1900<sup>s</sup> vs set 20" mi. stn.  
21 unkd. on S.S. "COL. H-K" on N.S. "W. XX"

22 Thence N. 1882 vs the N. line of 49, 979 vs. N. of  
23 its S.W. Cor. and E. line of No. 50, 1006 vs N. of its  
24 S.E. Cor. 1900<sup>s</sup> vs. set 21" mi. stn. unkd. on S.S. "COL. H-K"  
25 on N. Side "W. XXI"

26 Thence N. 1883 vs. N. line of No. 50, 1050 vs. N. of its  
27 S.W. Cor. 1900<sup>s</sup> vs. set 22" mi. stn. unkd. on S.S.  
28 "COL. H-K" on N.S. "W. XXII"

29 Thence N. at 500 vs. E. line of Nancy Idean survey  
30 at 800 vs. the N. line of the same Sur. 638 S. 206.  
31 of its N.W. Cor. being also E. line of Sur. No. 25 Blk  
32 14 N. & T. Ry. Co. 184 vs. S. 20 E. of its N.E. Cor. at 1324  
33 vs cross N. line of sd. No. 25 & S. line of 24 Same Co.  
34 540 S. 70 N. from N.E. Cor. of sd. No. 25 at 1900<sup>s</sup> vs. set

23' mi. ste. mark on S.S. "COL H-K" on N.S. "N. XXIII"  
 Thence N. at 922 vs. cross E. line of No. 23 & N. line  
 of No. 24 Same loc. 496 vs. N. 20 N. of its S.E. cor. 1900<sup>8</sup>  
 set 24" mi. ste. mark on S.S. "COL H-K" on N.S.  
 "N. XXIV."

Thence N. at 1044 vs. the N. line of No. 23, 1187  
 vs. N. 20 N. of its S. W. cor. 1900<sup>8</sup> set 25" mi. ste.  
 mark on S.S. "COL H-K" on N.S. "N. (XXV)"

Thence N. 334 vs. E. line of Levi Jackson Sur.  
 1595 vs. N. of its S.E. cor. 1900<sup>8</sup> vs. set 26" mi. ste.  
 mark on S.S. "COL H-K" on N.S. "N. XXVI"

Thence N. at 1159 vs. N. line of Levi Jackson Sur.  
 1595 N. of its S.W. cor. and E. line of Eliza Boree  
 790 vs. N. of its S.E. cor. 1900<sup>8</sup> vs. set 27" mi. ste.  
 mark on S.S. "COL H-K" on N.S. "N. XXVII"

Thence N. 1900<sup>8</sup> vs. set 28" mi. ste. mark  
 on S.S. "COL H-K" on N.S. "N. XXVIII"

Thence N. at 1900<sup>8</sup> vs. set 29" mi. ste. mark  
 on S.S. "COL H-K."

Thence N. at 1900<sup>8</sup> vs 30<sup>th</sup> mi. out set ste. for N. W. cor. of Has-  
 kell Co. fr. wh. the S. W. cor. of Eliza Boree Survey brs. S. 67° 18'  
 N. 2045 vs. S.E. cor. of sd sur. 790 vs. S. 86445 vs. E. said  
 stone is mark on South side "N. W. N." on N. side "S. W. N." fr. wh. a  
 forked mes. brs. N. 11° E. 174" vs. do brs. N. 2° 8' W. 44<sup>3</sup>/<sub>8</sub> vs  
 Kiowa Peak brs. S. 50° 45' N. Bearings mark X

N. M. Pike } C.  
 Surveyor of Knox Co. present J. L. Wilfong } C.

Surveyed Sept. 5-11 1893. Special Surveyor of Knox Co. and Special  
 Surveyor of Stouevall Co. present.

I, J. A. Fisher, Special surveyor for Haskell Co. do hereby certify  
 that the foregoing field notes are made out from a survey  
 actually made on the ground by data on file in this office and with chain  
 carriers before named duly qualified, and that the mile-stones,  
 lines and marks of the same are truly described. J. A. Fisher  
 Special Surv. Haskell County.

State of Texas } Field Notes of Survey of S. B. line  
 County of Haskell } of Haskell Co.

Beginning at the S. W. cor. of Throck-  
 marton Co. for the S. E. cor. of Haskell Co. a steel  
 set in the ground and used on the S. side "S. E. H."  
 on N. side "S. W. T." from wh. a mes. brs. S. 23½ E. 17 vrs.  
 do. brs. N. 4¾ E. 6² vrs. a pile of steel for N. E. cor. of  
 Sarah Blythe brs. S. 9° 22' N. 789 vrs. a steel set  
 in ground and used on top "X" supposed to be  
 N. E. cor. of Jesse Pate pre. brs. N. 85 E. 434 vrs. the  
 N. W. cor. 16 P. & R. (not found) brs. N. 27° 20' N. 1769  
 vrs. the clear Fork of the Brazos River is E. 1591  
 vrs.

Thence N. at 310 vrs. S. Co. 22 mi. steel 385 draw 1210  
 vrs. branch at 1900.⁸ set mi. steel used on N. side  
 "S. L. H. C."

Thence N. 141 vrs. pass 74 vrs. S. of S. E. cor. of Antonio  
 Rodriguez 313 vrs. S. Co. 23<sup>rd</sup> mi. steel at McKingie  
 trail 661 vrs. branch 1900.⁸ vrs. set 2<sup>nd</sup> mi. steel  
 end on N. side "S. L. H. C." on S. S. "N. II."

Thence N. at 317 vrs. S. C. 24<sup>th</sup> mi. at 1900.⁸ vrs. set  
 3<sup>rd</sup> mi. steel used on N. side "S. L. H. C." on S. side "N. III."

Thence N. 317 vrs. S. Co. 25<sup>th</sup> mi. 479 vrs. pass 96 vrs.  
 S. of S. W. cor. of Antonio Rodriguez at 1837 vrs.  
 pass 792 vrs. S. of N. W. cor. of A. B. & M. Sur. No. 1  
 at 1900.⁸ set fourth mi. steel used on N. Side  
 "S. L. H. C." and on South side "N. IV."

Thence N. 316 vrs. S. Co. 26<sup>th</sup> mi. steel at 1700 vrs. 792  
 vrs. S. of N. W. cor. of No. 12 T. & R. 1900 set 5<sup>th</sup> mi. steel  
 used on N. side "S. L. H. C." on S. side "N. V."

Thence N. 317 vrs. S. Co. 27<sup>th</sup> mi. steel 964 vrs. road  
 steel M. C. L. I. N. E. at 1562 vrs. N. line of No. 11 & E. line  
 of No. 10, N. & T. Co. Ry. Co. 792 vrs. S. of its common  
 N. cor. 1900.⁸ vrs. set sixth mi. steel used on N.

side "S.L.H.C." on S. side "N. VI."

Thence N. at 321 vrs S. loc 28" mi. str. at 1425 vrs. N. line of No. 10 & E. line of No. 9 T. & P. R. Co. 792 vrs. S. of their common N. loc. at 1900.8 vrs. set 7" mi. str. mcd. on N. side "S.L.H.C." on S. side "N. VII" Thence

Thence N. 324 vrs S. Cos. 29" mi at 1294 vrs. (mcd) N. line of No. 9 & E. line of No. 8 N. & T. & P. Ry. loc. 792 vrs. S. of their common N. loc. at 1900.8 set 8" mi. str. mcd on N. side "S.L.H.C." on S. side "N. VIII"

Thence N. 224 branch at 329 vrs. find str. set in ground for N. W. loc. of Shackelford Co. and mcd. "N. W. S. Co. Sept. 20" 1889" from thence we run N. 87° 40' N. 979 vrs. 753 vrs. S. of N. W. Cor of No. 8 & N. E. Cor of No. 7 at 1572 vrs. at 1572 vrs set 9" mi. str. mcd on N. side "S.L.H.C." on S. side "N. IX"

Thence N. 87° 40' N. 24 vrs. J. loc N. E. loc a broad str. set in ground and mcd on South side "N. E. of J. loc" V 9° 20' E.

Thence N. 177 vrs. California Creek 225 vrs. a deep branch at 1243 vrs. pass 750 vrs. S. of N. W. Cor. of Survey No. 7 and N. E. Cor. of No. 114 Andrew Jones at 1876 vrs. set 10" mi. str. mcd on North side "S.L.H.C." on S. S. "N. X" Thence West 32 vrs. pass J. loc. 29" mi. str. 1250 vrs. drain at 1900.8 vrs. set 11" mi. str. mcd on N. side "S.L.H.C." on S. side "N. X 1"

Thence N. at 38 vrs pass J. loc 28" mi. str. 327 vrs. pass 750 vrs. S. of N. W. loc. of No. 114 & N. E. loc. 132 in the name of Aaron Bagby at 1900.8 vrs. set 12" mi. str. mcd on N. side "S.L.H.C." on S. side "N. X 11"

Thence N. at 40 vrs. J. loc 27" mi. str. 369 vrs pass 765 vrs. S. of N. W. loc. of Aaron Bagby on N. E.

1 cor. of Surv. No. 7 N. & T. Ry Co. at 1900<sup>8</sup> set 13" mi  
 2 ste. mark on N. side "S L H C" on S. side "N. XIII."  
 3 Thence N. at J. C. mi ste. mark found at 2550<sup>8</sup>  
 4 N. bdy. of No. 7, 775<sup>8</sup> vrs. S. of N. N. cor. of No. 7 on the  
 5 N. E. middle cor. of No. 6, 910<sup>8</sup> vrs. a branch 1255<sup>8</sup> drain  
 6 1320<sup>8</sup> drain, 1507<sup>8</sup> N. line of No. 6 and E. line of No. 5  
 7 785<sup>8</sup> vrs. S. of No. 5 at 1900<sup>8</sup> set mi. ste. mark on N.  
 8 side "S L H C" on S. S. "N. XIV"  
 9 Thence N. at J. C. 25" mi. ste. mark up at 1593  
 10 vrs. pass a point 795<sup>8</sup> vrs. S. of N. N. cor. of Surv.  
 11 No. 5 and 45<sup>8</sup> vrs. N. of S. E. cor. of P. N. Jayne at  
 12 1900<sup>8</sup> vrs. set mi. ste. mark on N. side "S L H C"  
 13 on S. side "N. XV."  
 14 Thence N. at 54<sup>8</sup> vrs. find J. C. 24 mi ste. lying  
 15 on the grid at 560<sup>8</sup> vrs. a branch at 1393<sup>8</sup> vrs.  
 16 pass 831<sup>8</sup> vrs. S. of N. E. cor. of Surv. No. 1 B. B. & C.  
 17 Ry. Co. at 1900<sup>8</sup> set mi. ste. mark on N. N.  
 18 side "S L H C" S. side "N. XVI."  
 19 Thence N. at 56<sup>8</sup> vrs J. C. 23" mi ste at 1403<sup>8</sup> a  
 20 point 839<sup>8</sup> vrs. S. of N. N. Cor. of No. 1 and N. E. of  
 21 No. 6 at 1900<sup>8</sup> set mi. ste. mark on N. side  
 22 "S L H C" S. side "N. XVII."  
 23 Thence N. at 62<sup>8</sup> vrs J. C. 22<sup>nd</sup> mi ste at 1413<sup>8</sup> vrs.  
 24 pass 847<sup>8</sup> S. of N. N. cor. of No. 6 and N. E. cor. of No.  
 25 7, 1840<sup>8</sup> branch 1900<sup>8</sup> set mi ste mark on  
 26 N. side "S L H C" - "N. XVIII."  
 27 Thence N. at 66<sup>8</sup> vrs J. C. 21 mi ste. 1413<sup>8</sup> vrs.  
 28 pass 853<sup>8</sup> vrs S. of ste. set in gr. and mark N. N.  
 29 No. 7, 972<sup>8</sup> vrs. S. of a ste. set in grid mark N. E.  
 30 No. 12 at 1900<sup>8</sup> set mi. ste. mark on N. side "S L H C"  
 31 on S. S. "N. XIX"  
 32 Thence N. at 70<sup>8</sup> vrs. J. C. 20" mi ste. 1418<sup>8</sup> vrs. Had-  
 33 sell & Anson road at 1433<sup>8</sup> vrs. pass 987<sup>8</sup> vrs. S. of  
 34 a ste. set in gr. and mark "N. N. No. 12 N. E. 13" at

1 1900.8 yrs. set mi. ste. end on N. side "S L H C"  
2 on S. side "N. X X"

3 Thence N at 73 yrs. J.C. 19<sup>th</sup> mi. ste. at 1443 yrs.  
4 pass 1002 yrs. S. of N. W. cor. of Sur. 13 and N. E.  
5 cor. of 18 a ste. set in gr. for sd. cor. and end  
6 N. W. 13 N. E. 18 at 1900.8 set mi. ste. end on N.  
7 side "S L H C" S. side "N X X I"

8 Thence N at 78 yrs. J.C. 18<sup>th</sup> mi. ste. at 1461 yrs.  
9 a point 1017 yrs. S. of a ste. set in gr. and  
10 end "S W 19 N. E. 21" set for N. W. cor. of 18 & N. E.  
11 21 at 1900.8 yrs. set mi. ste. end on N. side  
12 "S L H C" on S. side "N. X X II"

13 Thence N at 83 yrs. J.C. 17<sup>th</sup> mi. ste. at 1445  
14 yrs. Rayner & Anson road at 1481 yrs. N. B. line  
15 of Sur. 21, 1032 yrs. S. of N. W. cor. of Sd 21 and N. E.  
16 Cor. of No. 26 a ste. set in gr. for cor. at 1900 set  
17 mi. ste. end on N. S. "S L H C" on S. "N X X III"

18 Thence N at 87 yrs. J.C. 16<sup>th</sup> mi. ste. at 1511 yrs. a  
19 point 1047 yrs. S. of N. W. cor. of Sur. 26 and N. E.  
20 Cor. of No. 29 ste. set in gr. for cor. and end.  
21 at 1900.8 set mi. ste. end on N. S. "S L H C" on  
22 S. S. "N. X X IV"

23 Thence N at 96 yrs. J.C. 15<sup>th</sup> mi. ste. 1541 yrs.  
24 pass a point 1062 yrs. S. of N. W. cor. of Sur. No. 29  
25 & N. E. Cor. of Sur. 54 a ste. set in gr. and end  
26 at 1900.8 yrs set mi. ste. end on N. side "S L H C"  
27 on S. side "N. X X V"

28 Thence N. at 103 yrs. J.C. 14<sup>th</sup> mi. st. at 1571 yrs.  
29 N. B. line of Sur. No. 54 and E. B. line of 57, 1077 yrs.  
30 S. of a ste. set in gr. and end "N. E. 57 & S. W. 55"  
31 at 1900.8 yrs. set mi. ste. end on N. side "S L H C"  
32 S. side "N. X X VI"

33 Thence N. 108 yrs. J.C. 13<sup>th</sup> mi. ste. at 1600 yrs. cross  
34 N. B. line of Sur. 57 and E. line of 82, 1092 yrs. S. of

15

42

1 ste. set in gr. and used "N. W. 57 S E 83" at 1900.<sup>8</sup>  
2 set mi. ste. used, on N. side "S L. H C" S. side  
3 "W. X X V I I."

4 Thence N. at 114 vrs. J.C. 12" mi. ste. at 1630 vrs.  
5 N. line of Sur. 82 and E. line of 87, 1107 vrs. S. of ste.  
6 set in the grid, and used f N. W. cor. of 82 & N. E.  
7 of 87 at 1900.<sup>8</sup> set mi. ste. used, on N. side "S L. H C"  
8 on N. "W. X X V I I I."

9 Thence N. at 122 vrs. J.C. 11<sup>th</sup> mi. ste. at 1649 vrs.  
10 a point in N. line of Sur. 87 and E. line of No. 106,  
11 1122 vrs. S. of N. W. cor. of 87 and N. E. cor. of 106 at  
12 1900.<sup>8</sup> vrs. set a mile ste. used on N. side "S L. H C"  
13 on S. side "W. X X I X"

14 Thence N. at 127 vrs. J.C. 10" mi. ste. at 1674  
15 vrs. N. P. line of Sur. No 106 & E. line of No 115,  
16 1140 vrs. S. of a ste. set in gr. and used for N. W. of sur.  
17 No 106 and N. E. of 115 at 1900.<sup>8</sup> vrs. mile out. Here we add  
18 110 vrs. to our measurement to equal it with Swals  
19 measurement on N. line of Jones Co. at set S W cor.  
20 stone of Washell Co. 24 vrs. E. of Jones County 9" mile stone  
21 from whc stone the S. E. cor. of Survey No 115 vrs S 23°  
22 15' E. 853 vrs. the S. W. Cor of sd. Sur. No 115 S. 791 vrs.  
23 and N. 1703 vrs. sd. stone is also used S W H C, May 27<sup>th</sup> 1890.

24 J. L. Wilfong  
25 H. M. Pike C. L.

26 I, J. A. Fisher, Special Surveyor of Washell Co do hereby certify  
27 that the foregoing field notes are made out by me from a  
28 survey made on the ground, with the chain carriers before  
29 named duly qualified, and that the mile stones lines  
30 boundaries and marks natural and artificial are  
31 truly described and set forth.

32 J. A. Fisher Special Surveyor  
33 Washell Co.

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	

$$\begin{array}{r}
 1904 \\
 15200 \\
 \hline
 1419 \\
 76619
 \end{array}$$

Counter 54568

42

Haskell Co. Bldg. Line #40

V. 10<sup>2</sup> 19' E.

The State of Texas } Field Notes of Survey of West  
 County of Haskell } boundary line of Haskell County.  
 Beginning at a point 24 vrs. E. of Jones County  
 9" mile stone on North line of said Co. Two stones  
 set together for the S.W. Cor of Haskell Co. and S.E. Cor of  
 Stonewall Co. one of said stones is marked "S.W. H.C.  
 May 27, 1890" the other one is marked "S.E. S.C." from which  
 S.E. Cor of Sec. 115 P.P. & M. R.R. Co. brs. S. 23945' E. 853  
 vrs. said cor is identified by a stu. set in the grid.  
 and marked "S.E. 115" and "N.E. 116" the N.E. Cor of Sec. 115  
 brs North 1140 vrs. & E. 368 identified also by a stu.  
 set in the grid and being marked. N.E. 115 & S.E. 114  
 Thence N. 1140 vrs. pass 368 vrs. N. of stu. set in gr.  
 and marked "N.E. 115 S.E. 114" at 1320 vrs. N. bluff of  
 Paint Creek 1900.8 vrs. set first mile stu. marked  
 on E side "N.L. N.C. No. I"  
 Thence N. 600 vrs. branch to N.E. 1156 vrs. pass 405  
 vrs. N. of a stu. set in grid. marked "N.E. 114" & "S.E. 113"  
 supposed to be N.E. Cor. of 114 & S.E. Cor. of 113 at 1900.8 vrs.  
 set 2<sup>nd</sup> mile stu. marked on E. side "N.L. N.C. No. II"  
 Thence N. at 1174 vrs. pass 445 vrs. N. of S.E. Cor.  
 of Sec. No. 112 a stu. set in gr. and marked "S.E. 112"  
 at 1400 vrs. corner. 1900.8 vrs. set 3<sup>rd</sup> mile stone  
 marked on E.S. "N.L. N.C. No. III"  
 Thence N. 1203 vrs. pass 482 vrs. N. of stu. set in grid.  
 marked "N.E. 112 S.E. 111" 1900.8 vrs. set fourth mile stu.  
 50 vrs. S. of base of Flat Top mt. marked "N.L. N.C. No. IV"  
 Thence N. 251 vrs. to brow of Flat Top mt. 1227  
 vrs. 519 vrs. N. of stu. set in grid and marked "S.E. 110"  
 & "N.E. 111" 1900.8 vrs. set fifth mile stu. on Flat Top  
 mt. stu. marked "N.L. N.C. No. V"  
 Thence N. 508 vrs. N. brow of Flat Top mt. 1300  
 vrs. pass 530 vrs. N. of Stu. set in grid. and marked  
 "N.E. 110" at 1900.8 vrs. set sixth mi. stu. marked.

26  
"W.L.N. Co. No. VI"

Thence No. 1250 vrs. Naswell and Roby road  
1900.8 vrs. set post for 7<sup>th</sup> mi past set in Earth  
and 2 feet high and und. "VII" Then No. 529 vrs.  
pass 838 vrs. N. of 838 vrs West of N.E. cor. of  
F.N.K. Day Survey and 167 vrs. N of S.E. Co. of M.P.  
Horton Sur. 1900.8 Sur 8<sup>th</sup> mi. Ste. und. "W.L.N. Co.  
No. VIII."

Then No. 750 vrs. branch 1068 vrs. road 1583 vrs.  
180 vrs. N. of the N.E. Cor. of the Thos. C. Sualum Sur.  
1640 vrs S. bank of Double Mt. Fork Co. No. 30<sup>th</sup> E 1900.8  
vrs. Ninth mile in bed of river near its West  
bank fr. Wh. a cottonwood tree vrs. S. 15<sup>o</sup> N. 69<sup>1</sup>/<sub>2</sub>  
vrs. do. vrs. S. 23<sup>o</sup> N. 43.4 vrs. Thence No. 694 vrs.  
N. bank of sd river 1045 bluff 1500 vrs pass 1207  
vrs. N. of N.E. Cor. of Sur No. 30 B.P.P. H. Ry Co.  
1546 a branch 1900.8 set 10<sup>th</sup> mi ste. und.

"W.L.N. Co. No. X"

Thence No. 551 vrs. pass 3057 vrs. East of N.W.  
cor. of Sur. No. 29 same company at 1502 vrs.  
pass 3048 vrs E. of N.W. cor. of 28<sup>th</sup> 2239 vrs. East  
of S.W. cor. of Sur. No. 25 same Co. at 1900.8 vrs.  
set eleventh mi. ste. und. "W.L.N. Co. No. X1"

Then No. 553 vrs pass 1420 E. of S.W. No. 24<sup>th</sup> 2250  
vrs. E. of N.W. cor. Sur. No. 25 at 1505 vrs pass  
1411 vrs E. of S.W. No. 23 at 1900.8 vrs. set 12<sup>th</sup> mi  
ste. und. "W.L.N. Co. No. X11"

Then No. at 557 vrs. pass 1402 vrs E. of N.W. cor.  
of No. 23 and 1880 vrs. E. of S.W. cor. No. 22, 1508  
vrs a point fr. wh. N.W. cor. 22 vrs. N. 1871 and  
the S.W. cor. of No. 11 vrs. N. 2116 vrs. 1900.8 vrs. set  
13<sup>th</sup> mi ste. und. "W.L.N. Co. No. X111"

Then No. 592 vrs a point fr. wh. the N.W. cor.  
No. 11 vrs. N. 2107 vrs. and the S.W. cor. of No. 10

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34

brs. N. 1560 vrs. 1543 vrs a point fr. wh the N. N.  
Cor. No. 10 brs. N. 1541 vrs. and the S. N. No. 9 brs.  
N 1183 vrs. 1900.8 vrs. set 14" mi post in earth  
ud. 2 ft high. Then N. at 594 vrs. N. line of  
Sur. No. 9, 1174 E. of its N. N. Cor. and 819 vrs E.  
of S. N. Cor of Sur. No. 8 at 1545 pass 810 vrs East  
of N. N. Cor. No. 8 and 732 vrs E. S. N. No. 7, 1900.8  
vrs. set 15" mi post in earth ud. 2 ft. high.

Then North 23 vrs ~~Task~~ Creek 596 vrs a point fr. wh  
the N. N. Cor No. 7 brs. N. 723 vrs. at 1546 the N. N.  
Cor. No. 6 brs. N. 714 vrs. S. N. Cor. of No. 5 brs. N 954  
vrs. 1760 vrs. branch 1900.8 vrs. set 16" mi post in  
earth N. N. 2 ft. high.

Then N. at 597 vrs. pass 945 E. N. N. 5 and 1645 E of  
S. N. No. 4 at 1548 vrs. pass 1636 vrs E. N. N. Cor.  
No. 4 and 1900 vrs E. S. N. Cor. No. 3 at 1900.8 vrs. set 17" mi  
post in earth ud. 2 ft. high.

Then N. 240 vrs branch 596 vrs S. line of Sur  
No. 2, 1890 vrs. E. of its S. N. Cor. 1200 vrs. branch of  
Double Mt. Fork 1547 vrs Cross S. line of Sur. No. 1  
1880 vrs E. of its S. N. Cor. 1900.8 vrs. set post in earth  
ud. 2 feet high for 18" mi.

Then N. 598 vrs. pass 1972 vrs. E. of N. N. Cor. of No. 1  
Also same distance E. of one of the inner Cor. of  
the Green Book Sur. 19 mile 1900.8 vrs. set post  
in earth ud. 2 ft. high for 19<sup>th</sup> mile

Thence N. 1823 vrs. top of high ridge 1900.8 vrs set 20"  
mi post in earth ud. 2 ft high.

Then N. 912 vrs. South bluff of Obl. Mt. fork of the Brazos  
river 1625 vrs. S. bank of sd. Obl. Mt. fork 2000 vrs E. 275 S.  
of the mouth of Obl. Mt. fork 1900.8 vrs 21<sup>st</sup> mi in bed of  
river. No trees suitable for bearings.

Then N. 56 vrs North bank of sd. river 52 vrs. N. of E.  
line of Arthur Slaydon Sur. No. 57, 1900.8 vrs. set 22<sup>nd</sup> mi

1 post in earth and 2 ft high.

2 Thence 4000 vrs. drain 87 vrs. South line of Subdivision No.  
3 of the said Arthur Slayden 53 vrs. W of S.E. cor. of  
4 same at 734 vrs. N. line of sd. Subdivision 53 1/2 vrs. W  
5 of its N.E. cor. and also S line of larger subdivi-  
6 sion off the North end of the Arthur Slayden  
7 No 57, 53 1/2 vrs. W. of its S.E. cor. 1900.<sup>8</sup> vrs. set 23<sup>d</sup> mi  
8 post in earth and, 2 ft high.

9 Then No. 1900.<sup>8</sup> vrs. set 24 mi past in Earth and  
10 2 ft. high.

11 Then No. 112 vrs S line of Sterling McGraw Sur.  
12 No 59 - 54 vrs. W of its S.E. cor. 1900.<sup>8</sup> vrs. Set 25<sup>th</sup>  
13 mi. stu. is 55 1/2 vrs. W. of N.W. cor. of Arthur Slay-  
14 den Sur. No. 58 Original cor. found also bearing  
15 on Louisa Peak (correct)

16 Then No. 210 vrs N line of sd. McGraw No 59, 55 1/2  
17 vrs. W. of its N.E. cor. and S line of Geo. G. Alford No 43  
18 2673 vrs. from its S. W. cor. 1680 N. line of No. 43 and  
19 S. line of No 44, 1339 vrs. E. of S. W. cor. No. 44, 1900.<sup>8</sup> vrs  
20 set 26<sup>th</sup> mi past in earth and. 2 ft. high.

21 Thence No. 755 vrs. S line of No 45, 1190 vrs. E. of its S.  
22 W. cor. 1731 vrs. S line of No. 46, 916 vrs E. of its S.W. cor.  
23 1900.<sup>8</sup> vrs. set 27<sup>th</sup> mi past in earth and.

24 Thence No 845 vrs. S line of No 47, 602 vrs E. of its  
25 S.W. cor. 1821 vrs S line of No. 48, 602 vrs E. of its S.W. cor.  
26 1900.<sup>8</sup> vrs set 28<sup>th</sup> mi past.

27 Thence No 896 vrs. S line of the Geo. Francis Survey  
28 No 49, 986 vrs E. of its S.W. cor. 1872 vrs. S line of the Rusby  
29 Campbell Survey No 50, 1370 vrs. from its S.W. Cor.  
30 1900.<sup>8</sup> vrs. set 29<sup>th</sup> mi past

31 Thence No. 1581 vrs. S. line of the Eliza Boren. Sur.  
32 No 1885 vrs. E of its S.W. cor. 1900.<sup>8</sup> vrs. set 30<sup>th</sup> mi stu.

33 Thence No 300 vrs. to a stu. set in the grid. on the  
34 11<sup>th</sup> day of Sept 1893 by J. A. Fisher Special Surveyor.

1 for Waswell Co. and C. Wood Special Surveyor  
2 for Knox Co. for the S. W. Cor. of Knox County  
3 and for the N. W. Cor. of Waswell Co. E. P. Featherston Sec.  
4 Sur. for Stonewall Co. and the said C. Wood being  
5 present at this time (Oct. 20<sup>th</sup> 1893) both cooperating  
6 and agreeing to the work. Id. stone is used  
7 on S. side "N. W. N." on N. side "S. W. N."

8 Together we set another stu. by the side of this  
9 one used on East side "N. W. Cor. N. C. June 4<sup>th</sup> 1890  
10 N. A. M." on N. side "N. E. Cor. S. C." from wh. stones  
11 a forked mes. brs. N. 11<sup>o</sup> E. 124.4" vs. do. brs. N. 2<sup>o</sup> 8' W  
12 144<sup>3</sup>/<sub>4</sub> Kiowa Peak S. 50<sup>o</sup> 45' W. The S. W. Cor. of  
13 E. Gore N. 0.5' and N. W. Cor. of Rusby Campbell  
14 brs. S. 790 and N. 1885 vs. Bearings. Mkd X  
15 Surveyed Oct. 13-20, 1893. J. A. Fisher } C. L.  
16 N. M. Phil } C. L.

17  
18 I, J. A. Fisher Special Surveyor for Waswell County  
19 do hereby certify that the foregoing field notes are  
20 made out by me from a survey actually made on  
21 the ground according to law and with the chain  
22 carriers aforesaid and that all the mile stee.  
23 lines and marks of the same whether natural  
24 or artificial are truly described in the forego-  
25 ing field notes and plat herewith accom-  
26 panying

27 J. A. Fisher  
28 Special Surveyor  
29 Waswell County Texas.  
30  
31  
32  
33  
34

1 The State of Texas }  
 2 County of Haskell } J. L. Jones Clerk of Court  
 3 Haskell County Tex. do hereby certify that  
 4 the foregoing are true and correct copies  
 5 of the order of the Court directing the  
 6 running of the county lines, and appointing  
 7 a special Surveyor; the bond of Surveyor  
 8 with its approval; the report of Surveyor  
 9 together with the order approving same now  
 10 on file in my office and of record in the  
 11 Minutes of the Commissioners' Court of  
 12 Haskell Co Texas

13 Witness my hand & the seal of the Court  
 14 Court this 8<sup>th</sup> day of May A.D. 1894

15 J. L. Jones Clerk of Court  
 16 Haskell Co Texas  
 17 By J. A. Jones Deputy

21 Counter 54574

23 33

Haskell Co Bdy Line 4a

12/ East North West  
+ S Boundaries

Haskell Co. ~~S~~ Bdry. line  
Field Notes and

Map of lines of  
Haskell County

Filed in Gen. L<sup>d</sup> Office  
May 21<sup>st</sup> 1894.

Chief Clerk

Examined and approved

May 21/94 G. N. Beaumont

made 1893

In Report of Surveyor Gen.  
Filed May 15/94 in wh. his  
line throughly disagrees with  
this line. A line Haskell  
in 24<sup>th</sup> to 25<sup>th</sup> Mile Post  
line

Abstracted in 94  
Warren

County  
54575