

Irion Co. Bdry line X.  
Irion Co. (1)

East Boundary.  
+ South " "

Filed May 28<sup>th</sup> 1893.

Examined and approved  
May 31<sup>st</sup>/93  
G. N. Beaumont

The State of Texas  
County of Irion } I John G. Gibbons County  
Surveyor of Irion County

Do hereby certify that the foregoing and above survey of the East Line of Irion County was made by me and W. G. Taylor in conjunction who is County Surveyor of Tom Green County and that our chain men were duly sworn by me and that the line is truly described and the marks described were actually made as set forth in the foregoing and said line was surveyed at 9.50<sup>East</sup> with my compass & about 9.30<sup>East</sup> with Mr Taylor's Transit which is the same variation of the magnetic needle that the South line of Tom Green County is surveyed at and that Surveyor Farr reported that <sup>County</sup> branches & the East line of Tom Green County were surveyed at 9.20<sup>East</sup> variation which are 1/2 East of our East line and consequently to be on a Parallel with East line of Tom Green County would have to run at 9.50<sup>East</sup> which was the lowest variation of the magnetic needle that W. G. Taylor would agree to run said East line of Irion County Given under my hand this 4<sup>th</sup> day of May 1893

1 Survey from April 10<sup>th</sup> to April 16<sup>th</sup> 1893  
2 inclusive  
3 J. N. Mason } Chain Carriers  
4 Andrew Hill }  
5 Respectfully Submitted  
6 John G. Gibbons  
7 County Surveyor Irion Co Texas

9 I W. G. Taylor County Surveyor of  
10 Tom Green County Texas do here by cer-  
11 tify that I have examined the above  
12 and foregoing report of John G. Gibbons  
13 County Surveyor of Irion Co. Texas and  
14 find the same true and correct and said  
15 report correctly describes the line between  
16 Tom Green & Irion Counties as surveyed  
17 by said Gibbons by myself from April  
18 10 to April 16 A.D. 1893 inclusive.

19  
20 In testimony where of  
21 witness my hand at Newburg Texas  
22 this the 4 day of May A.D. 1893.

23  
24 U. G. Taylor  
25 County Surveyor  
26 Tom Green County Texas.

THE STATE OF TEXAS,

County of *Orion*

I, *E. L. McDonald* Clerk of the

County Court in and for said County, do hereby certify that the foregoing *Instrument*

dated the *4*" day of *May* 1893, with its certificates of authentication, was filed for Record in my office the

*8*" day of *May* 1893, at *9* o'clock *A*. M., and duly Recorded the *23<sup>rd</sup>* day of

*May* 1893, at *4* o'clock *P*. M., in *Book* Record of said County, in Vol. *3*

on Pages *23 to 29 inc*

WITNESS my hand and the seal of the County Court of said County, at office in *Orion* Texas, the day and year last above written.

*E. L. McDonald* Clerk

By \_\_\_\_\_ Deputy. County Court *Orion* County.

3-92-20

16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32

*Iron. Co. bdy.*  
*on the back*

*Filed May 28<sup>th</sup>*

*Examined and approved*  
*May 31st 1893*  
*Recommnd*

*Filed for Record,*  
*May 8<sup>th</sup> 1893, at*  
*9 o'clock A.M.*  
*E. L. McDonald*  
*County Clerk*

*Count 55318*

The State of Texas }  
County of Irion }

To the Honorable Commissioners Court of  
Irion County

Gentlemen

By Virtue of an Order of your  
Honorable Court made at your February Term A.D. 1893  
appointing me as County Surveyor of Irion County to  
proceed in conjunction with the County Surveyor of Tom Green  
County Texas to Survey and Establish the East line of Irion  
County in the manner prescribed by Law and Report My  
Action in this behalf

I proceeded to the North East or Lower Corner of Survey No 790 on  
South Bank of Dove Creek and there met W. G. Taylor County  
Surveyor of Tom Green County Texas and then <sup>Surveyed</sup> ~~drawed~~ a line South  
to the Schleicher County North line in conjunction with said W. G. Taylor  
We then began at a Stone Monument on the North line of said  
Schleicher County 33 miles and 1672 varas West of the South East  
Corner of Tom Green County (as per Report made by Surveyor Farr last year)  
made for the South West corner of Tom Green County and South east  
corner of Irion County said Stone Mound is marked on a large  
slab 4 feet high on the S. Side N. LINE. S. CO. and on east side  
S W. COR. T. CO. and on West Side S. E. COR. I. CO. from which S. E. Corner  
of Survey No 1198 J. C. Ry Co Bears East 1238 varas and South 941 varas  
also a Live Oak 30 inches in Diameter bears South North 87 East 348 varas  
and another Live Oak marked T. CO. CO and another Live Oak 10.  
inches in Diameter bears North 26 3/4 West 55 varas marked I. CO

XT Thence North at 969 varas crossed the North line of said Survey  
No 1198. J. C. Ry Co 1238 varas West of its North east corner at 1900 varas  
Counter 55319

Set a Stone in the ground Marked C.O. LINE. 1 M—

Thence North at 1008 varas crossed North line Survey No 1195  
T.T Ry co 603 varas east of its North West corner at said corner a Stone Ind  
with bearing trees at 12<sup>23</sup>~~28~~ varas crossed South line of Survey No 29 H+J.L.  
Ry co Block No 21. 627 varas East of its South West corner a Stone Ind  
with Live Oak bearings at 1900 varas Set Stone in the ground —  
Marked. C.O. LINE. 2. M

Thence North at 1236 varas crossed South line of Survey  
No 28 H. & J. L. Ry co Block No 21 585 varas East of its South West  
corner at 1900 varas Set Stone in the ground Marked C.O. LINE  
3. M

Thence North at 1209 varas crossed the South line of Survey  
No 27. Bl. No 21. H+J.L. Ry co 555 varas East of its South West corner  
at 1900 varas Set Stone in ground Marked C.O. LINE 4 M

Thence North at 1182 varas crossed South line of Survey  
No 26 Bl. No 21 H+J.L. Ry co 525 varas East of its South West corner  
at 1900 varas Set Stone in ground Marked C.O. LINE 5. M

Thence North at 1155 varas crossed South line of  
Survey No 23 Bl. No 20 H+J.L. Ry co at 490 varas East of its  
South West corner at 1900 Varas Set Stone in the ground Marked  
C.O. LINE 6 M

Thence North at 1170 varas crossed South line of  
Survey No 12 Bl. No 20 H+J.L. Ry co at 465 varas East of its  
South West corner at 1900 varas Set Stone in the ground Marked  
C.O. LINE 7 M

Thence North at 1185 varas crossed South line of Survey  
No. 11. Bl. No 20 H. & J. L. Ry. co 440 varas East of its South West corner  
at 1900 varas Set Stone in the ground Marked C.O. LINE 8. M

Thence North at 1185 varas cross N. line said Survey No 11  
and South line of S. Garrett Survey at 1900 varas Set Stone in the  
ground marked CO LINE 9 M

Thence North at 345 varas crossed Saw Angels and Ozona  
Road at 1520 varas a Stone Md on South Bank of Dove creek  
The North East or Lower corner of Survey No 790 in the name of  
Christopher Shaefer (the Original Bearings being lost) and from  
which the upper corner of said Survey No 790 in the name of said  
Christopher Shaefer from which a Live Oak now dead plainly  
marked  $\gamma$  bears N  $10^{\circ}$  W  $2\frac{1}{2}$  varas said Live Oak was found and  
identified as described in the Original field notes said North West  
or Upper corner of said Survey bears from said Lower or North East corner  
of said Survey No 790 South 246 varas and West 485 varas and  
the Lower or North West corner of Survey No 791 which has its two  
bearings standing to wit a Pecan 18 inches in Dia bears S  $69^{\circ}$  West  
 $11\frac{1}{2}$  varas another Pecan 21 inches in Dia bears South  $44^{\circ}$  West  $14\frac{1}{2}$  var  
both of said trees are plainly marked and said last named corner bears  
from said Lower or NW corner of said Survey No 790 Bears East 485  
varas and North 870 varas continuing North at 1584 varas on  
North Bank of Dove creek passed 4 varas East of a large Pecan  
marked by us  $\gamma$  at 1900 varas Set Stone in the ground marked  
CO LINE 10 M

Thence North at 420 varas top of a hill at 1900 varas Set  
Stone in the ground marked CO LINE 11 M

Thence North at 56 varas a point 27 varas East of a Stone  
Mound ~~in~~ ~~the~~ ~~east~~ corner of the Baird or Biler 80 Acre Patented  
Survey at 1900 varas Set Stone in the ground marked  
CO LINE 12 M

Thence North at 40 varas crossed South line of Survey No 22 Bl No 3 H & J. C. Ry Co 570 varas West of its South East corner and old Stone Md & 18 varas East of an old Stone Md The North West corner of survey 1130 G. L. & S. J. Ry Co at 1900 varas Set Stone in the ground Marked C.O. LINE 13 M

Thence North at 625<sup>varas</sup> Set Stone in the ground on North side of Sherwood & Knickerbocker Road Marked C.O. LINE at 1900 varas Set Stone in the ground Marked C.O. LINE 14 M

Thence North at 40 varas cross South line Survey No 24 Bl No 3 H & J. C. Ry Co 600 varas West of its South East corner at 1900 varas Set Stone in the ground Marked C.O. LINE 15 M

Thence North at 40 varas crossed the North line of said Survey No 24 615 varas West of its North East corner Stone Md at its N.E. corner and South line of Survey No 1145 G. L. Ry Co 1172 varas East of its South West corner at 1900 varas Set Stone in the ground Marked C.O. LINE 16 M

Thence North at 1900 varas Set Stone in the ground Marked C.O. LINE 17 M

Thence North 467 varas to South Bank of Spring creek at a Pecan 8 inches in Dia Marked by us = backs on South & North side Whence another Pecan 10 inches in Dia by South 82° East 11 varas & another Pecan 8 inches in Dia bears South 43° East 10½ varas last described tree marked  $\frac{\equiv}{\equiv}$  This point is about 305 varas below the upper corner of 746 in name of S. Wulstun at 540 varas on North Bank of said Spring creek a Stone Mound made by us from which the Lower corner of Survey No 671 (supplied to the lower corner of 672) this tree is old & plainly marked Pecan 15 inches in Dia by South 46° E. 6½ varas but the other tree called in the field notes was not found but a stump with sprouts was found in the right course & distance said corner bears North 338 varas and East 1835 from said Stone mound Continuing North at 1510 varas crossed Sherwood and San Angelo Road Set Stone in the ground on South side of said Road Marked C.O. LINE at 1900 varas Set Stone in ground Marked

COLINE 18. M

Thence North at 1900 varas Set Stone in the ground  
Marked COLINE 19. M

Thence North at 815 varas crossed South line of survey  
No 7 and North line of survey No 14 Bl No 17 H + T. Ry Co 890 varas  
West of their North East and South East corners at 1900 varas Set  
Stone in the ground Marked COLINE 20 M

Thence North at 800 varas crossed South line of survey  
No 4. Bl No 17 H + T. Ry Co 930 varas West of its South East  
Corner at 1900 varas Set Stone in the ground Marked COLINE  
21. M

Thence North at 800 varas crossed North line of survey  
No 4. H. + T. Ry Co at 917 varas East of its North West corner  
Stone Md. Mezquite for Bearings + South line of the J. Simpson  
Survey + 97 varas East of its SW corner at 1900 varas Set Stone  
in the ground Marked COLINE 22. M

Thence North at 1900 varas Set Stone in the ground  
Marked COLINE 23 M

Thence North at 34 varas South Bank of Middle Concho  
River 50 varas East or below the upper corner of survey 837 in name  
of H. L. F. Bengener from said corner a Pecan 14 inches in Dia bears  
North 28 West 5 varas said tree is plainly marked at 90 varas North  
Bank of said River Marked 7 Hackberry trees with a blaze + two  
hacks above + below the blaze on North + South sides of said trees  
This point is 420 varas South + 671 varas West of the Lower corner of  
Survey No 862 in the name of Peter Wellner said last named corner  
is witnessed by a Hackberry 12 inches in Dia bears N 57 E 13 varas  
+ Mez 12 inches in Dia bears N 8 West 17 varas at 1900 varas Set



Stone in the ground Marked COLINE 24 M

Thence North at 200 varas Set Stone on North side of San Angelo + Camp Charlotte Road Marked COLINE at 1900 varas Set Stone in the ground Marked COLINE 25. M

Thence North at 450 varas crossed North line of Survey 1127 Gb + S F Ry Co 342 varas west of its North East corner and South line of the Jo Durman Survey 342 varas west of its South East corner Stone Md + Live Oaks bearing at said Corner at 1900 varas Set Stone in the ground Marked COLINE 26. M

Thence North at 1900 varas Set Stone in the ground Marked COLINE 27. M

Thence North at 1148 varas crossed the South line S. E. Bennett Survey 360 varas West of its South East corner also 360 varas West of the Jo Durman North East corner at 1900 varas Set Stone in the ground Marked COLINE 28 M

Thence North at 1260 varas crossed North line said Bennett Survey and the South line of the Rufere Roderiguez Survey 180 varas west of its South East corner said Corner Stone Mound from which a Live Oak 20 inches in Dia bears N  $52^{\circ}$  W 27 varas another Live Oak 20 inches in Dia bears North  $39^{\circ}$  West 29 varas both trees Marked  $\nabla$  at 1900 varas Set Stone in the ground Marked COLINE 29. M

Thence North at 1900 Varas Set Stone in the ground 5 feet high and piled Large Rocks around it for the North East corner of Irion County Marked NE - COR I.C. 30. M From which a Live Oak in a flat 20 inches in Dia bears S  $1^{\circ}$  E 820 varas Do 15 inches in Dia bears N.  $83^{\circ}$  W. 132 varas Do 14 inches in Dia by S.  $20^{\circ}$  W.  $84^{\circ}$  varas all of said

Trees Marked  $\nabla$