

FRANK W. ELLIS NOTARY PUPLIC AND INSURANCE ALICE, TEXAS.

Report of the survey of the East line of Aich Wello Co.

-

ORGANIZATION COMMISSIONERS in

WILLIAM ADAMS CHAIRMAN JAS. F. SCOTT W. T. WRIGHT . W. W. WEST CHAS. PREMONT

4395 STATE OF TEXAS. COUNTY OF JIM WELLS.

FRANK W. ELLÍS. COUNTY CLERK PRO TEM HABERER. SURVEYOR PRO TEM

ALICE, TEXAS. June, 16, 1911.

2 55

Mr. J. H. Walker, Acting Commissioner,

Samera news

Austin, Texas.

Dear Sir:

Am sending you plat and field notes of East line of Jim Wells county. The North, West, and East lines are the same as those of the former Nueces county.

Yours very truly,

. C. E. Haberer

County Surveyor Jim Wells Co.

RECEIVED JUN 20 1911 Referred to Map

State of Texas, County of Jim Wells.

unter 55534 media as

REPORT of the SURVEY of the WEST BOUNDARY of Nucces County and East Boundary of Jim Wells County, made by the Surveyor of Jim Wells County by order of the Organization Commissioners of said Jim Wells County.

Beginning at a point, the intersection of East line of the Houghton Pasture produced and the South line of Nueces County between league posts 3 and 4 on said South line set a post and concrete monument for South East corner of Jim Wells and South West corner of Nueces County, said post and concrete monument marked "B" on the South side, "N" on the East side and "J.W." on the West side; said post and concrete monument being 554.5 vs North of and 7560.1 vs East of the S.W. corner of the " Paisano" grant and N. 89 43' W 2667.9 vs of league post 4 on the South line of Nueces County.

Thence N 0° 25' W. with a variation of 8° 43' East with the E. line of the Houghton pasture produced at 1900.8 vs set first mile post marked "W" on the West, "N" on the East and "1" on the South side. At 1800 vs enter field, at 1900.8 set second mile post marked "W" on West side, "N: on the East and "2" on the south side. XAt 826.9 vs cross North line of the Paisano grant 7526.4 vs of its N.W.corner, at 1890 vs pass through Granjeno mott, 1900.8 vs set third mile post marked "W" on West, "N" on East and "3" on South side, at 1900.8 vs set fourth mile post marked "W" on the West "N" on the east and "4" on the south side, at 1900.8 vs set fifth mile post marked "W" on west, "N" on east and "5" on south side, at 670.2 vs pass 331 vs east of S.W. corner of State Survey 268, at 1900.8 vs set sixth mile post marked "W" on west, "N" on east and "6" on south side. Premont water tower bears N.79° W., a windmill bearing S. 84 1/2 W, at 338.5 vs pass 1283 vs east of the S.W. corner of State Survey 267 in the name of the T.T.R.R.Co. At 1900.8 vs set the seventh mile post marked "W" on west, "N" on east and "7" on south side.

Premont water tower bears south 86 3/4 W., Canales house bears north 52 1/4 west. At 358.3 vs pass 1235.5 vs east of S.W. corner of State Survey 248 S.K. & K., at 1900.8 vs set the eighth mile post marked W on west, N on east and 8 on south side. At 352.2 vs pass 1188 vs east of S.E WM corner of State Survey 52, J.Poitedent, at 950 vs cross road, at 1900.8 vs set ninth mile post marked W on west, N on east and 9 on south side, at 352.2 vs pass 1140.5 vs east of N.W.corner of State Survey 52, J.Poltedent, and 3470 vs east of S.W. corner of State Survey 179 S.K.& K., at 1090 vs cross Ebenito Creek, at 1212.2 vs pass 3470 vs east of N.W.corner of State Survey 179 S.K.& K., and 3800 vs east of S.W. corner of State Survey 181 S.K. &.K., at 1872.7 pass the S.W. corner of Los Jaboncillos, and pass 3802 vs east of N.W. commer of State Survey 181 S.K.& K., at 1900.8 vs set tenth mile post marked W on west, N, on east and 10 on south side. N 0 25'W, -28.1 vs from the S.W. corner of Los Jaboncillos, at 726.6 vs pass corner of State Survey 181 S.K.&.K., at 1900.8 set eleventh mile post marked W on west, N on east and 11 on south side, at 190vs cross road, at 698 vs pass 2541 vs west of S.E. corner of State Survey 49 G.H.& H. RR Company, at 1568 vs pass 950 vs west of S.E. corner of State Survey 189, at 1900.8 vs set twelfth mile post marked W on west, N on east and 12 on south side, at 225 vs cross Los Jaboncillos Creek, at 617 vs pass 950 vs west of N.E. corner of State Survey 189, at 1900.8 vs set the thirteenth mile post marked W on west, N on east and 13 on south side, at 96 vs pass 2541 vs west of N.E. corner of State Survey 47 G.H.& H. R.R.Co. at1900.8 vs set the fourteenth mile post marked W on west, N on east and W on south side, Houghten Patture at 630 vs pass N.E.corner of Los Inbenetillos, at 1431.7 vs pass S.80° 40'E 110s, at 1431.7 vs pass S.80 40'E 7317 vs from S.W. commer of Santa Gertrudis Grant, At 1900.8 vs set the fifteenth mile post marked W on west, N on east and 15 on south side. At 1461 vs pass 2 vs west of Mesquite 10" in diameter marked = . At 1900.8 vs set sixteenth mile post marked W on west, N on east and 16 on south side. Mesquite marked X bears S.2°W. 24.1 vs Mesquite marked = bears S. 35 1/2° W 26.5 vs. At 18 vs cross road, at 1805 vs cross Saucito Creek, at 1900.8 vs set seventeenth mile post marked W on west, N on east and 17 on south side. Mesquite 12" in diameter marked = bears N.72 W 17 vs Mesquite 4" in diameter mrked E bears N 18 E 73 vs at 332.5 cross creek, at 1900.8 vs set eighteenth mile post marked W on west, N on east and 18 on south side. A four pronged Mesquite marked bears S 59 1/2 E 52 vs, a Mesquite 20" in di-

2

ameter marked × bears S 38 1/2° E 43.2 vs. At 1900.8 vs set nineteenth mile post marked W on west, N on east and 19 on south side, at 1900.8 vs set twentieth mile post marked W on west, N on east and 20 on south side. Mesquite 20" in diameter marked = bears S 45 W 1 vara. At 1600 vs cross draw, at 1900.8 vs set twenty first mile post marked W on west, N on east and 21 on south side, at 1900.8 vs set twenty second mile post marked W on west, N on east and 22 on south side. A forked Mesquite 6" in diameter marked = bears N 10 1/3 W 8 vs, at 69 vs cross Trinidad Creek, at 1880 vs cross San Andres Creek, at 1900.8 vs set twenty third mile post marked W on west, N on east and 22 on south side. Mesquite 14" in diameter marked = bears N. 3/4 E 42 vs, a forked Mesquite 24" in diameter bears west 14.5 vs, at 1852 vs cross Acero Creek, at 1900.8 vs set twenty fourth mile post marked W on west, N on east and 24 on south side. A leaning forked Mesquite marked X bears S 26 1/2 W 7.2 vs, at 1283 vs pass S 80° 40' E 4102 vs from the N.W. corner of the Santa Gertrudis Grant and N.80" 40' W 78.3 vs S.E. corner of State Survey 63 S.A.& M.G.R.R. Co. at 1900.8 vs set the twenty fifth mile post marked W on west, N on east and 25 on south side. Mesquite 10" in diameter marked 2 bears E 28.1 vs. At 1534 vs set post and concrete monument for a corner of Jim Wells County, and Nueces County. Said post and concrete monument marked W on N.W. side and N on S.E. side.

3

Thence N 89 48' E with south line of Luciano Garcia and others, and north line of Mrs.H.M.King pasture at 72.2 vs pass corner of State Survey 64 at 1900.8 vs set first mile post marked W on north, N on south and 1 on west side. A mesquite 10" in diameter marked = bears\$28 W 44.8 vs. Mesquite 8" in diameter marked X bears N 44 1/2 W 36.3 vs. At 1900.8 vs set second mile post marked W on north, N on south and 2 on west side. Mesquite 10" in diamteer marked = bears S 12 E 25.2 vs. Mesquite marked = bears N 74 1/2 E 49.7 vs. At 1750 vs cross Alice-Kingsville road, at 1900.8 vs set third mile post marked W on north, N on south and 3 on west side. A windmill at Garcia ranch bears N 39 W, a windmill in field bears N 75 1/2 E° At 722 vs cross creek. At 1900.8 vs set fourth mile post marker W on north N on south and 4 on west side. At 450 vs pass corner of Luciano Garcia and others and Mrs.H.M.King, pass 2190 vs south of the N. line of State Survey 212, at 1900.8 vsset fifth mile post marked W on north, N on south and 5 on west side. At 1425.6 vs pass S 0° 491 4 2242 vs from N.E. corner State Section 214, pass S 0 46 W 8058 vs from N.W. corner Paso Ancho de Ariba Grant, at 1900.8 vs set sixth mile post marked W on north, N on nter 55536 Nr.

N on south, and 6 on west side. Chimney of Holbein house bears N 24 1/2 E, a windmill bears N 33 E, a windmill bears N 38 W. At 475.2 vs cross road, at 1900.8 vs set seventh mile post marked W on north, N on south and 7 on west side. Chimney of Holbein house bears N 36 W, a windmill bears N 75 1/2 W, a windmill bears N 54 W, at 482.2 vs set post and concrete monument for a corner of Jim Wells County, and Nueces County. Said post and concrete monument marked Jim Wells County on north side and Nueces County on south side. Chimney of Holbein house bears N 39 3/4 W, a windmill bears N 56 1/2W

Thence N 2°39' E with the center line of the road along the east line X of sections 8,9,10,11,12,13 and the west line of sections 14,15,16,17,18 and 19 of the subdivision of the Benton pasture produced, at 1900.8 vs set first mile post marked W on west, N, on east, and 1 on south side. Mesquite 8" in diameter marked = bears N 20 1/2 W 29.9 vs, at 1885 vs cross san Fernando Creek, at 1900.8 vs set second mile post marked W on west. N on east and 2 on south side. Mesquite 12" in diameter marked = bears N 62 1/2 W 3.2 vs Elm 20" in diameter marked bears S 37 E 9.2 vs. At 29vs recross San Fernando Creek, at 102 vs recross San Fernando Creek, at 1900.8 vs set third mile post marked W on west, N on east and 3 on south side, a windmill bears S 11 3/4 W Mesquite 6" in diameter marked = bears S 57 1/4° W 47.2 vs, at 1900.8 vs set fourth mile post marked W on west, N on east and 4 on south side, a Mesquite marked = 6" in diameter bears N 75 W 29.9 vs, a Mesquite 8" in diameter marked = bears N 65 1/2"E 46.1 vs. At 347 vs pass S 88 34' E 5501.5 vs of the N.W.corner of the Paso Ancho de Aribo Grant, and the S.W. corner of the Los Sauces Grant, at 1900.8 vs set fifth mile post marked W on west, N on east and 5 on south side, a windmill bears N 60 1/4 W and a windmill bears N 74 1/2 W, a windmill bears N 85 1/2 W, the S.W. corner of Lot 14 ad the N.E. corner of Lot 13, Section 9 of a sibdivision of the Benton Pasture, bears 5 2° 39' W, 18.1 vs at 1900.8 vs set sixth mile post marked W on west, N on east and 6 on south side, a windmill bears N 25 1/2°W a windmill bears N 62 1/2 E, the S.E.corner of Lot 14, and the N.E. corner of Lot 13, Section 10, of a subdivision of the Benton pasture, bears S 2 39' W, 18.1 vs, at 1900.8 vs set seventh mile post marked W on west, N on east and 7 on south side, a windmill bears S 23 1/2 W, the S.E.corner of Lots 14, and the N.E.corner of Lot 13, Section 11, of a subdivision of the Benton pasture, bears S 2 39' W, 18.1 vs, at 285 vs cross Creek, at 855 vs cross Creek at 1235 vs cross Creek, at 1425 vs cross Precenos Creek, at 1900.8 vs set eighth mile post marked W onWest, N on east, and 8 on south side, Benton house bears N 54 1/2 w

counter 2553768 00 22200

South-East corner Lot 14, Section 12 and the N.E.corner of Lot 13 of Sec.12 of a subdivision of the Benton pasture, bears S.2⁹39' W 18.1 vs at 1900.8 vs set minth mile post marked W on West, N on East and 9 on south side, Benton house bears West, Cotton Gin at Bentonville bears N 74 1/4°W, smokestack of cotton gin at Agua Dulce bears N 52 1/2°E, at 1380 cross Tex-Nex. R.R., at 1407.4 set concrete around a stone the N.E. corner of Sec.13 and N.W.corner of Sec.14 of a subdivision of the Benton Pasture, for a corner of Jim Wells County and Nueces County. Said concrete marked J.W. on West and N. on South side. The N.W. corner of Los Sauces and the S.W. corner of Agua Dulce bears N 87°21' W 3801.6 vs.

5

Thence with the N line of the Los Sauces and the S. line of Agua Dulce S.87'21' E at 6.2 vs set concrete around a post, the S.E. corner of Lot B, of the R.King Farm Lots for a corner of Jim Wells County and Nueces County. Said concrete marked J.W. on West and N. on East.

Thence N.0 26' W with the E. line of Lots B, 17,18,19, and 20 and the W. line of the R.King lands and said line produced, at 1662.9 vs pass N.E. corner of Lot B and the S.E. corner of Lot 17 of the R.King farm lots at 1900.8 set first mile post marked W on the West, N on the East and 1 on the South side, at 1662.9 vs pass N.E. corner of Lots 17 and the S.E. corner of Lot 18 of the R. King farm lots 1900.8 vs set second mile post marked W on West, N on East and 2 on the South side, at 1343 vs pass S.81 E 2970 vs Vof the San Anto de Agua Dulce Grant, at 1662.9 vs pass N.E. corner of Lot 18 and the S.E. corner of Lot 19 of the R.King farm lots, at 1900.8 vs set third mile post marked W on the West, N on the East and 3 on the South side. At 1662.9 vs pass the N.E. corner of Lot 19 and the S.E. corner of Lot 20 of the R.King Farm lots, at 1900.8 vs set fourth mile post marked W on the West, N on the East and 4 on the South side, at 1662.9 pass N.E. corner of Lot 20 of the R.King farm lots at 1688 vs pass S S1 E 973 vs of the S.W. cofner of the Casa Blanca Grant, at 1900.8 vs set fifth mile post marked W on the west, N on the east and 5 on the south side, at 364 vs a creek, at 428 leave creek, at 1307 Agua Dulce Creek, at 1355 vs leave Agua Dulce Creek, at 1900.8 vs set the sixth mile post marked W on the west, N on the east and 6 on the south side. Mesquite 8" in diameter marked = bears S. 53 1/2 W 25.9 vs, Mesquite 6" in diameter bears N 72 W 10.3 vs, at 1372 vs pass S. 81 E 1753.3 vs from the N.W. corner of the R.King farm lots and the S.W. corner of the Thos.Ragland tract at 1900.8 vs set the seventh

Counter 5.55388. as show in L

mile post marked W on west, N on the east and 7 on the south side. Kings house bears S 11 $1/2^{\circ}E$, Raglands house bears N 47 $3/4^{\circ}E$, at 805.8 set stone and post for a corner of Jim Wells County and Nueces County. Said post marked J.W. on the West, N on the East. Kings house bears S, 9°E, windmill bears N 65 $1/2^{\circ}E$,

6

Thence N 47°08'E with the S.E. line of the John H.Gallagher and the N.W. line of Shares 10 and 1 of the Bluntzer partition produced at 1425 cross the Corpus Christi and Alfred road, at 1900.8 vs set the first mile ps post marked W. on N.W. and N on S.E., and 1 on SLW. side. At 340 vs cross road at 1900.8 vs set second mile post marked W. on N.W. side, N on S.E. side and 2 on S.W. side. A group of six mesquites, one marked = bears N SO W 41 vs, at 630 vs pass S 8'48' W 1320 vs from N.E. corner of Thos. Raglands tract, 500 vs corner of Bittermans and Armstrong lands, at1118 pass S 58 38' E 315 vs drom S.W corner of Armstrong tract, at 1355 vs cross Leon Creek, at 1772 vs pass S S'48' W 115 vs from N.E.corner Armstrong tract and the corner of Bittermans tract. At 1882.2 vs pass S. corner J.H. Gallagher and west corner Bluntzer partition, S 58'38' E 72 vs from N.W. corner of Armstrong tract and 816.8 vs from N.E. corner of Thos.Raglands tract. At 1900.8 vs set third mile post marked W on N.W. side, N on S.E. side, and 3 on S.W. side. Windmill at Armstrongs bears S 45'40' W, at 1900.8 vs set the fourth mile post marked W on the N.W. side, N on S.E. side and 4 on S.W. side. At 1725 vs cross Quinto Creek, at 1900.8 vs set fifth mile post marked W on the N.W. side, N on the S.E. side and 5 on the S.W. dide, Mesquite tree 10" in diameter marked = bears N 8 1/2 E 74.2 vs, Mesquite 8" in diamter marked - bears N 5 E 72 vs, at 1425 vs cross gully, at 1900.8 vs set sixth mile post marked W. on N.W. side, N on S.E. side and 6 on S.W. side. Mesquite 8" 'indiameter marked = bears 5 41 1/2°E 7.4 vs and forked Mesquite, with one hack on each branch, bears N 24 3/4°W 23.4 vs, at 986 vs cross LaGarto road, at 1900.8 vs set seventh mile post marked W on N.W. side, N on S.E. side and 7 on S.W. side. At 575 vs cross creek, at 1216 vs pass the north corner of subdivision 10 and the west corner of subdivision 1 of the Bluntzer partition, at 1900.8 vs set the eighth mile post marked W on the N.W. side, N on the S.E. side and 8 on the S.W. side. At 1900.8 vs set the ninth mile post marked W on the N.W. side, N on the S.E. side and 9 on the S.W. side. Mesquite 20" in diameter marked X bears N 41 1/2° W 20.3 vs, at 950 vs cross creek, at 1900.8 vs set the tenth

counter 5553925

mile post marked W on N.W. side, N on S.E. side and 10 on S.W. side. Mesquite 20" in diameter marked = bears N 58 1/4 W 13 vs, at 1900.8 vs set the eleventh mile post marked W on the N.W. side, N on the S.E. side and 11 on the S.W. side. At 509 vs set iron cog wheel on the bank of the Nueces River, at 520 vs break in the bank of the Nueces River and at"557 vs center of the River for a corner of Jim Wells County and a corner of Nueces County.

7

Surveyed April and May 1911.

Pat Furlong

Geo.Nayer Chain Carriers.

State of Texas,

County of Jim Wells.

grainty 55540

I, C.E.Haberer, County Surveyor of Jim Wells County, Texas, do hereby certify that the foregoin Survey was made according to law, and that it is correctly described in the foregoing report.

Witness my hand at Alice, Texas, this 7 day of June 191/

CEAtaheur County Surveyor Jim Wells County, Texas.

Jim Wells Co. Boly line Jun Well Co. boundary. $\langle \rangle$ *10 10 - 2 - 1 \$4.00 0 0 0 0 Pa Counter 55541