


Will Johnson County Stand 1187 1/2 W. and 1187 1/2 E. from the 1866



	Johnson	Tarrant		Johnson	Tarrant		Johnson	Tarrant
Johnson County School Land	1162 ²	874 ⁶	R. Doggett	275 ²	Bal	J.M. Zambrano	87 ²	Bal
Debby Morris	12 ²	Bal	J. Bodew	274 ²	Bal	W.H. Mumford	135 ²	Bal
A. Mathews	3 ²	Bal	J. Dodson	121	Bal	W.J. Brown	19	Bal
Unknown Survey	1 ²	Bal	P. Coldwell	11 ²	Bal	J.S. Hampton	29 ⁶	Bal
Jno. Gilliland	90 ²	Bal	W. Mendoza	191	Bal	J.W. Haynes	24 ²	Bal
Unknown Survey	17 ²	Bal	J.W. Corbitt	44 ²	Bal	B.B. B. & C.R.R. Co	63 ²	Bal
R.L. Franklin	78 ²	Bal	H.G. Cattlett	781	Bal	J.W. Haynes	27 ²	Bal
W.N. Riddle	57 ²	Bal	H. Alsbury	161 ²	Bal	E. Gibbs	114 ²	Bal
J.S. Armstrong	21	Bal	H. G. Cattlett	598 ²	Bal	S.T. Allen	309	Bal
S.B. Kirkham	49 ²	Bal	Sarah Gray	330	Bal	C. Langston	13	Bal
W. Kinney & Williams or Socoro Farming Co.	40	Bal	Abner Lee	563 ²	Bal	S. S. Carpenter		

Will report acres of the Mitchel survey, when the S.E. cor of Johnson county is definitely located

Johnson Co. Bdry. line (2)
Johnson + Tarrant Co.
Bdry. line
file w/ # (2)

To the Hon. Commissioners Court Johnson County.

In obedience to your order at September term 1881, I met the surveyor of Tarrant County, and we proceeded to establish definitely the boundary line between Johnson & Tarrant. Reversing on the field notes for the Western boundary of Tarrant County, as made by A. G. Walker, about 1854, we established the S.W. cor. of Tarrant County. This point we identified, by the field notes above mentioned, and are satisfied that this corner stands, where it was placed, by the said A. G. Walker, in Johnson County School Land Survey No. C. 2965 - ors. W. and 980 ors. S. from the N.E. cor. of same, and Co ors. E. of the divide of a ravine, that runs N. into Bear Creek, and S. into Mustang Creek. The monument for this corner, a large stone, set in the earth two feet high and marked 1881 P.T. whence the chimney in the center of Withers residence, brs. S. 43° W. and the chimney at the E. end of G. L. Poforths residence brs. N. 3° - $40'$ W. and the Cupola on his barn brs. N. 4° - $30'$ W. and a low Live Oak, on a high prairie, brs. N. 3° - $30'$ E. From this point, we proceeded E. on an air line, using a transit, and turning off a right-angle at S.W. cor. of Tarrant, running through the entire line without the use of the needle. Magnetic Variation read by instrument on W. E. line of Tarrant County 9° East.

Thence E. from S.W. cor. at 1900 ors. the 1st mile, a large stone buried in the earth, and a stone & dirt mound 2 feet high over the buried stone, which stands on the N. bank of a draw running E. 90 ors. W. from a draw running south.

Thence E. at 2965 vrs. the E. B. line of sd. Johnson County School Land
980 vrs. S. of its N. E. cor. ^{2d} 20 vrs. N. of the S. W. cor. of Debby Morris Sur-
vey ^{2d} N. W. cor. W. H. Landrum, at 3509 vrs. a drain, course South, at
3800 vrs. the 2nd mile, a large stone set in the earth 2 feet high, marked
2. thence Lead Peak brs. S. 53° 10' E. ^{2d} and the residence of Mr. Fletcher
in Tarrant County on the Heath Survey, brs. N. 49° E.

Thence E. at 4448 vrs. a drain, course S. E. at 4664 vrs. another ^{2d} larger
drain, the line crossing the latter 36 vrs. N. of the confluence of the two,
at 5700 vrs. the 3rd mile, a large stone set in the earth 2 feet high, stand-
ing on the E. slope of a hill ^{2d} marked 3.

Thence E. at 6478 vrs. the E. B. line of Debby Morris. 20 vrs. N. of its S. E.
corner ^{2d} the W. B. line of the A. Martin Survey, 20 vrs. N. of its S. W. cor. at
6528 vrs. the W. bank of Mustang Creek, at 6560 vrs. the center of channel of sd.
creek, at 6575 vrs. the E. bank of same at a large Elm marked. ¹ on the N
side - the tree standing 8 vrs. S. of the mouth of a ravine running into
Mustang from the East. at 6636 vrs. enters the prairie on the E. side of
the timber ^{or} Mustang, where a high hill stands. ¹ of the line ^{2d} a ravine
of scrubby Elms stands S. of the line which passes on the S. edge of
the S. E. slope of sd. hill, at 6942 vrs. the line crosses the ravine
referred on S. of line, near the head of sd. ravine, where a lone
Elm stands 50 vrs. N. of the line. at 7428 vrs. the E. B. line of sd. Martin Survey.
20 vrs. N. of its S. E. cor. ^{2d} 20 vrs. N. of the S. W. cor. of an unknown survey. at 7600 vrs. ¹
the 4th mile, a large stone set in the earth 2 feet high marked 4.

Thence E. at 7740 vrs. a ravine, course North, at 7978 vrs. the W. B. line of Tho.
Lilleland Survey 330 vrs. N. from S. W. cor. at 9500 vrs. the 5th mile (marked 5) a
large stone set in the earth. Thence E. at 9604 vrs. the E. B. line of sd. Lil-
leland ^{2d} the W. B. line of an unknown survey (22 vrs. wide) 330 vrs. N. from ¹
the S. E. ^{2d} S. W. corners respectively, at 9820 vrs. the E. B. line of sd. unknown
survey & the W. B. line of V. L. Franklin, 450 vrs. N. of the S. W. cor. of latter ¹
at 10806 vrs. the E. B. line of sd. Franklin & W. B. line of W. N. Riddle 500 vrs. ¹
S. of the N. E. & N. W. cors. respectively. at 11700 vrs. the 6th mile, a large stone
set in the earth 2 feet high marked 6.

Thence E. at 11966 vrs. the E. B. line of sd Biddle and W. B. line of
J. S. Armstrong, 280 vrs. N. of the S. E. and S. W. corners respectively. x
at 12156 vrs. rock creek, course North, at 12391 vrs. the E. B. line
of sd. Armstrong and W. B. line of S. B. Kirkham, 280 vrs. N. of the x
S. E. and S. W. corners respectively, at 13300 vrs. the 7th mile, a large
stone set in the earth 2 feet high marked 7. This monument
stands in a peach orchard on the E. side of sd Kirkham
survey. Thence E. at 13382 vrs. the E. B. line of sd. Kirkham and
W. B. line of McKinny and Williams or Socors Farming Co. 280 vrs. N. x
of the S. E. and S. W. cor. respectively, at 14190 vrs. the E. B. line of sd.
Farming Co. and W. B. line of R. Doggett 200 vrs. S. of sd x
Doggett's N. W. corner, at 14468 vrs. Doggett's Branch, course N. W.
at 15200 vrs. the 8th mile, a large stone set in the earth
marked 8 standing 20 vrs. W. from a ravine.

Thence E. at 15220 vrs. a ravine, at 15242 vrs. another ravine, at 15538
vrs. the E. B. line of R. Doggett and W. B. line of J. Boden (and the
center of Cleburne and Fort Worth Stage road) 200 vrs. South x
of the S. E. and S. W. corners respectively, at 15920 vrs. enters a
peach orchard on the W. side of sd Boden, passing
S. of the N. row of trees in sd. orchard, at 16892 vrs. the
E. B. line of sd. Boden 200 vrs. S. of his N. E. cor. and 136 vrs. x
S. of the N. W. cor. of J. Dodson survey, at 17100 vrs. the 9th
mile a large stone set in the earth 2 feet high & marked 9.

Thence E. at 18190 vrs. the E. B. line of sd. Dodson 136 vrs. S. of his
N. E. cor. and 75 vrs. N. of his S. S. E. cor. and the W. B. line of the P. Cold-
well 75 vrs. N. of his S. W. cor. at 18684 vrs. the S. prong of Deer Creek x
just N. of the N. W. of P. Braunsoms horse lot on the P. Cold-
well survey, at 19000 vrs. the 10th mile, a large stone set in
the earth 2 feet high marked 10. R & E.

Thence E. at 19110 vrs. the E. B. line of P. Coldwell and W. B. line
of W. Mendoza, 75 vrs. N. of the S. E. cor. of sd Coldwell, at x

20063 vrs. the E. B. line of sd. Mendoza ^{and} W. B. line of G. W. Corbitt
282 vrs. N. of the S. W. cor. of sd. Corbitt. at 20900 vrs. the 11th. mile, a stone
set in the earth below the surface by the side of the W. Rail of the
Santafe R.R. marked 11, whence a cedar Telegraph pole
marked XT stands 30 feet W. ^{and} 70 feet N. of the buried stone.
Thence E. at 21100 vrs. the E. B. line of sd. Corbitt, 23 vrs. S. 45° W. from the
N. S. E. cor. of same ^{and} 644 vrs. S. 45° W. from the S. W. cor. of
H. G. Cattell. at 22017 vrs. the E. B. line of sd. Cattell ^{and} W. B. line of H.
Alsbury, 644 vrs. S. 45° E. from the N. E. ^{and} N. W. corners res-
pectively, at 22196 vrs. enters the timber on W. side of what is known
as "Brushy Knot", near the residence of James Thompson, the
line passing between his smoke house ^{and} residence, (the former
South line ^{and} latter North) entering the timber at a P. O. 12 in
diameter, marked with 5 hacks on the S. side ^{and} X on the N.
side, sd. tree 6 inches N. of the line. at 22800 vrs. the 12th
mile, a very large sand stone, notched N ^{and} S. ^{and} 12
cut on E. side of the notch.

Thence E. at 23012 vrs. the highest point on sd. Brushy Knot. on the line
at 23857 vrs. the S. E. B. line of sd. Alsbury 1256 vrs. N. 45° E. from
the S. W. cor. of same ^{and} the N. B. line of another H. G. Cattell
Saney 644 vrs. S. 45° W. from the N. E. cor. of same, at 24700 vrs.
the 13th. mile a stone set in the earth. marked 13.

Thence E. at 24772 vrs. the N. E. B. line of sd. Cattell ^{and} S. W. B. line
of Sarah Gray 1256 vrs. N. 45° W. from the S. E. cor. of sd. Cattell
^{and} 1884 vrs. N. 45° W. from the S. W. cor. of Sarah Gray, at 25549
vrs. the W. P. R. R. at 26524 vrs. a prong of Village Creek, at
26600 vrs. the 14th mile, a large stone set in the earth
2 feet high, marked 14.

Thence E. at 26996 vrs. the E. B. line of Sarah Gray ^{and} W. B. line of A. Lee
1120 vrs. N. of the S. E. ^{and} S. W. corners respectively, at 27536 vrs. Fort Worth ^{and} Alvarado
road, at 28220 vrs. a ravine, running into Village Creek, which is S. of the line.

at 28800 vrs. the 15th mile, a stone set in the earth marked 15.

Thence E. at 29462 vrs. Village Creek, curve at crossing of line N. at 29835 vrs. the E.B. line of sd. Lee 1120 vrs. S. of the S.E. cor. of same ^{and} 162 vrs. N. of S.W. cor. of J.M. Zambrano, at 30400 vrs. the 16th mile in the E. edge of a small prairie, a very lge stone 3 feet high, marked 16, whence a P.O. 10 in di. marked T. vrs. N. $81^{\circ}E$. 8 vrs. ^{and} a P.O. 10 in di. marked T. vrs. N. $46^{\circ}E$. 3 vrs.

Thence E. at 31607 vrs. a ravine, at 31700 vrs. the E.B. line of sd. Zambrano 162 vrs. N. of its S.E. cor. at 32000 vrs. the W.B. line of W.B. Mumford. 100 vrs. S. $30^{\circ}E$. from his S.W. cor. at 32300 vrs. the 17th mile, a large stone set in the earth marked 17.

Thence E. at 33110 vrs. the E.B. line of sd. Mumford 335 vrs. N. $30^{\circ}W$. from S.E. cor. of same, in N.B. line of W.B. Stout, at 33564 vrs. passes the S.W. cor. of ~~sd~~ Nichols $\frac{1}{2}$ vrs. N. of same, at 33578 vrs. the N.B. line of sd. Nichols, at 34200 vrs. the 18th mile, a very large mound of sand & rock, covered over with earth & a rock on top marked 18.

Thence E. at 34642 vrs. the E.B. line of sd. Nichols 542 vrs. S. $30^{\circ}E$. from the N.E. cor. of same, ^{and} 414 vrs. N. $30^{\circ}W$. from S.W. cor. of J.S. Hampton, at 35555 vrs. the S.E.B. line of J.S. Hampton ^{and} N.W.B. line of Johnson 25 vrs. S. $30^{\circ}W$ from N.E. cor. of sd. Johnson, at 35590 vrs. the E.B. line of sd. Johnson ^{and} W.B. line of J.W. Haynes, at 35990 vrs. the E.B. line of sd. Haynes ^{and} W.B. line of B.B.B. & C.R.R. Co. 267 vrs. S. from the N.E. ^{and} N.W. corners respectively, at 36100 vrs. the 19th mile, a large stone 2 feet high marked 19.

Thence E. at 36521 vrs. the E.B. line of sd. R.R. Co. ^{and} W.B. line of J.W. Haynes 267 vrs. S. of the N.E. ^{and} N.W. corners respectively, at 36842 vrs. the E.B. line of sd. Haynes, 267 vrs. S. of N.E. corner, ^{and} W.B. line of E. Gibbs 267 vrs S. of its N.W. cor., at 37792 vrs. the E.B. line of sd. Gibbs ^{and} W.B. line of S.T. Allen, 280 vrs. S. of the N.E. ^{and} N.W. corners respectively. at 38000 vrs. the 20th mile a stone 2 feet high marked 20.

Thence E. at 38113 vrs. the E.B. line of sd. Allen ^{and} W.B. line of H. Langston 288 vrs. N. $30^{\circ}W$. from S.W. cor. of sd. Langston, at 38699 vrs. the S.B. line

of sd Langston ^{2nd} N.B. line of S.L. Carpenter, 28 vrs. S. 60
W. from S.E. cor. of H. Langston ^{And} 379 vrs. N. 60° E. from
N.W. cor. of sd. Carpenter, at 38723 vrs. passes the S.E. cor. of
sd. Langston, 14 vrs. due S. of same, at 39900 vrs. the
21st mile, a stone set in the earth 2 feet high marked 21.

Hence C. at 40385 vrs. the E.B. line of sd Carpenter ^{And} W.B. line
of J. Bridgman 832 vrs. S. 30° E. from the N.E. ^{And} N.W. corner
respectively, at 40766 vrs. Walnut Creek, at 40868 vrs. crosses sd
creek again, at 41720 vrs. crosses Walnut Creek again, at
41800 vrs. the 22nd mile a large stone marked 22.M.

Hence C. at 42682 vrs. the S.B. line of J. Bridgman ^{And}
N.B. line of W. D. Dickey 75 vrs. S. 60° W. from S.E.
cor. of sd. Bridgman, at 42788 vrs. the W.B. line of
D.J. Hanks, 1850 vrs. N. 30° W. from S.W. cor. of same, at
43400 vrs. enters the prairie, at 43700 vrs. the 23
mile, a large stone 2 feet high marked 23.

Hence C. at 45600 vrs. the 24th mile, a large stone marked 24.

Hence C. at 46357 vrs. the E.B. line of sd. Hanks, 97 vrs. N. 30°
W. from S.E. cor. of same, ^{And} S.W. cor. H. C. Rice, at 46550
vrs. the S.B. line of sd. Rice ^{And} N.B. line of D. McQueen 174
vrs. N. 60° E. from N.W. cor. of same, at 47500 the 25th
mile, a large stone 2 feet high marked 25.

Hence C. at 48400 vrs. the S.B. line of sd. McQueen
128 vrs. S. 60° W. from S.E. cor. of same, at 48580 vrs.
W.B. line of Jno Robertson, at 48762 vrs. N.B. line of
D. Delay, at 49062 vrs. E.B. line of sd Delay ^{And} W.B.
line of Jno. Robertson, at 49400 vrs. the 26th mile, a
large stone 2 feet high marked 26.

Hence C. at 49812 vrs. the S.B. line of
Jno. Robertson, ^{And} N.B. line of Mitchel,
at 51272 vrs. we erected a monument in

in the Mitchel Survey, which
stands 280 vrs. N. 30° W. and 72 vrs.
W. from the S. E. cor. of sd Mitchel.
This monument is subject to such change
E, or W. as the line between Ellis and John-
son may require, and cannot be fixed
until the boundary of Johnson and Ellis is def-
initely located; and would respectfully recom-
mend the early settlement of this boundary.

I, Jno. R. Ransome, Surveyor
Johnson County, do hereby certify that the
foregoing work was done upon the ground
according to law, and that the same is truly
represented in the plat and field notes
herewith submitted

Jno. R. Ransome
Surveyor J. C. T.



The State of Texas, J. H. E. Adams, Clerk of the
 Johnson County, County Court of Johnson
 County, Texas, do hereby certify that the within
 report and ^{with} map of the line were on the 13th day
 of February, 1882, approved and ordered to record
 by the Commissioners Court of Johnson
 County, Texas; And J. H. E. Adams, Clerk as
 aforesaid, do hereby further certify that
 the said report and map of the line (the said map,
 however, as recorded being on a smaller size than
 original herein) were by me recorded in the
 Minutes of the said Commissioners Court of
 Johnson County, Texas, for the February Term,
 1882, in Book 18 Minutes of said Court on
 pp. 319, 320, 321, 322, 323, 324, 325, & 326 thereof.

Given under my hand and
 Seal of the Commissioners
 Court of Johnson County, Texas,
 the 22^d of February, 1882.
 J. H. E. Adams, Clerk
 Co. Clk. Johnson Co. Tex.

Filed Feb'y 24th 1882.

Report of survey
Johnson County Texas
Com

2

Johnson Co. Bluff line

Abstract correct
Beaman
 1884