

## Clerk of the County &amp; District Courts,

JONES COUNTY TEXAS.

W. H. SMITH, Clerk.

Austin, Texas, March 19<sup>th</sup> 1882

Hon W. C. Walsh  
 Commissioner of the Land Board Office  
 Austin

Dear Sir,

Enclosed herewith I hand you, Report  
 of Martin Duval, Surveyor appointed  
 by the Hon Commissioners Court of this Co  
 to Run, Mark, and Establish the Boundaries  
 of said Co, which report was received 3d  
 approved, by said Comm<sup>r</sup>s Court on the 14<sup>th</sup>  
 Inst, and was filed in my office for Record  
 on same day, and recorded on the 18<sup>th</sup> day  
 of same month, as per my certificate  
 thereto attached.

I am Respectfully  
 W. H. Smith clk  
 C. C. J. C. Dwyer

Filed Mar

Office of the  
Jones County Sheriff

JONES COUNTY TEXAS

3-19-1882

Jones Co. Body

Counter 55684

The State of Texas  
County of Jones

Field Notes of a Survey of the Boundaries  
of Jones County made in accordance  
with an order of the Commissioners  
Court of Said County Dec 28<sup>th</sup> 1851  
South Line

Beginning at a stone 3 $\frac{1}{2}$  feet high mhd  
on East side SWC.SC., on West side S.E.C.S.C.  
NEC.TC. from which S E cor of survey was  
made for the Blind Asylum bears. N 70 $\frac{1}{4}$ E  
870 m. { This corner was established by running  
30 miles due west from the N W cor of  
Eastland Co in conjunction with the Survey no  
of Shackelford & Taylor Counties as per accompanying  
Certificate. }

Thence West at 1081 m cross West line of Survey  
No 11 made for the Blind Asylums 301 m North  
0 $^{\circ} 15' W$  from its S W corner. At 1750 m a road.

at 1 mile a stone 14" high set firmly in  
the ground mhd S E J C W 1 }

at 1 mile 1081 m cross West line of Survey  
No 12 Blind Asylum 309 m North from its  
S W corner. At 2 miles a stone 14" high  
mhd S E J C W 2 }

at 2 miles 1081 m cross West line of Survey  
No 13 Blind Asylum 317 m North from its  
S W cor. At 2 miles 1480 m Albany & Buffalo  
Gap road at 3 miles a stone 14" high set  
firmly in the ground mhd S E J C W 3 }

+  
610  
E  
52-5

Filed March 24<sup>th</sup> 1882.

R. M. G.

(2)

Original corners not found  
on Clear Fork W.D. Hwy 66  
corners added by  
Seylum Sand held good over  
a broad pier. Should be 1081 feet

## Field Notes of South Line of Jones Co Continued

At 3 miles + 400 m a small drain C. S. N at 500  
m same drain C. S. N At 5-96 m same drain C  
N. At 660 m cross East line of Survey No 80  
in the name of J. D. Johnson 290 m South  
from its NE cor as established by the T & P  
Rwy Co at 695 leave drain C. S. N at 1120 m  
same drain C. N. N at 4 miles <sup>a stone</sup> 15" high mhd  
S I J C W 4 }

At 4 miles 760 m Cedar Creek C. S. 72° N at 4 miles  
1070 m drain C. S. 10° E 200 m to cedar at 4 miles  
1460 m Phantom Hill & Abilene road. At 5 miles  
a stone slab 15" high mhd S I J C. W 5 }

At 5 miles 280 m Clear Fork C. S. 19° E. At 5 miles  
965 m a drain C. S. S at 5 miles + 1200 m same  
drain C. S. S at 6 miles a stone 2' high mhd  
S I J C. W 6 } { This post stands on east side of road from mouth  
of Evans creek to Abilene }

at 6 miles + 100 m a drain C. S. 80° E at 1640 m  
a drain C. S. S at 18.35 m same drain C. S. S.  
at 7 miles a stone 15" high set firmly in the ground  
mhd S I J C. W 7 }

At 7 miles + 40 m same drain C. S. S at 8 miles  
a stone 14" high, set firmly in the ground, mhd  
S I J C. W 8 }

At 8 miles 443 m a drain C. S. 30° E at 8 miles 1703 m  
cross West line of Survey No 20 in the name of Alex  
Thompson & East line of Survey No 57 Blk 16-350 m  
north from the S. S. corner of said 57

X note Original corners on Clear  
Fork not found W.D. Hwy 66  
New corners added by

Field Notes of South Line of Jones Co  
Continued.

At 9 miles a stone 14" high set firmly in the ground mhd S.L.J.C.W.9}

(4) At 9 miles 811 m cross West line of Survey no 51 Blk  
16 - 578 m N 13° W from the S E cor of said no 51.

at 9 miles 1540 m Double Mountain & Abilene Road  
C 442° N at 9 miles 1786 varas cross West line of  
Survey no 52 Blk 16 - 797 m N 13° W from the  
S W corner of said no 52. at 10 miles a stone 15"  
high set firmly in the ground mhd S.L.J.C.W.10}

At 10 miles 420 m St Griffin & St Concho Road  
at 10 miles 460 m a drain C 415° E at 1170 m  
small creek C 425° E at 10 miles 1836 m cross  
West line of Survey no 22 Blk 16 - 1235 m N 13° W  
from the S W corner of said no 22.

X At 11 miles a stone mhd S.L.J.C.W.11}

+ At 11 miles 1886 m cross West line of Survey no 15 Blk  
16 - 227 m S 13° E from S W corner of said no 15  
{course & distance corners not found} at 12 miles

a stone set firmly in the ground mhd S.L.J.C.W.12}

At 12 miles 462 m cross West line of Survey  
no 10 Blk 16 or East line of Survey no 37 Blk  
17 - 606 m S 15° W from the S E corner of  
said no 37 {original cor found}

At 12 miles 1541 m cross East line of the  
David Bruce Survey no 135 - 1535 m N 14° 36' W  
from the S W cor of said Survey, {according to  
calculation based on original corners of Survey no 125  
found, could not find other original corners of  
old Leagues}

(7)

Field notes of the South line  
of Jones Co continued

At 12 miles 1865 no cross West line of  
Survey no 37 Block 17 {according to calculation,  
cor not established} 963 no N 14° 42' E from  
S W cor of said no 37.

At 13 miles a Stone 15" high mhd  
S I J C W 13 }

At 13 miles 1622 no Evans Creek C S 43° W

At 14 miles a Stone 16" high mhd S I J C W 14 }

At 15 miles a Stone 15" high mhd S I J C W 15 }

At 15 miles 114 no a point 472 no S 15° E  
from established S E corner of Survey no 23

Block 17, {found} at 15 miles 1218 no cross  
West line of David Bruce Survey 2130 no

\* pole lines of old surveys \* 14° 36' E from the S W cor of said Bruce survey

At 16 miles a Stone 18" high mhd S I J C W 16 }

At 16 miles 151 no cross South line of Survey  
no 24 Blk 17. At 16 miles 802 no cross West  
line of said no 24 201 no N 15° E from the  
S W cor {found & identified}

at 17 miles a Stone 18" high mhd S I J C W 17 }

At 17 miles 174 no cross West line of Survey

no 25 Blk 17 - 525 no N 15° E from S W cor of  
said no 25. At 17 miles 1492 no cross West  
line of Survey no 26 Blk 17 - 848 no N 15° W  
from S W corner of said no 26. At 18 miles  
a Stone 15" high mhd S I J C W 18 }

At 18 miles 688 no cross East Ave Grimes Co  
School Land League Survey no 124

+ pole lines of old surveys  
on land lines nearly  
consecutive with course  
of the line

\* pole lines of  
old surveys  
trace with my  
instrument at  
a var of 10° 12' E

Field notes of the South line of  
Jones Co continued

825 m<sup>s</sup> S 14° 36' E from the N E cor of said no 124

At 19 miles a stone 14" high m<sup>h</sup> S L J C W 19 }

X At 20 miles a stone 18" high m<sup>h</sup> S L J C W 20 }

At 20 miles 158 m<sup>s</sup> cross South line of De Witt  
Co School Land, League Survey no 125 - 1848

X m<sup>s</sup> at N 75° 24' E from the S  $\frac{1}{4}$  cor of said survey no 125,  
at 20 miles 1440 m<sup>s</sup> a drain C N E

at 21 miles a stone 18" high m<sup>h</sup> S L J C W 21 }

At 21 miles 159 varas cross West line of  
De Witt Co School Land League Survey no 125-

480 m<sup>s</sup> N 14° 36' E from the S  $\frac{1}{4}$  corner of said

no 125, at 22 miles a stone 15" high m<sup>h</sup>  
S L J C W 22 }

original N W cor  
also, but could  
find no other  
marks on old  
Leagues

At 22 miles 1040 m<sup>s</sup> a drain C North at 23  
miles a stone 16" high m<sup>h</sup> S L J C W 23 }

At 23 miles 1529 m<sup>s</sup> cross West line of De Witt  
Co School Land League Survey no 149 - 1785 m<sup>s</sup>

N 14° 36' E from the S  $\frac{1}{4}$  corner of said no 149.

At 24 miles a stone 15" high m<sup>h</sup> S L J C W 24 }

At 24 miles 360 m<sup>s</sup> Bitter creek C N W changing  
at 40 m<sup>s</sup> to N 60° E at 425 m<sup>s</sup> same crk C S E

at 600 m<sup>s</sup> bend of same crk at 660 m<sup>s</sup> same crk  
at 24 m<sup>s</sup> 635 m<sup>s</sup> from East line of Survey no 25 22418-752 m<sup>s</sup> 018° E from S E corner no 25

X at 25 miles a stone 14" wide x 14" high m<sup>h</sup>

S L J C W 25 }

At 25 miles 685 m<sup>s</sup> from East line of Survey no 26 32430 S 18° E from its N E corner

At 25 miles 1223 m<sup>s</sup> Centre line road at 26 miles a  
stone 18" high m<sup>h</sup> S L J C W 26 }

X At 26 miles 735 varas cross East line of Survey no 27  
Blk 18-103 m<sup>s</sup> N 15° E from the S E cor of said no 27

at 27 miles a stone 18" high m<sup>h</sup> S L J C W 27 } { set in  
a creek }

Field notes of the South line  
of Jones Co continued

At 27 miles 240 m bend of same creek 20 m  
south of line at 27 miles 776 m cross West line  
of Survey No 20 Blk 19 - 546 ft 13° N from the S E  
corner of said No 20 at 27 miles 1290 m a creek  
C N 35° E at 28 miles a stone 16" high mkl  
**S I J C W 28 }** { set on S E slope of a gravelly hill }  
at 28 miles 826 m cross West line 776 ft 19-973 m N 15° N from S E corner  
At 28 miles 1590 m a drain C S E at 29 miles  
a stone 18" high mkl **S I J C W 29 }**  
At 29 miles 120 m a drain C N 45° E at 29 miles  
855 m cross West line of Survey No 22 Block  
19 - 215 m S 13° E from N E cor of said 22 on  
South line of Robt Spiers Survey as established  
by the I & P Rwy Co. at 29 miles 1685 m cross  
South line of Robt Spiers Survey, 853 m S 75° N  
from the S E corner of said Survey as established  
at 29 miles 1685 m S 75° N  
by the I & P Rwy Co., at 29 miles 1780 m a drain  
C S E at 30 miles a stone 6" x 10" x 2" high  
mkl **S I J C W 30 }** { S.W.C } Set 1060 m S 75° N + 55.6 m  
N 14° N from the South East corner of survey  
No 283 in the name of Robt Spiers; as established  
by the I & P Rwy Co.

Sur N 23 I & P Ryle - Blk 19 - 350 acres Taylor  
16 1/2 acres  
" " 24 " " State See 111 " Nolan  
" " " all in Nolan

Jones Co. Barry Line 1  
South Line

Counter 55641

Jones Co. Barry Line #1

7-A

Field Notes of a Survey of the boundaries  
of Jones County made in accordance  
with an order of the Commissioners  
Court of said Co dated the 28<sup>th</sup> day  
of Decr 1881

\* West Line

Beginning at a stone 6" x 10" x 2' high  
mkd ST JC W30; SWC} set 1060 m<sup>s</sup> 17<sup>15</sup>' N  
& 55.6 m<sup>s</sup> N 14<sup>37</sup>' E from the S E cor of survey  
No 283 in the name of Robt Spiers { as  
established by the T & P Hwy Co  
Hence north at 1 mile a stone 18" high  
mkd WL JC N 13 }

X At 2 miles a stone slab 2' high mkd  
WL JC N 23 } from which a bunch of brush  
on a small lone mountain in Sweetwater  
valley bs N 63° 30' W the north point of  
a rock on another lone peak bs  
at 2 miles N 63° 30' W from its S E cor of survey  
4025 m<sup>s</sup> N 14<sup>37</sup>' E from its S E cor of survey  
N 61° E, - at 2 miles & 800 m<sup>s</sup> a Branch  
C N 40° W at 2 miles 1715 m<sup>s</sup> another  
branch C N 80° W junction of two 180 m<sup>s</sup>  
below at 3 miles a stone 20" high mkd  
WL JC N 3 } same brush on lone mountain  
noted at 2nd mile post bs S 26<sup>14</sup>° W &  
same rock on lone peak bs N 18<sup>14</sup>° E  
At 4 miles a stone 14" high mkd WL JC

N 4 }

At 4 miles N 14<sup>37</sup>' W from S E cor of survey No 282 in name of Mr  
Littlefield 4025 m<sup>s</sup> N 14<sup>37</sup>' E from S E cor of said No 282  
At 4 miles 495 m<sup>s</sup> channel of Branch C N 70° W 300 m<sup>s</sup>

to Sweetwater, 8.

At 5 miles a Stone 2" high mld  
WLJC N 5 } { Set 75 m. East of Sweetwater }  
At 5 miles 495 m. Sweetwater C S 32° E  
at 5 miles 950 m. a drain C N 75° E to  
Sweetwater. At 6 miles a Stone 20"  
high mld WLJC N 6 } { Set 12 m. north of a drain }  
C of drain S E.

At 6 miles 1850 m. a drain C N 65° E at  
7 miles a Stone 2" high mld WLJC N 7 }

At 8 miles a Stone 18" high mld WLJC N 8 }

At 8 miles 1170 m. cross Raven creek C N 60° E  
at 8 miles 1232 same creek C N W at 8 miles  
1272 m. same creek C S E at 9 miles  
a Stone 14" high mld WLJC N 9 }

At 9 miles 334 m. south bank of Big Elm creek  
C S 32° E at 9 miles 358 m. north bank.

+ This connection  
is from calculation.  
could not find  
original corner  
on Sweetwater or  
Little Elm road.  
X

at 10 miles a Stone 15" high mld WLJC N. 10 }  
at 10 miles 268 m. cross 4 miles Survey 361 m. S 75° E from 360 m. 20'  
at 10 miles 358 m. Road at 10 miles + 1000  
m. enter Shiner at 11 miles a stone 20" high  
mld WLJC N 11 }

At 12 miles a Stone 15" high mld WLJC N 12 }

At 13 miles a Stone 18" high mld WLJC N 13 }

At 13 miles 1265 m. a point 457 m. S 75 1/4 W  
from the S 1/4 corner of Goliad Co School  
+ at 14 miles a Stone 14" high mld WLJC N 14 }

Land League No 360. at 14 miles 1160 m. cross  
West line of said No 360 - 1736 m. N 14 1/4 W from  
the S 1/4 cor of said No 360, at 15 miles  
a Stone 15" high mld WLJC N 15 }

Field Notes of West line of Jones County  
Continued

At 15 miles 243 m<sup>s</sup> cross North line of  
Goliad Co School Land League Survey no  
360-250 m<sup>s</sup> N 75 1/4° E from its S W cor  
at 15 miles 1530 m<sup>s</sup> North edge of Shineroy  
at 16 miles a Stone 18" high m<sup>hd</sup> WLJC N 16 }

At 16 miles 903 m<sup>s</sup> cross North line of Goliad  
Co School Land League Survey no 359-927  
m<sup>s</sup> N 75 1/4° E from its S W corner, at 16 miles  
1530 m<sup>s</sup> a chain C 480° E for 200 m<sup>s</sup>. Then  
course changes to about 43° at 17 miles  
a Stone 18" high m<sup>hd</sup> WLJC N 17 }

At 17 miles 1738 m<sup>s</sup> cross North line of  
Goliad Co School Land League Survey  
no 358-1623 m<sup>s</sup> N 75 1/4° E from its N W cor.  
at 18 miles a Stone 18" high m<sup>hd</sup> WLJC  
N 18 }

At 19 miles a Stone 16" high m<sup>hd</sup> WLJC N 19 }

At 19 miles 773 m<sup>s</sup> cross North line of Survey  
no 357 in the name of P Rodriguez 2329  
m<sup>s</sup> N 75 1/4° E from its S W cor, at 20  
miles a Stone 15" high m<sup>hd</sup> WLJC N 20 }

At 20 miles 1225 old Double Mountain &  
Fort Griffin Road at 20 miles 1608  
m<sup>s</sup> cross North line of Survey no 356 in  
the name of P De La Garza 3025 m<sup>s</sup> N 75 1/4° E  
from its S W corner, at 21 miles a  
Stone 20" high m<sup>hd</sup> WLJC N 21 }

At 22 miles a Stone 18" high m<sup>hd</sup> WLJC N 22 }

At 22 miles 541 m<sup>s</sup> cross North line of Survey no  
355 in the name of Austin & Williams 3719 m<sup>s</sup>

- 3700  
2200  
1600  
600
- At  $75\frac{1}{4}$  E from its N W corner.  
At 23 miles a Stone 18" high mkd WZJC N 23 }  
At 23 miles + 50 m Abilene & Double Mountain  
Fork Road c 142° N at 23 miles 1374 m  
cross North line of Survey no 354 in the  
name of Austin & Williams 4413 m S  $75\frac{1}{4}$  E  
from its N W corner. at 24 miles  
a Stone 20" high mkd WZJC N 24 }  
At 24 miles 592 m California creek c 180° E  
at 25 miles a Stone 15" high mkd WZJC N 25 }  
At 25 miles 157 m cross North line of Survey  
no 353 in the name of Chas Gates. 4928  
m S  $75\frac{1}{4}$  N from its N E corner. at 26 miles  
a Sandstone 20" high mkd WZJC N 26 }  
at 26 miles 1044 m cross South line of  
Survey no 180 made for the BBB & CR Co  
157 m S  $89^{\circ}40'$  E from its S W corner  
at 27 miles a Sandstone 18" high mkd  
WZJC N 27 }  
At 27 miles 1044 m cross North line  
of Survey no 180 made for the BBB & CR Co  
146 m S  $89^{\circ}40'$  E from its N W cor. at  
28" miles a Stone 15" high mkd WZJC N 28 }  
At 28 miles 1044 m cross North line of  
Survey no 179 BBB & Co surveys 135 m  
S  $89^{\circ}40'$  E from its N W corner, at 29 miles  
a Stone 2" high mkd WZJC N 29 }

Field notes of the West line of  
Jones Co continued

At 29 miles 1040 m cross North line  
of Survey No 178 BBB & Survey 124 m  
 $189^{\circ}45' E$  from its N W corner. at 30  
miles set a stone slab 14" x 2" high. ~~for~~  
N W corner of Jones County. mhd  
WLJC. N30, NWc, JC }

Jones Co Barly Line 1  
West Line

2 9

Counters 55647

Variation  $10^{\circ} 45' E$

Jones Co. Bdry ①

Field Notes of a Survey of the Boundaries  
of Jones County made in accordance with  
an order of the Commissioners Court of  
said Co dated 28<sup>th</sup> day of Decr 1881  
North Line

Beginning at a Stone Slab 14" wide x 2' high  
Set for the N W corner of Jones Co and  
whd WL JC N 30, NW C. JC } Set on Survey no  
349 made for Austin & Williams according to  
Calculation 2954 m S 75 1/4<sup>o</sup> N & 1586 m North  
from its S E corner. { no corners found }

Thence East at 1 mile a stone 14" wide x 14" high

whd NL JC E 1 } At 1 mile 370 m a road  
At 1 mile 740 m cross East line of Survey no 349 in the name of Austin & Williams  
at 1 mile 1781 m

cross West line of Survey no 171 882 m N 0° 20' E  
from its S W corner at 2 miles a stone 14" x  
28" high whd NL JC E 2 }

At 2 miles 1781 m cross East line of Survey  
no 171-893 m N 0° 20' E from its S E corner  
at 3 miles a stone 14" wide x 18" high whd  
NL JC E 3 }

At 3 miles 1781 m cross East line of Survey  
no 158-904 m N 0° 20' E from its S E corner  
at 4 miles a stone 16" wide x 2' high whd NL JC E 4 }  
At 4 miles 1781 m cross West line of Survey no  
139-915 m N 0° 20' E from its S W corner. at 5 miles  
a stone 20" high whd NL JC E 5 }

At 5 miles 1781 m cross East line of Survey no 139  
926 m N 0° 20' E from its S E corner, at 6 miles <sup>"stone"</sup>  
high whd NL JC E 6 } (changed var to  $10^{\circ} 42' E$ )

At 6 miles 1781 no cross East line of Survey  
No 134-935 no  $N 0^{\circ} 17' E$  from its S E corner  
at 7 miles a stone 18" high mhd NLJC B 7}

At 7 miles 720 no a drain c S E. at 7 miles 1781  
no cross East line of Survey No 121- 944 no

X  $N 0^{\circ} 17' E$  from its S E corner, at 8 miles  
a stone 14" high mhd NLJC E 8}

At 8 miles 1060 no Paint creek c N E at 8 miles  
1781 no cross East line of Survey No 115- 954 no

X  $N 0^{\circ} 17' E$  from its S E cor, at 9 miles <sup>"stone"</sup> 14"  
high mhd NLJC E 9}

At 9 miles 1781 no cross East line of Survey No

X 106 - 963 no  $N 0^{\circ} 17' E$  from its S E corner at 10  
miles a stone 16" high mhd NLJC E 10}

At 10 miles + 5 no a drain c N E at 10 miles

X 1781 no cross East line of Survey No 87- 972  
no  $N 0^{\circ} 17' E$  from its S E corner, at 11 miles  
a stone 2" high mhd NLJC E 11}

At 11 miles 1781 no Cross East line of Survey No 82-

X 982 no  $N 0^{\circ} 17' E$  from its S E corner, at  
12 miles a stone 16" high mhd NLJC E 12} <sup>Survey</sup> <sub>parts to</sub>  $10^{\circ} 39' E$

At 12 miles + 50 no a drain c north, at 12 miles 240  
no another drain c  $N 55^{\circ} E$  at 12 miles 1781 no

X cross East line of Survey No 57 - 990 no  $N 0^{\circ} 14'$   
 $E$  from its S E corner at 13 miles a stone  
16" high mhd NLJC E 13}

At 13 miles 1610 no 1620 no + 1680 no a drain at 13  
miles 1781 no cross East line of Survey No 54-

X 997 no  $N 0^{\circ} 14' E$  from its S E corner

Field Notes of the South line of  
Jones County continued

At 14 miles a stone 2' high mhd N T J C E 14 }

At 14 miles 1740 m cross a drain c N 55° E

at 14 miles 1781 m cross East line of Survey

X no 29 - 1005 m N 0° 14' E from its S E corner

at 15 miles a stone 15" high mhd N T J C E 15 }

At 15 miles 1781 m cross East line of Survey

X no 26 - 1013 m N 0° 14' E from its S E corner

At 16 miles a stone 20" high mhd N T J C E 16 }

At 16 miles + 1600 m a drain c N E at 16 miles

X 1781 m cross East line of Survey no 21 - 1020

m N 0° 14' E from its S E corner at 17 miles

a stone 18" wide x 2' high mhd N T J C E 17 }

At 17 miles + 100 m a drain c N 30° E

At 17 miles 1060 m a drain c N 46° E at 17

miles 1781 m cross East line of Survey

X no 18 - 1028 m N 0° 14' E from its S E corner

at 18 miles a stone 18" high mhd N T J C

E 18 } { decrease variation here to 10° 36' E }

at 18 miles 940 m a drain c N E

At 18 miles + 1500 m a drain c N 30° W

18 miles 1781 m cross East line of Survey no 13

X 1036 m N 0° 11' E from its S E corner at

19 miles a stone 15" high mhd N T J C E 19 }

- - - - - at 19 miles 1781 m cross East

line of Survey no 12 - 1029 m N 9° 11' E from

and West line of no 7 - 679 m S 0° 11' W from its S E cor-

its S E corner - at 20 miles a stone 7" wide x 15"

high mhd N T J C E 20 }

At 20 miles 1218 m South prong of Paint Creek

c N 52° E at 20 miles 1832 m cross East line

South West

Ches Jones Co.

Sunward by Martin Durrell

Field notes of a survey of the North line  
of prairies to be continued

of Survey no 7 made for the BBB & C RR Co  
673 m<sup>s</sup> S 0° 11' N from its N E cor at 21 miles  
a stone 14" high mhd NT JC E 21 }

At 21 miles 110 m<sup>s</sup> a small drain C N W.

At 21 miles + 1100 m<sup>s</sup> crest of Red Bluff at 21 miles  
1883 m<sup>s</sup> cross East line of Survey no 6 - 667 m<sup>s</sup>  
S 0° 11' N from its N E corner at 22 miles a stone  
15" high mhd NT JC E 22 }

At 22 miles 420 m<sup>s</sup> a drain C N 27° E at 23  
miles a stone 14" high mhd NT JC E 23 }

At 23 miles + 34 m<sup>s</sup> cross East line of Survey  
no 1 BBB & C surveys 661 m<sup>s</sup> S 0° 11' N from its  
N E corner, at 23 miles 285 m<sup>s</sup> small drain  
C N 10° E at 23 miles 1028 m<sup>s</sup> cross a line  
run N 0° 11' E from the N W cor of BBB & C survey  
no 185 - {old bearing found} 3471 m<sup>s</sup> from said cor  
or by calculation 1191 m<sup>s</sup> N 0° 11' E from N W cor

Survey no 4 Blk no 5 surveyed for the N & W RR Co,

at 23 miles 1430 m<sup>s</sup> a drain C N 10° N at 24 miles  
a stone 15" high mhd NT JC E 24 }

At 24 miles 440 m<sup>s</sup> cross East line of Survey no 5-

Blk no 5 - 1194 m<sup>s</sup> N 0° 11' E from its N W cor, at

24 miles 1880 m<sup>s</sup> a small drain C N E at

25 miles a stone 15" high mhd NT JC E 25 }

At 25 miles 526 m<sup>s</sup> cross East line of Survey

no 5 Blk no 5 - 1199 m<sup>s</sup> N 0° 11' E from its N E corner

at 25 miles 1040 m<sup>s</sup> a drain C North. at 25 miles

1578 m<sup>s</sup> cross East line of Survey no 7 Blk no 5 - 1201

m<sup>s</sup> N 0° 11' E from its N W corner

Field notes of a Survey of the North  
Line of Jones Co continued

At 26 miles a stone 14" high mld N L J C  
E 26} {set on crest of break east of Paint Creek}

At 26 miles 945 m connect with original  
N E cor of B B K S & Survey No 183 {found} C from  
this point to cor S 0° 11' E distance 3484 200,

at 26 miles 1664 m cross East line of 110 7

X Blk No 5 - 1206 m N 0° 11' E from its S E corner,  
+ 1435 m N 0° 11' E from S W corner of Survey No 152.

At 27 miles a stone 16" high mld N L J C, E 27}

At 27 miles 1526 m cross East line of Survey  
No 152 - 1439 m N 0° 11' E from its S W corner  
as put in from original corners found at  
S E No 181 N W cor of No 182 + N W corner of  
No 185 made for the B B K S & RR Co

X being on same base 3489 m N 0° 11' E from  
the S W corner of Survey No 114 in the name  
of Andrew Jones. at 28 miles a stone 16"  
high mld N L J C E 28}

At 29 miles a stone 14" high mld N L J C, E 29}

At 29 miles 774 m cross line supposed to be East line  
of Survey No 114 + N L of No 7 N + S E N R Co, said  
line being run from a stone mound found  
+ taken for S W corner of Survey No 17 N + S E N R Co  
+ S E cor of No 114 in the name of A Jones.

X 3499 m N 0° 11' E from S E cor of 114 + 1449 m N 0° 11' E  
from S W cor of No 7 N + S E. at 1735 cross  
California Creek course north for 300 m  
then changes to about N 80° E

Field notes of the North line of  
Jones County continued.

At 30 miles a stone 20" wide x 2 $\frac{1}{2}$ " high  
mkd N.L.J.C E 30 $\frac{1}{2}$  set 1454 m 54° 05' E  
from a point 632 m 54 89° 55' W from the  
S E cor of Survey no 7 Block no 3 surveyed  
for the N & S C RR Co.

5	1700/8
6	187
A	X 290
B	163
C	38
D	632
E	1130/8

X

N.E.C. G.C

187  
163  
290  
632

Jones Co Barley Line 1  
North Line

JONES

2-4-1882

Counter 55655

Field Notes of a Survey of the Boundaries  
of Jones County made in accordance  
with an order of the Commissioners Court  
of said Co dated <sup>28<sup>th</sup> Decr day of 1881</sup>

East line

X Beginning at a stone 20" wide x 2 $\frac{1}{2}$ " high  
marked N E J C . E 30 . N E C J C } set 1454 m  
 $N 0^{\circ} 05' 6''$  from a point 632 m  $N 89^{\circ} 55' 7''$   
from the S E corner of Survey No 7 Block

No 3 Surveyed for the H & S R R Co.  
Thence South at 1454 m cross South line of  
Survey No 7 Block No 3 - 632 m  $N 89^{\circ} 55' 7''$   
from its S E corner at 1 mile a stone  
15" high marked E L J C S 1 }

X At 1 mile 1504 m cross South line of No 17  
Block No 3 - 626 m  $N 89^{\circ} 55' 7''$  from its S E cor  
and the North line of No 157 Surveyed for  
the H B B & G R R Co 122 m  $S 89^{\circ} 55' 6''$  from its  
N W corner at 2 miles a stone 14" high  
marked E L J C S 2 }

X At 2 miles 1520 m a chain C  $N 70^{\circ} 6'$  at 2  
miles 1753 m cross South line of H B B & G  
Survey No 157 - 127 m  $S 89^{\circ} 54' 6''$  from its S W corner  
at 3 miles a large stone 20" high marked E L J C  
S 3 }

X At 4 miles a stone 15" high marked E L J C S 4 }  
At 4 miles + 10 m cross South line of H B B & G  
Survey No 164 - 131 m  $S 89^{\circ} 54' 6''$  from its S W cor  
and North line of Survey No 166

Field notes of the East line of  
Jones Co continued

+ in the name of BBB & C RR Co - 876 m<sup>s</sup> S  
 $89^{\circ}54' E$  from its N W corner {put in from  
original N W cor of no 165 found.}

At 5 miles a stone 20" high mhd ET JC S 5}

+ At 5 miles + 10 m<sup>s</sup> cross South line of Survey  
no 166 - 879 m<sup>s</sup> S $89^{\circ}54' E$  from it N W corner  
at 5 miles 420 m<sup>s</sup> cross a road C N $56^{\circ} E$

X at 6 miles a stone 18" high mhd ET JC S 6}  
at 6 miles + 10 m<sup>s</sup> cross South line of no 171  
882 m<sup>s</sup> S $89^{\circ}54' E$  from its N W corner at 6  
miles + 1800 m<sup>s</sup> a drain at 7 miles a stone  
18" high mhd ET JC S 7}

, At 7 miles + 10 m<sup>s</sup> cross South line of survey no 174 - 881 m<sup>s</sup> N $39^{\circ}56' E$   
At 7 miles 1160 m<sup>s</sup> a drain C N $30^{\circ} E$  at 8 miles  
a stone 18" high mhd ET JC S 8}

+ At 8 miles + 10 m<sup>s</sup> cross South line of Survey no 178 -  
882 m<sup>s</sup> S $89^{\circ}54' E$  from its N W corner

X at 9 miles a stone 15" high mhd ET JC S 9}  
at 9 miles + 10 m<sup>s</sup> cross South line of N S + B Survey  
+ no 27 - 883 m<sup>s</sup> S $89^{\circ}54' E$  from its N W corner.

and North line of Survey no 26 same block  
523 m<sup>s</sup> S $89^{\circ}54' E$  from its N W corner.

X at 9 miles 280 m<sup>s</sup> a drain follow<sup>up</sup> same to 9 miles  
280 m<sup>s</sup> at 9 miles 1610 m<sup>s</sup> cross South line  
of Survey no 26 - 525 m<sup>s</sup> S $89^{\circ}54' E$  from its  
N W corner. - at 10 miles a stone 14" high  
mhd ET JC S 10}

At 10 miles 268 m<sup>s</sup> channel of post oak creek C east  
at 10 miles 1847 m<sup>s</sup> cross South line of Survey no 26  
RR Co 256 m<sup>s</sup> West from its N E corner

Field Notes of the East line of  
Pawnee County continued

At 11 miles a Stone 18" high E.L.J.C S 11 }  
at 11 miles + 700 m channel of Cottonwood Creek c East

X At 11 miles 947 m cross the North line of  
Survey No 17 in the name of P.H. Gartho  
X 544 m East from its N W corner. at 11 miles  
and 1700 m foot of a hill. at 12 miles a  
Stone 16" high whel E.L.J.C S 12 }

At 12 miles 127 m cross South line of Survey  
X No 17 - 544 m East from its S W corner. and

North line of Survey No 16 in the name of  
X Napoleon Scott 854 m East from its N W cor.  
at 12 miles 1080 m channel of Clear Fork c

X N 51° E at 12 miles 1422 m cross South line  
of Survey No 16 - 854 m East from its S W  
corner, and North line of Survey No 15 - 1297  
m East from its N W cor at 13 miles a  
Stone set in Shinery, whel E.L.J.C S 13 }

At 13 miles 827 m cross South line of Survey  
X No 15 in the name of Napoleon Scott 1297 m

X East from its S W corner & the North line  
of Survey No 14 in the name of H Smith 1077  
m East from its S W corner, at 13 miles  
+ 1600 m south edge of Shinery. at 14 miles  
a Stone 16" high whel E.L.J.C S 14 } Set under the  
bank of Clear Fork }

X At 14 miles + 88 m channel of Clear Fork c  
N 45° W at 14 miles 681 m cross South line  
of Survey No 14 1077 m East from its S W  
corner, and North line of Survey No 13 - 1077  
m East from its N W corner.

Field Notes of the East line of  
Jones Co continued

At 14 miles 1010 m channel of Clear Fork C N 65° E  
At 15 miles a Stone 16" high mhd  
EZJC S 15}

X At 15 miles 715 m cross South line of  
Survey No 13 1077 m East from its S W corner  
and North line of Survey No 12 in name  
of H Martin 622 m East from its S W  
corner, at 15 miles 1312 m channel of Clear  
Fork C N 15° W at 15 miles + 1800 m channel  
of Clear Fork C N 16° E at 16 miles a stone  
15" high mhd EZJC S 16}

X At 16 miles 120 m cross South line of Survey  
No 12 - 622 m East from its S W corner  
and North line of Survey No 11 - 957 m  
East from its S W corner. at 17 miles  
a stone 2' high mhd EZJC S 17}

X At 17 miles 205 m cross South line of  
Survey No 11 - 957 m East from its S W corner  
at 17 miles 1580 m cross drain C E,  
at 17 miles 1769 m cross South line of  
Survey No 3 Block No 14 - 1386 S 84° 04' W  
from its S E corner, at 18 miles a stone  
2' high mhd EZJC S 18}

At 18 miles 560 m cross a drain C N 48° E  
at 18 miles 1244 m cross South line of  
Survey No 4 Block No 14 - 1529 m S 84° 04' W  
from its S E corner at 19 miles a  
stone 16" high mhd EZJC S 19}

At 19 miles 657 m cross North line of  
Survey No 14 Block 14 - 243 m N 84° 04' E  
from its N W corner.

Field notes of the East line of  
Jones County continued

At 19 miles 877 is a drain c N 81° E at  
19 miles 1240 is Fort Griffin & phantom  
Hill Road. at 20 miles a stone 16" high  
ukd ELJC S 20}

at 20 miles 666 is cross South line of Survey  
No 14 Block N 14-54 is N 84° 04' E from its  
S E corner, at 20 miles 1182 is cross West  
line of Survey No 19 Blk 14-513 is S 5° 56' E  
from its N W corner at 21 miles a stone  
14" high ukd ELJC S 21}

At 21 miles 669 is cross South line of Survey  
No 20 Blk 14-140 is S 84° 04' W from its S E  
corner at 21 miles 890 is cross drain  
c S 70° E at 22 miles a stone 5" x 10" x 14"  
high ukd ELJC S 22}

At 22 miles 674 is cross South line of  
Survey No 23 Block 14-332 is S 84° 04' W  
from its S E corner. at 23 miles a  
stone 5" x 12" x 14" high ukd ELJC S 23}

At 23 miles 675 is cross South line of  
Survey No 30 Blk 14-535 is S 84° 04' W  
from its S E corner, at 23 miles 780 is  
Dealmans creek c N 38° E at 23 miles 925  
is a drain c S 68° W at 24 miles a stone  
18" high ukd ELJC S 24}

At 24 miles 677 is cross South line of Survey  
No 35-731 is S 84° 04' W from its S E corner  
at 24 miles 955 is a drain c S 85° W at 25  
miles a stone 2" high ukd ELJC S 25}

✓ North East  
Jones Co. Ga

Second Growth

Count 55601

Field Notes of the west side of  
Jones County continued

At 25 miles 687 in cross South line of  
Survey no 42 Blk 14 - 939 in S 84° 04' N from  
its S E corner, at 25 miles + 100 in  
a drain C N W at 26 miles a stone  
18" high unk E T J C S 26 }

At 26 miles 706 in cross South line of  
Survey no 45 760 in N 84° 04' E from its  
S N corner, at 27 miles a stone 11" high  
unkd E T J C S 27 }

At 27 miles 288 in cross North line of  
Survey no 3 made for the Blind Asylum  
804 in S 89° 45' N from its N E corner  
at 28 miles a stone 15" high unk E T  
J C S 28 }

At 28 miles 288 in cross South line of  
Survey no 3 Blind Asylum 804 in S 89° 45' N  
from its S E corner, at 28 miles 1460  
in cross Albany & Buffalo Gap Road,  
at 29 miles a stone 18" high unk E T  
J C S 29 }

At 29 miles 395 in cross South line of  
Survey no 8 - 812 in S 89° 45' N from its S E  
corner at 29 miles 360 in channel of  
Deadmans creek C N 27° N at 29 miles  
495 in on Elm line tree at 29 miles  
720 in Deadmans creek at 29 miles  
1140 in leave creek East of line at 29  
miles 1240 in channel of same creek

C N 33° E

counter 55662

24.

Jones Co. Boundaries

1881

Counties 55663

co. Bdry. Line #1

Field notes of the east line;  
Jones County continued

At 29 miles 1877 in channel of  
Deadmans creek C &  $46^{\circ} W$  at 30  
miles the place of beginning  
{ a stone  $3\frac{1}{2}$  feet high inked on  
East side SWC. SC on West side  
SE C, JC & NECTC } from which the  
SE corner of survey no 11 made for  
the Blind Asylum bears S  $70\frac{1}{4}^{\circ}$  E  
870 m }

State of ~~Tenn~~ of Martin Duvall Surveyor appointed  
County of ~~Jones~~ by the Commissioners Court of Jones  
to establish the boundaries of said  
Co, do hereby certify that the  
Survey of said boundaries were  
made in the field according to law  
and that the marks natural  
and artificial and survey  
connections { where original corners  
could be found } are truly described  
and set forth in the foregoing field  
notes, Survey finished Feb 4<sup>th</sup> 1882

Martin Duvall

Surveyor appointed to  
establish boundaries  
E G Jones } Chain carriers  
Wm Keeley }

2- I Martin Duvall Surveyor Jones Co do hereby certify that the  
foresaid field notes are duly recorded in my office in  
Book E kept for records of private surveys, from page 560 to  
580 inclusive

Martin Duvall  
25 Surveyor Jones Co

Jones Co. Bay Line 1

Field Notes of  
East line Jones Co.  
By Martin Durst (Surveyor)

Counter 55665

We the undersigned Surveyors of  
Taylor - Blackford & Jones Counties  
do hereby certify that from the data we  
have before us we believe the corner  
established by us January 27<sup>th</sup> 1852.  
Set 870 in S. 70° 15' W from the N.E. corner  
of Survey No 11 S. in the name of the  
Blind Asylum, by running 30 miles  
due West from the N.E. corner of  
Stephens Co., to be as nearly correct  
as can be established by course  
and distance, and that we  
have agreed upon this point as the  
true corner of our Counties.

H. M. Henderson

Taylor Co Ly

W. Jacobs

Surveyor of Blackford Co.

Martin Duvall

Surveyor of Jones Co

Jones Co Body Line 1

Jones Co Body Line #1

Died March 14<sup>th</sup>  
A.D. 1882,  
W H Smith clk  
CCJL 2405

26-A

55667

State of Texas Before me W.H.  
County of Jones J. Smith Clerk of the  
County Court in and for Jones Co  
on this day personally appeared  
Martin Navale, Surveyor appointed  
by the Commissioners Court of said  
County, to Establish the Boundaries  
of said Co. Known to me to be the  
person whose name is subscribed  
to the foregoing Copy of field  
notes, and acknowledged to me  
that he executed the same for  
the purposes and Considerations  
therein expressed, Given under  
My Hand and Seal of Office  
at Office in Austin this  
14<sup>th</sup> day of March A.D. 1882  
W.H. Smith clk  
C.C.J.C. Texas

Filed March 14<sup>th</sup> A.D. 1882  
At the Smithville  
C.C. & H. Co. Texas

State of Texas J. H. H. Smith clerk  
County of Jones, of the County Court in  
and for said County, do hereby certify,  
that the foregoing Copy of field notes  
made by Martin Duvall, Surveyor  
appointed to establish the County  
Boundaries of said Co., was examined  
by the Commissioners Court of said  
County on the 14<sup>th</sup> day March A.D. 1881  
which was approved, and the work of  
the said Duvall was in all things  
approved, and ordered Recorded  
which was with its certificate of  
Authentications ~~was~~ filed in my  
Office for Record on the 14<sup>th</sup> day of  
March A.D. 1882, and recorded the  
18<sup>th</sup> day of March A.D. 1882, in the  
Land Records of said Co. in Volume  
1. Pages, 125, 126, 127, 128, 129, 130, 131,  
132, 133, 134, 135, 136, 137, 138,

Witness my hand and the seal of the  
County Court of said County at ~~iffu~~  
in Austin Texas the day and  
Year last above written

J. H. Smith clerk  
C.C.J. C. Texas

Jones Co. Boundaries

\$12.00

①

142



Survey by Wm. H. Johnson