

Kent County Bids

See Dickens Co. Bid file for  
North Bid of this Co.

West boundary of Stone wall  
East boundary of Stone wall

~~14~~

Abstract corrected

10/8/95 G. N. Beaumont

See Stone wall Co.  
bid. for East line of this  
approved Oct 1/95 -

See Letter book  $\frac{414}{p. 348}$

$\frac{417}{p. 350}$  &  $\frac{418}{370}$  -  $\frac{603}{280}$

$\frac{604}{229}$  -  $\frac{608}{21}$

Oct. 15/1900.

Ernest Rosenberg

Field notes of Co lines as per  
and declared to be a Superior  
Sand District, Oct 1. 1893

S June

1 Where as the County Commissioners, Court  
2 of Kent County did on the 15 day of May  
3 1895, make an Order for the Establishing  
4 and Survey of the boundary lines of  
5 Kent County, and in said Order  
6 appoint H J Camp & B C Hardin; Sur-  
7 veyors, to Survey and to establish; said  
8 boundary lines; And said Surveyors  
9 H J Camp & B C. Hardin, having given  
10 the Bond, and taken the Oath, in  
11 Conformity to Law; and due notice  
12 given to the County Courts, adja-  
13 cent, to wit, Fisher, S'Curry and Stone-  
14 wall County; by mailing a Copy of  
15 said order, of the County Commissioners  
16 Court; to the Clerk of each, Coun-  
17 ty. On the 15 day of May A.D. 1895 full 10 days  
18 prior to the time, set in said Order  
19 for the beginning (or Commencement)  
20 of the work; which time set, was, Mon-  
21 day June the 17th A.D. 1895; with in the  
22 hours of 10 O.C. A.M. & 4 O.C. P.M. a Copy  
23 of said Order exhibit A, is  
24 here is here to attached, also, a  
25 Copy of Instructions, of the  
26 Commissioners of the Genl Land,  
27 Office exhibit B.

28 The said Surveyors, H J Camp  
29 & B C, Hardin; Did on Monday the  
30 17th day of June A.D. 1895 (between)  
31 with in the hours of 10 O.C. A.M.  
32 and 4 O.C. P.M.

1 In Conformity to the order afore-  
2 said, did at the time and place, named  
3 in said Order, meet, to wit at the North  
4 West, Corner of Fisher County, which  
5 Corner is described as follows, to wit  
6 a Stone 4x5"x20" high 60 varas South  
7 from the main Channel (Double-  
8 mountain Fork) and marked  
9 N. T. F. C. N. 3. O. N. W. From which  
10 a Cedar 8" marked  $\bar{x}$  bears S' 28° W  
11 161 8 varas, and a Shelly Limestone  
12 Round (natural) about 20 feet in  
13 dia. bears S 29 1/2° W 162 varas. (The  
14 place where said Stone was placed,  
15 is now in the Channel of the Saw  
16 Run). In place of which we set  
17 a mes post, 5"x5"x3 feet long, &  
18 about 2 1/2 or 3 feet in the sand,  
19 marked Same, N. T. F. C. O. R.

20 And giving ample time  
21 no other Surveyors or Surveyors  
22 appearing, We proceeded to begin  
23 the survey and to establish the  
24 Boundary lines of Kent, County  
25 as follows to wit.

26 3 And Beginning at said N. W. Corner  
27 From thence West, at 966 varas  
28 the West line of Sec no 640, Block  
29 97, 604 varas, S of the N. W. Cor of  
30 N. E. Cor of Sec no 643 Block 97,  
31 at 1900 varas a monument of Stone  
32 30" high, marked KENT, T. 1 M

From which the Deer of the  
2. H. Cook Dugout, bears N 39° E about 125  
varas.

2<sup>nd</sup> mile  $\frac{2}{3}$  from the 1<sup>st</sup> to the 2<sup>nd</sup> mile, West, at 260 + 280  
varas the East + West bank of Bolston Creek  
at 820 varas the West line of Sec no  
643, - 604 varas South of the N.W. Corner.  
and at 1900 varas a Gyp stone monument  
30" high, marked K. 2. M (on W. Side  
of a Canon)

3<sup>rd</sup> mile  $\frac{2}{3}$  from the 2<sup>nd</sup> to the 3<sup>rd</sup> mile, West, at  
480 varas, an East prong of Cox  
Hollow. at 700 varas, main prong of  
Cox Hollow, at varas the East line  
of Sec no 53, Blk K. 604 varas South  
of the N.E. Corner.

4<sup>th</sup> mile  $\frac{2}{3}$  from the 3<sup>rd</sup> to the 4<sup>th</sup> mile, West, at  
varas and at 1900 varas  
a Stone monument 30" high, on  
head of a Canon, marked K. 3. M.

4<sup>th</sup> mile  $\frac{2}{3}$  from the 3<sup>rd</sup> to the 4<sup>th</sup> mile, West, at  
varas East line of Sec no 52  
604 varas South of the N.E. Corner,  
and at 1900 varas. a Stone Monument  
30" high, marked K. 4. M. From  
which a red pk. bears N 66° W about 200, vrs  
a Cedar on top of an other. bears N 10° E  
300 varas. (and a do N 6½° W)

5<sup>th</sup> mile  $\frac{2}{3}$  from the 4<sup>th</sup> to the 5<sup>th</sup> mile, West  
at varas the East line of Sec no 51  
604 varas South of the N.E. Corner,  
and at 1900 varas. a Stone Monument 30"  
high, marked K. V. on a narrow ridge.  
Canons on all sides. from which a Peak bears  
N 49° E about 70 vrs. and do S 28° W about 150 vrs.

6th mile  $\frac{2}{3}$  From the 5<sup>th</sup> to the 6<sup>th</sup> mile, West at  
varas the East line of Sec no 50. 604  
varas South of the N.E. Corner.  
and at 1900 varas S' et a Stone 4" x 10" x 30"  
high. marked K. 6. M

7th mile  $\frac{2}{3}$  From the 6<sup>th</sup> to the 7<sup>th</sup> mile, West, at  
varas the East line of S' e c no 710  
Blk 97 604 varas South of the N.E. Corner  
a wire fence on the line  $\bigcirc \bigcirc$  section  
at 1900 varas a Stone Monument. 30" high  
marked K. 7. M. From which the S' point  
of Cooper mountain bears N 52 $\frac{1}{2}$ ° W varas

8th mile  $\frac{2}{3}$  From the 7<sup>th</sup> to the 8<sup>th</sup> mile. West, at  
varas the East line of Sec no 709  
Blk 97 600 varas S' of the N.E. Corner.  
at 1900 varas an Earth mound 30" high  
 $\bigcirc \bigcirc$  pits, fore and aft. From which, S' point  
of Cooper bears N 44 $\frac{1}{2}$ ° W varas.

9th mile  $\frac{2}{3}$  From the 8<sup>th</sup> to the 9<sup>th</sup> mile, West, at  
varas the East line of Sec no 708  
604 varas South of the N.E. Corner.  
at 1900 varas an Earth mound 30"  
high and 2 pits, fore and aft. South  
point of Cooper N 32° W. varas  
and an other mountain S' 85° W. and a  
Round peak, S 44 $\frac{1}{2}$ ° W

10th mile  $\frac{2}{3}$  From the 9<sup>th</sup> to the 10<sup>th</sup> mile, West, at  
varas the East line of Sec no 707 Blk.  
97, 604 varas South of the N.E. Corner,  
at 1900 varas an Earth mound 30" high  
and 2 pits, South point of Cooper N 15 $\frac{3}{4}$ ° E  
Double mountains N 71 $\frac{1}{2}$ ° E

11<sup>th</sup> mile  $\frac{2}{3}$  From the 10<sup>th</sup> to the 11<sup>th</sup> mile. West, at  
varas the East line of Sec no 706  
Blk 97 600 varas South of the N.E.  
Corner, at 1200 varas a prong of man-  
rick and at 1680 manrick Creek, at 1900  
varas an Earth mound 30" high & 2 pits  
fore and aft. (in cedar break) From which  
South point of Cooper hrs  $N 3\frac{1}{2}^{\circ} E$

12<sup>th</sup> mile  $\frac{2}{3}$  From the 11<sup>th</sup> to the 12<sup>th</sup> mile, West, at  
varas the East line of Sec no 705  
Blk 97 600 varas South of the  
N.E. Corner, Crossing Canons, at  
1900 varas on a high point, a set stone  
about 36" high 5x10" marked  $N 22^{\circ} E$   
12 MS' JUNE 19/95, From which  
S' point of Cooper hrs  $N 22^{\circ} E$   
Court House mt. (alias Converse)  
 $S 63\frac{1}{2}^{\circ} E$

13<sup>th</sup> mile  $\frac{2}{3}$  From the 12<sup>th</sup> to the 13<sup>th</sup> mile; West, at  
varas the East line of Sec.  
No. 704 Blk 97, 600 varas South of the  
N.E. Corner, at 1900 varas a stone  
monument, 30" high, marked  $N 36^{\circ} E$   
13 M. From which the S' point of  
Cooper hrs  $N 36^{\circ} E$ ,  
Double mountains  $N 74^{\circ} E$

14<sup>th</sup> mile  $\frac{2}{3}$  From the 13<sup>th</sup> to the 14<sup>th</sup> mile. WEST  
at varas the East line of Sec  
No 703. - 595 varas South the N.E. Corner.  
at 567 varas. South 544 varas of a

14

1 Stone mound, from which a mes  $\bar{x}$   
 2 bears  $S 21^{\circ} W 20$  vs. at 1900 varas an  
 3 earth mound & 2 pits, fore and aft,  
 4 from which the S' point of Cooper bears  
 5  $N 48^{\circ} E$ , Double pits  $N 74^{\circ} E$   
 6 McKinga  $N 87^{\circ} W$ , Flat Top  
 7  $S 88^{\circ} W$ .

15<sup>th</sup> mile

8 From the 14<sup>th</sup> to the 15<sup>th</sup> mile,  $W E S' T$ , at  
 9 varas the East line of Sec 30 702  
 10 595 varas South of the N.E. Corner  
 11 at 580 varas  $\times$  pasture fence. (west line)  
 12 at 580 varas, Snyder & Claire mount Road  
 13 Stone mound marked  $K E N T' 14 M$   
 14 750  $W S'$ . at 1900 varas Stone mon-  
 15 ument. 30" high marked  $K 15' M S'$   
 16 from which McKinga bears  $N 86^{\circ} E$   
 17 Flat Top  $S 88^{\circ} W$ .

16<sup>th</sup> mile

18 From the 15<sup>th</sup> to the 16<sup>th</sup> mile,  $W E S' T$   
 19 at varas the East line of  
 20 Sec 30 701, 590 varas South of the  
 21 N.E. Corner, and at 578 vs pasture  
 22 fence. and at 1900 varas a set Stone  
 23 3" x 14" x 30" marked  $K E N T' 16 M$   
 24  $T E S'$ . from which a mes marked H  
 25 bears  $N 6 \frac{1}{2}^{\circ} E$  9 varas.

17<sup>th</sup> mile

26 From the 16<sup>th</sup> to the 17<sup>th</sup> mile,  $W E S' T$ ,  
 27 at varas the East line of Sec 30  
 28 700, <sup>580</sup> varas <sup>South</sup> of the N.E. Corner,  
 29 at 80 varas a creek, at 1520 varas. McKinga  
 30 Creek; at 1900 varas, an earth mound 30"  
 31 high & 2 pits, fore and aft, from which a mes  
 32 marked  $\times$  bears  $S 11 \frac{1}{2}^{\circ} W 16 \frac{1}{2}$  varas. S' point of  
 McKinga bears  $N 80^{\circ} W$ . the N.E. end bears  $N 81^{\circ} W$

For Sale by Geo. D. Barnard & Co., Prs., St. Louis.

From Cooper 46328

18<sup>th</sup> mile  $\frac{1}{3}$  From the 17<sup>th</sup> to the 18<sup>th</sup> mile - W E S' T. at  
2 varas the East line of S<sup>c</sup> 20 699  
3 B. 97 - 590 varas South of the N. E. Corner.  
4 at 1900 varas an Earth mound 30" high & 2 pits  
5 fore and aft, from which a mes. marked K  
6 bears S<sup>11</sup> $\frac{1}{2}$  W 16 $\frac{1}{2}$  varas; S. point of McKinza  
7 br. N 70° W. the N. E. End mes. N 8° E

19<sup>th</sup> mile  $\frac{1}{3}$  From the 18<sup>th</sup> to the 19<sup>th</sup> mile. W E S' T. at  
10 varas the East line of Sec no  
11 698 - 880 varas South of the N. E. Corner.  
12 at 450 varas line between Riley  
13 and Cobb pasture 600 varas South of the  
14 Corner. near and at the base of McKinza  
15 mountain, at 1200 to 1400 varas pass 300  
16 varas South of the McKinza mountain  
17 and at 1900 varas Stone mound 30" high  
18 from which a Hackberry tree, marked K. 19  
19 brs S<sup>42</sup> $\frac{1}{2}$  W 12 varas; Flat Top, S<sup>87</sup> $\frac{1}{2}$  W,  
20 S. point of McKinza N 55° E

20<sup>th</sup> mile  $\frac{1}{3}$  From the 19<sup>th</sup> to the 20<sup>th</sup> mile. W E S' T. at  
23 400 varas, the McKinza Trail; at  
24 varas the East line of S<sup>c</sup> 20 697 Block  
25 97. - 590 varas South of the N. E. Corner  
26 at 910 varas East prong of Grape Creek.  
27 at 1900 varas an Earth mound 30" high &  
28 2 pits, fore and aft, from which Mount  
29 Terte, brs. N 58 $\frac{1}{2}$  W 1840 varas. (to the top)  
30 Flat Top, S<sup>85</sup> W. McKinza N 80° E



2 1<sup>st</sup> mile 3 From the 20<sup>th</sup> to the 21<sup>st</sup> Mile. W E S' T. at  
316 varas pass. 1087 varas North of the S. E. Cor-  
ner. of Sec. No 41 Block 5. H. T. G. N. Ry. Co  
Which corner is marked) a stone mound a mes-  
post. Squared, and marked S. E. 41.) also  
South of the N E Corner 813 varas, and  
at 1900 varas, a stone marked K, Earth  
mound & 2 pits, fore and aft. From which  
Mount Tate, hrs N 21 $\frac{1}{2}$ ° E, 1050 varas, (to the  
top) McKniza N 83 $\frac{1}{2}$ ° E. Flat Top. S 82° W.

22<sup>nd</sup> mile 3 From the 21<sup>st</sup> to the 22 Mile. W E S' T. at  
at 316 varas East line of Sec no 62 Block  
5. H. T. G. N. Ry. Co, also the N. W. Cor of Sec  
no 41 Block 5. H. T. G. N. Ry. Co. South the N. W. Cor of  
no 41 Block 5. H. T. G. N. Ry. Co. at 1900 varas  
Corner; and at 1900 varas Grape Creek, and  
at 1900 varas set Stone, 15" x 8" x 30" marked  
K # N T 22 M, (monument stone, around  
around same) from which McKniza hrs  
N 86° E and Mount Tate N 63° E  
2540 varas #

23<sup>rd</sup> mile 3 From the 22<sup>nd</sup> mile to the South, West  
Corner of Kent. County. W E S' T, at  
316 varas the East line of Sec no 63,  
Block 5 H T G N Ry Co, 713 varas S.  
of the N E Corner; at 458 varas the  
South West Corner of Kent.  
County; a flat stone 3" x 16" x 4 $\frac{1}{2}$   
feet, long, marked, S. W. COR. N. E. R.  
KENT, CO. From which, Mount  
Tate bears N 65° E. Southpoint of  
McKniza N 86° E  
Flat Top, S 76° W.

Kent Co. Bdry. line

5-5-70

~~3~~