

Kent Co. Survey Lines

Field notes of the West line of Kent.

Beginning at a flat Stone 3'x16'x30" high, marked W.C.D. set in the earth, and corresponding with field notes furnished by the Com^r of the Gen^l. L.O. (same established by the Dickens, County, Surrey.) We taken bearings as follows, to wit, and Old Stone House, of the Ancient architect Order, hrs N40° E about 450 varas, a flat Top Mountain N42° W, a do N47° W, a Red point, N8° W 400 or perhaps 500 varas, and around peak, N47° W about 1900 varas, the Rio Blanco about 950, varas West, and making Curve to the West.

From thence to the 1st mile South, at 80 varas the North line of Sec no 71 - 512 varas West from the N.E. Corner; at 1900 varas, an Earth mound 30" high and 2 pits fore and aft, from which a mes marked H K bears S 8° E 24 1/2 varas.

2nd mile From the 1st to the 2nd mile South, at 80, varas the North line of Sec No 58. 502 varas West from the N.E. Corner, and at 1900 varas, an Earth mound 30" high and 2 pits fore and aft, from which a mes marked H K bears S 14 1/2° E 8, varas

3rd mile From the 2nd to the 3rd mile South, at 80 varas the North line of Sec No 55 - 492 varas West of the N.E. Corner, (it being the S.E. Corner of Sec No 58) at 1400 varas the East Bank of Rio Blanco (alias Rio Catfish) at 1900, varas an Earth mound 30" high and 2 pits fore and aft, marked K by N 34° W 36 varas. Red Peak N 55 1/2° W about 600 varas to the N 1/4 E about 400 varas.

a Catfish mound
a do Yellow

4th mile

From the 3rd to the 4th mile. South at 80 varas the North line of Sec. No 42 Block 2, H & G. N. Ry. Co. 482 varas west of the N.E. Corner. at 1800 varas out of the valley, at 1900 varas on a rocky point a Stone Monument 30" high marked W L K, a Cotton wood tree marked W L K bears N 9 E. (N 1300 X 2358.)

5th mile

From the 4th to the 5th mile. South. at 80 varas the North line of Sec. No 38. 472 varas west of the N.E. Corner. at 1900 varas, a Stone Monument marked K 5. in a Canon. from which a Round peak bears N 76° E. 40. varas. a Gap in a (X) double peak bears S 57 1/2° E.

6th mile

From the 5th to the 6th mile. South. at varas the North line of Sec. No 25. - 462 varas west of the N.E. Corner. at 420 Rattle Snake hollow and at 1900 varas a Stone monument marked K 6 M

7th mile

From the 6th to the 7th mile. South. at 80 varas the North line of Sec. No 17. - 452 varas west of the N.E. Corner. at 60 varas a ledge of Shelby Stone one marked K and at 1900 varas, set a Stone marked K E N T, 7 M. made an earth mound and 2 pits (in a valley)

8th mile

From the 7th to the 8th mile. South. at 80 varas the North line of Sec. No 8. Block 2 H & G. N. Ry. Co. 442 west of the N.E. Corner. at 1900 varas set a mesquit marked K S. M. a mound + 2 pits from which the Kent Co Court House bears S 64 1/2° E S.W. peak Double Mountains S 66° E. N.E. point of Mckinza ls S 10° E

9th mile $\frac{2}{3}$ From the 8th to the 9th mile. South, at 2000 varas the north line of sec No 11-430 varas west of the N.E. Corner. at 1900 varas an earth mound and 2 pits, and a me. post, marked K & M, from which a mes. K bears S 5' 80 $\frac{1}{2}$ ' E, 75 varas N.E. end of McKing's S 11 $\frac{1}{4}$ ' E, flat top S 5' W. #

10th mile $\frac{2}{3}$ From the 9th to the 10th mile. South, at 2000 varas the north line of sec No 22 Block 7 H & G N. B. Co 419 varas west of the N.E. Corner, at 1614 varas the N.B. of Salt Fork Riv, at 1900 varas an earth-mound and 2 pits. (a peak on which is a stone mound. bears North 395. varas. #

11th mile $\frac{2}{3}$ From the 10th to the 11th mile. South, at 2000 varas the north line of sec No 35-409 varas west of the N.E. Corner, and at 1900 varas, a stone monument, 30" high marked KENT LINE 11 M'S, from which Mount, Hager, bears N 32' W. #

12th mile $\frac{2}{3}$ From the 11th to the 12th mile. South, at 2000 varas the north line of sec No 39-879 varas west of the N.E. Corner at 1900 varas an earth mound, and 2 pits. a Cat. Pond marked K bears S 33 $\frac{1}{2}$ ' E 97 $\frac{1}{2}$ varas

13th mile $\frac{2}{3}$ From the 12th to the 13th mile. South, at 2000 varas the north line of sec No 47-389 varas west of the N.E. Corner, at 1900 varas an earth mound and 2 pits from which a Granley Hillock bears N 6' W 70 varas.

14th mile $\frac{2}{3}$ From the 13th to the 14th mile South, at
2 varas the north line of Sec. no 58
3 379 varas West of the N.E.
4 Corner, at 1073 varas the Pips + Shurr's
5 pasture fence, 469 varas East of the Corner,
6 at 1531 the South line of Sec no 58. 369
7 varas west of the S.E. Corner. (a stone
8 mound marked. S.W.C. at 1900 varas a set
9 stone marked. K 14 M. (an Earth mound, and
10 2 pits.

15th mile $\frac{2}{3}$ From the 14th to the 15th mile, South, at
11 varas the north line of Sec. no 49, Block
12 Q. T. & N. O. Ry Co 230 varas East of the
13 N.W. Corner, at 1900 varas, an Earth
14 Mound and 2 pits. From which the S.W.
15 end of McKinnis. bears S 4 $\frac{1}{2}$ ° E, the N.E.
16 end S 17° E, Lat Top. S 6° N.

16th mile $\frac{2}{3}$ From the 15th to the 16th mile, South, at
18 varas the north line of Sec no 48. 230
19 East of the N.W. Corner, at 1900 varas
20 an Earth mound, 2 pits, and a Cedar
21 post, marked K 16 M. From which, McKin-
22 nis bears S 15 $\frac{1}{2}$ ° E, Cooper S 48° E

17th mile $\frac{2}{3}$ From the 16th to the 17th mile, South, at
24 varas the north line of Sec no. ³³ 38. 230 varas
25 East of the N.W. Corner, and at 1900 varas
26 an Earth mound and 2 pits on the N. bank
27 of Yellow House River, from which a
28 tree marked K 17 M bears N 10° E 42. varas
29 Cooper S 61° E, Cooks peak. S 55 $\frac{1}{2}$ ° E
30 an other peak S 22° E.
31
32

18th mile $\frac{2}{3}$ From the 17th to the 18th mile, South, at
1 790 varas, a monument of Stone on Bluff
2 on South side of Yellow House. Marked K
3 at 1861 varas, a Pipe Cor 94 varas West
4 at 1900 varas an Earth mound 2 pits, and
5 has past. Marked K 18 M. from which
6 Cooper bears S 54 $\frac{1}{2}$ ° E, Cocks Peak S 12 $\frac{1}{2}$ ° E,
7 a do N 56 $\frac{1}{2}$ ° E

19th mile $\frac{2}{3}$ From the 18th to the 19th mile South, at 1504
10 varas 170 varas West of the S.W. Corner
11 of the J.P. Knox Survey, no. 1 of 160 acres
12 and at 1900 varas, an Earth mound
13 and 2 pits.

20th mile $\frac{2}{3}$ From the 19th to the 20th mile, South, at
15 varas the North line of Sec No 52
16 Block 4, N 4 $\frac{1}{2}$ ° N RR Co 359 varas East
17 of the N.W. Corner, at 1900 varas, an Earth
18 mound and 2 pits, from which Cooper, Mt.
19 bears S 62° E, Cocks Peak N 64° E

21st mile $\frac{2}{3}$ From the 20th to the 21st mile, South, at
21 varas pass the North line of Sec
22 No 53 - 309 varas ^{East} of the N.W. Corner.
23 and at 1900 varas a set Stone marked KENT
24 21 M'S, from which McKnisa bears S 25° E, Cooper
25 S 64° E.

22nd mile $\frac{2}{3}$ From the 21st to the 22nd mile, South, at
27 varas the North line of Sec no 54 - 259 $\frac{1}{2}$ East
28 of the N.W. Corner, and at 1900 varas, set a
29 Stone 3x15x30" high marked KENT 22 M'S
30 from which, Mount Sharp bears N 35° E, Cocks
31 Peak N 40° E

23rd mile From the 22nd to the 23rd mile, South, at
varas the North line of Sec No 55. - 209.
varas East of the N.W. Corner, and at 261
varas a monument of Stone monument
marked K I at the edge and top of a high
ridge and at 410 varas another Stone
monument on the South margin of the
ridge, marked K E N T ~~LINE~~ LINE, at 900
varas the Double Mountain River, and at
1597 Grape Creek, and at 1900 varas, an
Earth mound, 2 pits, and a Line Oak, West,
a mes marked K 23 M brs S 71° W 12 varas.

24th mile From the 23rd to the 24th mile, South, at
varas the North line of Sec No 56 Block H & Gen
By Co. - 159 varas East of the N.W. Corner.
at 600 varas Grape Creek at varas Grape
Creek and at 1900 varas, on a high point set
a Stone 3' x 15' x 30" ^{high} marked K E N T LINE 24 M

25th mile From the 24th to the 25th mile, South, at
varas the North line of Sec No. 57 - 108
varas East of the N.W. Corner
and at 1900 varas set a Stone 3' x 15' x 30"
high on the margin of Grape Creek
marked the Stone K E N T 25 M S', from which, from
which a mes marked K bears S 55° W 9 varas
shaded by a Line Oak Grove on the
West

26th mile $\frac{3}{4}$ From the 25th to the 26th mile. South at 10
varas the Grape Creek at varas the
North line of Sec 58. 59 West of the
N.W. Corner and at 590 a Stone Man-
ument on the S.W. side of Grape Creek
on a bluff marked KENT, and at 1900
varas set a stone 3' x 15" x 30" high; and at
1900 varas set a stone marked K 26 M. A
line Oak marked K Ls N 27 varas.

27th mile $\frac{3}{4}$ From the 26th to the 27th mile. South at 192
varas the North line of Sec 59, Block H +
G. N. R. R. Co 9 varas East of the N.W. Corner
(a stone mound marked S.W. 58. at 1900
varas. Set a stone 3' x 15" x 30" high, and marked
K L 27 M. From which mount "Water bears
S 40° E. McKinga bears S 72° E and the N.E. point
bears Flat top S 28° W.

28th mile $\frac{3}{4}$ From the 27th to the 28th mile; South
at 192 varas the North line of Sec 65
Block 5 H + G N. R. R. Co 59 varas West
of the N.E. Corner, (a stone mound marked
S.W. 59, and at 1900 varas. Set a stone man-
ument. marked K L 28 M. (30 inches high)
from which the S.W. end of McKinga bears
S 72° E. and the N.E. point bears N. S 81° E.

29th mile $\frac{3}{4}$ From the 28th to the 29th mile. South at
varas the North line of Sec 66
West of the N.E. Corner and at
1900 varas set a stone 3' x 15" x 30" high
marked KENT 29. M

3

From the 29th ^{mile} to the South West
Corner, of Kent County,
South, at 1000 varas the North
line of Sec No. 63, 150 varas
West of the N E Corner,
and at 824 varas the South -
West Corner of Kent County
The same as described in the field
notes of the South line, of Kent
County, here with.

X

Notice

Stones Mile Stones, 3'x10"x30", inches
or over. Post 4'x4"x30" inches or over.
Monuments & Mounds 30" inches or over.
Pits here & aft.

Andrew J. Cook } Chain Carriers
Charles Hager }
Aaron Tate, Flag & marker
H. J. Camp & B. C. Hardin, Surveyors

H. J. Camp & B. C. Hardin
The Surveyors, duly appointed, to es-
tablish and survey the boundary lines
of Kent County, of Texas. Here-
with Certify that the above above
described Survey, & establishing the
boundary lines of said Kent County
was made as set forth in the above
field notes and Plats. Witness our
official signatures H. J. Camp
this 27th day of July B. C. Hardin
1895 Surveyors.

Kent Co. (4a) Kent Co Bdry Line 4a

7-27-1895