

NO. 2354. #

Coryell County #

In the District Court

-vs- #

Bosque County Texas.

Lampasas County #

Now on this the 19th. day of September

A.D.1902, comes on befor this Court for app-

roval the report of surveyor made in the above ~~xxx~~ entitled ~~and~~ numbe  
red cause by G.W.Turner and filed herein on the 14th. day of August  
A.D. 1902, and it appearing to the court that said Surveyor has Sur-  
veyed marked and defined the boundary line between Coryell and Lampa-  
sas Counties as the same was found and established by this court in  
Judgment rendered in this couse on the 9th. day of February A.D.1901.  
and has made true report thereof unto this Court which said report is as  
follows:

NO.2354. #

Coryell County #

In the District Court

-vs- #

Bosque County County Texas.

Lampasas County et al. #

To the Honorable William Poindexter

Judge of the 18th. Judicial District of Texas.

In obediance to the  
Judgment and order of survey made and entered of record on the 9th. day  
of Feburary A.D.1901 in the above ~~xxx~~ entitled and numbered cause, I went  
upon the ground and began my work of making said survey on the 30th.day  
of June 1902 and continued at the same until the 12th. day of July 1902  
when I finished said survey and now here submit the following as my  
report together with the plat hereto attached to wit:

I began at  
the N.W. corner of Coryell County and the N.E corner of Lampasas County  
as fixed and established in the above mentioned Judgment, which is  
known as the Geo F. Adams and D.A. Hammack Corner, this corner is on  
top of a mountain , at this point I found a mound of stone around a  
Live Oak stump which corresponded with the Live Oak tree called for in  
the fiel notes in said Judgment as the corner of said <sup>two</sup> Counties. I also  
found at this point a Live Oak stump bearing N. 52 E. 43 1/2 varas and

another Live Oak stump bearing N. 19 E 47 varas from the first mentioned stump with the stone mound around it. all of these stumps were to low to show any marks that had been on the trees but were pointed out to me by Citizens living near who pretended to know where said corner and bearing trees were as the true corner and bearing trees and being satisfied with the evidences found on the ground that this was the correct corner I re-established said first mentioned stump as said corner and made it my beginning point and placed a new cedar post 8 inches in diameter 3 feet in the ground and two feet above the ground and piled stone around it and I marked said post on the North side together "H" and on the east side with the letter "C" and on the west side with the letter "L" and on the south side with the figures "31" and this post is made and established by me as the N.W. corner of said Coryell County and the N.E. corner of the said Lampasas County from which I made and marked the following bearing trees. to wit: a Live Oak marked "C" bears S. 37 E. 42 1/2 varas and another marked "L" bears S. 11. R. 74 1/2 varas I then began running said County line South 30 East on a variation of nine degrees and fifteen East and at the 238 varas a Live Oak tree marked fore and aft and at 1632 varas cross the old Gatesville and Brownwood wagon road. and at one mile set the first here cedar mile post 8 inches in diameter 3 feet in the ground and two feet above the ground and made a stone mound around it and marked it "I" on the North side and 30 on the South side and "L" on the west side and "C" on the East side, this post is in a small mosquito valley now in cultivation no bearing trees convenient at one mile and 120 varas crossed the Ewant and Lampasas wagon road. and at 1 mile and 330 varas came to base of a mountain and at two miles set the second here cedar post 8 inches in diameter 3 feet in the ground and two feet above the ground and made stone mound around it and marked it "2" on the North side and "29" on the South side and "L" on the West side and "C" on the East side. This post is in a small valley about 200 varas West of the high point of a mountain. At two miles and 434 varas came to the top of a mountain and at two miles and 1360 varas left the top of said mountain



\*

West side and C on the East side this post is on the G.C. & S.F. R.R. CO. survey number 5 and from which a large boulder near the top of the a mountain bears N. 34 E. and a round mountain in the Valley known as the cedar knob bears S. 39 W.

At 6 1/2 miles 334 varas the top of a mountain and at 7 miles set up the 7th ~~hex~~ cedar mile post 8 inches in diameter 3 feet in the ground and two feet above the ground and made a stone mound around it and marked it 7 on the North side and 24 on the South side and L on the West side and C on the East side this post is located on top of the mountain on the S.E. Turner survey and near the S.W. corner of said Turner survey.

At 7 miles and 400 varas crossed a branch at 7 miles and 590 varas the top of a mountain, and at 8 miles set up the 8th ~~hex~~ cedar mile post 8 inches in diameter 3 feet in the ground and two feet above the ground and made stone mound around it and marked it 8 on the North side and 23 on the South side and L on the West side and C on East side this post is on top of a mountain and from which a post Oak marked C bears N. 82 E. 46 varas and a Black Jack marked L bears N. 78 E. 14 varas.

At 8 miles and 515 varas leaves the top of a mountain at 9 miles set up the 9th ~~hex~~ cedar post 8 inches in diameter 3 feet in the ground and two feet above the ground and made stone mound around it and marked it 9 on the North side and 22 on the South side and L on the West side and C on the East side this post is located in ~~the~~ crossing the bend of a branch from which said branch would be crossed by lines running from said post N. 30 W at 12 varas and N. 60 E. at 16 1/2 and ~~Varas~~ S. 30 E at 22 varas.

At 9 miles and 22 varas crossed said branch, at 9 miles and 1630 varas to Mr Grayes house and at 10 miles set up the 10th. ~~hex~~ cedar mile post 8 ~~inche~~ in diameter, 3 feet in the ground and two feet above the ground and made ~~and made~~ mound of stone around it, and marked it "10" on the North side and "21" on the South side and "L" on the West side and "C" on the East side, said sake being in a field and from which a large boulder near the top of the mountain bears S. 82. W. and Live Oak marked C and L bears N. 25. E. 263 1/2 varas.

†  
At 10 miles and 862 varas to a point N. 60 E. 23 varas from where the  
N.E. corner of the J.J. Burns Pre-emption Survey is claimed, but this  
corner of said survey is in dispute, at 11<sup>miles</sup> set up the 11th hewn cedar  
mile post 8 inches in diameter, 3 feet in the ground and two feet  
above the ground and made stone mound around it and marked it "11"  
on the North side and "20" on the South side and "L" on the west side  
and "C" on the East side, said stake being in a field 398 varas North  
of a point of a mountain and from which a Pecan marked L bears S. 7 E.  
26 1/2 varas and a Live Oak marked C bears N. 21 W. 46 1/2 varas.

At 11 miles and 398 varas top of mountain, at 11 miles  
1014 varas leaves top of said mountain and 11 miles and 1355 varas  
pass east of and near to M.A. Burns house from which the north east  
corner of the M.A. Burns preemption survey as claimed, bears east  
300 varas, but said corner of said survey is not definitely established  
and at 12 miles set the 12th hewn cedar mile post 8 inches in diameter  
3 feet in the ground and 2 feet above the ground and made stone mound  
around it and marked it "12" on the north side "19" on the south side  
"L" on the west side and "C" on the east side said post being in T.J.  
Uptons filed on the O.J. Trask survey and from which a live oak marked  
C and L bears N. 53 1/2 W. 76 1/2 varas.

At 12 miles and 24 varas cross the branch at 12 miles and 180  
varas passed West of and near to T.J. Upton old residence at 12<sup>miles</sup> and 600  
varas passed west of and near to T.J. Uptons present residence, and at  
13 miles set up the 13th hewn cedar mile post 8 inches in diameter  
3 feet in the ground and 2 feet above the ground and mounded up with  
stone and marked "13" on the north side and "18" on the south side "L"  
on the west side "C" on the east side and located in a valley of E.J.  
Healer's subdivision of the O.J. Trask survey and from which a live oak  
marked C bears N. 52 W. 24 varas and another live oak marked L bears  
N. 3 . W. 13 varas.

At 13 miles and 235 varas cross a branch at 13 miles and  
320 varas to R.F. Farmers house at 14 miles set up the 14th hewn cedar



the ground and 2 feet above the ground and made stone mound around it and marked it "18 on the North side 13 on the south side and "L" on the west side and "C" on the east side, said post is located in prairie and from which a live oak marked "C bears N. 70 E. 73 varas and another live oak marked L" bears N. 58 E. 84 1/2 varas *cross line Sect 33 from NW cor Sec 12*

At 19 miles set up the 19th hewn cedar mile post 8 inches in diameter 3 feet in the ground and 2 feet above the ground and a made stone mound around it, and marked it "19" on the North side 12 on the south side and "L" on the west side and "C" on the east side same being located in prairie on the G. B.N. Co survey number 12 and from which a live oak marked "C" bears S. 75 W. 40 1/2 varas and another live oak marked L. bears S. 68 W. 54 1/2 varas.

At 19 miles and 77 varas cross a branch, at 19 miles and 1720 varas crossed a wagon road leading to Topsy <sup>100 1/2 wheels for new cor Swords</sup> and at 20 miles set up the 20th hewn cedar mile post 8 inches in diameter, 3 feet in the ground and 2 feet above the ground, and made stone mound around it and marked it "20" on the north side 11 on the south side "L" on the west side and "C" on the east side said post is located in J.M. Jones farm and near his north line and out of the S. Swords survey and from which a live oak marked C bears S. 64. 1/2 W. 162 1/2 varas and another live oak marked L bears S 80 W. 228 1/2 varas ?

At 20 miles and 640 varas acrosses the south fork of table rock creek, 20 miles and 835 varas crosses the old Gatesville and Lampasas wagon road from which a mulberry tree marked with 7 old hacks bears S. 60 W. 28 varas (the live oak not found) at 20 miles and 1172 varas cross a branch and at 20 miles 1728 varas cross another branch and at 21 mile set up the 21<sup>st</sup> hewn cedar mile post 8 inches in diameter, 3 feet in the ground and 2 feet above the ground and a made stonemound around it, and marked it "21" on the North side ~~"10"~~ "10" on the south side "L" on the West and "C" on the east side, said post is located in the field no bearings near.

At 21 miles and 1165 varas crossed a branch and at 22 miles set up the 22<sup>nd</sup> hewn cedar mile post 8 inches in diameter 3 feet in the ground and 2 feet above the ground and made a stone mound around it and

marked it "22" on the North side and "9" on the South side "L" on the West side and "C" on the East side, located in a low valley south of and near to a small branch from which a Live oak bears S 22 W. and high peak of a mountain bears S. 84 W.

At 22 miles and 1440 varas crossed the old Belton and Hamilton Wagon road, on North west slope and near the gap of a mountain, at 22 miles 1660 varas begin to ascend the mountain, and 23 miles set up the 23rd <sup>hewn</sup> cedar ~~to~~ mile post 8 inches in diameter, and 3 feet in the ground and two feet above the ground and made stone mound around it and marked it "23" on the North side, 8 on the south side, "L" on the West side and "C" on the East side located on the eastern slope of a lone mountain from which a large boulder bears S . 48 W. 8 varas, and another large boulder near the top of the mountain bears N. 62 W. and a high peak on the West side of Lampasas river bears S.30W.

At 23 miles and 310 varas top of mountain , at 23 miles 1430 varas leaves the top of said mountain and at 24 miles set up the 24 hewn cedar mile post 8 inches in diameter, 3 feet in the ground and 2 feet above the ground and made stone mound around it and marked it "24" on the North side "7" on the South side, "L" on the West side "and" "C" on the East side , located in a field in a valley, and from which a Live Oak marked C and L bears S 86 W. 128 varas.

At 24 miles and 280 varas crossed the Waco and Lampasas wagon road, at 24 miles and 1602 varas crossed a branch of Lampasas river, at 24 miles 1777 varas recrosses said branch of said river , and at 25 miles set up the 25 th hewn cedar mile post 8 inches in diameter, 3 feet in the ground and 2 feet above the ground and made stone mound around it and merked it "25 " on the North side, "6" on the South side "L" on the West side "C" on the East side, located on the E. Moore survey 192 1/2 varas S. 33 W. from the N.E corner of said survey .

At 25 miles and 430 varas crossed a branch , at 25 miles and 1295 varas crossed another branch and 26 miles set up the 26 hewn cedar mile post 8 inches in diameter , 3 feet in the ground and 2 feet above the ground and made stone mound around it and marked it 26 on the North side "5" on the South side "L " on the West side and "C" on the East side located in prairie from which a Live Oak in a grave yard



marked C . bears N.88E. 51 varas and another Live Oak in Grave yard  
marked L bears N.56 1/2. E. 60 1/2 varas .

At 26 miles and 339 varas to center of the Gulf Colorado  
and Sante Fe railroad track, at 26 miles and 965 varas crosses a branch,  
at 26 miles and 1324 varas passed over an old stone mound claimed to be  
one of Hammacke mile post, and at 27 miles set up the 27th <sup>hewn</sup> cedar mile  
post 8 inches in diameter 3 feet in the ground and 2 feet above the ground  
and made stone mound around it and marked "27" on the North side ,  
"4" on the South side, "L" on the West side and "C" on the East side,  
located near the foot of a mountain and from which a small Live Oak <sup>marked</sup>  
C bears S. 10W. 64 1/2 varas and another Live Oak marked L bears S 28 W.  
91 varas.

At 27 miles and 1440 varas ran over an old stone mound on high  
point of a mountain , at 27 miles and 1640 varas leaves the top of the  
mountain and 28 miles set up the 28 hewn cedar mile post 8 inches in  
diameter 3 feet in the ground and 2 feet above the ground and made  
stone mound around it and marke "28" on the North side , "3" on the South  
side , "L" on the West side and "C" on the East side , located on the  
North East side of a small branch in Canon .

At 28 miles and 1030 varas the top of a mountain at 28 miles  
and 1470 varas leaves the top of said mountain and at 29 miles set  
up the 29 th, hewn cedar mile post, 8 inches in diameter , 3 feet in the  
ground and 2 feet above the ground, and made stone mound around it and  
marked "29" on the North side and "2" on the South side, "L" on the  
West side and "C" on the East side, located in a valley farm from which  
a Live Oak marked C and L bears S 34 E. 35 varas.

At 29 miles and 840 varas crossed a branch , and at 30 miles  
set up the 30 th. <sup>hewn</sup> cedar mile post 8 inches in diameter , 3 feet in the  
ground and 2 feet above the ground and made stone mound around it and  
marked it "30" on the North side and "1" on the South side, "L" on the  
West side and "C" on the East side , said post is located in scattering  
timber and from which a Live Oak marked L bears N 22 W. 71 1/2 varas.

At 30 miles and 1030 varas crossed a creek , and 31 miles set  
up a large stone about 2 feet in the ground and 2 1/4 above the ground ,  
too hard to mark, located on the high prairie counter 56231

and from which the S.W. corner of Coryell County and the S.E. corner of Lampasas County bear S. 30 E. 104. varas.

At 31 miles and a 104 varas set up a hewn cedar post 8 in ches in diameter set 3 feet in the ground and 2 feet above the ground and made stone mound around it and marked "B" on the South side "C" on the east side and "L" on the West side, located in the North line of Bell County, and from which a Live Oak marked C bears N. 19 E. 244 1/2 varas and another Live Oak marked "L" bears N. 23 E. 270 1/2 varas which said post is 867 varas N. 60 E. from the N W. corner of Bell County and which said post I made and re-established as the S.E. corne of said Lampasas County and the S W. corner of Coryell County. the N W. corner of Bell County is well established on the ground. I found on the ground only two of what I was satisfied were the original Hammack monument or mile posts and these I have mentioned in the foregoing field notes I found several marked trees all along the line that satisfied me that they were the markings of the Hammack line. in running both the 29th and 30th miles I passed by several marked trees which were evidently marked for the Hammack line as they were not on any survey line s. the West line of Coryell County as well as the East line of Lampasas County calls to be 30 miles in length but in fact I found said line by careful measurrent to be 31 miles and a 104 varas long from the N.W. cotner of Coryell County and N.E corner of Lampasas County S. 30 E. to the North line of Bell County the N W. corner of Bell County is well identified on the ground and is 867 varas S 60 W. from wher I made the S W. corner of Coryell County and the S E. corner of Lampasas County. in all of my measurements I used a regular Surveyors Chain 10 varas long and Bud Licette and ----- Smith were my chainmen and were by me each duly sworne according to law before commencing any measuring. N 60 E. 86 varas from wher I made the S W. corner of Coryell County and S E. corner of Lampasas County I found a small stone pile which I was unable to account for unless it is a corner of some tract of land. in making the above survey, I incurred the following expenses, all

of which are reasonable and were necessary to make said survey to wit:

|   |          |
|---|----------|
| To hire and expense of 5 men.                           | \$180.00 |
| To hire of two Wagons and teams and feed for teams.     | 108.00   |
| To 31 hewn cedar post 8 inches in diameter 5 feet long. | 32.00    |
| To blasting material used.                              | 2.00     |
| To telephone messages,                                  | .75      |
| To cash paid for field notes at Gatesvill.              | 2.00     |
| To Stenographers fees,                                  | 10.00    |
| To my fees in making Survey plat and report,            | 180.00   |
|   | <hr/>    |
| Total   | \$514.75 |

Respectfully submitted.

G.W. Turner

County surveyor of Bosque County Texas.

The State of Texas #

County of Bosque. #

Before me on this day personally appeared G.W. Turner County Surveyor of Bosque County Texas, who after being by me duly sworne states on oath that the matters in things set fourth and contained in the above and foregoing report and plat are true.

To certify which I here unto set my hand and seal of Office this the 14th. day of August A.D. 1902.

E.B. Robertson

Notary public, Bosque County Texas.

(Seal)

And it appearing that no objections has been filed to said report ~~by~~ defendant Counties and that is no objections there to. it is there fore orderd, adjudged and decreed by the Court that the report of said survey so made by G.W. Turner and filed here in on the 14th. day of August A.D. 1902. be and the same is hereby in all things approved and confirmed. it is therefore orderd adjudged and decreed by the Court that the boundary line between Coryell County and Lampasas County Texas. as the ~~same~~ <sup>was</sup> established by this Court in its order and decree of Frbruary 9th. 1901.

and as the same is described and plated in the report of survey hereinabove set fourth. and approved, be and the same is fully established and decreed to be the true boundary line between said Counties The Clerk of this Court is directed and orderd to transmit to the Commissioner of the General land Office of Texas a certified copy of this order and judgment . The account of said Surveyor G.W. Turner is in all thinge approved for the sum of \$514.75 and orderd taxed as cost herein in accordance with the previous order of this Court .The Clerk of this Court is hereby orderd to certify to the Commissioners Court of each said Counties a true bill of all the cost incurred in

THE STATE OF TEXAS, }  
COUNTY OF LAMPASAS, }

I, J. E. MORGAN, Clerk of the County Court in and for said County, do hereby

certify that the foregoing instrument, dated 7<sup>th</sup> day of August 1905, with its certifi-

cates of authentication, was filed for Record in my office, the 22<sup>nd</sup> day of August 1905

at 2 o'clock P. M., and duly Recorded the 26<sup>th</sup> day of August 1905, at 9

o'clock A. M., in Court Record of said County in Vol. No 6 on pages 104, 5, 6, 7, 8, 9, 10, 11, 12.

Witness my hand and the seal of the County Court of said County, at office in Lampasas, Texas, the day and year last above written.

By J. E. Morgan Deputy.

J. E. Morgan Clerk,  
County Court Lampasas County.

Report of Surveyor  
G. H. Turner. in  
Case No 2344-

Coyell County  
- 21 -

Lampasas County,

Filed for Record Aug 22<sup>d</sup> 1905  
At 2 o'clock P. M.

J. E. Morgan  
County Clerk

By D. C. Chandler septy.

Recorded August 26<sup>th</sup> 1905 in  
minutes of Commissioner  
Court of Lampasas Co Texas  
Vol 6. pages 104 to 112,

Coyell Co. Bdry.

and as the same is described and plated in the report of survey hereinabove set fourth. and approved, be and the same is fully established and decreed to be the true boundary line between said Counties The Clerk of this Court is directed and orderd to transmit to the Commissioner of the General land Office of Texas a certified copy of this order and judgment. The account of said Surveyor G.W. Turner is in all thinge approved for the sum of \$514.75 and orderd taxed as cost herein in accordance with the previous order of this Court. The Clerk of this Court is hereby orderd to certify to the Commissioners Court of each said Counties a true bill of all the cost incurred in this cause in this Court except the cost incurred by reason of the appeal taken by the defendant Lampasas County and to tax on half thereof against each of said Counties.

E 503—Certificate of True Copy of Papers Recorded—Class 1\*

Clarke & Courts, Stationers, Printers, Lithographers, Galveston.

THE STATE OF TEXAS,

County of Boquero } I, Superior Barber Clerk  
of the District Court of Boquero County, Texas, do hereby certify that  
the foregoing is a true and correct copy of the original

Report of G.W. Turner  
in case No- 2354  
as the same appears of record in my office in book 225543-

Given Under my Hand and the Seal of said Court, at office in Meridian  
this 7th day of August 1900

By Superior Barber Clerk  
Deputy.

5-96-10-683

counter 58097.

By D. C. Thomas Deputy.

J. C. Morgan Clerk,  
County Court Lampasas County.

Lampasas Co. Board June 1900

counter 56234