NOV. 24 and 1	NOV.		
25th, 1966	That	nksgiving Day -	Thursday and Friday
. DEC. 23rd th	rough		1
DEC. 26TH,	1966 CHF	RISTMAE, -	Friday through Monday
JAN. 2ND, 19	967 New	Years	Monday
Motion m	ade by Rigby, s	seconded by Bartlett,	all present voting "aye"

approving the estimated cost of Gulf Refining Company in adjustment of its pipe lines for the widening of State Highway 321, in Precinct #4, in the amount of \$1, 272.33 subject to the approval of the State Highway Department

and presenting a Certificate of Completion of Said Work and actual cost

Whereas, on May 31, 1963, in Volume Q, pages 4-6, the Commissioners'

Court entered into an agreement with Harris and Montgomery Counties for

Whereas, it was agreed by the three Counties that the Compton Line

Whereas, it was further agreed that each County appoint a Surveyor

Whereas, Richard P. Doss, Harris County Engineer, with the aid of the County Surveyors of Liberty and Montgomery Counties has established the line dividing Liberty, Harris and Montgomery Counties and the line

should become the legal common boundary of Liberty, Harris and Mont-

and four helpers to re-establish and properly mark the Compton Line in accordance with field notes which are agreed upon by all three Counties;

NOW, THEREFORE, upon motion of Commissioner Pressley,

Harris and Montgomery Counties and the Plat and Boundary Line Des-

are set out below, be and the same are hereby approved and that the plats be placed of record in Vol. 8, Pages 28, 29, and 30 of the Map

IT IS ORDERED THAT THE Plat and Boundary Line Description of

cription of Harris and Liberty Counties, which Boundary Line Descriptions

seconded by Commissioner Bartlett, duly put and carried,

Pg. 1 of 4

)

١

purpose of establishing a common boundary line; and

dividing Harris and Montgomery Counties:

Records of Liberty County, Texas:

Volume Q

ESTIMATE OF GULF REFINING COMPANY FOR HWY. 321, PREC. 44, APPROVED

statement.

THE STATE OF TEXAS

COUNTY OF LIBERTY

gomery Counties; and

And.

298

BOUNDARY LINES DESCRIPTION OF HARRIS AND LIBERTY COUNTIES & BOUNDARY LINE DESCRIPTION OF HARRIS & MONTGOMERY COUNTIES



COUNTY OF LIBERTY STATE OF TEXAS

STATE OF TEXAS
I. Delia Sellers, County Clerk, Liberty County, Texas do
hereby certify that the above foregoing is a true and correct
copy of Comm. Count Minutes
as same appears of record in Vol. Q , Page 298
of the Comm. Count
Records of Liberty county, Texas. GIVEN UNDER my hand and seal of office, this the 25+4
day of Tehrmany 1997
Delia Sellers, County, Clerk Liberty County, Texas
By: Lisa Edwards
Deputy
LISA EDWARD8
Counter 56289

BOUNDARY LINE DESCRIPTION OF HARRIS AND MONTGOMERY COUNTLES

In the following description, all bearings and co-ordinates are on the Lambert Grid System, South Central Zone with a Grid Factor of 0.9999452. All concrete monuments set are referenced with $3/4" \ge 4"$ iron bars set on line 10 feet on each side and 10 feet at right angles of said concrete monument. All witness trees are marked $\frac{1}{X}$.

Beginning at a concrete monument (Mile Post No. 13) for the northeast corner of Harris County, Texas, (Y=869,127.42 X=3,233,364.39) from which a 16" R.O. bears North 70° 24' 03" East, 14.80 feet an 18" R.O. bears S 33° 13' 03" West, 66.80 feet a 7" S.G. bears North 57° 33' 57" West, 21.20 feet. Said concrete monument having been placed at the same point where was found a mulberry post as set in the year 1914 for the northeast corner of Harris County, Texas by H. O. Compton, County Surveyor of Liberty County, Texas, and Mr. C. B. Stewart, a special surveyor appointed by the Commissioners' Court of Montgomery County, Texas. Montgomery County, Texas.

Further reference is hereby made to Field Notes of said surveyor's dated September 16, 1914 and recorded in Volume E, Page 141 of the Commissioners' Court Minutes in Liberty County, Texas.

Thence South 45° 13' 02" .61 West along said County line of Harris and Mont-gomery Counties, at 2,640.00 feet set 3/4" x 4' iron bar, at 2,808.00 feet cross gully, at 4,326.50 feet cross centerline of dirt road; Thence South 45° 13' 02"

MILE POST NO. 1: 5,280.00 feet set concrete monument (X=865,408.29 X= 3,229,616.93) from which an 8" S.G. bears South 8° 59' West, 65.00 feet an 11" Water Oak bears South 36° 44' East, 54.80 feet, at 7,920.00 feet set 3/4" x 4' iron bar;

MILE POST NO. 2: 10,560.00 feet set concrete monument (Y=861,689.17 X=3,225,869.48), at 11,725.78 feet set concrete monument, at 11,759.63 feet set 60^{d} nail in centerline of Huffman-Cleveland Road, based on 80 feet in width, at 11,853.47 feet set concrete monument, at 13,068.42 feet, set concrete monument at 13,599.86 feet set concrete monument, at 14,494.18 feet set concrete monument, at 14,697.97 feet set concrete monument, at 15,066.79 feet set concrete monument, at 15,637.07 feet set concrete monument, at 16,355.99 feet set 3/4" iron bar in centerline of Pin Oak Road, at 16,396.60 feet set concrete monument, at 16,873.60 feet cross Church House Gully, at 17,264.60 feet enter gully, at 17,369.60 feet leave gully, at 18,480.00 feet set 3/4" x 4' iron bar, at 20,146.00 feet cross centerline of a fire lane, at 20,169.81 feet set a concrete monument on southwest side of said fire lane;

MILE POST NO. 4: 21,120.00 feet set concrete monument (Y=854,250.91 X=3,218,374.56) at 23,824.00 feet cross centerline of a fire lane road, at 23,842.56 feet set concrete monument on south side of said fire lane;

MILE POST NO. 5: 26,400.00 feet set concrete monument (Y=850,531.78 X=3,214,627.10) from which a 6" Hackberry bears North 51° 09' East, 54.50 feet a 10" Hickory bears South 26° 22' East, 17.00 feet, at 26,491.00 feet cross gully at 28,704.00 feet cross centerline of dirt road, at 29,040.00 feet set 3/4" x 4' iron bar, at 29,642.84 feet set concrete monument on northeast side of iron ore road, at 29,685.00 feet cross centerline of iron ore road, at 29,992.00 feet cross centerline of United Gas Co., pipeline, at 30,694.00 feet cross centerline of United Gas Co. pipeline;

MILE POST NO. 6: 31,680.00 feet set concrete monument (Y=846,812.66 X=3,210,879.65), at 32,780.00 feet cross high bank of Caney Creek, at 33,015 feet cross high bank of said Caney Creek, at 33,332.00 feet cross gully, at 33,837.00 feet cross gully, at 34,320.00 feet set $3/4" \times 4'$ iron bar at 34,897.00 feet cross centerline of dirt road, at 36,191.00 feet enter centerline of dirt road, thence along said centerline of road at 36,325.00 feet cross White Oak Creek, at 36,775.00 feet leave centerline of said road;

MILE POST NO. 7: 36,960.00 feet set concrete monument (Y=843,093.53 X=3,207,132.19) from which a 6" S.G. bears South 3° 07' East, 37.20 feet a 7" Willow Oak bears South 78° 26' West, 5.00 feet, at 37,853.00 feet enter centerline of dirt road, at 37,960.00 feet leave said centerline, at 39,600.00 feet set 3/4" x 4' iron bar;

MILE POST NO. 8: 42,240.00 feet set concrete monument (Y=839,374.40 X=3,203,384.73) from which an 11" Post Oak bears South 19° 19' West, 45.00 feet a 16" Red Oak bears North 24° 17' West, 50.50 feet, at 42,493.06 feet cross the south edge of concrete slab of the Buster Ford residence from which the southeast corner of said slab is 14.87 feet to the right, thence across said slab at 42,451.17 feet leave said

COUNTY OF LIBERTY STATE OF TEXAS I. Delia Sellers, County Clerk, Liberty County, Texas do

hereby certify that the above foregoing is a true and correct copy of ______ Court Musting as same appears of record in Vol. Q , Page 299 of the ______ Count

Records of Liberty county, Texas.

Deputy

GIVEN UNDER my hand and seal of office, this the 2514 day of <u>Jebruary</u>, 19<u>97</u> Delia Sellers, County Clerk Liberty County, Texas By: <u>Lisa</u> Edwards

LISA EDWARDS

Liberty Co. Bory. Line No. I Pg. 2 of 4 coul. 56290

slab from which the southeast corner is 39.15 feet along the edge of said slab, at 42,800.00 feet set concrete monument on west side of Hamblen Road, at 47,764.84 feet set concrete monument from which a 12" Black Gum bears South 35° 07' East, 37.10 feet an 8" Black Gum bears North 12° 57' East, 18.00 feet, at 48,134.00 feet enter centerline of a dirt road, at 49,119.00 feet leave said centerline of road, at 50,160.00 feet set 3/4" x 4' iron bar, at 52,580.00 feet cross Ben's Branch;

MILE POST NO. 10: 52,800.00 feet set concrete monument (Y=831,936.15 X=3,195,889.82), from which a 13" Water Oak bears North 37° 22' West, 42.20 feet a 12" Water Oak bears North 7° 02' East, 24.60 feet, at 55,440.00 feet set 3/4" x 4' iron bar, at 56,380.28 feet set concrete monument on the east side of dirt road;

MILE POST NO. 11: 58,080.00 feet set concrete monument (Y=828,217.02 X=3,192,142.36) from which an 11" Ash bears South 6* 36' East, 51.50 feet a 9" Post Oak bears North 43* 47' West, 46.00 feet, at 60,720.00 feet set 3/4" x 4' iron bar;

MILE POST NO. 12: 63,360.00 feet set concrete monument (Y=824,497.89 X=3,188,394.90), from which a 12" Post Oak bears South 79° 13' West, 24.00 feet a 10" Post Oak bears North 75° 47' West, 15.70 feet, at 66,000.00 feet set 3/4" x 4' iron bar, at 66,132.35 feet cross center-line of Southern Pacific RR from which railroad mile post No. 21 bears northerly 3,532.00 feet, at 66,289.39 feet set concrete monument on east side of U. S. Highway 59, at 66,423.39 feet cross centerline of said Highway, at 66,547.23 feet set concrete monument (Y=822,320.74 X=3,186, 201.17), at 66,631.84 feet set concrete monument on West side of U. S. Highway 59;

MILE POST NO. 13: 68,663.56 feet set concrete monument, at 70,408.29 feet set concrete monument on east side of McClellan Road, at 70,420.00 feet cross centerline of said road, at 70,474.15 feet set concrete monument on West side of said road, at 71,774.87 feet set concrete monument on the east bank of San Jacinto River at the intersection of Spring Creek.

BOUNDARY LINE DESCRIPTION OF HARRIS AND LIBERTY COUNTIES

In the following description, all bearings and co-ordinates are on the Lambert Grid System, South Central Zone with a Grid Factor of 0.9999442. All distances and ties are ground distances. All concrete monuments set are referenced with $3/4" \ge 4'$ iron bars set on line 10 feet on each side and 10 feet at right angles of said concrete monument. All witness trees are marked \underline{X} .

Beginning at a concrete monument (Mile Post No. 13) for the northeast corner of Harris County, Texas. (Y=869,127.42 X=3,233,364.39), from which a 16" R.O. bears North 70° 24' 03" East, 14.80 feet, 18" R.O. South 33° 13' 03" West, 66.80 feet, 7" S.G. North 57° 33' 57" West, 21.20 feet. Said concrete monument having been placed at the same point where was found a mulberry post as set in the year 1914 for the northeast corner of Harris County, Texas by H. O. Compton, County Surveyor of Liberty County, Texas and Mr. C. B. Stewart, a special surveyor appointed by the Commissioners' Court of Montgomery County, Texas. Further reference is hereby made to Field Notes of said surveyors, dated September 16, 1914 and recorded in Volume E, page 141 of the Commissioners' Court Minutes in Liberty County, Texas; Texas:

Thence South 20° 09' 00" .41 East, along said county line of Harris and Liberty Counties, at 730.00 feet enter a pond, at 1202.00 feet leave said pond, at 1293.00 feet cross centerline of Huffman-Cleveland Road, based on 60 feet in width and at 2640.00 feet set 3/4" x 4' iron bar;

MILE POST NO. 1: 5,280.00 feet set concrete monument (Y=864,171.27 X=3,235,183.00) from which a 13" S.G. bears South 50° 18' West, 32.50 feet, a 8" W.O. bears North 70° 29' East, 15.80 feet, at 7920.00 feet set 3/4" x 4' iron bar;

MILE POST NO. 2: 10,560.00 feet set concrete monument (Y-859,215.12 X-3,237,001.61) from which an 11" S.G. bears North 69° 09' West, 620 feet a 17" B.G. Bears North 44° 51' East, 36.20 feet at 13,200.00 feet set 3/4" x 4' iron bar;

MILE POST NO. 3: 15,840.00 feet set concrete monument (Y=854,258.97 X=3,238,820.22) from which a 10" W.O. bears North 34° 58' East, 29.20 feet a 10" Holly bears North 11° 54' West, 55.00 feet continuing along said county line at 17,626.00 feet enter Key Gully, at 17,700.00 feet leave Key Gully, at 17,740.00 feet cross Key/Gully, at 18,480.00 feet set 3/4" x 4' iron bar, at 19,080.00 feet cross Key Gully, at 19,805.00

COUNTY OF LIBERTY STATE OF TEXAS

I, Delia Sellers, County Clerk, Liberty County, Texas do hereby certify that the above foregoing is a true and correct copy of _______ Cman + _______ as same appears of record in Vol.______, Page_300_____ of the _______ Cman + ______ Records of Liberty county, Texas.

LISA EDWARDS

Lisa Eduards By: _

Deputy Liberty Co. Bdry. Line No. 1 Pg. 3 of 4 Counter 56291

feet cross Key Gully, at 20,665.00 feet cross Key Gully, at 20,694.00 feet cross Key Gully, at 20,757.00 feet cross Key Gully;

1 . . .

MILE POST NO. 4: 21,120.00 feet set concrete monument in centerline of irom ore tram road (Y=849,302.83 X=3,240,638.83), continuing along said county line, at 22,450.00 feet cross centerline of Transcontinental Pipe Line Com-pany Easement, at 23,394.00 feet enter Key Gully, at 23,425.00 feet leave Key Gully, at 23,563.00 feet cross Key Gully, at 23,760.00 feet set 3/4'x 4' iron bar, at 24,245.00 feet cross Key Gully, at 24,660.00 feet cross Luce's Bayou from which point Key Gully intersects said Luce's Bayou 275.00 feet to the right: 275.00 feet to the right;

MILE POST NO. 5: 26,400.00 feet set concrete monument (Y=844,346.68 X=3,242,457.44) from which a 22" Post Oak bears South 73° 48' East, 67.60 feet a 22" W.O. bears South 87° 51' West, 49.00 feet at 29,040.00 feet set 3/4" x 4' iron bar;

At 31,580.00 feet set concrete monument (Y=839,483.99 X=3,244,241.75), continuing along said county line, at 33,007.00 feet cross Rice Canal, at 33,525.03 feet set $3/4" \ge 4'$ iron bar;

MILE POST NO. 7: 36,960.00 feet set concrete monument (Y=834,434.38 X=3,246,094.66) from which 13" S.G. bears South 82° 41' East, 31.40 feet a 9" S.G. bears South 21° 34' West, 15.30 feet at 39,600.00 feet set 3/4" x 4' iron bar at 40,664.50 feet set concrete monument on north right of way line of Wolf Road, at 40,696.00 feet cross centerline of said Wolf Road, based on 60 feet in width;

MILE POST NO. 8: 42,240.00 feet set concrete monument (Y=829,478.23 X=3,247,913.27) at 44,880.00 feet set 3/4" x 4' iron bar;

MILE POST NO. 9: 47,520.00 feet set concrete monument (Y=824,522.08 X=3,249,731.88) from which a 12" Willow Oak bears North 4° 51' East, 7.10 feet a 12" S.G. bears South 76° 51' West, 9.50 feet, at 47,884.00 feet cross Cedar Bayou, said Cedar Bayou was called Lake Bayou in aforementioned 1914 Field Notes; at 49,135.41 feet set concrete monument in North right of way fence of FM 1960, at 49,191.76 feet cross centerline of pavement FM 1960, at 49,355.36 cross centerline of B.S.L. and W.R.R. from which railroad mile post No. 401 bears westerly 256.00 feet, at 50,160.00 feet set $3/4" \ge 4'$ iron bar, at 51,343.18 feet set $3/4" \ge 4'$ iron bar on top of north levee surrounding large man made lake, at 53,143.46 feet set $3/4" \ge 4'$ iron bar on top of south levee of said lake; at 58,047.70 feet set concrete monument in north right of way fence of at 58,047.70 feet set concrete monument in north right of way fence of Atascocita Road;

MILE POST NO. 11: 58,080.00 feet set $3/4" \ge 4"$ iron bar (Y=814,609.78 X=3,253,369.10) at 58,090.70 feet cross centerline of Atascocita Road, based on 80 feet in width, at 58,130.35 feet set $3/4" \ge 4"$ iron bar in south right of way fence of said Atascocita Road, at 60,720.00 feet set $3/4" \ge 4"$ iron bar;

MILE POST NO. 12: At 63,392.00 feet set concrete monument (Y=809,623.19 X=3,255,198.88) in fence line, at 66,000.00 feet set $3/4" \ge 4'$ iron bar, at 66,449.58 feet centerline of Cedar Bayou.

COUNTY OF LIBERTY STATE OF TEXAS | Delia Sellers County Clark Liberty County T