

Menard Co

File Boundaries 2

**SCRIP.**

Filed Dec 21<sup>st</sup> 1891

Chief CLK

North bdy line suspended.  
See protest with in

Certificate No.

See McCulloch & lines of  
line west of NW cor of  
Hanson cor. & S of SE cor  
of Concho Co.

Cont. 57048

Mgl.

Menard Co Bound.

Filed Dec 21<sup>st</sup> 1891

*Wm Brantley*  
*Chief Clerk*

North bdy line suspended  
See protest with in

*Abstracted 1894*  
*Warren*

See McCulloch for a line  
west of NW cor of Hanson & south  
of SE cor of Concho.

" Commissioners Court Nov. Term 1891  
Monday the 16<sup>th</sup> day of Nov. A.D. 1891 "

" The following report and map of the Survey  
of the North line of Merand County examined  
and approved and ordered recorded <sup>and it</sup>  
is further ordered that the Clerk of this  
Court make certified copy of the  
same and send to the General Land  
Office

Var 920

To the Honorable Commissioners Board of Menard County!

In obedience to order passed by Your Honorable Board by which I was appointed Special Surveyor to mark and establish the north- and -westlines of Menard County - have the honor to report that I have met Mr H M Garman the Surveyor of Concho County and after having identified by its resp: bearings to wit: a Liveoak 8' in dia: marked  $\frac{x}{x}$  bears S  $65\frac{1}{4}^{\circ}$  E 44 varas do at  $38^{\circ}$  E  $53\frac{1}{2}$  varas - the S.W. Corner of McCulloch County and after having measured the distance of ten miles, running north from said corner on the line of McCulloch County to a point  $494\frac{1}{2}$  varas north from the southline and  $1407\frac{1}{2}$  varas south from the northline  $256\frac{1}{2}$  varas west from the eastline and  $1644\frac{1}{2}$  varas east from the westline of Survey  $2^{\circ}$  79 made for H & P R R Co. we established on the first day of June A.D. 1891, the N.E. Corner of Menard County do S.E. Corner of Concho County; at a point 142 varas south from 75 mile monument, we built a large stone monument and engraved thereon N.E. M.D. & S.E. C. Cor 1891 from which a Liveoak 12' in dia: marked  $\frac{c}{c}$  bears at  $25^{\circ}$  E  $38\frac{1}{4}$  varas and a Liveoak 14' in dia: marked  $\frac{m}{m}$  bears S  $33\frac{1}{4}^{\circ}$  E  $44\frac{1}{2}$  varas and a Liveoak 14' in dia: marked  $\frac{m^c}{m^c}$  bears S  $39^{\circ}$  E  $54\frac{1}{2}$  varas.

Thence west at  $1644\frac{1}{2}$  varas cross the Westline of Survey  $2^{\circ}$  79 do E. line Sur.  $2^{\circ}$  78 -  $1407\frac{1}{2}$  varas S from Northline and  $494\frac{1}{2}$  varas north from southline; at 1900 varas made stone monument marked 1 MILE M & C LINE from which a Mesquite 4' in dia: bears S  $15\frac{3}{4}^{\circ}$  W  $20\frac{1}{4}$  varas do 2' in dia: bears S  $46^{\circ}$  W  $7\frac{3}{4}$  varas, Thence west at  $1564\frac{1}{2}$  varas cross Ford's fence at  $1644\frac{1}{2}$  varas cross the W. line Survey  $2^{\circ}$  78 do E line  $2^{\circ}$  77  $1407\frac{1}{2}$  varas south from their N. lines and  $494\frac{1}{2}$  varas north from their S. lines and the N.E. Corner Survey  $2^{\circ}$  22 do N.W. Cor. Survey  $2^{\circ}$  14/8 in name of A Siegmund to wit: "a stone mound from which a Liveoak 10' in dia: bears S  $85^{\circ}$  W  $17\frac{1}{2}$  varas a Mesquite 5' in dia: bears S  $44^{\circ}$  E 20 varas," bears north  $5907\frac{1}{2}$  varas at 1900 varas we built a stone monument and marked same N M M & C LINE from which a Liveoak 14' in dia:

Menard Co. Bdy. Unit # 2

③ bears at  $15^{\circ} N$   $47\frac{1}{2}$  varas. Thence west at 1561 varas the  
S. E. Corner of Jane Williams Survey et<sup>o</sup> 104 to wit: " a stone  
from which a Liveoak 12' in dia: bears at  $27\frac{3}{4}^{\circ} N$  82 varas <sup>and</sup>  
another bears at  $61^{\circ} N$   $39\frac{3}{4}$  varas, " bears south 652 varas;  
at 1628 $\frac{1}{2}$  varas a stone monument (supposed S. E. Corner of Survey  
et<sup>o</sup> 25 <sup>and</sup> et. N. Sur. et<sup>o</sup> 1419) bears north  $3307\frac{1}{2}$  varas;  
at 1900 varas a stone monument marked 3 Miles M & C  
LINE from which a Liveoak 8' in dia: bears  $89\frac{1}{2}^{\circ} E$  20 varas  
do 16' in dia: bears at  $45\frac{1}{2}^{\circ} E$  45 varas do 16' in dia: bears  
at  $44^{\circ} N$   $33\frac{1}{2}$  varas

Thence west at 971 varas cross a branch; at 1631 varas cross  
westline Survey et<sup>o</sup> 76 do E. line Sur. et<sup>o</sup> 75 - 1407 $\frac{1}{2}$  varas S. from  
their northline <sup>and</sup> 494 $\frac{1}{2}$  varas north from their southline; at  
4 1900 varas a stone monument, engraved 4 MILES M & C  
LINE from which a Liveoak 18' in dia: bears  $56\frac{1}{2}^{\circ} N$   $8\frac{1}{5}$   
varas <sup>and</sup> a Mesquite 5' in dia: bears  $23\frac{3}{4}^{\circ} N$   $15\frac{1}{2}$  varas

Thence west at 1594 varas the supposed S. W. Corner of Jane  
Williams Survey to wit: " a Liveoak 10' brs at  $80^{\circ} E$   $17\frac{1}{2}$   
do 24' brs at  $52\frac{1}{2}^{\circ} E$  43 varas; " bears south 2552 varas  
at 1631 varas cross westline et<sup>o</sup> 75 do E line et<sup>o</sup> 74 - 1407 $\frac{1}{2}$   
varas south from their northline <sup>and</sup> 494 $\frac{1}{2}$  varas north from  
5 their southline; at 1900 varas a stone monument in draw  
of Ruba Creek, <sup>and</sup> engraved thereon 5 M & C LINE from which  
a Liveoak 12' in dia: bears  $80^{\circ} N$  20 varas do at  $41^{\circ} N$   
 $30\frac{4}{5}$  varas. Thence west at 1370 varas cross a branch  
at 1594 varas a point from which the S. W. Corner of Survey et<sup>o</sup> 77  
in name of G. W. Fry to wit: " Liveoak 11' in dia: bears at  $69\frac{1}{2}^{\circ} E$   
 $33$  varas <sup>and</sup> a Liveoak 10' in dia: bears  $45\frac{1}{2}^{\circ} N$   $65\frac{1}{2}$   
bears south 2473 varas; at 1631 varas cross the  
westline Survey et<sup>o</sup> 74 do eastline Sur et<sup>o</sup> 73 - 494 $\frac{1}{2}$  varas  
north from their S. line <sup>and</sup> 1407 $\frac{1}{2}$  varas south from their  
northlines, at 1900 varas made stone monument <sup>and</sup>  
6 engraved on same 6 M & C LINE from which a Liveoak  
20' in dia: bears  $58\frac{1}{2}^{\circ} E$  96 $\frac{1}{5}$  do 25' in dia: bears at  $17\frac{1}{2}^{\circ} N$   
 $125$  varas <sup>and</sup> a Mesquite 14' in dia: bears at  $40\frac{1}{4}^{\circ} E$   $7\frac{1}{2}$   
varas. Thence west at 1631 varas cross the westline

of Survey #73 - 49 1/2 varas north from its S.W. Corner  
 and 140 7/2 varas south from its N. Cor. And the supposed  
 S.E. Corner of Survey #105 to wit: " L.O. 15' br at 48 1/2 E 72 mo  
 bears south 2461 varas; at 1768 varas the S.E. corner of  
 Survey #156 bears north 8 1/2 varas; at 1900 varas we  
 made a stonemoument and engraved on same 7 M M & C  
 LINE from which a Liveoak 13' in dia: bears S 6 1/4 E 96 1/5 do  
 15' in dia: bears at 68 3/4 N 92 3/4 varas

Thence west at 1666 varas, cross the westline Sur. #105  
 in name of Thomas R. Mehl, at a point from which its  
 N.W. Corner to wit: " Liveoak 14' in dia: bears at 22 1/4 N 5 1/2 mo  
 do 12' in dia: bears S 56 1/2 N 31 varas; bears South 2473  
 varas; at 1900 varas made stonemoument and engraved  
 thereon 8 M M & C LINE from which a Liveoak 5' in  
 dia: bears S 50 N 30 1/2 varas and a Liveoak 12' in dia:  
 bears at 49 1/2 N 76 varas.

Thence west at 1550 varas cross fence; at 1768 varas cross  
 westline Survey #24 do E. line #103 - 8 1/2 varas south  
 from their northlines and 1818 1/2 varas north from their southlines  
 at 1900 varas made a stonemoument and marked same  
 9 M M & C LINE from which a Liveoak 7' in dia: bears  
 at 30 1/4 E 9 1/5 varas do 5' in dia: brs S 50 E 30 1/5 varas

Thence west at 1741 varas a point from which a stonemou:  
 supposed to be the N. Cor. of Sur. #115 bears north 5389  
 varas; at 1768 varas cross the westline of Sur. #103 do  
 E line Sur #104 - 8 1/2 varas south from their northline  
 and 1818 1/2 varas north from their southlines; at 1900  
 varas made a stonemoument and engraved thereon 10 M  
 M & C LINE from which a Liveoak 14' in dia: brs S 62 1/4  
 E 45 1/4 mo do 14' in dia: brs at 83 N 39 1/5 varas

Thence west at 1768 varas, cross the westline Survey #104  
 do E line Survey #152 - 8 1/2 varas south <sup>from their northlines</sup> and 1818 1/2 varas  
 north from their southlines at 1900 varas made a stone moument  
 and engraved thereon 11 M M & C LINE from which a Live-  
 oak 12' in dia: bears S 14 E 21 1/2 varas and a Liveoak  
 30' in dia: bears at 5 N 38 varas.

Menard Co. Bdry. Line #2

12. Thence west at 1000 varas cross a branch; at 1768 varas cross the westline of Survey T<sup>o</sup> 152<sup>d</sup> and E line S<sup>o</sup> 33. 8 1/2 varas south from their northline and 18 1/2 varas north from their southline; at 1900 varas a Stonemoument marked 12 M M & C LINE from which a Double Liveoak 14' in dia: brs S 28° E 28 varas and the Mill ranch house, on Maddox Bros and Anderson Ranch, bears S 46 3/4° E 1500 varas.

13. Thence west at 1680 varas set a rock in ground with one end, marked C<sup>o</sup> LINE on Menardville & Eden Road; at 1768 varas cross N. line S<sup>o</sup> 33 do E line S<sup>o</sup> 100 - 8 1/2 varas south from their northline and 18 1/2 varas north from their southlines; at 1900 varas a Stonemoument marked 13 M M & C LINE from which a Liveoak 30' in dia: brs S 74 1/4° N 32 varas and a Liveoak 10' in dia: bears S 73° E 12 1/2 varas. Thence west at 179 varas point from which the S. E. Corner Survey T<sup>o</sup> 2042 in name of Fledderman do S. E. Corner Survey T<sup>o</sup> 2041 bears north 4163 varas; at 1768 varas cross the westline of S<sup>o</sup> 100 do E line S<sup>o</sup> 99 - 8 1/2 varas south from their northlines and 18 1/2 varas north from their southlines; at 1900 varas made

14. Stonemoument and marked same 14 M M & C LINE from which a Liveoak 14' in dia: bears S 79 1/2° E 41 2/3 varas another 12' in dia: brs S 69° N 16 varas.

Thence west at 1484 varas cross a branch; at 1768 varas cross the westline S<sup>o</sup> 99 do E line S<sup>o</sup> 39 - 8 1/2 varas south from their northlines and 18 1/2 varas north from their southlines at 1900 varas made Stonemoument and marked same 15 M M & C LINE from which a Liveoak 15' in dia: brs S 38 1/4° N 67 3/4 do do 16' in dia: brs S 85 1/4° E 56 1/4 varas.

15. Thence west at 1768 varas cross the N. line S<sup>o</sup> 39 and E line S<sup>o</sup> 110 - 8 1/2 varas south from their northline and 18 1/2 varas north from their southline at 1900 varas a Stonemoument marked 16 M M & C LINE from which a Liveoak 18' in dia: brs S 22 1/4° E 44 1/4 varas.

16. Thence west at 1768 varas cross the westline of Survey

St<sup>o</sup> 110 do E. line Sur. St<sup>o</sup> 109 - 8 1/2 varas south from their north lines and 18 1/2 varas north from their southlines; at 1900 varas made Stonemoument and marked same 17 M. M & C LINE from which a Liveoak 24' in dia: bro S 47° N 34 varas do 24' in dia: bro S 13° E 54 1/2 varas.

Thence west at 435 varas cross a branch, at 1768 varas cross the westline of Survey St<sup>o</sup> 109 do E. line Sur St<sup>o</sup> 107 8 1/2 varas south from their northlines and 18 1/2 varas north from their southlines, at 1900 varas made a Stonemoument marked 18 M. M & C LINE from which a Spanishoak 16' in dia: bro S 43° E 28 1/5 var and a Liveoak 15' in dia: bro S 73 1/4° N 89 varas.

Thence west at 734 varas cross Fitzgerald Creek at 1768 varas a point from which the S. W. Cor. Sur. St<sup>o</sup> 107 do S. E. St<sup>o</sup> 108 do S. W. Sur. St<sup>o</sup> 144 do S. E. Cor. Sur. St<sup>o</sup> 143 described as follows: a Liveoak 14' in dia: bears S 5° N 26 varas and a Liveoak 14' in dia: bears S 75° N 28 varas, bears north 8 1/2 varas, bears north 8 1/2 varas, at 1900 varas made Stonemoument and engraved thereon 19 M. M & C LINE from which a Liveoak 6' in dia: bro S 53 1/4° E 17 1/5 varas and a Double Liveoak bears S 9 1/4° N 12 varas.

Thence west at 429 varas a point from which the S. W. Cor. Sur St<sup>o</sup> 2096 Geo. L. Meyer do S. W. Cor. Sur. St<sup>o</sup> 2 J. H. Gibson described as follows: Liveoak 6' in dia: bears S 78 1/2° E 4 varas and a Liveoak 7' in dia: bears S 10° E 24 varas, bears north 5 3/10 varas; at 1795 1/2 varas a point from which the S. W. Cor. Sur. St<sup>o</sup> 108 do S. E. Cor. of Sur. St<sup>o</sup> 2 in name of M<sup>c</sup> Kintley do S. W. Cor. Sur. St<sup>o</sup> 143 do S. E. Cor. Sur. St<sup>o</sup> 114 described as follows: a Liveoak 6' in dia: bro S 35 1/2° N 30 varas do 8' in dia: bro S 6° N 34 varas, bears north 87 varas, at 1900 varas a Stonemoument marked 20 M. M & C LINE from which a Liveoak 12' in dia: bears S 33 1/2° E 54 varas do 12' in dia: bears S 27 1/2° E 61 1/5 varas.

Thence west at 140 varas cross a branch at 960 varas cross a branch at 1343 varas a point from which the S. E. Corner of Survey St<sup>o</sup> 76 Houston & Texas Central RR Co. Block 8

Howard Co. Cdmp. List #2

① described as follows to wit: a stone monument from which a Liveoak 11' in dia: bears  $S 76\frac{1}{2}^{\circ} E$  22 varas do 6' in dia: bears  $S 73^{\circ} E$  25 varas, bears north 1199 varas; at 1795 $\frac{1}{2}$  varas cross N. line Sur. A<sup>o</sup> 2 in name of M<sup>o</sup> Kinley 87 varas south from its N. Corner <sup>and</sup> 863 varas north from its S<sup>o</sup> W. Corner, also eastline of Thomas Green Survey A<sup>o</sup> 1 - 1199 varas south from its N. E. corner <sup>and</sup> 1813 varas north from its S. E. Corner, at 1900 varas a stone monument marked 21 MILES M & C LINE from which a Liveoak 15' in dia: bears  $S 21^{\circ} E$  21 $\frac{1}{2}$  varas. -

Thence west at 1076 $\frac{1}{2}$  varas cross westline Thomas Green Survey A<sup>o</sup> 1 <sup>and</sup> E. line Thomas Green Sur A<sup>o</sup> 2 - 1199 varas south from their N. line <sup>and</sup> 1813 varas north from their southline, at 1900 varas made a stone monument marked 22 MILES M & C LINE from which a Liveoak 8' in dia: bears  $S 20\frac{1}{2}^{\circ} E$  77 varas do 9' at  $42^{\circ} N$  115 $\frac{1}{4}$  varas.

Thence west at 357 $\frac{1}{2}$  varas cross westline of Thomas Green Survey A<sup>o</sup> 2 do E. line A<sup>o</sup> 3 - 1199 varas south of their N. lines <sup>and</sup> 1813 varas north from their southlines, at 1538 $\frac{1}{2}$  varas cross westline A<sup>o</sup> 3 <sup>and</sup> E. line A<sup>o</sup> 4 Thomas Green, at 1900 varas a stone monument marked 23 M M & C LINE from which a Liveoak 9' in dia: bears  $S 13\frac{1}{4}^{\circ} E$  58 $\frac{1}{2}$  varas do 9' in dia: bears  $S 29\frac{1}{2}^{\circ} E$  59 $\frac{1}{5}$  varas.

Thence west at 819 $\frac{1}{2}$  varas cross westline of Thomas Green Survey A<sup>o</sup> 4 <sup>and</sup> E. line Sur. A<sup>o</sup> 5 - 1199 varas south from their N. lines <sup>and</sup> 1813 varas north from their southlines at 1100 varas cross draw of Brady Creek at 1678 $\frac{1}{2}$  varas cross westline Sur A<sup>o</sup> 5 Thomas Green 1199 varas south from its N. Corner <sup>and</sup> 1813 varas north from its S. W. Corner, at 1900 varas made stone monument <sup>and</sup> engraved thereon 24 M M & C LINE from which a Liveoak 6' bears  $S 51\frac{3}{4}^{\circ} N$  13 $\frac{3}{4}$  varas do 4' in dia: bears  $S 44\frac{1}{2}^{\circ} N$  18 $\frac{3}{4}$  varas <sup>and</sup> from said 24 mile monument the S. E. Corner of the abandoned E L & RR RR Co. Survey A<sup>o</sup> 122 viz: a stone monument from which a Liveoak 7' in dia: bears  $S 21^{\circ} E$  57 $\frac{1}{2}$  varas, bears  $S 40\frac{1}{2}^{\circ} E$  146 varas.



Thence west at 448 varas cross the eastline of Chewson Gautney Survey <sup>and</sup> 1199 varas south of its N.E. Corner <sup>and</sup> 469 varas north of its S.E. Corner, at 1792 varas cross the eastline of Chewson Gautney Sur <sup>and</sup> 1009 varas north from its S.E. Corner <sup>and</sup> 294 varas south from its N.E. Corner, at 1900 varas erected a stone monument <sup>and</sup> marked same 25 M M & C LINE from which a Liveoak 8' in dia: bears S 33 1/2° E 14 3/5 varas <sup>and</sup> a Liveoak 7' in dia: brs S 16° W 57 1/5 varas. Thence west at 333 varas cross a road, at 1195 varas cross the westline of Chewson Gautney Survey <sup>and</sup> 1009 varas north from its S.W. Corner <sup>and</sup> 294 varas south from its N.W. Corner, at <sup>1686</sup> varas cross the eastline of Survey <sup>and</sup> 112 varas south from its N.E. Corner <sup>and</sup> 1788 varas north from its S.E. Corner at 1900 varas made stone monument <sup>and</sup> engraved on same 26 M. M & C LINE from which a Liveoak 8' in dia: brs S 85 1/2° E 30 1/2 varas <sup>and</sup> a Spanish oak 8' brs S 32 3/4° E 13 varas

Thence west at <sup>Shaw's 1776 53</sup> 1686 cross the westline of Sur <sup>and</sup> 126 do E. line Sur <sup>and</sup> 127 - 112 varas south from their northline <sup>and</sup> 1788 varas north from their S. lines, at 1900 varas made stone-monument <sup>and</sup> engraved on same 27 MILES M. & C LINE from which a Liveoak 12' in dia: bears S 21° E 33 varas do 10' in dia: bears S 18° E 39 1/2 varas.

Thence west at 147 cross M. Kavit & San Angela road set rock <sup>and</sup> marked same C. LINE at 1686 varas cross westline Survey <sup>and</sup> 127 do E. line Survey <sup>and</sup> 128 - 112 varas south from their northline <sup>and</sup> 1788 varas north from their southline at 1900 made stone-monument <sup>and</sup> marked same 28 M. M & C LINE from which a Liveoak 18' in dia bears S 1° N 90 3/5 varas do 20' in dia: bears S 11° N 116 varas

Thence west at 1686 varas cross to westline of Survey <sup>and</sup> 128 do Eastline Survey <sup>and</sup> 15 in name of J Poitevent 112 varas south from their northline <sup>and</sup> 1788 varas north from their southline of Survey <sup>and</sup> 128 <sup>and</sup> 166 varas south from the N.E. corner of said Survey <sup>and</sup> 15 in name of J Poitevent

25

26

27

28

29

MEWARD Co. Bldg. Line #2

① at 1900 varas made a stone monument and engraved thereon 29 MILES M & C LINE. This monument is on northern slope of a mountain on the draws of Kickapoo Creek.

\* Thence west at 160 cross a ravine at 400 varas divide between two draws of Kickapoo, at 967 varas cross the westline of Sur. A<sup>o</sup> 15 Pointevert de E. line Sur A<sup>o</sup> 16 Pointevert - 1166 varas south of their northlines and 1788 varas north from their southlines; at 1900 varas a large rock monument capped with large flat rock marked: Corner of M.D. C.H.O. SCH. & T.G. Counties. from which a Liveoak 10' in dia: marked  $\frac{1}{2}$  bears S 30° N 37 1/2 varas Liveoak 12' in dia: marked  $\frac{1}{2}$  bears S 81 1/2° N 20 1/2 varas Liveoak 12' in dia: marked T & bears S 34 1/2° N 121 1/5 varas Liveoak 6' in dia: marked  $\frac{1}{2}$  bears S 27 1/4° E 77 1/4 varas Double-Liveoak 14' in dia: marked M D bears S 59° E 148 4/5 varas.

This monument was placed for S. W. Corner of Menard County S. W. Corner of Concho County S. E. Corner of Tom Green County S. E. Corner of Schleicher County and is on Pointevert Survey A<sup>o</sup> 16 - 933 varas West from its E. line 1166 varas S from its N. line, 1788 varas north from its S. line and 248 varas E from its N. line - 1166 varas South and 1030 varas East from the S. W. Corner of Survey A<sup>o</sup> 17 in H & P C R R Block A<sup>o</sup> 8 same being S. E. Corner Survey A<sup>o</sup> 16 in same Block and described as a stone monument from which a Liveoak 8' in dia: bears S 34 1/2° N 125 varas.

All bearing trees not otherwise described are marked  $\frac{1}{2}$  and line trees  $\frac{1}{2}$  All monuments are at least two feet high, made of stone and marked as described Variation A<sup>o</sup> 9° 20' E.

\* Surveyed June 1<sup>st</sup> to 9<sup>th</sup> 1891 W. L. Keahy <sup>3</sup>/<sub>4</sub> Chain. Fred Ede <sup>2</sup>/<sub>3</sub> Center.

\* All of which is respectfully submitted A. C. Schuchard Special Surveyor for Menard County Texas.

J. H. M. Garden County Surveyor of Concho Co. Texas do hereby certify that I have examined the above report of A. E. Schuchard and find the same true & correct. Said report correctly describes the line between Concho & Menard Counties as run by said A. E. Schuchard and myself. from June 1<sup>st</sup> to 9<sup>th</sup> 1891. inclusive

In Testimony whereof witness my signature at Paint Rock. Concho Co. Texas. This 21<sup>st</sup> day of August. 1891.

J. H. M. Garden  
Co. Surveyor. Concho Co. Texas.

And furthermore, J. A. E. Schuchard, Special Surveyor for Menard County respectfully report that in accordance with the order aforesaid I proceeded to mark and establish the line between Menard and Schleicher Counties - Beginning at the S. W. Corner of Menard Co: do S. E. Corner of Schleicher Co: do S. W. Corner of Concho Co: do S. E. Corner of Tom Green Co: as hereinbefore described, Thence running south at 500 varas top of a mountain, at 1010 varas cross a draw of Kickapoo Crk at 1770 varas top of a mountain, at 1788 varas cross southline Survey of J. Pitevent 933 varas west from its S. E. Corner and 448 varas east from its S. W. Corner; at 1900 varas made a stone monument and engraved thereon 1 MILE M & S LINE Thence south at 618 varas cross the northline of Survey of 6 1735 varas West from its S. E. Cor. and 165 varas East from its S. W. Corner, at 1400 varas divide between Kickapoo and Dry Creek, at 1900 varas a stonem monument on the head draw of Dry Creek marked 2 MILES M & S LINE from which a Liveoak 6' in dia: bears S 18° N 19 varas and a Liveoak 12' in dia: bears S 28° N 54 1/2 varas. Thence south at 618 varas cross the southline of Survey of 6 do S. E. line of Survey of 13 - 1735 varas west from the S. E. Cor. said Survey of 6 do S. E. Cor. Survey of 13 and 165 varas east from the S. W. Cor. Survey of 6 do S. W. Cor. Survey of 13

Menard Co. Bdy. Line #2

at 1338 varas cross a road, at 1900 varas made a stone monument and marked same, 3 MILES M & S LINE from which a Liveoak 5' in dia: bears at  $27\frac{1}{2}^{\circ}$  N  $34\frac{3}{4}$  varas and a Liveoak 12' in dia: bears at  $41^{\circ}$  E 61 varas.

<sup>618 W. cross S line N<sup>o</sup> 18 N line N<sup>o</sup> 29 - 1735 W from E Cor<sup>o</sup> 165 E from W<sup>o</sup> Corner at</sup>  
Thence south at 1700 varas cross a wirefence, at 1000 varas cross a draw of Dry Creek at 1900 varas made stone monument on northern slope of a hill from which a Liveoak 8' in dia: bro S  $19^{\circ}$  N  $31\frac{3}{5}$  varas and a Liveoak 14' in dia: bro S  $31\frac{1}{2}^{\circ}$  N  $46\frac{4}{5}$  varas

Thence south at 618 varas cross southline Survey of  $8^{\circ}$  do of line Sur of  $18^{\circ}$  - 1735 varas west from the S. E. Cor Sur of  $8^{\circ}$  do of  $18^{\circ}$

and 165 varas east from the S. W. Cor. Sur of  $8^{\circ}$  do of N. Cor. Sur of  $18^{\circ}$

at 710 varas cross a wirefence, at 1900 varas made a stone monument and marked same 5 MILES M & S LINE from which the north gable end of the house of Kennedy & Roberts bro S  $56^{\circ}$  E - and a Liveoak 14' in dia: bro at  $19^{\circ}$  N  $83\frac{1}{2}$  varas and a Liveoak 14' in dia: bears at  $68^{\circ}$  E  $44\frac{1}{2}$  varas

Thence south at 618 varas cross the southline of Survey of  $18^{\circ}$  do northline Sur of  $3^{\circ}$  S. W. of G. R. R. Co 1735 varas west from the S. E. Corner of Sur of  $18^{\circ}$  do of E. Cor Sur of  $3^{\circ}$  and 165 varas east from the S. W. Corner of Sur of  $18^{\circ}$  do of W. Cor Sur of  $3^{\circ}$  at 1900 varas a stone monument marked 6 MILES M & S LINE from which a Liveoak 8' in dia: bro S  $53\frac{1}{2}^{\circ}$  E  $27\frac{1}{2}$  varas and a Liveoak 14' in dia: bro at  $49\frac{1}{2}^{\circ}$  E 33 varas.

Thence south at 618 varas cross the southline of Survey of  $3^{\circ}$  do northline Sur of  $1688^{\circ}$  - 1735 varas west from the S. E. Cor Sur of  $3^{\circ}$  do of E. Corner Sur of  $1688^{\circ}$  and 165 varas east from the S. W. Corner of Sur of  $3^{\circ}$  do of W. Corner of Sur of  $1688^{\circ}$ , at 657 varas cross wirefence, at 1900 varas made stone monuments and marked same 7 MILES M & S LINE from which a Liveoak 12' at  $72^{\circ}$  N 7 varas do S  $64^{\circ}$  N 8 varas.

Thence south at 618 varas cross the southline Sur of  $1687^{\circ}$  do northline of Sur of  $78^{\circ}$  E. L. & R. R. Co, 785 varas west from its S. E. Corner and 165 varas east from the S. W. Cor. Sur. of  $78^{\circ}$  at the S. E. Corner of Survey of  $77^{\circ}$  E. L. & R. R. Co. described as follows, to wit: a Liveoak 14' in dia: bro at  $68^{\circ}$  N 115 and a Liveoak stump bro at  $66^{\circ}$  N 118 varas, bears east 1735 varas.

Continue south at 1300 varas cross a draw at 1750 varas  
top of a mountain at 1900 varas made stone monument and  
marked same 8 MILES M & S LINE from which a Liveoak  
14' in dia: brs S 70° W 20 varas and a Liveoak 6' in dia: brs  
S 75° E 2 1/2 varas.

Thence south at 500 varas a draw of Rocky Creek at 657 1/2  
varas cross southline of survey T<sup>o</sup> 78 do northline T<sup>o</sup> 1634 in  
name of Michael Johannes, 778 varas west from the S. E. Cor  
Sur T<sup>o</sup> 78 do S. E. Corner Sur. T<sup>o</sup> 1634 and 172 varas east from  
the S. W. Corner of Sur T<sup>o</sup> 78 and S. W. Cor. of survey T<sup>o</sup> 1634  
and the S. E. Corner of survey T<sup>o</sup> 77 E. L. & R. R. Co. described as  
follows: Liveoak 14' in dia: brs S 78° E 17 1/2 varas and a  
Liveoak stump 18' in dia: brs S 12° E 25 varas. bears East  
1728 varas, at 1680 1/2 varas cross southline survey T<sup>o</sup> 1634  
do northline survey T<sup>o</sup> 1633 Michael Johannes, 1728 varas west  
from the S. E. Corner of Sur T<sup>o</sup> 1634 do S. E. T<sup>o</sup> 1633 and 172  
east from the S. W. Sur T<sup>o</sup> 1634 and S. W. T<sup>o</sup> 1633, at 1900 varas  
made stone monument and marked same 9 MILES M & S LINE  
from which a Double Liveoak bears S 11 1/2° E 66 3/5 and S  
11° E 66 3/5 and Miles Ranch house brs S 16 3/4° E.

Thence south at 730 1/2 varas cross the southline survey T<sup>o</sup> 1633  
do northline T<sup>o</sup> 24 A. S. & M. Co. at 736 3/4 varas cross Telegraphline  
at 870 varas cross Rocky Creek a tributary of the San Sabu at  
1440 cross a prong of Rocky at 1655 cross another prong at  
1900 varas made a stone monument and engraved on same  
10 MILES M & S LINE from which a Liveoak 14' in dia: bears  
N 63 1/2° W 111 varas Mesquite 5' in dia: brs S 48 1/2° E 46 3/5 varas  
and Miles Ranch house, brs N 24 3/4° E.

Thence south at 730 1/2 varas cross the southline of survey T<sup>o</sup> 24  
do northline of survey T<sup>o</sup> 69 E. L. & R. R. Co. and its S. W. Corner  
described as follows: a Liveoak 10' in dia: brs S 79° E 17 1/2 varas  
and a Liveoak 5' in dia: brs S 33 1/2° E 19 varas, bears west 214 varas  
and its S. E. Corner described as follows: a Mesquite 10' in dia: brs  
S 3° E 75 varas and a Mesquite stump 11' in dia: brs S 25° E 78 varas.  
bears east 1716 1/2 varas. at 1900 varas built a stone monument  
on south side of a draw of Rocky Creek, and marked same

Howard Co. Bdry. Line #2

11 MILES M & S LINE from which a Liveoak 14' in dia: bears  
at  $62\frac{1}{2}^{\circ}$  E  $16\frac{1}{5}$  varas <sup>and</sup> a Liveoak 6' in dia: bro S  $76\frac{1}{2}^{\circ}$  N  $5\frac{4}{5}$   
varas. —

Thence south at 480 varas cross a draw of Rocky Creek  
at 764 varas cross the southline Survey  $ct^{\circ}$  69 do  $ct.$  line Survey  
 $ct^{\circ}$  13 at a point from which the S.W. corner of Survey  $ct^{\circ}$  69  
described as follows: L.O. 5 bro S  $33\frac{1}{2}^{\circ}$  N  $7\frac{1}{2}$  varas do 5 bro  
S  $50^{\circ}$  N 10 varas, bears west 223 varas <sup>and</sup> its S.E. corner bears  
east 1710 varas, at 1900 varas made stone monument <sup>and</sup>  
marked same 12 MILES M & S LINE from which a Liveoak  
8' in dia: bears at  $80^{\circ}$  N  $32\frac{4}{5}$  varas <sup>and</sup> a Liveoak 6' in dia:  
bro at  $53^{\circ}$  E  $8\frac{1}{2}$  varas.

Thence south at 400 varas stone mound on mountain from  
which the "Iron clad Saloon" in Ft McKavett bears  
S  $6^{\circ} 50'$  E; at 790 varas cross the southline  $ct^{\circ}$  13 do  $ct.$  line  
Surv.  $ct^{\circ}$  62; at 1900 erected a stone monument on northside  
of a draw of San Saba, from which a Liveoak 10' in dia: bro S  
 $46\frac{1}{2}^{\circ}$  N  $41\frac{4}{5}$  varas. — <sup>and</sup> marked said monument 13 MILES M & S  
LINE. —

Thence south at 120 varas cross a draw of San Saba River  
at 817 varas cross southline Survey  $ct^{\circ}$  64 do  $ct.$  line  $ct^{\circ}$  9  
at a point from which the S.W. cor. Surv.  $ct^{\circ}$  62 do  $ct.$  Co. Surv.  $ct^{\circ}$  63  
do S.E. Surv.  $ct^{\circ}$  6 do S.W. Cor. Surv.  $ct^{\circ}$  9 J.C. Gibson, described as  
follows: a Liveoak stump bears at  $8\frac{1}{2}^{\circ}$  E 83 varas, bears west  
220 varas <sup>and</sup> the  $ct.$  Co. cor. Surv.  $ct^{\circ}$  9 described as follows: a Live-  
oak bro at  $18\frac{1}{2}^{\circ}$  E 56 varas, bears East 1710 varas. —  
at 1900 varas made a stone monument in a Mesquite flat  
<sup>and</sup> marked same, 14 MILES M & S LINE

Thence south at 375 varas cross the northline of Survey  $ct^{\circ}$  1651  
G.W. Kauthammer; at 640 cross a dry branch; at 817 cross the  
southline of Survey  $ct^{\circ}$  9; at 1410 cross Telegraph line; at 1640  
~~cross southline of Surv  $ct^{\circ}$  1651 in name of Kauthammer~~  
at 1720 recross Telegraph line; at 1900 made stone monument  
in a mesquite flat, <sup>and</sup> marked same 15 MILES M & S LINE from  
which a Liveoak 12' in dia: bro S  $43\frac{1}{2}^{\circ}$  E 55 varas do 12' in dia  
bro at  $60^{\circ}$  E  $73\frac{4}{5}$  varas <sup>and</sup> a Telegraph Post bro S  $74\frac{1}{2}^{\circ}$  E 4400

Thence south at 490 varas cross the southline of Survey  
ct<sup>o</sup> 1651 in name of G<sup>o</sup> W<sup>o</sup> Kantkammer do northline of Survey  
ct<sup>o</sup> 1496 in name of Johann et Burghard, 15 varas east  
from the S.W. Corner of said G<sup>o</sup> W<sup>o</sup> Kantkammer Survey  
do S.W. Corner of the Johann et Burghard Survey,  
at 1900 varas made a stone monument <sup>and</sup> engraved on  
same 16 MILES M & S LINE from which a Liveoak 14' in dia:  
brs S 85° N 89 1/5 varas <sup>and</sup> a Liveoak 10' in dia: brs S 75°  
E 65 varas.

Thence south at 10 varas cross old road at 1900 varas  
made stone monument <sup>and</sup> engraved on same 17 MILES  
M & S LINE from which a Pecan 12' in dia: brs S 35° N  
16 3/4 varas.

Thence south at 990 varas the northbank of San Saba  
River, at a point 15 varas east from the S.W. Corner  
of Survey ct<sup>o</sup> 1496 in name of Johann et Burghard

In explanation of the call of 15 miles <sup>and</sup> 490 varas  
for the northline of Survey ct<sup>o</sup> 1496 <sup>and</sup> 17 miles <sup>and</sup> 990 varas  
for its southline, or a distance of 4300 varas across said  
survey, I beg to state that its Beginning Corner is 300 varas  
further north than its S.W. Corner <sup>and</sup> that its eastline calls  
for 4000 varas, <sup>and</sup> that its position on the ground has been  
based on the S.W. Corner of Survey ct<sup>o</sup> 1502 viz: a Pecan 12' brs  
S 63 1/2° N 15 varas <sup>and</sup> a Pecan 14' in dia: brs S 59° N 15 1/2 wa.

<sup>and</sup> that I could not find any other original Corner of the  
River Surveys) — at 1076 varas the southbank  
of San Saba River, above the mouth of the St Perret Prong  
said point being 83 varas east from the S.W. Corner of Survey  
ct<sup>o</sup> 292 in name of Thos. W. Kleinmetz; at 1404 varas the north-  
bank of the St Perret Prong of the San Saba River, at 1428 varas  
the southbank of the St Perret Prong; at 1644 varas cross a road;  
at 1712 varas cross a road; at 1900 varas set a large rock in  
ground <sup>and</sup> marked same 18 MILES M & S LINE from which  
a Liveoak 7' in dia: brs S 53 1/2° E 81 1/5 varas <sup>and</sup> a Liveoak  
6' in dia: bears S 54° E 84 1/5 varas.

Thence south at five varas cross G<sup>o</sup> W<sup>o</sup> Kavit <sup>and</sup> Square road

at 360 varas cross a ravine; at 740 varas cross a dry branch  
at 1079½ varas a wirefence; at 1093½ varas cross southline  
of Survey ct<sup>o</sup> 292 in name of Theo Mc Klemmety, 83 varas east  
from its S.W. Corner <sup>and</sup> at a point from which the N.E. Corner of  
Large Survey do S.W. of Sur ct<sup>o</sup> 293 in name of Theo Mc Klemmety  
do S.E. of Carreman's Survey to wit: Mesquite stump bears S  
45° N 4½ varas do ct 10½° N 8¾ varas; bears west 1033 p<sup>ts</sup>  
at 1900 varas made Stonemoument <sup>and</sup> marked same  
19 MILES N & S LINE from which a Liveoak 8' in dia: bro  
ct 76° N 16½ varas do 8' in dia: bro N 73° N 16¾ varas  
thence south at 245 varas cross a dry branch at 1180 varas  
cross the southline of Survey ct<sup>o</sup> 12 H. Libson do northline ct<sup>o</sup>  
21 G. H. S. A. - 83 varas east from the S.W. Corner Survey ct<sup>o</sup> 12  
<sup>and</sup> 867 varas west from the S.E. ct<sup>o</sup> 12 do ct. E. ct<sup>o</sup> 21 <sup>and</sup> 2767<sup>mo</sup>  
west from the S.E. Corner of Survey ct<sup>o</sup> 284 in name of Johann  
G. Ahlers the same being described as follows: Liveoak stump  
14' in dia: bro S 58° N 17 varas <sup>and</sup> a Liveoak stump 12' in dia:  
bears S 17° E 30 varas <sup>and</sup> a Tapped L.O. 30 bro S 17½° W 56½  
<sup>and</sup> a Tapped L.O. 12 S 53¾° N 42½ varas. - at 1900 varas  
made a stone monument <sup>and</sup> marked same 20 MILES N & S  
LINE from which a L.O. 30' in dia: bro S 60¾° N 112½ varas  
thence south at 1180 varas cross the southline of Survey ct<sup>o</sup> 21  
do northline ct<sup>o</sup> 24 - 867 varas west from the S.E. Cor. Sur. ct<sup>o</sup> 21  
<sup>and</sup> ct. E. Cor. Sur ct<sup>o</sup> 24 <sup>and</sup> 1033 varas east from the S.W. Corner  
of ct<sup>o</sup> 21 do ct. N. ct<sup>o</sup> 24 at 1900 varas made stone monument  
<sup>and</sup> marked same 21 MILES N & S LINE from which a Liveoak  
14' in dia: bro ct 39½° N 51½ varas.

Thence south at 610 varas cross a draw, at 680 varas cross  
a dry branch at 1180 varas cross the southline of Survey  
ct<sup>o</sup> 24 do northline of Sur ct<sup>o</sup> 48 - 867 varas west from their  
E. Corners <sup>and</sup> 1033 varas east from their N. Corners; at  
1900 varas created a stone monument <sup>and</sup> marked same  
22 MILES N & S LINE from which a Liveoak 6 in dia: bro  
ct 73° N 50½ varas a Liveoak 8' in dia: bro S 17½° E 49½<sup>mo</sup>  
Thence south at 1137½ varas a wirefence; at 1180 cross  
cross southline survey ct<sup>o</sup> 48 <sup>and</sup> northline ct<sup>o</sup> 51 G. H. S. A.



867 varas west from the S.E. Cor. of  $\Delta^{\circ} 48$  do  $\Delta^{\circ} 51$  and 1033  
varas east from the S.W. Corner  $\Delta^{\circ} 48$  do  $\Delta^{\circ} 51$  Cor.  $\Delta^{\circ} 51$ ; at 1610 varas a dry branch; at 1900 varas made  
stone monument and marked same 23 MILES M & S LINE from  
which a Liveoak 7' in dia: bro  $\Delta^{\circ} 38^{\circ} N 16$  varas and a Liveoak  
6' in dia: bro  $\Delta^{\circ} 1\frac{1}{2}^{\circ} E 19\frac{3}{5}$  varas.

Thence south at 1075 varas a dry branch; at 1180 varas  
cross the southline  $\Delta^{\circ} 51$  do northline  $\Delta^{\circ} 2$   
867 varas west from the S.E. Cor. of  $\Delta^{\circ} 51$  do  $\Delta^{\circ} 2$   
Cor.  $\Delta^{\circ} 2$  and 1033 varas east from the S.W. Corner  
 $\Delta^{\circ} 51$  do  $\Delta^{\circ} 2$  Cor.  $\Delta^{\circ} 2$ ; at 1900 varas made  
stone monument and marked same 24 MILES M & S LINE  
from which a Liveoak 12' in dia: bro  $\Delta^{\circ} 36^{\circ} N 159\frac{1}{2}$  varas  
Liveoak 8' in dia: bears  $\Delta^{\circ} 34^{\circ} N 154\frac{1}{4}$  varas.

Thence south at 465 varas cross a draw; at 910 varas  
cross the Ft. Terret road at 994 varas cross a wirefence  
of C.S. Burrbanks, do northline of survey  $\Delta^{\circ} 1$  in  
name of J.D. Whitter Certificate  $\Delta^{\circ} 1331$ ; at a point 2753  
varas west from a corner described in the field notes  
of said J.D. Whitter survey as a stone mound from  
which a Liveoak 15' in dia: bears  $\Delta^{\circ} 5\frac{1}{2}^{\circ} E 85\frac{2}{5}$  varas  
and a Liveoak 16' bro  $\Delta^{\circ} 18^{\circ} E 84\frac{1}{6}$  varas; and 2767 varas  
west from a point called the S.E. corner of survey  $\Delta^{\circ} 3$   
Rust Transportation Company by State Surveyor  
S.M. Williams and described as follows: a forked L.O.  
20' in dia: bro  $\Delta^{\circ} 35\frac{1}{4}^{\circ} E 71\frac{2}{5}$  varas and a L.O. 30' in dia  
bro  $\Delta^{\circ} 8^{\circ} E 123\frac{2}{5}$  varas; - 867 varas west from the S.E.  
Corner  $\Delta^{\circ} 2$  and 1033 varas east from the S.W.  
Cor.  $\Delta^{\circ} 2$ ; at 1467 varas cross the northline of survey  $\Delta^{\circ} 10$   
I & N & C R.R. Co do S. line of the J.D. Whitter survey; 2933 east  
from the S.W. corner of the J.D. Whitter survey. at 1900 varas made  
a stone monument and marked same 25 MILES M & S LINE from  
which a Liveoak 6' in dia: bears  $\Delta^{\circ} 39\frac{1}{2}^{\circ} N 9$  varas and a Live-  
oak 12' in dia: bears  $\Delta^{\circ} 30^{\circ} E 18\frac{3}{5}$  varas.

Thence south at 30 varas cross a dry branch; at 1467 varas  
cross the southline of survey  $\Delta^{\circ} 10$  do  $\Delta^{\circ} 13$

at 1900 varas made a large Stone monument, north of and near  
 a draw of San Saba, for the S.W. Corner of Menard County  
 do E. Corner of Schleicher Co. do N.W. Corner of Kimble County  
 do N.E. Corner of Sutton Co. <sup>and</sup> marked same S.W.M. - S.E. S  
 N.W. K. N.E. S. from which a Sivoout 12' marked K bro S  
 67° E 206 1/2 varas <sup>and</sup> a Sivoout 6' in diol marked M bears  
 N 11 1/2° E 81 varas. - Bearings marked <sup>in</sup> Lucches <sup>in</sup> <sup>the</sup> monuments are 2 ft high.

Variation N 9° 20' E.

Surveyed June 20-1891

As per sketches herewith delivered.

N. L. Keahy <sup>Chain</sup>  
 C. C. Schuchard <sup>Carriers</sup>  
 Joseph Ruff <sup>Surveyors</sup>

All of which is respectfully submitted

A. E. Schuchard

Special Surveyor for Menard County.

"The above report & map of the west line of Menard County  
 and East line of Schleicher Co. examined & approved by the  
 Court one verbal recorded & Court is ordered to make a  
 certified copy of the same & send to the General Land Office."

Filed Nov 14, 1891.

Thomas A. Gray  
 C. C. McDonald  
 By D. W. Ward  
 Dpt.

Examined and approved  
 in open Court this 16<sup>th</sup>  
 day Nov 1891

J. D. Jennings  
 County Clerk

The State of Texas }  
 County of Menard } I Thomas H Gay County  
 Clerk in and for said  
 county and state hereby certify that the  
 within 15<sup>14</sup> pages contains a true correct  
 copy of the report of the survey of the North  
 and west boundary line of Menard  
 County together with the two accompanying  
 sketches of said lines as the same  
 appears of Record in the Minutes of the  
 Commissioners of said Menard County  
 as the same appears of Record in Book  
 No. 2. Pages 270 to 290 inclusive  
 In Testimony whereof witness my hand  
 and Seal of office at Menardville  
 this the 1<sup>st</sup> day of December A.D. 1891  
 Thomas H Gay  
 County Clerk Menard Co Tex  
 By D W Maddox Depy

Menard Co Ady's

Filed Dec 21st 1891

Wm Brouette  
 Clerk

Dec 22<sup>nd</sup> N Ady suspended  
 See protest by Mr. Brouette  
 i.A.

The West body examin-  
 ed and applied

Jan'y 29<sup>th</sup> 1892

Reamman

(Exhib. 604)