

Field Notes

East line Moore
West .. Hutchinson

3-28-1898

Note

See Blue print Co. Bdys.
Sherman, Moore + Potter
"A." Shelf
Old County Maps

Approved for
East line See Endorsement
within -

1 Be it remembered, that on the 2nd day of August
2 A.D. 1897. There was begun and holden a regular
3 term of the County Court of Moore County Texas, at
4 the Court House in the town of Wenas
5 Officers present and presiding Hon. L. P. Trumble
6 County Judge.

7 R. A. McNabb. County Clerk. and

8 W. H. Lewis Sheriff.

9 The Court being opened according to law, when
10 the following proceedings were had.

11 The State of Texas to the following County Judges
12 Moore County and their County Courts:

13 To J. H. Williams, County Judge
14 of Sherman County Texas; and his successors in office

15 To J. M. Cunningham County Judge
16 of Roberts County, Texas; and his successors in office:

17 To Lou D. Marris, County Judge
18 of Patten County, Texas, and his successors in
19 office.

20 To H. W. Eubanks, County Judge of Hartley
21 County Texas, and his successors in office.

22 It appearing to the County Court of Moore
23 County Texas, The boundary lines of Moore County
24 Texas, are not sufficiently well defined, established,
25 and designated, it is therefore ordered by the Court,
26 on the 2nd day of August 1897, at the regular term of
27 said Court in accordance with articles 779 to 808
28 inclusive, of the revised statutes of 1895, of the State
29 of Texas, that the following boundary lines of Moore
30 County Texas, be established, surveyed, defined, and
31 designated according to law. The north, south,
32 East, and west lines of said County, and that the
33 north East, north west, south west, and south East

1 Corners of said County be established and marked
 2 in accordance with and conform to the revised
 3 Statutes of 1895, and mounds, and monuments shall
 4 be placed, marked, and designated according to law.

5 The Court hereby appoints W. D. Twitchell
 6 an experienced surveyor to make said survey's,
 7 and to do said work, who shall receive \$3.00
 8 per miles run, and lines lawfully surveyed,
 9 and designated betw the Counties of Moore & Sherman,
 10 Moore & Hutchinson, Moore and Pallen, Moore & Hartley,

11 Said surveyor will begin on the Eleventh
 12 day of November 1894, to survey, establish, and
 13 designate the boundary line betw Moore and
 14 Sherman Counties, beginning at the South East
 15 Corner of Hansford County, Thence west Thirty
 16 Miles to the North west Corner of Moore Co.

17 The said W. D. Twitchell, Surveyor
 18 will begin on the Thirteenth day of November 1894,
 19 to survey, establish and designate the boundary line
 20 betw Moore and Hutchinson Counties Texas, beginning
 21 at the South East Corner of Sherman County, Tex.,

22 Thence south Thirty miles to the South East
 23 Corner of Moore County.

24 The said W. D. Twitchell, Surveyor will
 25 begin on the 10th day of August 1897, to survey and
 26 designate the south boundary line of Moore County
 27, betw Moore, and Pallen Counties, beginning at the
 28 South East Corner of Moore County, thence west
 29 30 miles to South west Corner of Moore County
 30 Texas.

31 The said W. D. Twitchell Surveyor will
 32 begin on the _____ day of _____ 1897, to survey, &
 33 establish, and designate the west boundary line

1 of Moore County, between Moore and Hartley Counties
2 Beginning at the south west Corner of Moore
3 County, Thence north thirty miles to southwest
4 Corner of Sherman County.

5 The said sum of three dollars
6 per ^{miles} mile will be due and payable to the said W.D.
7 Twitchell, when the said boundary lines of Moore
8 County have been ~~surveyed~~ surveyed and designated
9 with the proper mounds and monuments, and
10 all things complied with according to law, and
11 the boundary lines, mounds, and monuments
12 marked, designated and planned by the said
13 W.D. Twitchell have been approved by the Commis-
14 sioner of the general land office at Austin Texas.

15 A true notice of this order, Certified to by the
16 County Clerk of Moore County Texas, to be served
17 upon each of the foregoing judges hereto set out
18 in this order.
19
20

E 503—CERTIFICATE OF TRUE COPY—Class 1*

Clarke & Courts, Stationers, Printers, Lithographers, Galveston.

THE STATE OF TEXAS,)

County of Moore) I, R. A. McEnable Clerk

of the County Court of Moore County, Texas, do hereby certify that

the foregoing is a true and correct copy of the original Order's

as the same appears of record in my office in book vol 1 page 82nd 83rd

Given Under my Hand and the Seal of said Court, at office in Wauwas

this 27th day of August 1897

R. A. McEnable Clerk

By _____ Deputy.

A-3

1 Be it remembered that on this the 2nd day of August
2 A.D. 1897. There was begun and holden a regular term
3 of the County Court of Moore County Texas, at the Court
4 House, in the town of Dumas.

5 Officers present. Hon. L.P. Trumble, County Judge Presiding
6 R.A. Mcnabb, County Clerk.

7 The Court being quind according to law
8 when the following proceedings were had.
9 "

10 The State of Texas } This is to Certify that I hereby accept
11 County of Roberts } Service of this notice, and agree that
12 same shall be as binding in every respect, as if same
13 had been duly served, and I hereby take notice of same.

14 This notice received and accepted the 20th day of
15 October 1897. And the next regular term of County Court
16 of Roberts an attached County Hutchinson, will begin
17 on first day of November 1897. That being ten days,
18 or more, before the meeting of said Court, and this
19 said notice gives notice, that the lines will be run
20 between Moore and Hutchinson Counties on 13th day of
21 November 1897. That being within twenty days after
22 the meeting of said County Court.

23 J.M. Cunningham, County Judge
24 of Roberts County, And Hutchinson County being
25 attached to Roberts County Texas.

26 State of Texas } J.R.A. Mcnabb, Clerk of the County Court
27 County of Moore } in and for Moore County Texas, do hereby
28 Certify that the above is part of the record of the County
29 Court of Moore County Texas, and a true and correct copy
30 thereof as shown by records of the County Court
31 Vol. 1, Pages 23 + 24


32 Witness my hand and seal of office at Dumas, Moore Co Texas
33 this March 11th 1898 R.A. Mcnabb, Clerk

Moore Co. Bdry. line 1

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33

Order of the County Court
of Moore County.
Filed in the Genl. Land Office
March 28th 1898.

Notice has been given to Roberts
Co. in last leaf P.



4575 1/2

Moore

The State of Texas:

County of Potter

Field notes of a survey of Potter county's East boundary, the same being Carson county's West boundary.

Beginning at a monument in the drain of a ridge but not in a position where it is liable to be washed away marked on N. side 100 m. W.L. marked on E. side I.T., on S. side N.E. cor. Texas, marked on W. side 36 deg. 30 min. N.L. A large stone set in ground the N.E. corner of Lipscomb county.

Thence W., at 35 vrs. a rock marked \equiv on N., — on E., \equiv on W. and set in ground, at head of ravine.

At 487 vrs. cross ravine, at 712 vrs. cross ravine

" 1352 " " " 1612 " " "

" 1900.8" 1st. mile

Thence W. at 39 U.S. zinc cone marked $\overline{535}$ on E., $\overline{34}$ on W. and 4 pits

" 592 cross ravine at 1052 vrs. cross ravine

" 1622 vrs. cross ravine at 1900.8 vrs. 2" mile

Thence W. at 577 vrs. cross ravine, at 998 vrs. pass U.S. Mound and 2 pits. at 1232 vrs. cross ravine, at 1900.8 vrs. 3" mile.

Thence West, at 51 vrs. U.S. zinc cone marked $\overline{533}$ on E. side, \overline{Sc} on N. side, and $\overline{533}$ on W. side bears N. 91.2/100 vrs. $R 28 E$

at 320 cross ravine, at 760 cross ravine, at 860 cross ravine, at 1440 vrs. cross ravine, at 1900.8 vrs. 4" mile.

Thence W., at 57.3 vrs. md. and 3 pits N. 11.7 vrs.

at 420 vrs. cross ravine at 650 vrs. cross ravine

at 1230 vrs. " " at 1880 vrs. " "

at 1900.8 vrs. 5" mile.

Thence W. at 135 vrs. cross ravine at 1230 vrs. U.S. mound and 3 pits

brs. N. 24 vrs. at 1640 vrs. cross ravine at 1764 vrs.

cross ravine at 1880 vrs. cross ravine at 1900.8 vrs.

6" mile.

Thence W. at 1233 vrs. U.S. zinc and 3 pits corner brs. N. 20.7 vrs.

at 1255 vrs. cross ravine at 1900.8 vrs. 7" mile, whence Mrs. Cox' house brs. about N.E. 600 vrs. Observe meridian and correct.

Thence W. at 1497 vrs. cross long deep ravine, at 1900.8 vrs. 8" mile.

Thence W. at 208 vrs. cross ravine at 530 vrs. cross ravine

at 775 vr. " " at 1252 vrs. U.S. zinc corner brs.

N. 24.3 vrs. at 1640 vrs. cross ravine at 1737 1/2 vrs.

3 wire fence corner brs. S. 40 vrs. at 1900.8 vrs. 9" mile.

Thence W. at 266 vrs. cross ravine at 450 cross ravine

at 810 vrs. " " at 1900.8 vrs. 10" mile.

Thence W. at 240 vrs. " " at 995 vrs. cross ravine

at 1200 vrs. cross creek at 1258 vrs. U.S. zinc corner brs.

N. 31.3 vrs. at 1900.8 vrs. 11" mile.

Thence W. at 115 vrs. cross ravine at 585 vrs. cross ravine

at 1470 vrs. " " at 1685 vrs. " "

at 1900.8 vrs. 12" mile.

Thence W. at 282.8 vrs. cross 2 wire fence at 520 vrs. cross ravine

at 590 vrs. cross ravine at 1262.2 vrs. U.S. zinc corner

brs. 37.1 vrs. N.

Moore Co Baky Line 1

- at 1404 vrs. cross cañon at 1730 vrs. cross cañon at 1900.8 vrs. 13¹/₂ mile.
- Thence W. at 160 vrs. cross cañon 80 vrs. wide, at 320 vrs. leave bluff at 430 vrs. point of bluff at 941 vrs. cross 3 wire fence at 1319 vrs. cross Kiawa river at 1900.8 vrs. 14¹/₂ mile.
- Thence W. at 1238 vrs. U.S. zinc corner brs. N. 45.5 vrs. at 1900.8 vrs. 15¹/₂ mile. (Clark's monument not to be found, probably destroyed by buffalo).
- Thence W. at 20 vrs. cross ravine at 1145 vrs. cross ravine at 1528 vrs. " " at 1270 vrs. " " at 1900.8 vrs. 16¹/₂ mile.
- Thence W. at 480 vrs. cross ravine at 740 vrs. cross main ravine at 1290 vrs. U.S. zinc and 3 pits corner brs. N. 51.6 vrs. at 1600 vrs. cross ravine at 1900.8 vrs. 17¹/₂ mile.
- Thence W. at 355 vrs. cross ravine at 16 vrs. crossed wire fence at 620 vrs. cross ravine at 680 vrs. cross ravine at 1460 vrs. " " at 1320 vrs. cross 5 wire fence at 1900.8 vrs. 18¹/₂ mile.
- Thence W. at 68 vrs. cross ravine at 335 vrs. cross ravine at 710 vrs. " " at 780 vrs. " " at 1152 vrs. " " at 4200 vrs. cross 5 wire fence at 1292 vrs. U.S. zinc corner brs. N. 60.7 vrs. at 1628 vrs. cross Kiawa, N. fork at 1900.8 vrs. 19¹/₂ mile.
- Thence W. at 22 vrs. recross Kiawa " " at 89 vrs. cross 3 wire fence at 335 vrs. cross Kiawa N. fork at 345 vrs. cross 3 wire fence at 800 vrs. recross Kiawa N. fork at 833.5 vrs. cross 3 wire fence at 1299.4 vrs. cross 3 wire fence at 1615 vrs. cross forks of ravine. at 1900.8 vrs. 20¹/₂ mile. Observe meridian and correct.
- Thence W. at 290 vrs. cross ravine at 702 vrs. cross 3 wire fence at 1291 vrs. U.S. zinc corner brs. N. 67 vrs. at 1900.8 vrs 21¹/₂ mile
- Thence W. at 560 vrs. cross head of cañon at 1445 vrs. cross deep ravine at 1900.8 vrs. 22¹/₂ mile
- Thence W. at 25 vrs. cross deep ravine at 474 vrs. cross 2 wire fence at 765 vrs. cross cañon at 1235 vrs. cross cañon at 1290 U.S. zinc corner brs. N. 75 vrs. at 1815 vrs. cross cañon at 1900.8 vrs. 23¹/₂ mile.
- Thence W. at 440 vrs. cross head of cañon at 710 vrs. cross head of cañon at 1654 vrs. cross forks of cañon at 1900.8 vrs. 24¹/₂ mile 10 vrs. from E. side of Dodge City and K trail
- Thence W. at 460 vrs. enter valley of North Fork at 820 vrs. cross ravine at 1100 vrs. cross S. prong of N. fork of Kiawa at 1297 vrs. U.S. zinc and 3 pits corner brs. N. 81.3 vrs. at 1900.8 vrs. 25¹/₂ mile.
- at 1280 vrs. cross ravine at 460 vrs. cross ravine at 1900.8 vrs. 26¹/₂ mile.
- Thence W. at 240 vrs. " " at 500 vrs. cross ravine at 1160 vrs. " " at 1504.4 vrs. U.S. zinc corner brs. N. 82 vrs. at 1570 vrs. cross ravine at 1900.8 vrs. 27¹/₂ mile.

See +

Observe meridian Polaris in eastern elongation error 2' L.
Magnetic declination at 7-22^{u. m.} June 23^o 1897 = 10 deg. 55 min. ^o

Thence W. at 895 vrs. cross ravine at 1215 vrs. cross ravine
at 1900.8 vrs. 28" mile.

Thence W. at 480 vrs. cross ravine at 605 vrs. cross ravine ^{R23E}
at 1304 vrs. U.S. zinc marked ^{R24E} S31 on E., ^{Sc} TIN on N., and ^{S36} on
W. and 3 pits brs. N. 82 vrs. at 1435 vrs. cross ravine
at 1540 vrs. cross ravine at 1900.8 vrs. 29" mile.

X Thence W. at 1900.8 vrs. set large stone marked N.E. OCHILTREE, N.W.
LIPSCOMB, in ground and dig 4 large pits. Long's mound and
4 pits N.W. corner of 1029 Bl. 43 H. and T.C. brs. S. 7
miles and 960 vrs. and E. 1 mile and 1848 vrs.

Beginning at stone set in ground for N.E. corner of Ochiltree,
Thence West at 1300 varas U.S. zinc and 3 pits corner bears N. 89.7
varas at 1900.8 vrs. stone marked 1-29 set in ground and 4
large pits for 1" mile west on Ochiltree North line.

Thence West at 1900.8 set stone marked 2,28 and dig 4 large pits for
2" mi. W.

Thence West at 50 vrs. N.E. Edge of "lake basin", at 1900.8 a stone
marked 3,27 and 4 large pits for 3rd. mile.

Thence West, at 460 vrs. cross wagon road, at 545 vrs. cross ravine,
at 1900.8 vrs. a stone marked 4,26 and 4 large pits for 4"
mile.

Thence West, at 1308 vrs. U.S. zinc marked ^{R22E} S31 on W., ^{Sc} TIN on N., and ^{R22E} on
on E., and 3 pits corner bears North 84^o; at 1700 vrs. ^{S31}
cross ravine; at 1900.8 vrs. a stone marked 5,25 and 4
large pits for 5" mile.

Thence West at 1900.8 vrs. a stone marked 6,24 and 4 large pits for
6" mile.

Thence West at 1000 vrs. enter and at 1220 varas leave "lake basin",
at 1312. vrs. U.S. zinc and 3 pits corner bears North 84
varas; at 1900.8 a stone marked 7,23 and 4 large pits for
7" mile.

Thence West at 1560 vrs. cross small basin, at 1900.8 a stone marked
8 and 22 and 4 large pits for 8" mile.

Thence West at 1218 vrs. U.S. zinc and 3 pits corner bears North
79.6 varas. at 1900.8 varas a stone marked 9,21 and 4 large
pits for 9" mile

Thence West at 1100 cross ravine (error in preliminary 10 minutes
caused by wind. Correct by meridian observation) at 1900.8
vrs. stone marked 10,20 and 4 large pits for 10th. mile.

Thence West, at 1353 U.S. zinc marked ^{R21E} S31 on W., ^{Sc} TIN on N., and ^{R22E} S31 and
3 pits corner bears N. 71.4 vrs. at 1900.8 vrs. a stone
marked 11,19 and 4 large pits for 11th. mile.

Thence West at 160 vrs. across ravine. At 1900.8 vrs. a stone marked
12,18 and 4 large pits for 12th. mile.

Thence West at 290 vrs. to 410 vrs. across lake basin at 770 to 1055
vrs. across lake basin. At 1329 vrs. U.S. zinc corner bears
North 68.8 vrs. at 1900.8 vrs. stone marked 13,17 and 4
pits for 13th. mile.

Thence West at 1900.8 vrs. stone marked 14,16 and 4 large pits for
14th. mile. Whence Long's monument 50 ft. in diameter and 3
ft. high bears West 406 vrs. and South 894 vrs. said monu-
ment being N.W. corner sur. 44. H. and T.C. cert. 5277

Thence West at 1335 vrs. cross ~~Call~~ Liberal road at 1341

- Thence West at 1325 vrs. cross Ochiltree and Liberal road at 1341 vrs U.S. zinc corner bears North $64 \frac{1}{2}$ vrs. at 1900.8 vrs. a stone marked 15,15 and four large pits for 15th. mile.
- Thence West at 1900.8 vrs. a stone marked 16,14 and 4 large pits for 16th. mile.
- Thence West at 1347 vrs. U.S. zinc and 3 pits corner bears North 60.3 vrs. at 1900.8 vrs. stone marked 17,13 and 4 large pits for 17th. mile. Thence W. at 220 cross ravine, at 1900.8 stone marked 18,12 and 4 pits for 18th. mile
- Thence West at 900 vrs. cross wagon road at 1348 vrs. U.S. zinc and 3 pits corner bears north 56.9 vrs. at 1570 vrs. cross ravine head of Fulton Creek. At 1800 vrs. cross ravine, at 1900.8 vrs. stone marked 19,11 and 4 large pits
- Thence West at 720 vrs. cross ravine, at 970 vrs. cross wagon road, at 1650 vrs. cross ravine, at 1760 vrs. cross ravine head of Sand Creek, at 1900.8 vrs. a stone marked 20,10 and 4 large pits for 20th. mile.
- Thence West at 1353 vrs. U.S. zinc and 3 pits corner bears North 56.7 vrs. At 1900.8 vrs. stone marked 21,9 and 4 pits for 21st. mile.
- Thence West at 1345 vrs. Dodge City and Tascosa trail, at 1900.8 vrs. a stone marked 22,8 and 4 large pits for 22nd. mile.
- Thence West at 70 vrs. cross Ochiltree and Liberal Road at 460 vrs. cross ravine, at 730 vrs. cross ravine, at 794 vrs. long circular trench 50 ft. in diameter bears South 1024 vrs. at 1351.1 vrs. U.S. zinc and 3 pits corner, bears North 47.5 vrs. at 1900.8 a stone marked 23,7 and four large pits for the 23rd. mile
- Thence West at 1580 vrs. cross Creek, at 1900.8 vrs. a stone marked 24,6 and 4 large pits for 24th. mile. meridian observation error 1 R. Magnetic declination June 27 at 6-30 A.M. 11 deg. 4 min. E.
- Thence West at 410 vrs. cross ravine, at 1880 vrs. cross ravine, at 1900.8 vrs. stone marked 25,5 and 4 large pits for 25th. mile.
- Thence West 1340 vrs. cross ravine, at 1900.8 vrs. stone marked 26,4 and 4 large pits for 26th. mile.
- Thence West at 440 vrs. cross ravine, at 1353 vrs. U.S. zinc corner bears north 45.9 vrs., at 1500 vrs. cross point of bluff at 1774.6 vrs. cross 2 wire fence, at 1900.8 vrs. stone marked 27.3 and 4 large pits for the 27th. mile.
- Thence West at 265 vrs. cross ravine, at 300 vrs. cross wagon road, at 1080 vrs. cross ravine, at 1900.8 vrs. stone marked 28,2 and 4 large pits for 28th. mile.
- Thence West at 575 vrs. cross wagon road, at 700 vrs. cross ravine at 995 vrs. cross ravine, at 1295 vrs. recross road, at 1352.2 vrs. U.S. zinc corner bears north 50.9 vrs. zinc marked ^{R 18 E} 23.6 on West, ⁸ TIN on North ^{R 19 E} 51.0 on East; at 1900.8 vrs. stone marked 29,1 and 4 large pits for the 29th. mile.
- Thence West 933.1 vrs. cross 3 wire fence (Aubry's) at 1567 vrs. cross Aubrey's W. fence, at 1660 vrs. cross PALO-DURO CREEK, at 1882 vrs. cross wagon road, at 1900.8 vrs. large stone marked N.W. OCHILTREE and N.E. HANSFORD. Meridian observation, error 3' S. Clark's Monument #10 bears West 363.7 vrs. N.E. corner survey #1 Block 45 H. and T.C. bears South

1219.3 vrs. and E. 932 vrs.

Beginning at stone and 4 large pits set for N.W. corner Ochiltree County.

Thence West at 363.7 vrs. pass Clark's monument # 10 (Preliminary line from N.E. corner Lipscomb County past 3.3 vrs. N. of this monument and stones on Ochiltree North line were set on a true line between Clark's Monuments # 10 and 15) At 1350 vrs. U.S. zinc and 3 pits corner bears north 59.4 vrs. at 1900.8 vrs. 1st. mile on Hansford North line.

Thence West at 170 vrs. cross ravine, at 460 vrs. cross head of ravine at 780.9 cross Hurgate's 2 wire fence, at 1121 vrs. cross Sandy Creek, at 1900.8 vrs. 2nd. mile, whence Mt. Helen bears W. 16 deg. 41 min.

Thence West at 460 vrs. cross head of draw, at 695 vrs. cross head of draw, at 1294.2 vrs. 2 wire fence, at 1900.8 vrs. 3rd. mi.

Thence West at 155 vrs. cross canyon, at 1042.2 cross 2 wire fence, at 1900.8 vrs. 4th. mile. Observed meridian error 3' north Correct.

Thence West at 936 vrs. cross wagon road, at 1075 vrs. W. point of hill, at 1337 vrs. cross ravine, at 1350 vrs. U.S. zinc corner bears N. 76.7 vrs. at 1900.8 vrs. 5th. mile.

Thence West at 780 vrs. cross ravine, at 1100 vrs. W. edge of hill at 1280 vrs. edge of hill, at 1500 vrs. N. point of hill, at 1700 vrs. E. edge of hill, at 1800 vrs. top of hill, at 1850 vrs. cross ravine, at 1900.8 vrs. 6th. mile.

Thence West at 105 vrs. cross ravine, at 300 vrs. cross ravine, at 415 vrs. cross ravine, at 730 vrs. cross ravine, at 1233.9 cross 2 wire fence, at 1345 U.S. zinc corner bears N. 35.9 at 1505 vrs. cross ravine, at 1900.8 vrs. 7th. mile whence Mann's house bears in N.E. direction about 1/2 mile.

Thence West at 80 vrs. cross ravine, at 416 vrs. cross road, at 1180 vrs. cross ravine, at 1355 vrs. cross ravine, at 1575 vrs. cross ravine, at 1900.8 vrs. 8th. mile.

Thence West at 1000 vrs. cross head of ravine, at 1160 vrs. top of hill, at 1345 vrs. U.S. zinc corner bears N. about 96.6 vrs at 1560 vrs. cross ravine, at 1900.8 vrs. 9th. mile.

Thence West at 290 vrs. cross cañon, at 630 vrs. cross ravine, at 1188 vrs. cross ravine, at 1355 vrs. cross ravine, at 1900.8 vrs. tenth mile.

Thence West 500 vrs. cross ravine, at 605.3 vrs. cross 2 wire fence, at 1345 vrs. cross wagon road, at 1355 vrs. U.S. zinc corner bears north 104.3 vrs. at 1900.8 vrs. 11th. mile.

Thence West at 1357.2 vrs. cross 3 wire fence, at 1900.8 vrs. 12th. mi

Thence West at 1345 U.S. zinc bears N. 115.2 at 1900.8 vrs. 13^d mile.

Thence West at 251.8 vrs. Mr. Hitch's ²/₃ wire fence, at 532 vrs. cross wagon road, at 1320 vrs. stone wall bears North 8 vrs., at 1697.9 vrs. cross Mr. Jno. Milligan's 2 wire fence, at 1900.8 vrs. 14th. mile.

Thence West 1345 vrs. U.S. zinc corner bears N. 127.7 vrs. at 1900.8 vrs. 15th. mile.

Thence West at 166.4 cross 2 wire fence, at 1406.2 cross 2 wire fence at 1900.8 vrs. 16th. mile.

Thence West at 1168 cross wagon road, at 1345 vrs. U.S. zinc corner bears north about 140.2 vrs., 1900.8 vrs. 17th. mile

- Thence West at 780 vrs. Bluff, at 915 vrs. pass mound and 4 pits, at 968 vrs. cross wire fence, at 1739 vrs. cross 2 wire fence, at 1900.8 vrs. 18th. mile. Observed meridian error line 1' S.
- Thence West at 675 vrs. cross 3 wire fence, at 734 vrs. cross Cold-water Creek, at 860 vrs. cross wagon road, at 1115.6 vrs. Clark's monument # 9. (This monument was 23.6 vrs. S. of true West line from Clark's monument # 10) at 1348 vrs. U.S. zinc corner bears north about 147 vrs. at 1780 vrs. cross cañon, at 1900.8 vrs. 19th. mile on E. side Bluff.
- Thence West at 560 vrs. cross cañon at 765 vrs. cross head of cañon, at 1900.8 vrs. 20th. mile.
- Thence West at 785 vrs. cross ravine, at 1345 vrs. U.S. zinc marked S32 on W. ^{SC} _{R/N} on N. and S33 on E. and 3 pits corner bears N. 153 vrs., at 1550 vrs. cross ravine, 1900.8 vrs. 21st. mile
- Thence West at 1900.8 vrs. 22nd. mile. ^{R/4E} S36
- Thence West at 1353 vrs. U.S. zinc marked S36 on West ^{SC} _{T/N} on North and on E. and 3 pits corner bears N. 159.2 vrs. at 1690 vrs. cross wagon road, at 1900.8 vrs. 23rd. mile. ^{R/5E} S31
- Thence West at 705 vrs. cross wagon road, at 970 vrs. cross dia wagon road, at 1645 vrs. cross dia wagon road, at 1900.8 vrs. 24th. mile.
- Thence West at 1360 vrs. U.S. zinc corner bears north 172 vrs., at 1900.8 vrs. 25th. mile on E. slope San Francisco Creek.
- Thence West at 1255 vrs. cross ravine, at 1860 vrs. cross San Francisco Creek, at 1900.8 vrs. 26th. mile.
- Thence West at 1175 vrs. cross ravine, at 1360 vrs. U.S. zinc corner bears north 184 vrs. at 1500 vrs. cross road, at 1900.8 vrs. 27th. mile.
- Thence West at 1400 vrs. cross ravine, at 1900.8 vrs. 28th. mile.
- Thence West at 1360 vrs. U.S. zinc marked S36 on West ^{SC} _{T/N} on North, and ^{R/5E} S31 on East, and 3 pits corner bears north 195.5 vrs., at 1900.8 vrs. 29th. mile.
- Thence West at 280 vrs. cross ravine, at 1900.8 vrs. 30th. mile. The N.E. corner Sherman County- Set stone 30 by 42 inches marked N.E. SHERMAN on W side, and N.W. HANS. on E. side and dig 4 large pits for N.E. corner Sherman County. Magnetic variation at 10 A.M. July 10, 1897 = 11 deg. 49 min. E. Observed meridian, no error in line.
- Beginning at the stone monument set for the N.E. corner of Sherman County.
- Thence South at 1900.8 vrs. set stone in ground and build earth mound 2 feet high and dig 4 large pits for 1st mile on Sherman E. line.
- Thence South at 1900.8 vrs. stone and earth monument 2 feet high and 4 large pits for 2nd mile.
- Thence South at 65 varas cross ravine, at 740 vrs. cross San Francisco Creek, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 3rd mile.
- Thence South at 400 vrs. pass head of ravine, at 1900.8 vrs. stone and earth mound 2 feet high and 4 pits for 4th mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 5th mile.
- Thence South, at 760 vrs. cross ravine, at 1708 vrs. cross wagon road, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 6th mile.

- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 7th mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 8th mile, gallon jug buried in mound.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 9th mile.
- Thence South at 385 vrs. cross camp arroya, at 680 vrs. cross ravine, at 1176 vrs. recross ravine, at 1730 vrs. head of ravine, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 10th mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high, near head of ravine for 11th mile.
- Thence South at 1745 cross ravine, at 1900.8 vrs. stone and earth mound and 4 large pits for 12th mile.
- Thence South, at 820 vrs. cross ravine, at 1108 vrs. cross 2 wire fence at 1620 vrs. cross old road, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 13th mile.
- Thence South at 1200 vrs. observe meridian, no error in line, Magnetic Variation at 7-20 A.M. July 15th 1897 = 11 deg. 39 min. E at 1775 vrs. cross Coldwater Creek, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 14th mile.
- Thence South, at 390 vrs. cross wagon road, at 930 vrs. cross head of ravine, at 1700 vrs. head of ravine, at 1800 vrs. head of ravine, at 1900.8 vrs. stone and earth mound 2 feet high for 15th mile, whence round knoll brs. N. 44 deg. E., end of bluff brs. N. 45 deg. 31 min. E., North end of hill brs. S. 86 deg. 51 min. E. and S. end of hill brs. S. 79 deg. 19 min. E.
- Thence South, at 160 vrs. cross ravine, at 450 vrs. cross ravine, at 1020 vrs. cross ravine, at 1050 vrs. cross ravine at 1900.8 vrs. stone and earth mound and 4 large pits, mound 2 feet high, for 16th mile.
- Thence South, at 130 vrs. cross Loafer draw, at 340 vrs. top of hill, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 17th mile.
- Thence South, at 730 vrs. cross 3 wire fence, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 18th mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 19th mile.
- Thence South, at 1660 cross old dia/road, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 20th mile.
- Thence South, at 495 and 635 cross wagon roads, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 21st mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 22nd mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 23rd mile.
- Thence South, at 221 vrs. cross ravine, at 1320 vrs. center of small "lake basin", at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 24th mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 25th mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 26th mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 27th mile.

- Thence South at 770 vrs. cross ravine, at 1670 edge of top of hill, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 28" mile.
- Thence South at 835 vrs. cross wagon road, at 600 vrs. meridian observation, error 1' E. Correct- at 625 vrs. cross North Palo-duro Creek, at 870 and 760 recross Palo-duro, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 29" mile.
- Thence South at 2010.4 vrs. Large Stone Marked S.E. Sherman, N.E. Moore, Hutch, and Hans. and 4 large pits for 30" mile, whence S.E. Sherman Co. brs. S. ~~476 vrs.~~ 747 vrs.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 31" mile.
- Thence South, at 740 vrs. cross ravine, at 1665 cross middle fork of Palo-duro Creek, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 32" mile.
- Thence South at 890 vrs. cross ravine, at 1880 vrs. cross ravine, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 32" mile.
- Thence South, at 150 vrs. cross wagon road, at 410, 570, and 760 vrs. cross and recross ravine, at 1900.8 vrs. stone and 4 large pits and earth m'd. 2 feet high for 34" mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 35" mile.
- Thence South at 1240 vrs. cross ravine, at 1788 vrs. cross South Palo-duro Creek at 1900.8 vrs. stone marked 6-24 and earth mound 2 feet high and 4 large pits for 36" mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 37" mile.
- Thence South at 595 vrs. cross ravine, at 700 vrs. cross ravine, at 1429 vrs. cross Turkey track North fence, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 38" mile.
- Thence South, at 115 vrs. cross ravine, at 1900.8 vrs. stone and ~~XX~~ earth mound 2 feet high and 4 large pits for 39" mile.
- Thence South, at 835 vrs. cross old wagon road, at 860 to 950 vrs. cross "lake basin", at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 40" mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 41" mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 42" mile. Observe Meridian error 5' left correct.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 43" mile.
- Thence South, at 1110 varas cross LX N. and S. fence at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 44" mile.
- Thence South at 845 to 1015 cross "lake basin", at 1900.8 vrs. stone and 4 large pits and earth mound 2 feet high for 45" mile, Magnetic Variation July 21" '97 at 9-45 A.M. = 11 deg. 06 min. E.
- Thence South at 1900.8 vrs. 46" mile, a stone and earth mound and 4 large pits, earth mound 2 feet high.
- Thence South at 480 to 575 cross lake basin, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 47" mile.

- Thence South 382 vrs. cross old road, at 520 vrs. h'd of ravine, at 1160 vrs. head of ravine, at 1420 vrs. cross ravine, at 1900.8 vrs. stone and 4 large pits and earth mound 2 feet high for 48" mile.
- Thence South at 405, 720, 920, and 1082 varas cross ravines at 453.3 varas crossed LX fence at 1900.8 vrs. a stone and earth mound 2 feet high and 4 large pits for 49" mile.
- Thence South, at 1900.8 vrs. a stone and 4 large pits and earth mound 2 feet high for 50" mile.
- Thence South at 30 varas cross head of Bugby Creek, thence through sand at 1900.8 vrs. an earth mound 2 feet high and 4 large pits for 51" mile.
- Thence South, at 1855 varas pass head of ravine, at 1900.8 vrs. a stone and earth mound 2 feet high and 4 large pits for 52" mile.
- Thence South, at 105, 480, 680, and 780 cross heads of ravines, at 852.2 vrs. cross LX fence, at 1095, 1230, and 1528 varas cross cañons, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 53" mile.
- Thence South, at 70 and 480 vrs. cross ravines, at 905 vrs. cross Turkey Creek, at 1140, 1435 and 1515 cross ravines, at 1900.8 varas a stone and earth mound 2 feet high and 4 large pits for 54" mile, whence Antelope Peak bears S. 19 deg. 10 min. E.
- Thence South at 1250, and 1515 vrs. cross ravines, at 1900.8 vrs. large stone marked 5 Hutch and 25 Moore and 4 large pits for 55" mile, whence door of E.B. Trigg's house brs. S. 59 deg. 18 min. W., point of bluff brs. S. clump of Cottonwoods bears S. 2 deg. 56 min. E., and lone Cottonwood in the bed of the Blue bears S. 7 deg. 45 min. E.
- Thence South, at 340 vrs. enter cañon, at 490 vrs. bed of cañon, at 1550 varas North edge of bed of Blue Creek, at 1900.8 vrs. a point in the bed of Big Blue Creek for 56" mile.
- Thence South, at 80 vrs. South bank of Blue Creek, at 290 vrs. pile of rocks on end of bluff, at 1089 varas a rock in the east line of survey # 47, H. and T.C.R.R.Co. block # 47 (whence C.W. bears N. 8 deg. E. 430 vrs. and N. bank of Canadian river bears S. 254 varas) bears S. 88 deg. 52 min. E. 616.4 vrs. from Co. line at 1166 varas cross wagon road, at 1360 vrs. north bank of Canadian river at 1900.8 vrs., a point in the bed of the Canadian 57" mile, whence round top bluff bears N. 60 deg. 15 min. W., Lone Cottonwood bears S. 41 deg. 3 min. W., Red point on top of bluff bears S. 59 deg. 15 min. E., Cottonwood on L. bank bears N. 44 deg. 56 min. E., Round top peak bears N. 37 deg. 10 min. E., and Cottonwood on R. bank of Blue bears N. 3 deg. 38 min. E.
- Thence South at 140 vrs. a pt. on N. side of an island, at 1429 vrs. South bank of the Canadian River, at 1705 vrs. top of bluff at 1900.8 vrs. a rock monument on S.W. slope of bluff, large sand stone marked 28, 2 for 58" mile, whence a stone set in ground bears S. 65 deg. 12 min. W. 1250 vrs.

Carroll

Moore Co Bdry Line

Thence South at 400 varas cross ravine, at 920 varas top of bluff, at 1710 and 1790 vrs. cross ravines, at 1900.8 vrs. a pile of stones on W. slope of gravelly hill whence a 12" Cottonwood marked X bears N. 5 deg. 15 min. E. 236 vrs. and do 12" bears N. 7 deg. 6 min. E. 239 vrs. for 59" mile.

Thence South at 215 vrs. cross ravine, at 1900.8 vrs. a stone and earth mound 2 feet high and 4 large pits for 60" mile, whence South point Jno. Ray Peak bears S. 77 deg. 2 min. W. North point of do bears S. 77 deg. 12 min. W., Cottonwood on N. Turkey Creek bears N. 0 deg. 19 min. E., point of bluff N. of Jno. Ray bears S. 79 deg. 36 min. W., Round Knoll end of bluff bears N. 87 deg. W. Error in preliminary 2 1/2 minutes E. corrected Magnetic declination at 8-37 A.M. August 11" 1897 = 11 deg. 5 min. E.

Thence South at 476.4 vrs. zinc cone, 3 feet high and 2 feet base, marked N.E. Potter, N.W. Carson, S.W. Hutch and S.E. Moore and 2 large pits, whence N.E. corner of Potter, N.W. Carson S.W. Hutchison, and S.E. Moore Counties bears South ~~40~~ 542 vrs.

Thence South at 1900.8 vrs. zinc marked Potter, Carson, 1, 29; 2 large pits and earth mound 2 feet high for 61" mile.

Thence South, at 240 vrs. cross ravine, at 530 vrs. cross creek, at 1900.8 vrs. zinc marked Potter, Carson, 2, 28; 2 large pits and earth mound 2 feet high for 62" mile.

Thence South, at 510, 630, and 920 vrs. cross ravines, at 1755 vrs. cross ravine, at 1900.8 vrs. zinc marked Potter, Carson, 3, 27; 2 large pits, and earth mound 2 feet high.

Thence South, at 190, 317 and 740 vrs. cross creeks, at 1700 vrs. cross head of ravine, at 1900.8 vrs. zinc marked Potter, Carson, 4, and 26, two large pits and earth mound 2 feet high for 64" mile.

Thence South at 60, 400 and 920 cross ravines, at 1900.8 a zinc marked Potter, Carson, 5 and 25; two large pits; and earth mound 2 feet high on top of South slope for 65" mile, whence north point of John Ray peak bears north 60 deg. 5 min. West S. point do. brs. N. 80 deg. 19 min. W.

Thence South at 150, 460, and 830, cross ravines at 1200 vrs. cross Turkey Creek, at 460 cross ravine, at 1900.8 vrs. a zinc marked

J. W. C. Twichell Special surveyor for Moore County do hereby certify that the foregoing field notes are true and correct and that the marks both natural and artificial are correctly described and that said survey was actually made upon the ground.

Witness my hand this 11th day of Dec. 1897.

J. W. C. Twichell
Special Surveyor for Moore Co.

THE STATE OF TEXAS, }
County of Moore } KNOW ALL MEN BY THESE PRESENTS:

THAT WE, W. D. Twichell as Principal, and

S. A. Burt and R. A. Mc Nab

as Securities, are held and firmly bound unto L. P. Trumble County Judge of
Moore County Texas and his successors in office, in
the sum of one thousand (\$1000⁰⁰) DOLLARS,
for the payment of which we hereby bind ourselves, our heirs, executors and administrators, jointly and
severally, by these presents.

Signed with our hands and dated this 25th day of August 1897

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, That whereas, the above bounden
W. D. Twichell
was, on the 2nd day of August 1897, duly Appointed
to the office of Special Surveyor in and
for Moore County County, in the State of Texas.

NOW, THEREFORE, If the said W. D. Twichell
shall faithfully perform and discharge all the duties required of
him by law as Special Surveyor aforesaid, and shall

correctly survey designate and mark the north, south
and East boundaries of Moore County,



then this obligation shall be void; otherwise to remain in full force and effect.

IN TESTIMONY WHEREOF, Witness our hands.

W.D. Twitchell
S.A. Bull
R.D. McNabb.

THE STATE OF TEXAS, }
County of Potter } BEFORE ME, Law & Morris
on this day personally appeared

W.D. Twitchell

known to me (or proven to me on the oath of W.D. Twitchell) to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purposes and considerations therein expressed.

GIVEN under my hand and seal of office, this 27 day of Sept. A. D. 1897

Law & Morris Notary
Public Potter Co. Texas

E 615-JOINT ACKNOWLEDGMENT-Class 1*

Clarke & Courts, Stationers, Printers, Lithographers, Galveston.

STATE OF TEXAS, }
County of Moore } BEFORE ME L.P. Trumble
County Judge in and for Moore County, Texas,
S.A. Bull and R.D. McNabb
on this day personally appeared

to me to be the persons whose names are subscribed to the foregoing instrument, and acknowledged to me that they executed the same for the purposes and considerations therein expressed.

~~fully explained to her, she, the said [Name] acknowledged each instrument to be her act and deed, and declared that she had willingly signed the same for the purposes and considerations therein expressed and that she did not intend to retract it.~~

Given under my hand and seal of office, this 25th day of October A. D. 1897

L.P. Trumble
County Judge

1-92-10

Subscribed and sworn to, this _____ day of _____ 18____, before me.

THE STATE OF TEXAS, }
County of Moore }
THE FOREGOING BOND of W.D. Twitchell
as Special Surveyor in and for Moore
County and State of Texas, this day approved in open Commissioners' Court.

Dated 25 October 1897

ATTEST:

L.P. Trumble County Judge
Moore County, Texas.

Moore Co., Texas.

OATH OF OFFICE.

I, W. Swickell do solemnly swear (or affirm) that I will faithfully and impartially discharge and perform all the duties incumbent upon me as Special Surveyor according to the best of my skill and ability, agreeably to the Constitution and Laws of the United States and of this State; and I do further solemnly swear (or affirm) that since the adoption of the Constitution of this State, I, being a citizen of this State, have not fought a duel with deadly weapons within this State nor out of it, nor have I sent or accepted a challenge to fight a duel with deadly weapons, nor have I acted as second in carrying a challenge or aided, advised or assisted any person thus offending. And I furthermore solemnly swear (or affirm) that I have not, directly or indirectly, paid, offered or promised to pay, contributed or promised to contribute, any money or valuable thing, or promised any public office or employment, as a reward for the giving or withholding my account a vote at the election at which I was elected. So help me God.*

Sworn to and subscribed before me, this 26 day of September A. D. 1897
Alfandis Clerk
County Court Patterson Co Texas

*If a County Commissioner, add this, here: "And I further swear that I will not be directly or indirectly interested in any contract with or claim against the County in which I reside, except such warrants as may issue to me as fees of office."

THE STATE OF TEXAS, }
County of Moore }
I, R A M Enabb County Clerk in and for said County, do hereby certify that the foregoing Bond dated the 27th day of September 1897 with its Certificate of Authentication, was filed for record in my office this 29th day of October A. D. 1897, at 10 o'clock 30AM., and duly recorded the 29th day of October A. D. 1897, at 11 o'clock A. M., in the Official Bond Records of said County, in Vol. _____ on Page _____
WITNESS my hand and the seal of the County Court of said County, at office in Queenas Texas, the day and year last above written.
R A M Enabb
Clerk County Court Moore County.
By _____ Deputy.

¹ District Attorney's Bond payable to the Governor—to be approved by the District Judge. Bonds of District Clerks, County Clerks, Sheriffs, Tax Collectors (State bond), Assessors, County Attorneys, Constables, Notaries, and Surveyors are made payable to the Governor. Bonds of County Treasurers, Hide and Animal Inspectors, Justices of the Peace, and Tax Collectors (County bond) are made payable to the County Judge. Bonds of County Judges and County Commissioners are made payable to the County Treasurer. Bonds of Superintendents of Public Instruction are made payable to the County Commissioners, in trust for the Public School Fund of the County.
² If District Attorney, bond required is \$5,000. If District Clerk, bond required is \$5,000. If County Judge, bond required is from \$1,000 to \$5,000, to be fixed by the Commissioners' Court. If County Clerk, bond required is from \$2,000 to \$10,000, regulated by the Commissioners' Court. If Notary Public or Justice of the Peace as such, bond required is \$1,000. If Hide and Animal Inspector, bond required is from \$1,000 to \$10,000, regulated by the Commissioners' Court. If Sheriff, bond required is from \$5,000 to \$30,000, regulated by the Commissioners' Court. If Assessor, a sum equal to one-fourth the amount of the State tax of his County, as shown by last preceding assessment, not to exceed \$10,000. If County Attorney, bond required is \$2,500. If Constable, bond required is \$500 to \$1,500, regulated by the Commissioners' Court. If Surveyor, bond required is \$10,000. If County Treasurer, any amount the Commissioners' Court may elect; bond for School Fund required in double amount of the Fund, to be estimated by County Judge. If Tax Collector (State bond), bond required is in a sum equal to the whole amount of the State tax of the County, as shown by the last preceding assessment. If Tax Collector (County bond), bond required is in a sum not less than the whole amount of the County tax of the County, as shown by the last preceding assessment. If County Commissioner, bond required is \$3,000. If Justice of the Peace, bond required is \$1,000. If County Superintendent of Public Instruction, bond required is \$5,000.
³ Elected or appointed.
⁴ If Precinct Officer, state number of Precinct.
⁵ If District Attorney, conditioned that he will "faithfully pay over, in the manner prescribed by law, all moneys which he may collect, or which may come to his hands for the State or for any County." If District Clerk, conditioned for the safe keeping of the records of his office. If County Clerk, conditioned for the safe keeping of the records of his office. If Notary, conditioned for faithful performance of duty only. If Sheriff, conditioned that he will "account for and pay over to the persons authorized by law to receive the same, all fines, forfeitures and penalties that he may collect for the use of the State or any County, and that he will well and truly execute and due return make of all processes and precepts to him lawfully directed, and pay over all sums of money collected by him by virtue of any such process or precept to the persons to whom the same are due, or their lawful attorney." If Assessor, conditioned that he will "faithfully discharge all the duties of his office." If County Attorney, conditioned that he will "faithfully pay over, in the manner prescribed by law, all moneys which he may collect or which may come to his hands for the State or any County." If Constable, conditioned for faithful performance of duty, only. If Hide and Animal Inspector, conditioned that he will well and truly perform his duty, only. If Surveyor, conditioned for faithful performance of duty, only. If Treasurer, conditioned that he shall faithfully execute the duties of his office; additional conditions are, "Shall pay, according to law, all money that shall come into his hands as County Treasurer, and render a just and true account thereof to said Court at each regular term;" School Fund bond conditioned that he will "safely keep and faithfully disburse the School Fund according to law, and pay such warrants as may be drawn on said Fund by competent authority." If Justice of the Peace, conditioned that he will faithfully and impartially discharge and perform the duties of his office, and that he will pay over, to the party entitled to receive it, all moneys that may come into his hands during his term of office. If County Judge, conditioned that he will pay over, to the person or officer entitled to receive it, all moneys that may come into his hands as County Judge, within thirty days after he shall have received the same. If Collector of Taxes (each bond), conditioned for the faithful performance of the duties of his office as Collector of Taxes for and during the full term for which he is elected. If County Commissioner, conditioned for the faithful performance of the duties of his office, only. If County Superintendent of Public Instruction, conditioned that he will faithfully perform the duties of his office.

Moore Co. Bdry. line 1

File No.

OFFICIAL BOND

OF

Mr Twitchell

AS

Special Surveyor,
Moore County,

SECURITIES:

S. A. Bull
R. A. McHabb

Filed in the Genl Land Office
March 28th 1898.

Filed 29th October
1877

County Clerk
Co., Texas.

By Deputy.

S-SA

B. F. 212

B-14

57491

Moore Co. Bdry line

