

Morley County

State of Texas Field notes of the E.P.L. of  
Morley County.

Beginning at the common corner of Morley,  
Pottle, King and Dickens Counties,

A stone monument length four and  
one half ( $4\frac{1}{2}$ ) feet, cross section top seven (7)  
inches by ten (10) inches bottom ten (10) inches  
by thirteen (13) inches. The diagonals of said  
cross sections are located N. <sup>and S.</sup> and E. <sup>and</sup>  
N. The N. W. face of said monument is marked  
S. E. M. C.

Said monument is planted in the bot-  
tom of a ravine near the E. side of the same  
two and one half ( $2\frac{1}{2}$ ) feet in the earth.

A mesquite tree marked by S. N.  $25^{\circ} 00'$  E.  
 $28\frac{5}{10}$  vs. said mesquite tree is four inches  
in dia. a mesquite 3 inches in dia. marked  
N. S. F. S. N.  $37^{\circ} 30'$  N.  $46\frac{7}{10}$  vs.

1<sup>st</sup> M. Thence N. at 220 vs. a deep basin  
in a ravine at  $441\frac{5}{10}$  vs. cross S. P.L. of  
Sur. No. 4 S. 178 C. A. Gibson and at  
232 vs. N. from its S. E. C. at 480 vs. cross  
a ravine at 1200 vs. cross a ravine at  
1660 vs. cross a ravine at 1900 vs. the first  
mile point from which a hackberry tree  
S. S.  $45^{\circ} 30'$  N.  $142\frac{2}{10}$  vs.

2<sup>nd</sup> M. Continuing N. at 456 vs. cross N.  
P.L. of Sur. No. 4 S. 178 J. A. Gibson and at  
231 vs. N. from its N. E. C. at 480 vs. the top of



1 a ridge at 836 vs. cross a wire fence, course  
2 N. N. and S. E. at 1070 vs. cross the S. P. L. of  
3 Sur No 49 - S. 14624 J. A. Stephens and  
4 at 222 vs. N. from its S. E. C. at 1320 vs. the  
5 center of a mesquite flat at 1800 vs. the top  
6 of a mesquite ridge at 1900 vs. the second mile  
7 point from which a ct. wd tree large top on  
8 S. Wichita River br. S.  $0^{\circ} 32'$  N. a point on  
9 a distant ridge N.  $50^{\circ} 40'$  N.

10  
11 3<sup>rd</sup> M Continuing N. at 460 vs. the top of a  
12 Shim ridge at 836 vs. cross a small ravine  
13 in a mesquite flat at 1092 vs. cross N. P.  
14 L. of Sur. No. 49 said Stephens and at 209  
15 vs. N. from its N. E. C. at 1240 vs. the top  
16 of a mesquite ridge at 1746 vs. cross the  
17 S. P. L. of Sur. No. (280) cert. No. 1952 P. S. and J.  
18 and at 201 vs. N. from its S. E. C. at 1880 vs.  
19 Cross a ravine at 1900 vs. the third mile  
20 point on a mesquite ridge from which a  
21 gravelly hill N.  $88^{\circ} 00'$  E.

22  
23 4<sup>th</sup> M Continuing N. at 1746 vs. cross  
24 the N. P. L. of said Sur. (280) and 185 vs. N.  
25 from its N. E. C. at 1900 vs. the fourth mile  
26 point in the bottom of a deep ravine from  
27 which a ct. wd tree & the lower X cut into  
28 the bank only the upper cut into the timber  
29 br. N.  $39^{\circ} 55'$  E. 109  $\frac{3}{10}$  vs. Ct. wd tree do.  
30 br. N.  $82^{\circ} 00'$  N. 107  $\frac{8}{10}$  vs. a round red hill  
31 on the N. side of S. Pease River br. N.  $46^{\circ} 40'$  N.



5<sup>th</sup> M Continuing N. at 746 rs. cross  
 S.P.L. of Sur. No. 43 Cert. No.  $\frac{20}{100}$  J. H. Steph-  
 ens and at 168 rs. N. from its S.E. C. at 1140 rs.  
 cross the center of the present channel of S.  
 Pease River course N.  $71^{\circ}00'$  E at 1250 rs. cross  
 a deep canyon 1360 rs. the S. side of a prai-  
 rie at 1400 rs. a point on the E. slope of a  
 ridge at 1900 rs. the fifth mile point on  
 the S. slope of a hill from which a cluster  
 of hackberry trees on a hill brs. S  $88^{\circ}33'$  N.  
 a hackberry tree  $\frac{7}{16}$  X brs. S  $1^{\circ}00'$  E.  $85\frac{1}{2}$   
 rs. a Forked Ct. wd. tree in the valley of S. Pease  
 River brs. S  $41^{\circ}00'$  E.

6<sup>th</sup> M Continuing N. at 785 rs cross  
 N.P.L. of Sur No. 43 Cert. No.  $\frac{20}{100}$  J. H. Stephens  
 and at 165 rs. N. from its N.E. C. at 920 rs.  
 cross a ravine at 1210 rs. cross a deep can-  
 yon at 1460 rs. cross a deep canyon at  
 1600 rs. cross a ravine at 1660 rs. cross a deep  
 ravine at 1900 rs. the sixth mile point in a  
 mesquite flat from which a mesquite tree five  
 inches in dia.  $\frac{7}{16}$  X brs. S  $3^{\circ}30'$  N.  $149\frac{1}{10}$   
 rs. A crooked mesquite tree five inches in dia.  
 $\frac{7}{16}$  X brs. N.  $27^{\circ}45'$  E.  $73\frac{1}{10}$  rs. a mesquite  
 tree six inches in dia.  $\frac{7}{16}$  X brs. S  $64^{\circ}50'$   
 E.  $112\frac{1}{10}$  rs.

7<sup>th</sup> M Continuing N. at 360 rs. cross  
 a deep canyon at 785 rs. cross N.P.L. of  
 Sur. No. (-) I & G. N. R.R. Co. S. 531 and at  
 147 rs. N. from its N.E. C. at 1050 rs. cross



1 a deep canyon at 1280 vs. the top of a  
2 mesquite ridge at 1900 vs. the seventh  
3 mile point in a mesquite flat from which  
4 a mesquite tree six inches in dia. M'd  
5 7 N. S.  $47^{\circ} 20'$  N.  $218^{\circ} 10'$  vs. a hackberry  
6 tree seven inches in dia. M'd. N 7 S.  $22^{\circ}$   
7  $27'$  N. 307 vs.

8 8<sup>th</sup> M. Continuing N. at 786 vs. cross the  
9 S. P. L. of 189 cert. No. 1113 B. S. and F. and at  
10 120 vs. N. from its S. E. C. at 800 vs. the cen-  
11 ter of a large prairie at 1900 vs. the eighth mile  
12 point in a prairie from which the head of  
13 a creek on the S. E. slope of a hill S. N.  
14  $35^{\circ} 30'$  N. a white spot in a red bluff  
15 S. S.  $82^{\circ} 00'$  N. a cottonwood tree on S.  
16 Pease River S. N.  $4^{\circ} 58'$  E.

18 9<sup>th</sup> M. Continuing N. at 630 vs. the top  
19 of a grassy ridge at 802 vs. cross N. P. L.  
20 of Sur. No. (189) Cert. No. 1113 B. S. and F. and  
21 at 102 vs. N. from its N. E. C. at 1600 vs.  
22 the top of a mesquite ridge at 1900 vs.  
23 the ninth mile point on the N. slope of  
24 a ridge from which a large c'wid tree on  
25 S. Pease River S. N.  $84^{\circ} 40'$  N. a white slope  
26 of a hill S. N.  $70^{\circ} 10'$  E.

28 10<sup>th</sup> M. Continuing N. at 400 vs. cross  
29 a deep canyon at 802 vs. cross the N. B.  
30 line of a Sur. in the name of A. Smith,  
31 Cert. No. 20/05 and at 1025 vs. N. from the N.



AMOS J. FIRES,

ATTORNEY AT LAW.

CHILDRESS, TEXAS.

1 inner angle of said Smith Sur. at 720 rs. the  
2 top of a mesquite ridge at 1080 rs. the top  
3 of bluff S. bank of S. Pease River at 1100 rs.  
4 Cross the center line of channel of S. Pease  
5 river at 1834 rs. cross the S. P. L. of Sur. No. 14  
6 Cont. No. 522 A. B. and M. and at 392. rs. E.  
7 from its S. N. C. at 1900 rs. the tenth mile  
8 point on the N. slope of a hill from  
9 which a forked hackberry tree six inches in  
10 dia. mtd. X to S.  $41^{\circ}40'$  E. 59  $\frac{1}{10}$  rs. a large  
11 double stwd. tree to N.  $35^{\circ}00'$  W. a bunch  
12 of cedar bushes on the top of a hill to S.  $43^{\circ}$   
13  $30'$  W.

14 11<sup>th</sup> M. Continuing N. at 740 rs. the  
15 top of a mesquite ridge at 800 rs. the top of  
16 a ridge to South of a valley at 1480 rs.  
17 the top of a hill at 1850 rs. cross a canyon  
18 1860 rs. the top of a mesquite ridge at 1900  
19 rs. the eleventh mile point in the center  
20 of a canyon from which a bunch of ch  
21 wd trees on N. Side of S Pease River to S.  
22  $88^{\circ}22'$  W.

23 12<sup>th</sup> M. Continuing N. at 160 rs. cross  
24 a small canyon lat 540 rs. the center of  
25 a mesquite flat at 722 rs. cross the S. P.  
26 L. of Sur. No. (14) Cont. No. 522 A. B. and M  
27 and 387 rs. E. from its N. N. C. at 1000 rs.  
28 Cross a deep Canyon at 1500 rs. the top of  
29 a hill at 1640 rs. cross a ravine at 1860 rs.  
30 the S. bank of S. Pease river at 1900 rs. the  
31 twelfth mile point in the channel of S.  
32 Pease River 65 rs. N. of S. bank of same



1 from which a forked chid tree m'd'd E. S. N.  
2  $9^{\circ}-45'$  N, 74<sup>57</sup> rs. a chid tree m'd'd E. S. N.  $29^{\circ}$   
3  $00'$  N, 187<sup>57</sup> rs. a chid tree m'd'd E. S. N.  
4  $66^{\circ}-00'$  N, 166 rs. a red bluff S. N.  $49^{\circ}-30'$  E,  
5 about 950 rs.

6  
7 13<sup>th</sup> M Continuing N. at 700 rs. the cen-  
8 ter line of the channel of S. Pease River curve  
9 down Stream S.  $70^{\circ}-00'$  E. up Stream N.  $70^{\circ}$  N.  
10 at 756 rs. cross the N. P. L. of Sur. No. (184)  
11 Cut No. 16249 Indiana Ry. Co. and at 380 rs.  
12 E. from its N. N. E. also 11 rs. N. from the S. E.  
13 E. of a survey in the name of J. M. Wells at  
14 740 rs. top of bluff bank N. side of S. Pease  
15 River at 1000 rs. cross a deep Canyon at  
16 1556 rs. pass 4 rs. E. of the N. E. E. of said  
17 Wells Sur. at 1640 rs. the top of a hill  
18 at 1675 rs. cross the S. P. L. of Sur. No. (136)  
19 A. 35 N. C. Co. and at 630 rs. N. from its  
20 S. E. E. at 1720 rs. the top of a hill at 1900  
21 rs. the thirtieth mile point on the E. slope  
22 of a hill from which a deep canyon S.  
23 E. 900 rs. a cedar tree m'd'd X S. N.  $10^{\circ}-30'$   
24 E. 46 rs. a hackberry tree five inches in dia.  
25 S.  $61^{\circ}-00'$  N. a cedar bush on the middle  
26 terrace of a hill S. N.  $59^{\circ}-54'$  E.

27  
28 14<sup>th</sup> M Continuing N. at 8 rs. cross a  
29 ravine at 239 rs. cross a deep canyon  
30 at 760 rs. cross a deep canyon. at 1020 rs.  
31 the top of a hill at 1140 rs. cross a deep  
32 canyon at 1200 rs. cross a deep canyon



1 at 1675 rs. cross N. P. L. of Sur. No. (136) A. 35,  
 2 M. C. Co. and at 620 rs. N. from its N. E. C.,  
 3 at 1900 rs. the fourteenth mile point on the  
 4 N. slope of a grassy hill among cedar bushes.  
 5 from which a cedar tree five inches in dia.  
 6  $\text{N. } 36^{\circ} 25' \text{ W. } 35 \frac{7}{10} \text{ rs.}$  a cedar bush  
 7 on the top of a hill  $\text{S. } 15^{\circ} 33' \text{ N.}$

8  
 9 15<sup>th</sup> M Continuing N. at 1800 rs. cross a  
 10 deep canyon at 1220 rs. cross a deep canyon  
 11 at 260 rs. cross a deep canyon at 680 rs. The  
 12 top of a mesquite ridge at 720 rs. cross a  
 13 wire fence at right angles at 1200 rs. cross  
 14 a deep canyon at 1675 rs. cross N. P. L. of  
 15 Sur. No. (135) A. 35 M. C. Co. and at 610 rs.  
 16 N. from its N. E. C. at 1680 the top of a  
 17 mesquite ridge at 1900 rs. the fifteenth mile  
 18 point in a shallow grassy ravine from  
 19 which the head of a canyon  $\text{S. } 33^{\circ} 05' \text{ E.}$  A  
 20 bunch of stunted trees in a deep canyon the  
 21 mesquites one of them eight inches in dia.  $\text{W. } 10'$   
 22  $\times$  the lower  $\times$  cut into the bark only the upper  
 23  $\times$  cut into the timber  $\text{S. } 47^{\circ} 15' \text{ E. } 363 \text{ rs.}$   
 24 a cedar bush and a rock on the S. slope of a  
 25 red hill  $\text{S. } 30^{\circ} 05' \text{ E.}$

26  
 27 16<sup>th</sup> M Continuing N. at 120 rs. the  
 28 top of a ridge at 500 rs. the center of a small  
 29 grassy mound in a canyon at 880 rs. the top  
 30 of a high ridge near the S. E. C. of a pasture  
 31 fence at 1675 rs. cross the N. P. L. of Sur  
 32 No. (134) A. 35 M. C. Co. and at 600 rs. N.



1 from its N. E. Cr. at 1680 rs. cross a deep  
2 Canyon at 1900 rs. the 16<sup>th</sup> mile point in  
3 a Mesquite valley from which a yellow mound  
4 with several large rocks on its top b. S.  $16^{\circ}$   
5  $36'$  E. about 300 rs. a ch. wd tree in a prairie  
6 b. S.  $46^{\circ} 45'$  E. about 550 rs. a ds. b. S.  
7  $47^{\circ} 10'$  E. about 300 rs.

8 14<sup>th</sup> M. Continuing N. At 47 rs. cross  
9 S. P. L. of Sur. No. (7) S. 14678 M. C. Co. and  
10 at 690<sup>5</sup> rs. N. from its S. E. Cr. at 163 rs.  
11 cross a wire fence its course with Co. L. is  
12 about  $45^{\circ} 45'$  E. & N. N. at 670 rs. cross a  
13 deep canyon, at 875 rs. cross a deep can-  
14 yon at 1200 rs. the top of a hill at 1610 rs.  
15 the center of Cow hollow Cr. course N.  $78^{\circ} 00'$   
16 E. at 1900 rs. the nineteenth mile point in  
17 the bed of Cow hollow Cr. near N. side from  
18 which a vertical red cliff N. bank of Cr.  
19 b. N. 4 rs. a cedar bush on the N. slope of a  
20 hill in a ledge of rocks b. N.  $58^{\circ} 20'$  E. a sharp  
21 point of a red hill b. N.  $84^{\circ} 27'$  E. A ch. wd  
22 tree 8 inches in dia. mtd x b. S.  $5^{\circ} 40'$  E. 339 rs.

24 18<sup>th</sup> M. Continuing N. at 77 rs. cross  
25 common boundary line of Sur. No. (10) and  
26 (11) S. 14677 & S. 14678 respectively. M. C. Co.  
27 and at 687 rs. N. from their common E. Cr. at  
28 80 rs. cross narrow red bluff on its E. slope  
29 near the top and over the N. edge of a large  
30 rock. N. bank of Cow hollow Cr. at 1500 rs. cross  
31 a deep canyon at 320 rs. cross a deep canyon  
32



AMOS J. FIRES,

ATTORNEY AT LAW,

CHILDRESS, TEXAS.

at ~~1460~~ pass a point 604 <sup>or</sup>  $\frac{1}{2}$  from N.W. Cor. Sec. 78. J.H. Stephens

1 at 740 rs. the top of a hill, at 880 rs. cross a deep  
2 canyon at 1166 rs. cross a deep canyon at 1187  
3 rs. cross the common B. L. of Sur. Nos. (9)<sup>and</sup>  
4 (10) S. 17676 & S. 17677 respectively M. O. Co.  
5 and at 685 rs. N. from their common E.  
6 Co. at 1677 rs. pass 170 rs. E. of the S.E. C. of  
7 Sur. No. (7) S. 17674 M. O. Co. at 1370 rs. the  
8 top of a red bluff at 1720 rs. cross a  
9 deep canyon at 1820 rs. the top of a red  
10 bluff on the N. side of a deep canyon at  
11 1950 rs. the eighteenth mile point from which  
12 a deep canyon to S. 20 rs. a high hill to  
13 N. about 40 rs. a chitter tree 12 inches in  
14 dia marked X, in the head of a ravine near  
15 shinney to N.  $54^{\circ} 50'$  N. 176  $\frac{1}{10}$  rs. a cedar  
16 bush on a point of a red hill to S.  $68^{\circ}$   
17  $40'$  E.

18 19<sup>th</sup> M Continuing N. at 40 rs. cross  
19 a ravine at 380 rs. cross a canyon at  
20 400 rs. cross a canyon at 440 rs. cross a  
21 canyon at 880 rs. the top of a mesquite ridge  
22 at 1190 rs. pass on E. edge of a pond in  
23 a mesquite prairie at 1677 rs. pass 167 rs.  
24 E. of the N. E. C. of Sur. No. (7) S. 17674 M.  
25 O. Co. at 1750 rs. top of a ridge in a shin-  
26 nery at 1900 rs. the nineteenth mile point  
27 is a shinney flat from which a mesqui-  
28 te tree marked X to S.  $81^{\circ} 21'$  E. 8  $\frac{1}{10}$  rs.

29 20<sup>th</sup> M Continuing N. at 584 rs. cross  
30 the common boundary line of Sur. Nos. (8)<sup>and</sup>  
31 (9) S. 17675 and S. 17676 respectively and at  
32



1 680 rs. N. from their common E. C. at 720 rs.  
2 Cross E. side of a ridge in shinney at 1677  
3 rs. pass 170 rs. E. of the S. E. C. of Sur. No.  
4 3- S. 17670 M. C. Co. at 1900 rs. The twentieth  
5 mile point in a shinney flat from which  
6 a mesquite wood X b. S.  $55^{\circ}46'$  N.  $23\frac{1}{10}$   
7 rs. A mesquite wood X b. N.  $40^{\circ}34'$  E.  $20\frac{5}{10}$   
8 rs.

9 21<sup>st</sup> MI Continuing N. at 480 rs. the top  
10 of a ridge in shinney at 1600 rs. center of a  
11 large bunch of shin oaks. at 1674 rs. cross  
12 the common boundary line of Sur. Nos. (2)  
13 and (3) S. 17669 and S. 17670 M. C. Co. and 1681  
14 rs. N. from their com. E. C. at 17600 rs. cross  
15 a ravine at 1900 rs. the twenty first mile point  
16 on N. bank of a draw from which a cluster  
17 of oak bushes on a hill br. S.  $43^{\circ}01'$  N. a  
18 mesquite tree three inches in dia. wood X  
19 b. S.  $53^{\circ}27'$  E.  $22\frac{8}{10}$  rs.

20 22<sup>nd</sup> MI Continuing N. at 320 rs. the  
21 top of a mesquite ridge at 1200 rs. cross the  
22 N. slope of a high hill at 1420 rs. N. slope  
23 of a hill at 1465 rs. cross N. B. L. of Sur. No.  
24 (2) S. 17669 M. C. Co. and 678 rs. N. from its  
25 N. E. C. at 1465 rs. cross N. B. L. of Sur. No. 2  
26 M. C. Co. S. 17669 + at 678 rs. N. from its N. E. C.  
27 at 1470 rs. cross a canyon at 1620 rs. cross  
28 E. slope of a hill at 1670 rs. cross S. P. line  
29 of Sur. No. (2) Cent. No. 386. T. R. R. Co. and at  
30 1226 rs. N. from its S. E. C. at 1670 rs. cross a  
31 ravine at 1840 rs. cross the N. slope of a hill  
32



AMOS J. FIRES,

ATTORNEY AT LAW.

CHILDRESS, TEXAS.

1 at 1900 rs. the twenty second mile point on the  
2 N. slope of a grassy hill from which break in  
3 a canyon br. N. 4 rs. a Hackberry tree 10 inches  
4 in dia. marked X br. S.  $84^{\circ} 30'$  N.  $14 \frac{2}{10}$  rs. the top  
5 of a gravelly hill br. N.  $58^{\circ} 55'$  N.

6  
7 23 M Continuing N. at 40 rs. the N. slope  
8 of a hill at 100 rs. cross a canyon at 160 rs.  
9 cross a canyon at 180 rs. cross a canyon  
10 at 340 cross a canyon at 400 rs. the E. slope  
11 of a hill at 680 rs. the center of a peak be  
12 tween two canyons at 790 rs. cross a canyon  
13 at 800 rs. center of a high ridge at 920 rs. the  
14 center of a round peak at 1040 rs. cross a  
15 canyon at 1114 rs. cross the common bound-  
16 ary line of Surveys (1) and (2) T. T. R. R. Co. cut  
17 No. 386 and at 224 rs. N. from this com. E. Co.  
18 at 1200 rs. the edge of a mesquite thicket, at  
19 1280 rs. the high water line of Middle Pease river  
20 at 1900 rs. the 23<sup>d</sup> mile point in the bed of  
21 Middle Pease River near N. side from which a  
22 cottonwood marked X br. S.  $72^{\circ} 00'$  N. 28 rs. do.  
23 br. N.  $10^{\circ} 30'$  E. 30 rs. do. br. S.  $10^{\circ} 15'$  N. 89  $\frac{5}{10}$  rs.  
24 do. br. S.  $3^{\circ} 15'$  E. 91 rs.

25  
26 24 M Continuing N. at 200 rs. the top  
27 of a red bluff bank of Middle Pease River  
28 at 500 rs. cross a canyon at 558 rs. cross the  
29 M. P. L. of Sur. No. 1 T. T. R. R. Co. Cut No. 386.  
30 and at 222 rs. N. from its M. E. Co. at 580 rs.  
31 cross a small canyon at 770 rs. cross a  
32 canyon at 925 rs. the top of a mesquite



1 ridge at 1155 rs. cross a canyon at 1325 rs. cross  
2 at 1585<sup>rs</sup> pass <sup>W. B. Poplar</sup> 15 M. C. Co. 165<sup>rs</sup> <sup>W. of</sup> <sup>W. E. Cor.</sup>  
3 a canyon, at 1600 rs. cross a canyon at 1900 rs.  
4 the 24<sup>th</sup> mile point on E. bank of a canyon  
5 from which the head of a canyon br. S. 12° 10'  
6 E. The point of a red bluff br. N. 7° 15' E  
7 93 rs. the top of a rocky hill br. N. 24° 33' N.

8 25 M Continuing N. at 200 rs. the top of  
9 a red bluff at 500 rs. cross a canyon at 620  
10 rs. cross a canyon at 1900 rs. the 25<sup>th</sup> mile  
11 point on the E. slope of a hill from which  
12 a mesquite three inches in dia. <sup>W. of</sup> X br.  
13 S. 57° 50' E. 38<sup>5</sup>/<sub>10</sub> rs. do. four inches in dia <sup>W. of</sup>  
14 X br. S. 21° 50' E. 31<sup>9</sup>/<sub>10</sub> rs. a hackberry bush  
15 on E. rocky slope of a canyon br. S. 76° 40' E.

16 26 M Continuing N. at 400 rs. the top of  
17 a mesquite ridge at 800 rs. the top of a  
18 mesquite ridge at 940 rs. cross a canyon at  
19 1000 rs. cross a canyon at 1200 rs. cross  
20 a canyon at 1500 rs. cross a canyon at  
21 1900 rs. the 26<sup>th</sup> mile point from which a  
22 cottonwood tree in valley of Richland Creek  
23 and in E. edge of a plum thicket br. N. 7°  
24 34' E. a cottonwood tree in valley of Richland  
25 Creek (top only in view) br. N. 24° 28' N.

26 27 M Continuing N. at 200 rs. cross a can-  
27 yon at 780 rs. cross a canyon at 1300 rs. cross  
28 a canyon at 1900 rs. the 27<sup>th</sup> mile point on  
29 white grassy flat on S. side of Richland Creek  
30 from which a mesquite tree 4 inches in dia.  
31  
32



Mid M. C. 6 M. 27 fs. N.  $53^{\circ}32'$  E  $89\frac{5}{10}$   
rs. a bunch of hackberry trees in a ravine  
fs. S.  $70^{\circ}00'$  E a cottonwood tree in the  
valley of Richland cr. fs. N.  $21^{\circ}15'$  E

28<sup>th</sup> M Continuing N. at 2000 rs. cross  
a canyon at 460 rs. cross Richland Creek,  
course N.  $16^{\circ}00'$  E at 12 rs. the S. slope of  
a mesquite ridge at 1800 rs. cross a  
canyon at 1900 rs. the 28<sup>th</sup> mile point  
close to the break of a canyon from which  
a gypsum rock marked X fs. N.  $19^{\circ}32'$   
the 12<sup>th</sup> rs. a hackberry tree marked X  
in the S. bank of a canyon fs. S.  $44^{\circ}10'$   
E  $55\frac{6}{10}$  rs.

29<sup>th</sup> M Continuing N. at 1900 rs. cross a  
canyon at 440 rs. cross a canyon at  
640 rs. cross the top of a mesquite ridge  
at 675 rs. cross a canyon at 1595 cross  
a canyon at 1760 rs. cross a canyon  
at 1900 rs. the 29<sup>th</sup> mile point on the  
N slope of a ridge from which the break  
of a canyon fs. the 3 rs.

30<sup>th</sup> M Continuing N. at 75 rs. cross  
a canyon at 195 rs. cross a canyon at  
530 rs. cross the top of a high ridge. at



1350 rs. cross a canyon at 1825 rs. cross  
a canyon at 1900 rs. the 30<sup>th</sup> mile point  
on the N. slope of a grassy ridge 3 rs. from  
the E. bank of a canyon from which  
a bunch of hackberry bushes on the  
N. slope of a canyon br. N.  $11^{\circ}25'E$   
a gyp rock on the N. point of a hill  
marked X br. S.  $37^{\circ}30'E$  34 $\frac{1}{2}$  rs.

31<sup>st</sup> M Continuing N. at 80 rs. cross  
a canyon at 395 rs. cross a canyon  
at 760 rs. cross a canyon at 940 rs. cross  
a canyon at 1240 rs. cross the head of  
a deep heat in side of a canyon at  
1800 rs. cross a canyon at 1900 rs. the  
31<sup>st</sup> mile point on the E. slope of a  
grassy ridge from which a white gyp. rock  
in a red hill br. N.  $41^{\circ}55'E$ . The center  
of a hill in the distance br. N.  $44^{\circ}32'E$ .

32 M Continuing N. at 88 rs. cross a  
canyon. at 320 rs. cross a mesquite  
ridge at 800 rs. cross a canyon at 1060 rs.  
cross a canyon at 1600 rs. the N. slope of  
a ridge at 1700 rs. cross a canyon at 1900  
rs. the 32<sup>nd</sup> mile point in a deep canyon  
near the S. bank of the same from which  
a large cap rock on the N. bank of a



canyon br N.  $81^{\circ}45'$  W. about 30 rs. a  
hackberry tree marked X in the mouth of  
a ravine br. N.  $34^{\circ}55'$  W. about 35 rs. a  
gyf. rock in the head of a ravine marked  
X br S.  $23^{\circ}00'$  E. 28 rs. The rd point of  
a bluff br. S.  $43^{\circ}00'$  W. 100 rs.

33<sup>d</sup> M Continuing N. at 45 rs. cross  
a deep canyon at 1205 rs. cross the S. P. L.  
of Sur. 14 Cut N.  $223$  J. H. Portient Grant  
and 610 rs. E of its S. W. C. at 332 rs. the  
center of the Childress and Matador freight  
road at 350 rs. the top of a high narrow  
ridge at 365 rs. a rock set in the sand  
marked on its N. face M. C. L. at 1065 rs.  
reach the valley of North Peace River at  
1875 rs. the N. E. C. of Motley County, also  
the N. W. C. of Cottle County and at five  
miles 1384 rs. N. from the common S. C.  
of Childress and Hall counties a stone  
monument set two and one half feet in  
the earth dimensions four and one half feet  
in length the cross section of the top seven  
by ten inches, the cross sections of the  
bottom ten by thirteen inches the diag  
onals of said cross sections being placed  
N. S. and E. W. The S. W. face of said  
monument is marked N. E. M. C. from



the said monument a Cottonwood  
tree marked  $\frac{NE}{MC}$  16 inches in diameter br.  
N.  $87^{\circ}30'$  N.  $64 \frac{9}{10}$  ss. do. 18 inches in  
dia marked  $\frac{NE}{MC}$  br. N.  $29^{\circ}50'$  N.  $96 \frac{1}{10}$  ss,  
a double Cottonwood tree each marked  
xxx br. N.  $63^{\circ}50'$  E  $182 \frac{1}{10}$  ss. The center  
of a large rock on the S. slope of a red  
hill N. side of River br. N.  $41^{\circ}50'$  N. The  
N. E. point of a hill covered with white  
gyp rock br. S.  $80^{\circ}29'$  N. a red bluff hill  
in a ravine br. S.  $29^{\circ}04'$  E a pond  
of living water in a same basin br.  
N. about 200 ss.

State of Texas } I. E. Ross do hereby  
Mottley County certify that the above  
foregoing field notes do truly describe  
the Boundary line between Mottley and  
Cottle Counties and that its connections  
with land lines and corners as surveyed  
by myself.

E. J. Ross  
State Surveyor }  
C. C. Smith }  
C. C. Sur. Mottley Co.,  
Texas  
6-21-92  
A. A. Huff  
Sur. Cottle Co.

Recorded on pages, Texas,  
Nos. 376-383 Book No. 2, Mottley  
County Record



\$  
Field Notes of E. B. L.  
Motley Co

Records Book  
No 2, pages 376-383  
Motley Co Record

Filed Dec. 9th 1892

Wm Braullette  
Chief Clerk

East boundary line Motley Co.

Examined and approved  
Dec. 9/1892 J. N. Beaumont.

This County is a separate  
Land District. —

Abstract corrected May 10<sup>th</sup> 1893.  
Beaumont.

7