

Ochiltree Co Bdry Line 76

3
|

Field notes of the Northline

of

Ochiltree County.

Examined and approved

July 25th 1898.

C. W. Pressler.

See Potter Co Bdry Line 2

EUGENE VON BOECKMANN PUBLISHING CO.
AUSTIN, TEXAS.

Land Office

The State of Texas

County of Potter

~~Field notes of a survey of Potter county's East boundary, the same being Carson county's West boundary.~~

Beginning at a monument in the drain of a ridge but not in a position where it is liable to be washed away marked on N. side 100 m. W.L. marked on E. side I.T., on S. side N.E. cor. Texas, marked on W. side 36 deg. 30 min. N.L. A large stone set in ground the N.E. corner of Lipscomb county.

Thence W., at 35 vrs. a rock marked \equiv on N., \equiv on E., \equiv on W. and set in ground, at head of ravine.

At 487 vrs. cross ravine, at 712 vrs. cross ravine

" 1352 " " " 1612 " " "

" 1900.8" 1st. mile

Thence W. at 39 U.S. zinc cone marked $\underline{S35}$ on E., $\underline{S34}$ on W. and 4 pits

" 592 cross ravine at 1052 vrs. cross ravine

" 1622 vrs. cross ravine at 1900.8 vrs. 2" mile

Thence W. at 577 vrs. cross ravine, at 998 vrs. pass U.S. Mound and 2 pits. at 1232 vrs. cross ravine, at 1900.8 vrs. 3" mile.

Thence West, at 51 varas U.S. zinc cone marked $\underline{S33}$ on E. side, \underline{Sc} on N. side, and $\underline{S33}$ on W. side bears N. $\underline{912/100}$ vrs. $\underline{R28E}$

at 320 cross ravine, at 760 cross ravine, at 860 cross ravine, at 1440 vrs. cross ravine, at 1900.8 vrs. 4" mile.

Thence W., at 57.3 vrs. md. and 3 pits N. 11.7 vrs.

at 420 vrs. cross ravine at 630 vrs. cross ravine

at 1280 vrs. " " at 1880 vrs. " "

at 1900.8 vrs. 5" mile.

Thence W. at 135 vrs. cross ravine at 1280 vrs. U.S. mound and 3 pits

brs. N. 24 vrs. at 1640 vrs. cross ravine at 1764 vrs.

cross ravine at 1880 vrs. cross ravine at 1900.8 vrs.

6" mile.

Thence W. at 1283 vrs. U.S. zinc and 3 pits corner brs. N. 20.7 vrs.

at 1255 vrs. cross ravine at 1900.8 vrs. 7" mile, whence

Mrs. Cox' house brs. about N.E. 600 vrs. Observe meridian and correct.

Thence W. at 1497 vrs. cross long deep ravine, at 1900.8 vrs. 8" mile.

Thence W. at 208 vrs. cross ravine at 530 vrs. cross ravine

at 775 vr. " " at 1252 vrs. U.S. zinc corner brs.

N. 24.3 vrs. at 1640 vrs. cross ravine at 1737 1/2 vrs.

3 wire fence corner brs. S. 40 vrs. at 1900.8 vrs. 9" mile.

Thence W. at 266 vrs. cross ravine at 450 cross ravine

at 810 vrs. " " at 1900.8 vrs. 10" mile.

Thence W. at 240 vrs. " " at 995 vrs. cross ravine

at 1200 vrs. cross creek at 1258 vrs. U.S. zinc corner brs.

N. 31.3 vrs. at 1900.8 vrs. 11" mile.

Thence W. at 115 vrs. cross ravine at 585 vrs. cross ravine

at 1470 vrs. " " at 1685 vrs. " "

at 1900.8 vrs. 12" mile.

Thence W. at 282.8 vrs. cross 2 wire fence at 520 vrs. cross ravine

at 590 vrs. cross ravine at 1262.2 vrs. U.S. zinc corner

brs. 37.1 vrs. N.

Ochiltree Co Body Line 16

- at 1404 vrs. cross cañon at 1730 vrs. cross cañon at 1900.8 vrs. 13" mile.
- Thence W. at 160 vrs. cross cañon 80 vrs. wide, at 320 vrs. leave bluff at 430 vr. point of bluff at 941 vrs. cross 3 wire fence at 1319 vrs. cross Kiawa river at 1900.8 vrs. 14" mile.
- Thence W. at 1282 vrs. U.S. zinc corner brs. N. 45.5 vrs. at 1900.8 vrs. 15" mile. (Clark's monument not to be found, probably destroyed by buffalo)
- Thence W. at 20 vrs. cross ravine at 1145 vrs. cross ravine at 1528 vrs. " " at 1870 vrs. " " at 1900.8 vrs. 16" mile
- Thence W. at 480 vrs. cross ravine at 740 vrs. cross main ravine at 1290 vrs. U.S. zinc and 3 pits corner brs. N. 51.6 vrs. at 1600 vrs. cross ravine at 1900.8 vrs. 17" mile.
- Thence W. at 355 vrs. cross ravine at 10 vrs. crossed wire fence at 620 vrs. cross ravine at 680 vrs. cross ravine at 1460 vrs. " " at 1820 vrs. cross 3 wire fence at 1900.8 vrs. 18" mile.
- Thence W. at 68 vrs. cross ravine at 335 vrs. cross ravine at 710 vrs. " " at 780 vrs. " " at 1132 vrs. " " at 1200 vrs. cross 3 wire fence at 1292 vrs. U.S. zinc corner brs. N. 60.7 vrs. at 1626 vrs. cross Kiawa, N. fork at 1900.8 vrs. 19" mile.
- X Thence W. at 22 vrs. recross Kiawa " " at 89 vrs. cross 3 wire fence at 335 vrs. cross Kiawa N. fork at 345 vrs. cross 3 wire fence at 800 vrs. recross Kiawa N. fork at 833.5 vrs. cross 3 wire fence at 1295.4 vrs. cross 3 wire fence at 1615 vrs. cross forks of ravine. at 1900.8 vrs. 20" mile. Observe meridian and correct
- Thence W. at 290 vrs. cross ravine at 702 vrs. cross 3 wire fence at 1291 vrs. U.S. zinc corner brs. N. 67 vrs. at 1900.8 vrs 21" mile
- Thence W. at 560 vrs. cross head of cañon at 1445 vrs. cross deep ravine at 1900.8 vrs. 22" mile
- Thence W. at 25 vrs. cross deep ravine at 474 vrs. cross 2 wire fence at 785 vrs. cross cañon at 1235 vrs. cross cañon at 1290 U.S. zinc corner brs. N. 75 vrs. at 1815 vrs. cross cañon at 1900.8 vrs. 23" mile.
- Thence W. at 440 vrs. cross head of cañon at 710 vrs. cross head of cañon at 1654 vrs. cross forks of cañon at 1900.8 vrs. 24" mile 10 vrs. from E. side of Dodge City and K trail
- Thence W. at 460 vrs. enter valley of North Fork at 820 vrs. cross ravine at 1100 vrs. cross S. prong of N. fork of Kiawa at 1297 vrs. U.S. zinc and 3 pits corner brs. N. 81.2 vrs. at 1900.8 vrs. 25" mile.
- Thence W. at 328 vrs. cross ravine at 460 vrs. cross ravine at 1280 vrs. cross ravine at 1900.8 vrs. 26" mile.
- Thence W. at 240 vrs. " " at 500 vrs. cross ravine at 1160 vrs. " " at 1304.4 vrs. U.S. zinc corner brs. N. 82 vrs. at 1570 vrs. cross ravine at 1900.8 vrs. 27" mile.

- - - 20 B - - - RC

Observe meridian Polaris in eastern elongation error 2' L. Magnetic declination at 7-22^{AD} June 23^{AD} 1897 = 10 deg. 55 min. E.

Thence W. at 895 vrs. cross ravine at 1215 vrs. cross ravine at 1900.8 vrs. 28" mile

Thence W. at 480 vrs. cross ravine at 605 vrs. cross ravine at 1304 vrs. U.S. zinc marked ^{R24E} on E., ^{Sc} on N., and ^{S36} on W. and 3 pits brs. N. 82 vrs. at 1455 vrs. cross ravine at 1540 vrs. cross ravine at 1900.8 vrs. 29" mile.

Thence W. at 1900.8 vrs. set large stone marked N.E. OCHILTREE, N.W. LIPSCOMB, in ground and dig 4 large pits. Long's mound and 4 pits N.W. corner of 1029 Bl. 43 H. and T.C. brs. S. 7 miles and 960 vrs. and E. 1 mile and 1848 vrs.

Beginning at stone set in ground for N.E. corner of Ochiltree, Thence West at 1300 varas U.S. zinc and 3 pits corner bears N. 89.7 varas at 1900.8 vrs. stone marked 1-29 set in ground and 4 large pits for 1" mile west on Ochiltree North line.

Thence West at 1900.8 set stone marked 2,28 and dig 4 large pits for 2" mi. W.

Thence West at 50 vrs. N.E. Edge of "lake basin", at 1900.8 a stone marked 3,27 and 4 large pits for 3rd. mile.

Thence West, at 460 vrs. cross wagon road, at 545 vrs. cross ravine, at 1900.8 vrs. a stone marked 4,26 and 4 large pits for 4" mile.

Thence West, at 1308 vrs. U.S. zinc marked ^{R22E} on W., ^{Sc} on N., and ^{S31} on E., and 3 pits corner bears North 84⁶; at 1700 vrs. cross ravine; at 1900.8 vrs. a stone marked 5,25 and 4 large pits for 5" mile.

Thence West at 1900.8 vrs. a stone marked 6,24 and 4 large pits for 6" mile.

Thence West at 1000 vrs. enter and at 1220 varas leave "lake basin", at 1312. vrs. U.S. zinc and 3 pits corner bears North 84 varas; at 1900.8 a stone marked 7,23 and 4 large pits for 7" mile.

Thence West at 1560 vrs. cross small basin, at 1900.8 a stone marked 8 and 22 and 4 large pits for 8" mile.

Thence West at 1318 vrs. U.S. zinc and 3 pits corner bears North 79.6 varas. at 1900.8 varas a stone marked 9,21 and 4 large pits for 9" mile

Thence West at 1100 cross ravine (error in preliminary 10 minutes caused by wind. Correct by meridian observation) at 1900.8 vrs. stone marked 10,20 and 4 large pits for 10th. mile.

Thence West, at 1353 U.S. zinc marked ^{R21E} on W., ^{Sc} on N., and ^{S31} and 3 pits corner bears N. 71.4 vrs. at 1900.8 vrs. a stone marked 11,19 and 4 large pits for 11th. mile.

Thence West at 160 vrs. across ravine. At 1900.8 vrs. a stone marked 12,18 and 4 large pits for 12th. mile.

Thence West at 290 vrs. to 410 vrs. across lake basin at 770 to 1055 vrs. across lake basin. At 1329 vrs. U.S. zinc corner bears North 68.8 vrs. at 1900.8 vrs. stone marked 13,17 and 4 pits for 13th. mile.

Thence West at 1900.8 vrs. stone marked 14,16 and 4 large pits for 14th. mile. Whence Long's monument 50 ft. in diameter and 3 ft. high bears West 406 vrs. and South 894 vrs. said monument being N.W. corner sur. 44. H. and T.C. Brt. 5277 R.R.C.

~~Thence West at 1325 vrs. cross Ochiltree and Liberal road at 1341 vrs. U.S. zinc corner bears North 64 1/2 vrs. at 1900.8 vrs~~

- Thence West at 1325 vrs. cross Ochiltree and Liberal road at 1341 vrs U.S. zinc corner bears North 64 1/2 vrs. at 1900.8 vrs. a stone marked 15,15 and four large pits for 15th. mile.
- Thence West at 1900.8 vrs. a stone marked 16,14 and 4 large pits for 16th. mile.
- Thence West at 1347 vrs. U.S. zinc and 3 pits corner bears North 60.3 vrs. at 1900.8 vrs. stone marked 17,13 and 4 large pits for 17th. mile. Thence W. at 220 cross ravine, at 1900.8 stone marked 18,12 and 4 pits for 18th. mile
- Thence West at 900 vrs. cross wagon road at 1348 vrs. U.S. zinc and 3 pits corner bears north 56.9 vrs. at 1570 vrs. cross ravine head of Fulton Creek. At 1800 vrs. cross ravine, at 1900.8 vrs. stone marked 19,11 and 4 large pits 19" mca
- Thence West at 720 vrs. cross ravine, at 970 vrs. cross wagon road, at 1650 vrs. cross ravine, at 1760 vrs. cross ravine head of Sand Creek, at 1900.8 vrs. a stone marked 20,10 and 4 large pits for 20th. mile.
- Thence West at 1353 vrs. U.S. zinc and 3 pits corner bears North 56.7 vrs. At 1900.8 vrs. stone marked 21,9 and 4 pits for 21st. mile.
- Thence West at 1345 vrs. Dodge City and Tascosa trail, at 1900.8 vrs. a stone marked 22,8 and 4 large pits for 22nd. mile.
- Thence West at 70 vrs. cross Ochiltree and Liberal Road at 460 vrs. cross ravine, at 730 vrs. cross ravine, at 794 vrs. long circular trench 50 ft. in diameter bears South 1024 vrs. at 1351.1 vrs. U.S. zinc and 3 pits corner, bears North 47.5 vrs. at 1900.8 a stone marked 23,7 and four large pits for the 23rd. mile
- Thence West at 1580 vrs. cross Creek, at 1900.8 vrs. a stone marked 24,6 and 4 large pits for 24th. mile. meridian observation error 1' R. Magnetic declination June 27¹⁸⁹⁷ at 6-30 A.M. 11 deg. 4 min. E.
- Thence West at 410 vrs. cross ravine, at 1880 vrs. cross ravine, at 1900.8 vrs. stone marked 25,5 and 4 large pits for 25th. mile.
- Thence West 1340 vrs. cross ravine, at 1900.8 vrs. stone marked 26,4 and 4 large pits for 26th. mile.
- Thence West at 440 vrs. cross ravine, at 1353 vrs. U.S. zinc corner bears north 45.9 vrs., at 1500 vrs. cross point of bluff at 1774.6 vrs. cross 2 wire fence, at 1900.8 vrs. stone marked 27,3 and 4 large pits for the 27th. mile.
- Thence West at 265 vrs. cross ravine, at 300 vrs. cross wagon road, at 1080 vrs. cross ravine, at 1900.8 vrs. stone marked 28,2 and 4 large pits for 28th. mile.
- Thence West at 575 vrs. cross wagon road, at 700 vrs. cross ravine at 995 vrs. cross ravine, at 1295 vrs. recross road, at 1352.2 vrs. U.S. zinc corner bears north 50.9 vrs. zinc marked ^{R18E} 536 on West, ^S 77 N on North, ^{R19E} 531 on East; at 1900.8 vrs. stone marked 29,1 and 4 large pits for the 29th. mile.
- Thence West 933.1 vrs. cross 3 wire fence (Aubry's) at 1567 vrs. cross Aubrey's W. fence, at 1660 vrs. cross PALO-DURO CREEK, at 1882 vrs. cross wagon road, at 1900.8 vrs. large stone marked N.W. OCHILTREE and N.E. HANSFORD. Meridian observation, error 3' S. Clark's Monument # 10 bears West 363.7 vrs. N.E. corner survey #1 Block 45 H. and T.C. bears South 1219.3 vrs. and East 982 vrs.

4" Page.

It is ordered by the Court that the Field notes of the North Boundary line of this Ochiltree County, be and are hereby approved, and the same be recorded in the minutes of this Court as follows.

State of Texas }
County of Ochiltree } I C. A. Dietrich Clerk
of the County Court in
and for Ochiltree County Texas do here
by certify that the above order of the
Court and the accompanying Field Notes
is a true copy as they appear on the
minutes of the Commissioners Court of this
County. Given under my hand and
Seat of office this the 5th day of May
1898
C. A. Dietrich
Clerk of the County Court
Ochiltree County
Texas

J. W. D. Twichell, Special Surveyor for Schiller
County do hereby Certify the above field notes are true
and correct and that the mounds both natural and artificial
are truly described in the foregoing field notes and
that the survey was actually made on the ground.
Witness my hand this the 1st day of December 1897.

J. W. D. Twichell,

Special Surveyor for Schiller, Sherman, Moore, Potter and
Randall Counties Mo.

Ochiltree Co. Bdry. Line 16
see Potter Co. Bdry. line 2

\$

Field notes of the Northline of
Ochiltree County.

Filed in the General Land Office
July 18th 1898.

Examined and approved.
July 21st 1898.

L. W. Pressler

[Faint, mostly illegible handwritten notes, possibly bleed-through from the reverse side of the page.]

7th page

cont. 59673