

3553

**J. E. WOMBLE**

COUNTY AND DISTRICT CLERK  
Hansford County



Spearman, Texas

Jany 6 1931

Mr J.H.Walker, Commissioner Gl. Land Office,  
Austin, Texas.

Dear Sir;

I am sending you the two certified copies of the finding by the County Surveyor T.O.James of Hansford County, and Rupert C.Allen County surveyor of Ochiltree County, Texas, their reports on the the County Line between said Hansford and Ochiltree Counties, with the County Judge's approval of same.

Also under separate cover I am sending you **one** maps of said County line made by said above surveyors, for your approval.

Yours Truly

*J. E. Womble*  
County Clerk.  
Box 503

RECEIVED

JAN 9 - 1931

REFERRED TO MAP



Ochiltree Co Bnty Line 5c

cont. 57700

THE STATE OF TEXAS |  
COUNTY OF HANSFORD |

IN THE COUNTY COURT OF  
HANSFORD COUNTY, TEXAS.

On this, the 22nd day of December A.D. 1928, came on to be heard and considered by the court the matter of the petition of Jot Horton, acting for and at the request of the Commissioners Court of Hansford County, Texas, for the establishment according to law of the East Boundary line of said county, which is also the west boundary line of Ochiltree County, and it appearing to the satisfaction of this court that said boundary line is not sufficiently definite and well defined, and that a necessity exists for the establishment of such boundary line, and it further appearing to the court, after reading said petition and the facts introduced in evidence thereupon, that said petition should in all things be granted;

IT IS THEREFORE ORDERED, ADJUDGED AND DECREED by the Court that said petition shall be, and is hereby in all things granted, and a survey is hereby ordered to be made, and the East boundary line of said Hansford County, which is also the West boundary line of said Ochiltree County, established, and made sufficiently definite and well defined as provided by law, and the initial corners of said survey shall be designated by posts, mounds or stone monuments in the manner and form and of the material provided for by law, as well as the posts at the end of each mile in said boundary line shall be placed thereat in like manner as provided by law, and the surveyors herein appointed shall make a plat and field notes thereof, and properly show thereon all of such corners and posts, as well as an accurate description of all prominent natural objects crossed by or adjacent to said line, as well as of the corners and lines of surveys on or near said boundaries, all of which shall conform to the law defining the boundaries of said county, and that when said line shall have been surveyed and marked as herein provided, that said surveyor shall make due return of said filed notes and map of this court, which shall be recorded by the Clerk of this Court, and a certified copy thereof returned

1.

to the general Land Office, and said Surveyor, before entering upon the duties herein prescribed, shall take the oath of office prescribed by law for County Surveyors, and shall enter into bond in the sum of One Thousand Dollars, with two or more sureties to be approved by the County Judge of Hansford County, payable to the County Judge or his successors in office, conditioned for the faithful performance of his duty as provided by law.

It appearing to the court that T.O.James is an experienced and competent practical surveyor, and a State Licensed Land Surveyor, that said T.O.James is hereby appointed as the Surveyor to run the lines and definitely fix and define the East voundary line of Hansford County, which is also the West boundary line of Ochiltree County, as herein provided, and said surveyor shall begin the work thereof at 1:00 o'clock on the afternoon of February 21st, 1928, and shall begin at the southeast corner of said County of Hansford, which is also the southwest corner of Ochiltree County, and run said boundary line to the northeast corner of Hansford County, which is also the northwest corner of Ochiltree County, as herein provided, and a copy of this order, together with proper notice shall be sent to the County Court of Ochiltree County, Texas, being the other interested county in such boundary line, which notice shall state the time and place when and where said survey will be commenced, as provided by law.

C.W.King, Judge, County Court,  
Hansford County, Texas.

ENDORSEMENTS: Hansford County Vs, Ochiltree County,  
County Line;; Filed for record Dec. 22nd  
A.D.1928. J.E.Womble, County, Clerk.  
Vol.2 Page 165, County Court Minutes.

THE STATE OF TEXAS

TO THERE SHERIFF OR ANY CONSTABLE OF OCHILTREE COUNTY, GREETING:

YOU ARE HEREBY COMMANDED TO SUMMON The County Court of Ochiltree County, Texas, by serving Hon. J.M. Grigsby, County Judge, of Ochiltree County, Texas,

to be and appear before the HONORABLE COUNTY COURT OF HANSFORD COUNTY, TEXAS, at the next regular term thereof, to be holden at the COURT HOUSE in Hansford, on the First Monday in March, 1929 same being the Fourth day of March A.D. 1929, then and there to answer the Petition filed in the County Court of Hansford County, Texas, on the 22nd day of December A.D. 1928, by Jot Horton, County Attorney Pro Tem of Hansford County, Texas, for the establishment and location of the County Boundary Line between Hansford and Ochiltree County, Texas, the same being the East boundary line of Hansford County, and the West boundary line of Ochiltree County, as shown by the attached certified copy of the order of the County Court of Hansford County, Texas, made and entered thereon the 22nd day of December, 1928, and of record in Vol. 2 Pages 165 of the Minutes of the County Court of Hansford County, Texas, the file number of which is No. 128.

and you will deliver to said Hon. J.M. Grigsby, County Judge of Ochiltree County, Texas,

each in person, a true copy of this Citation together with the accompanying certified copy of this County Court's Order,

HEREIN FAIL NOT but have you before said Court, on the first day of the next term thereof, this writ, with your return thereon showing how you have executed the same.

GIVEN under my hand and the seal of said Court, at Office in Hansford, Texas, this the 10th day of January, 1929.

J.E. Womble, Clerk,

((SEAL))

County Court, Hansford County, Texas,

SHERIFF'S RETURN.

Came to hand on the 15 day of Jan 1929, at 10 o'clock A.M., and executed in Ochiltree County, Texas, by delivering to the within named County Court of Ochiltree County, Texas, by serving Hon. J.M.Grigsby, County Judge, of Ochiltree County, Texas, a true copy of this notice, together with the accompanying certified copy of the order of the County Court of Hansford County, Texas, dated the 22nd day of Dec, 1928, for the establishment of the County Boundary line between Hansford County, and Ochiltree County, Texas, said notice and copy of said having been served on the said J.M.Grigsby, County Judge as aforesaid, on the 15 day of Jan. 1929, at 10 o'clock A.M., in Perryton, Ochiltree County, Texas.

I actually and necessary traveled 0 miles in the service of this Citation, in addition to any other mileage I may have traveled in the service of other process in the same case during the same trip.

FEEs- Serving 1 Cop \$1.00  
Mileage \_\_\_\_\_ miles \$  
Total . . . . . \$1.00

J.S.Talley, Sheriff  
Ochiltree County, Texas.  
By Fred Huston Deputy.

ENDORSEMENTS: NO.128 COUNTY COURT HANSFORD COUNTY, TEXAS,  
MARCH TERM, 1929 CITATION  
HANSFORD COUNTY VS. OCHILTREE COUNTY

Issued Jany.10th, 1929, J.E. Womble, Clerk County Court for Hansford County, Texas.

Filed this 17 day of January 1929, J.E. Womble, Clerk County Court, Hansford County, Texas.

REPORT OF SURVEY OF EAST LINE OF HANSFORD COUNTY, TEXAS  
STATE OF TEXAS |  
COUNTY OF HANSFORD |

TO THE HONORABLE COUNTY COURT OF HANSFORD COUNTY:

In compliance with your Order to establish and mark the east boundary line of Hansford County; We, the undersigned Licensed Land Surveyors met at the south-east corner of Hansford County at 1;00 o'clock P.M., on the 21st day of February A.D.1929, that being the place and time designated in your order.

By agreement we adjourned to meet the 21st day of March at the North-east corner of Hansford and North-west corner of Ochiltree Counties, being 30 miles west from the North-west corner of Lippcomb County, a large stone set by W.B.Twichell in year 1897; from which Clarks' Monument No.10 bears West 363.7 varas. ( This Monument No.10 is now marked by concrete monument about 30" high set by U.S.G.L.O.Surveyors) At this time we proceeded to lay out and mark the said boundary line in accordance with our findings.

A full description of said survey is given in the following 3 pages of filed notes and plat hereto attached marked EXHIBIT "A" and EXHIBIT "B" respectively.

Respectfully submitted,

(Surveyor's Seal)

T.O.James, Licensed State Land Surveyor,  
Representing Hansford County, Texas.

(Surveyor's Seal)

Rupert C.Allen, Licensed State Land Surveyor,  
Representing Ochiltree County, Texas.

EXHIBIT "A"

FIELD NOTES OF THE SURVEY OF WEST LINE OF  
OCHILTREE COUNTY AND EAST LINE OF HANSFORD COUNTY  
AS SURVEYED BY

T.O. James, Licensed Land Surveyor, representing Hansford County, and RUPERT C.ALLEN, Licensed Land Surveyor, representing Ochiltree County.

POLARIS OBSERVATION taken at the Northwest corner of Ochiltree and North east corner of Hansford Counties at large

stone set by W.D. Twichell, marked "30-0" on East side and "H" on West side, from which Clarke Monument No. 10 bears West 363.6 Varas.

Course of County Line bears S.  $0^{\circ} 04' 18''$  W.

Mile No. 1,

Thence S.  $00^{\circ} 04' 18''$  W. along west line of Survey 7, Block 2, Ochiltree County and East line of Survey 22, Block 1, P.F.S. Hansford County at 120 varas pass 2" galvanized pipe 36" long with 6" term at bottom set on small knoll 1242 varas north line Section 1, Block 45, H. & T.C. Ry. Co., grant from N.E. corner Section No. 1, bears N.  $89^{\circ} 20'$  E. 963.7 varas S.W. corner 1/bears S.  $89^{\circ} 20'$  W. 952.3 varas, 1900.8 varas to mile post No. 1, a 2" galvanized pipe set & E.Md 2 feet high.

Mile No. 2.

At 1261.2 varas to N. line Survey 10, said Block 45, 1900.8 varas to mile post No. 2 at 2" galvanized pipe set & Md. 2 feet high

Mile No. 3. At 1247 to North Line Section 11, Block 45, 1900.8 varas to mile post No. 3, a 2" galvanized pipe set & Md. 2 feet high

Mile No. 4. At 1281.3 varas to North line Section 20, Block 45, 1900.8 varas to mile post No. 4 a 2" galvanized pipe set in draw & E.Md. 2 feet high

Mile No. 5. At 850 varas on North slop of high hill 1316.9 varas to North line Section 21, Block 45, from which N.E. corner 21 a stone Md. bears N.  $89^{\circ} 20'$  E. 1030 varas, the N.W. corner 21 bears S.  $89^{\circ} 20'$  W. 875 varas 1900.8 varas to mile post No. 5 a 2" galvanized pipe & stone Md. & E.Md. 2 ft high

Mile No. 6. At 1341.1 varas to North line Section 30, Block 45, 1900.8 varas to mile post No. 6 a 2" galvanized pipe & stone Md. 2 feet high

Mile No. 7. At 1365.8 varas to North line Survey 31, Block 45, 1900.8 varas to mile post No. 7 a 2" galvanized pipe set & rock Md. 2 feet high

Mile No. 8. At 1378.8 varas to North line of Survey 1, Block 2, Washington County R.R. Co., Grant from which the N.E. Corner 1 a stone set bears N.  $89^{\circ} 20'$  E. 110 varas, N.W. Corner 1 a stone set bears S.  $89^{\circ} 20'$  W. 805 varas, 1900.8 varas to mile



post No.8 a pipe set & E.Md. 2 feet high

Mile No.9. At 1390.8 varas to North line Survey 4, Block 2, 1900.8 varas to mile post No.9, a 2" pipe set & E.Md. 2 feet high.

Mile No.10. At 1392.6 varas to North line Section 5, Block 2, from N.E. Corner Section 5 bears North  $89^{\circ} 20'$  E. 1151 varas, N.W. Corner Section 5 bears S.  $89^{\circ} 20'$  W. 761 varas, 1900.8 varas to mile post No.10 a 2" pipe set & E.Md. 2 feet high

Mile No.11. At 1391.8 varas to North line Section 8, Block 2, 1900.8 varas to mile post No.11 a 2" pipe set & E.Md. 2 feet high.

Mile No.12. At 1376.8 varas to North line of Survey 9, Block 2, 1900.8 varas to mile post No.12, a 2" pipe set & E.Md. 2 feet high

Mile No.13. At 1376.8 varas to North line Section 11, Block 2, 1900.8 varas to mile post No.13 a 2" pipe set & E. Md. 2 feet high

Mile No.14. At 1380 varas to North line of Section 22, Block 2, 1900.8 varas to mile post No.14 a 2" pipe set & E.Md. 2 feet high

Mile No.15. At 1379.5 varas to North line of Section 23, Block 2, 1900.8 varas to mile post No.15, a 2" pipe set & E.Md. 2 feet high

Mile No.16. At 1379.1 varas to South line Section 23, Block 2, W.C.R.R.Co. Grant & North line survey 10, Block 4T F. & N.O.R.R.Co., Grant, from which the S.E. corner 23 bears  $89^{\circ} 10'$  E. 1306 varas the S.W. Corner 23 a 2" pipe bears S.  $89^{\circ} 10'$  W. 594 varas, the N.E. corner Survey 10; Block 4T, a 2" pipe at fence corner bears N.  $89^{\circ} 10'$  E. 1052.5 varas, the N.W. Corner of Survey 10. Block 4T, bears S.  $89^{\circ} 10'$  W. 870.5 varas, 1900.8 varas a 2" pipe & E.Md. 2 feet high

Mile No.17. At 501 varas cross center line of N.T & S.Fe, R.R. track, from which Railroad mile post No.76 bears N.  $58^{\circ} 59'$  E. 535.7 varas 1385.2 varas to North line of Section 27, Block 4T, 1900.8 varas to mile post No.17 a 2" pipe & E.Md 2 feet high

Mile No.18. At 1394.9 varas to N. line Section 33, Block

4T, 1900.8 varas to mile post No.18 a 2" pipe set & E.Md. 2 feet high.

Mile No.19. At 1404.8 varas to North line of Section 52, Block 4T, 1900.8 varas to mile post No.19 a 2" pipe set & E.Md. 2 feet high

Mile No.20. At 1407 varas to south line section 72, Block 4T, 1900.8 varas to mile post No.20 a 2" pipe set & E. Md. 2 feet high

Mile No.21. At 1406.8 varas to North line Section 82, Block 4T, 1900.8 varas to mile post No.21, a 2" pipe set & E.Md. 2 feet high

Mile No.22. At 1900.8 varas to mile post No.22, a 2" pipe and E.Md. w ft. high

Mile No.23. At 1900.8 varas to milepost No.23, a 2" pipe set & E.Md. 2 feet high

Mile No.24. At 1900.8 varas to mile post No.24, a 2" pipe set & E. Md.2 feet high

Mile No.25. At 1900.8 varas to mile post 25 a 2" pipe set & E.Md. w feet high

Mile No.26. At 1408.3 varas to south line section 142, Blk.4T, & North line survey 1, Block 2, J.F.Torrey Grant from which S .W.Corner 142 bears S.89° 25' W. 611.5 varas being the N.W.Corner Survey 1, Block 2, J.F.Torrey grant at 1900.8 varas to mile post No.26 a 2" pipe & E.Md. 2 feet high

Mile No.27. At 1900.8 varas to mile post No.27, a 2" pipe & E.Md. 2 ft high

Mile No.28. At 1421.8 varas to North line Survey No. 25 Block R, 1900.8 varas to mile post No.28 a 2" pipe & E.Md. 2 feet high

Mile No.29. At 1422.8 varas to North line of Survey 46, Block R, at 1900.8 varas to mile post No. 29, a 2" pipe & E.Md. 2 feet high

Mile No. 30. At 1423.8 varas to mile post No.30, a 2" pipe & E.Md. 2 feet high

30 miles plus 1273.1 varas to Concrete Monument set 30" high marked "O.H.H. & R" the S.W. Corner Ochiltree, S.E. Corner Hansford, N.E. Corner Hutchinson and N.W. Corner of Roberts Counties, from which a concrete monument by Rwichell bears South 40.3 varas.

All of the above mentioned pipe set for mile post are from 30" to 36" in length and marked " O " on the E. side and " H " on the W. side.

The acreage in Ochiltree and Hansford Counties in surveys traversed by the line is shown on the attached plat marked "EXHIBIT B"

Dated January 7th, A.D. 1930.

((Surveyor's Seal))

T.O. James, Licensed Land Surveyor,  
representing Hansford County, Texas.

((Surveyor's Seal))

Rupert C. Allen, Licensed Land Surveyor,  
representing Ochiltree County, Texas

(( Map Hereto attached on record))

ORDER APPROVING REPORT, FILED NOTES, AND  
PLAT OF SURVEY, EAST LINE OF HANSFORD COUNTY, TEXAS.

STATE OF TEXAS           |           IN THE COUNTY COURT OF  
HANSFORD COUNTY         |           HANSFORD COUNTY, TEXAS.

On this Dec, 18th, A.D.1930, came on to be considered by the Court the final report, filed notes and plat of the survey of east line of Hansford County, as established by T.O.James, representing Hansford County, and Rupert C.Allen, representing Ochiltree County, Texas, which was filed in this court Dec. 18th, 1930, and said report being read and inspected by the Court and the Court being of the opinion that the survey has been fairly made, and according to law.

IT IS THEREFORE ORDERED AND DECREED by the Court that the report, filed notes and plat be in all things approved and that the same be duly recorded in the Minutes of the Court.

C.W.King, Judge of County Court,  
Hansford County, Texas.

ENDORSEMENTS: No.128 HANSFORD COUNTY VS, OCHILTREE COUNTY  
JUDGE'S ORDER, FILED DEC, 18, 1930, J.E.  
Womble, County Clerk. Hansford County, Texas.

THE STATE OF TEXAS     |

COUNTY OF HANSFORD     |

I, J.E.WOMBLE, Clerk of the County Court in and said County and State, aforesaid, DO HEREBY CERTIFY that the foregoing pages are a true and correct copy of the orders passed and filed in the East Boundary Line of Hansford County and the West Boundary line of Ochiltree County, Texas, to-wit;

1. Petition and appointing Surveyor.
2. Citation to County Judge of Ochiltree County, with the Sheriff's Return.
3. Report of Survey,
4. Field Notes,
5. Map of record notice.
6. County Judge order approving Surveyors Report and Field Notes.

as of record and on file in my office, in Cause No. 128 styled on the Docket as Hansford County Vs Ochiltree County, for the establishment of County line.

WITNESS My hand and Seal of office, this 6th day of January A.D. 1931.



*J. E. Womble*  
\_\_\_\_\_  
Clerk County Court in and for  
Hansford County, State of Texas.

✓  
Ochutree - Hamford  
County Bds

Ochutree Co. Gory Line 5c

Duplicate Copy of  
F/m's & Court orders

filed 1/9/31

Clode

counter 61705

RECEIVED TO 1009

JAN 3 1891

RECEIVED

BOX 208

*[Handwritten signature]*

Box 208

unavailable for your review.

One name of the county is the name by this above

also under section as well I am sending you

conclusion with the county judge's approval of sale.

The county line between said counties and the

of Collier's County, Texas, their reports on the

Sanford County, and Robert C. Allen County, Texas

of the finding by the county surveyor, S. O. James of

I am sending you the two certified copies

JAN 3 1891

Spokane, Texas

Honorable County

COUNTY AND DISTRICT CLERK

J. E. WOMBLE

~~13~~ Ochiltree Co Bary Line 5c

1

Box 208