

~~6~~

Potter Co  
East + South lines  
West Carson and North  
Randall

Potter Co. Bary Line 2<sup>(a)</sup>/<sub>(b)</sub>

See blue print Co. bound-  
aries Sherman, Moor-  
+ Potter Counties

"A." Shelf  
Old County Ma

See Blue print ma  
S.F. 9556.

4/6/1912 E. v. v.

The State of Texas

County of Potter

Field notes of a survey of Potter county's East boundary, the same being Carson county's West boundary.

Beginning at a monument in the drain of a ridge but not in a position where it is liable to be washed away marked on N. side 100 m. W.L. marked on East side I.T. on S. side N.E. cor. Texas, marked on W. side 36 deg. 30 min. N.L. A large stone set in ground the N.E. corner of Lipscomb county.

Thence W., at 35 vrs. a rock marked  $\equiv$  on N., — on E.,  $\equiv$  on W. and set in ground, at head of ravine.

At 487 vrs. cross ravine, at 712 vrs. cross ravine

" 1352 " " " 1612 " " "

" 1900.8<sup>1</sup> 1st. mile.

Thence W. at 39 U.S. zinc cone marked  $\equiv$ <sup>S35</sup> on E.,  $\equiv$ <sup>S34</sup> on W. and 4 pits

" 592 cross ravine at 1052 vrs. cross ravine

" 1622 vrs. cross ravine at 1900.8 vrs. 2<sup>nd</sup> mile.

Thence W. at 577 vrs. cross ravine, at 998 vrs. pass U.S. Mound and 2 pits at 1232 vrs. cross ravine, at 1900.8 vrs. 3<sup>rd</sup> mile.

Thence W. at 51 varas U.S. zinc cone marked  $\equiv$ <sup>S33</sup> on E. side,  $\equiv$ <sup>Sc</sup> on N. side, and  $\equiv$ <sup>S33</sup> on W. side bears N. 9.12 vrs. R 28 E

at 320 cross ravine, at 760 cross ravine at 860 cross ravine

at 1440 vrs. cross ravine, at 1900.8 vrs. 4<sup>th</sup> mile.

Thence W. at 57.3 vrs. mt. and 3 pits N. 11.7 vrs.

at 420 vrs. cross ravine at 630 vrs. cross ravine

at 1230 vrs. " " at 1880 vrs. " "

at 1900.8 vrs. 5<sup>th</sup> mile.

Thence W. at 135 vrs. cross ravine at 1280 vrs. U.S. mound and 3 pits

brs. N. 24 vrs. at 1640 vrs. cross ravine at 1764 vrs.

cross ravine at 1880 vrs. cross ravine at 1900.8 vrs. 6<sup>th</sup> mi.

Thence W. at 1283 vrs. U.S. zinc and 3 pits corner brs. N. 20.7 vrs.

at 1255 vrs. cross ravine at 1900.8 vrs. 7<sup>th</sup> mile, whence

Mrs. Cox' house brs. about N.E. 600 vrs. Observe meridian and correct.

Thence W. at 1497 vrs. cross long deep ravine, at 1900.8 vrs. 8<sup>th</sup> mile

Thence W. at 208 vrs. cross ravine, at 530 vrs. cross ravine

at 775 vrs. " " at 1252 vrs. U.S. zinc corner brs.

N. 24.3 vrs. at 1640 vrs. cross ravine at 1737 1/2 vrs.

3 wire fence corner brs. S. 40 vrs. at 1900.8 vrs. 9<sup>th</sup> mile.

Thence W. at 266 vrs. cross ravine at 450 cross ravine

at 810 vrs. " " at 1900.8 vrs. 10<sup>th</sup> mile

Thence W. at 240 vrs. " " at 995 vrs. cross ravine

at 1200 vrs. cross creek at 1258 vrs. U.S. zinc corner brs.

N. 31.3 vrs. at 1900.8 vrs. 11<sup>th</sup> mile.

Thence W. at 115 vrs. cross ravine at 585 vrs. cross ravine

at 1470 vrs. " " at 1685 vrs. " "

at 1900.8 vrs. 12<sup>th</sup> mile.

Thence W. at 282.8 vrs. cross 2 wire fence at 520 vrs. cross ravine

at 590 vrs. cross ravine at 1262.2 vrs. U.S. zinc corner

brs. 37.1 vrs. N. at 1404 vrs. cross cañon at 1730 vrs.

cross cañon at 1900.8 vrs. 13<sup>th</sup> mile.

- Thence W. at 160 vrs. cross cañon 80 vrs. wide, at 320 vrs. leave bluff at 430 vr. point of bluff at 941 vrs. cross 3 wire fence at 1319 vrs. cross Kiawa river at 1900.8 vrs. 14" mi.
- Thence W. at 1282 vrs. U.S. zinc corner brs. N. 45.5 vrs. at 1900.8 vrs. 15" mile. (Clark's monument not to be found, probably destroyed by buffalo)
- Thence W. at 20 vrs. cross ravine at 1145 vrs. cross ravine at 1523 vrs. " " at 1370 vrs. " " at 1900.8 vrs. 16" mile.
- Thence W. at 480 vrs. cross ravine at 740 vrs. cross main ravine at 1290 vrs. U.S. zinc and 3 pits corner brs. N. 51.6 vrs. at 1600 vrs. cross ravine at 1900.8 vrs. 17" mile.
- Thence W. at 355 vrs. cross ravine at 10 vrs. crossed wire fence at 620 vrs. cross ravine at 680 vrs. cross ravine at 1460 vrs. " " at 1320 vrs. cross 3 wire fence at 1900.8 vrs. 18" mile.
- Thence W. at 63 vrs. cross ravine at 335 vrs. cross ravine at 710 vrs. " " at 730 vrs. " " at 1132 vrs. " " at 4200 vrs. cross 3 wire fence at 1292 vrs. U.S. zinc corner brs. N. 60.7 vrs. at 1626 vrs. cross <sup>Kiawa</sup> N. fork at 1900.8 vrs. 19" mile.
- Thence W. at 22 vrs. recross Kiawa N. fork at 39 vrs. cross 3 wire fence at 335 vrs. cross Kiawa N. fork at 345 vrs. cross 3 wire fence at 300 vrs. recross Kiawa N. fork at 333.5 vrs. cross 3 wire fence at 1295.4 vrs. cross 3 wire fence at 1615 vrs. cross forks of ravine at 1900.8 vrs. 20" mile. Observe meridian and correct.
- Thence W. at 290 vrs. cross ravine at 702 vrs. cross 3 wire fence at 1291 vrs. U.S. zinc corner brs. N. 67 vrs. at 1900.8 vrs. 21" mile
- Thence W. at 560 vrs. cross head of cañon at 1445 vrs. cross deep ravine at 1900.8 vrs. 22" mile.
- Thence W. at 25 vrs. cross deep ravine at 474 vrs. cross 2 wire fence at 785 vrs. cross cañon at 1235 vrs. cross cañon at 1290 U.S. zinc corner brs. N. 75 vrs. at 1815 vrs. cross cañon at 1900.8 vrs. 23" mile
- Thence W. at 440 vrs. cross head of canon at 710 vrs. cross head of canon at 1654 vrs. cross forks of canon at 1900.8 vrs. 24" mile 10 vrs. from E. side of Dodge City and K trail
- Thence W. at 460 vrs. enter valley of North Fork at 820 vrs. cross ravine at 1100 vrs. cross S. prong of N. fork of Kiawa at 1297 vrs. U.S. zinc and 3 pits corner brs. N. 81.2 vrs. at 1900.8 vrs. 25" mile.
- Thence W. at 328 vrs. cross ravine at 460 vrs. cross ravine at 1280 vrs. cross ravine at 1900.8 vrs. 26" mile.
- Thence W. at 240 vrs. " " at 500 vrs. cross ravine at 1160 vrs. " " at 1304 vrs. U.S. zinc corner brs N. 82 vrs. at 1570 vrs. cross ravine at 1900.8 vrs. 27" mi.

Observe meridian Polaris in eastern elongation error 2' L. Magnetic declination at 7-22 A.M. on June 23<sup>rd</sup> 1897 = 10 deg 55 min. E.

- 4. Thence W. at 895 vrs. cross ravine at 1215 vrs. cross ravine at 1900.8 vrs. 28<sup>th</sup> mile.
- Thence W. at 480 vrs. cross ravine at 605 vrs. cross ravine at 1304 vrs. U.S. zinc marked <sup>R22E</sup>S31 on E. <sup>Sc</sup>TIN on N. and <sup>R22E</sup>S31 on W. and 3 pits brs. N. 82 vrs. at 1435 vrs. cross ravine at 1540 vrs. cross ravine at 1900.8 vrs. 29<sup>th</sup> mile.
- X Thence W. at 1900.8 vrs. set large stone marked N.E. OCHILTREE, N.W. LIPSCOMB, in ground and dig 4 large pits. Long's mound and 4 pits N.W. corner of 1029 Bl. 43 H. and T.C. brs. S. 7 miles and 960 vrs. and E. 1 mile and 1843 vrs.
- Beginning at stone set in ground for N.E. corner of Ochiltree, Thence West at 1300 varas U.S. zinc and 3 pits corner bears N. 89.7 varas at 1900.8 vrs. stone marked 1-29 set in ground and 4 large pits for 1<sup>st</sup> mile west on Ochiltree North line.
- Thence West at 1900.8 set stone marked 2, 28 and dig 4 large pits for 2<sup>nd</sup> mile W.
- Thence West at 50 vrs. N.E. Edge of "lake basin", at 1900.8 a stone marked 3, 27 and 4 large pits for 3<sup>rd</sup> mile.
- Thence West, at 460 vrs. cross wagon road, at 545 vrs. cross ravine at 1900.8 vrs. a stone marked 4, 26 and 4 large pits for 4<sup>th</sup> mile.
- Thence West, at 1308.4 vrs. U.S. zinc marked <sup>R22E</sup>S31 on W., <sup>Sc</sup>TIN on N., and <sup>R22E</sup>S31 on E., and 3 pits corner bears North 84.6; at 1700 vrs. cross ravine; at 1900.8 vrs. a stone marked 5, 25 and 4 large pits for 5<sup>th</sup> mile.
- Thence West at 1900.8 vrs. a stone marked 6, 24 and 4 large pits for 6<sup>th</sup> mile.
- Thence West at 1000 vrs. enter and at 1220 varas leave "lake basin", at 1312<sup>1</sup>/<sub>2</sub> vrs. U.S. zinc and 3 pits corner bears North 84 vrs. at 1900.8 a stone marked 7, 23 and 4 large pits for 7<sup>th</sup> mile.
- Thence West at 1560 vrs. cross small basin, at 1900.8 a stone marked 8 and 22 and 4 large pits for 8<sup>th</sup> mile.
- Thence West at 1318 vrs. U.S. zinc and 3 pits corner bears North 79.6 varas at 1900.8 varas, a stone marked 9, 21 and 4 large pits for 9<sup>th</sup> mile
- 5. Thence West at 1100 cross ravine (error in preliminary 10 minutes caused by wind. Correct by meridian observation) at 1900.8 vrs. stone marked 10, 20 and 4 large pits for 10<sup>th</sup> mile
- Thence West U.S. zinc marked <sup>R22E</sup>S36 on W., <sup>Sc</sup>TIN on N., and <sup>R22E</sup>S31 and 3 pits corner bears N. 71.4 vrs. at 1900.8 vrs. a stone marked 11, 19 and 4 large pits for 11<sup>th</sup> mile.
- Thence West at 160 vrs. across ravine. At 1900.8 vrs. a stone marked 12, 18 and 4 large pits for 12<sup>th</sup> mile
- Thence West at 290 vrs. to 410 vrs. across lake basin at 770 to 1055 vrs. across lake basin. At 1329 vrs. U.S. zinc corner bears North 68.8 vrs. at 1900.8 vrs. stone marked 13, 17 and 4 pits for 13<sup>th</sup> mile.
- Thence West at 1900.8 vrs. stone marked 14, 16 and 4 large pits for 14<sup>th</sup> mile. whence Long's monument 50 ft. in diameter and 3 ft. high bears West 406 vrs. and South 894 vrs. said mon-

f

- ument being N.W. corner sur. 44 H. and T.C. cert. 5277
- Thence West at 1325 vrs. cross Ochiltree and Liberal road at 1341 vrs. U.S. zinc corner bears North 64 1/2 vrs. at 1900.8 vrs. a stone marked 15,15 and four large pits for 15th. mile,
- Thence West at 1900.8 vrs. a stone marked 16,14 and 4 large pits for 16th. mile. Thence West at 1347 vrs. U.S. zinc and 3 pits corner bears North 60.3 vrs. at 1900.8 vrs. stone marked 17,13 and 4 large pits for 17th. mile. Thence W. at 220 cross ravine, at 1900.8 stone marked 18,12 and 4 pits for 18th. mile
- Thence West at 900 vrs. cross wagon road at 1348 vrs. U.S. zinc and 3 pits corner bears north 56.9 vrs. at 1570 vrs. cross ravine head of Fulton Creek at 1800 vrs. cross ravine, at 1900.8 vrs. stone marked 19,11 and 4 large pits
- Thence West at 720 vrs. cross ravine, at 970 vrs. cross wagon road, at 1650 vrs. cross ravine, at 1760 vrs. cross ravine head of Sand Creek, at 1900.8 vrs. a stone marked 20,10 and 4 large pits for 20th. mile.
- Thence West at 1353 vrs. U.S. zinc and 3 pits corner bears North 56.7 vrs. At 1900.8 vrs. stone marked 21,9 and 4 pits for 21st. mile
- Thence West at 1345 vrs. Dodge City and Tascosa trail, at 1900.8 vrs. a stone marked 22,8 and 4 large pits for 22nd. mile.
- Thence West at 70 vrs. cross Ochiltree and Liberal Road, at 460 vrs. cross ravine, at 730 vrs. cross ravine, at 794 vrs. long circular trench 50 ft. in diameter bears S. 1024 vrs. at 1351.1 vrs. U.S. zinc and 3 pits corner, bears North 47.5 vrs. at 1900.8 a stone marked 23,7 and four large pits for the 23rd. mile
- Thence West at 1580 vrs. cross Creek, at 1900.8 vrs. a stone marked 24,6 and 4 large pits for 24th. mile. meridian observation error 1' R. Magnetic declination June 27 at 6-30 A.M. 11 deg. 4 min. E.
- Thence West at 410 vrs. cross ravine, at 1880 vrs. cross ravine, at 1900.8 vrs. stone marked 25,5 and 4 large pits for 25th. mile
- Thence West 1340 vrs. cross ravine, at 1900.8 vrs. stone marked 26,4 and 4 large pits for 26th. mile.
- Thence West at 440 vrs. cross ravine, at 1353 vrs. U.S. zinc corner bears north 45.9 vrs., at 1500 vrs. cross point of bluff at 1774.6 vrs. cross 2 wire fence, at 1900.8 vrs. stone marked 27,3 and 4 large pits for the 27th. mile.
- Thence West at 265 vrs. cross ravine, at 300 vrs. cross wagon road; at 1080 vrs. cross ravine, at 1900.8 vrs. stone marked 28,2 and 4 large pits for 28th. mile.
- Thence West at 575 vrs. cross wagon road, at 700 vrs. cross ravine at 995 vrs. cross ravine, at 1295 vrs. recross road, at 1352.2 vrs. U.S. zinc corner bears north 50.9 vrs. zinc marked <sup>R 1/8 E</sup> on West, <sup>SC</sup> on North, <sup>R 5/8 E</sup> on East; at 1900.8 vrs. stone marked 29,1 and 4 large pits for the 29th. mile.
- Thence West 933.1 vrs. cross 3 wire fence (Aubry's) at 1567 vrs. cross Aubrey's W. fence, at 1660 vrs. cross Palo-Duro Creek, at 1882 vrs. cross wagon road, at 1900.8 vrs. large stone marked N.W. OCHILTREE and N.E. HANSFORD. meridian observation

error 3' S. Clark's Monument # 10 bears West 363.7 vrs.  
N.E. corner survey # 1 Block 45 H. and T.C. bears South,  
1219.3 vrs. and E. 982 vrs.

Beginning at stone and 4 large pits set for N.W. corner Ochiltree  
County,

Thence West at 363.7 vrs. pass Clark's monument # 10 (Preliminary  
line from N.E. corner Lipscomb County past 3.3 vrs. N. of  
this monument and stones on Ochiltree North line were set  
on a true line between Clark's Monuments # 10 and 15)

At 1350 vrs. U.S. zinc and 3 pits corner bears north 59.4  
vrs., at 1900.8 vrs. 1st. mile on Hansford North line.

Thence West at 170 vrs. cross ravine, at 460 vrs. cross head of ravine  
at 780.9 cross Hurgate's 2 wire fence, at 1121 vrs. cross  
Sandy Creek, at 1900.8 vrs. 2nd. mile, whence Mt. Helen  
bears W. 16 deg. 41 min.

Thence West at 460 vrs. cross head of draw, at 895 vrs. cross head of  
draw, at 1294.2 vrs. 2 wire fence, at 1900.8 vrs. 3rd. mile

Thence West at 155 vrs. cross canyon, at 1042.2 cross 2 wire fence,  
at 1900.8 vrs. 4th. mile. Observed meridian error 3' north  
Correct.

Thence West at 936 vrs. cross wagon road, at 1075 vrs. W. point of  
hill, at 1337 vrs. cross ravine, at 1350 vrs. U.S. zinc  
corner bears N. 76.7 vrs. at 1900.8 vrs. 5th. mile.

Thence West at 780 vrs. cross ravine, at 1100 vrs. W. edge of hill  
at 1280 vrs. edge of hill, at 1300 vrs. N. point of hill,  
at 1700 vrs. E. edge of hill, at 1800 vrs. top of hill, at  
1850 vrs. cross ravine, at 1900.8 vrs. 6th. mile.

Thence West at 105 vrs. cross ravine, at 300 vrs. cross ravine, at  
415 vrs. cross ravine, at 730 vrs. cross ravine, at 1233.9  
cross 2 wire fence, at 1345 U.S. zinc corner bears N. 85.9,  
at 1505 vrs. cross ravine, at 1900.8 vrs. 7th. mile. Whence  
Mann's house bears in N.E. direction about 1/2 mile

Thence West at 80 vrs. cross ravine, at 416 vrs. cross road, at 1180 vrs.  
cross ravine, at 1355 vrs. cross ravine, at 1575 vrs.  
cross ravine, at 1900.8 vrs. 8th. mile.

Thence West at 1000 vrs. cross head of ravine, at 1160 vrs. top of  
hill, at 1345 vrs. U.S. zinc corner bears N. about 96.6 vrs  
at 1560 vrs. cross ravine, at 1900.8 vrs. 9th. mile.

Thence West at 290 vrs. cross cañon, at 630 vrs. cross ravine, at  
1188 vrs. cross ravine, at 1835 vrs. cross ravine, at 1900.8  
vrs. tenth mile.

Thence West 500 vrs. cross ravine, at 605.3 cross 2 wire fence,  
at 1345 vrs. cross wagon road, at 1355 vrs. U.S. zinc cor-  
ner bears north 104.3 vrs., at 1900.8 vrs. 11th. mile.

Thence West at 1857.2 vrs. cross 3 wire fence, at 1900.8 vrs. 12th. mi

Thence West at 1345 vrs. U.S. zinc brs. N. 115 at 1900.8 vrs. 13th.  
mile.

Thence West at 251.8 vrs. Mr. Hitch's W. 3 wire fence, at 532 vrs.  
cross wagon road, at 1320 vrs. stone wall bears North 8 vrs  
at 1697.9 vrs. cross Mr. Jno. Milligan's 2 wire fence,  
at 1900.8 vrs. 14th. mile.

Thence West 1345 vrs. U.S. zinc corner bears N. 127.7 vrs. at 1900.8  
vrs. 15th. mile.

Thence West at 166.4 cross 2 wire fence, at 1406.2 cross 2 wire fence, at 1900.8 vrs. 16th. mile.

Thence West at 1168 cross wagon road, at 1345 vrs. U.S. zinc corner bears north about 140.2 vrs., 1900.8 vrs. 17th. mile.

Thence West at 780 vrs. Bluff, at 915 vrs. pass mound and 4 pits, at 968 vrs. cross wire fence, at 1739 vrs. cross 2 wire fence, at 1900.8 vrs. 18th. mile. Observed meridian error in line 1' S.

Thence West at 675 vrs. cross 3 wire fence, at 734 vrs. cross Cold-water Creek, at 860 vrs. cross wagon road, at 1115.6 vrs. Clark's monument # 9 (This monument was 23.8 vrs. S. of true West line from Clark's monument # 10) at 1348 vrs. U.S. zinc corner bears north about 147 vrs., at 1730 vrs. cross cañon, at 1900.8 vrs. 19th. mile on E. side Bluff.

Thence West at 560 vrs. cross cañon, at 765 vrs. cross head of cañon, at 1900.8 vrs. 20th. mile.

Thence West at 785 vrs. cross ravine, at 1345 vrs. U.S. zinc marked S32 on W. <sup>SC</sup><sub>R15E</sub> on N. and S33 on E. and 3 pits corner bears N. 153 vrs., at 1550 vrs. cross ravine, 1900.8 vrs. 21st. mi.

Thence West at 1900.8 vrs. 22nd. mile. <sup>R14E</sup><sub>S36</sub> <sup>SC</sup><sub>TIN</sub> <sup>R15E</sup><sub>S31</sub>

Thence West at 1353 vrs. U.S. zinc marked S34 on West, S35 on North and S36 on E. and 3 pits corner bears N. 159.2 vrs. at 1890 vrs. cross wagon road, at 1900.8 23rd. mile.

Thence West at 705 vrs. cross wagon road, at 970 vrs. cross dim wagon road, at 1900.8 vrs. 24th. mile.

Thence West at 1360 vrs. U.S. zinc corner bears North 172 vrs. at 1900.8 vrs. 25th. mile on E. slope San Francisco Creek,

Thence West at 1255 vrs. cross ravine, at 1860 vrs. cross San Francisco Creek, at 1900.8 vrs. 26th. mile.

Thence West at 1175 vrs. cross ravine, at 1360 vrs. U.S. zinc corner bears North 184 vrs. at 1500 vrs. cross road, at 1900.8 vrs 27th. mile.

Thence West at 1400 vrs. cross ravine, at 1900.8 vrs. 28th. mile.

Thence West at 1360 vrs. U.S. zinc marked S37 on West, S38 on North, and S39 on East, and 3 pits corner bears north 195.5 vrs., at 1900.8 vrs. 29th. mile.

Thence West at 280 vrs. cross ravine, at 1900.8 vrs. 30th. mile  
The N.E. corner Sherman County. Set stone 30 by 42 inches marked N.E. Sherman on W. side, and N.W. Hans. on E. side and dig 4 large pits for N.E. corner Sherman County. Magnetic variation at 10 A.M. July 10, 1897 = 11 deg. 49 min. E. Observed meridian, no error in line.

Beginning at the stone monument set for the N.E. corner of Sherman County.

Thence South at 1900.8 vrs. set stone in ground and build earth mound 2 feet high and dig 4 large pits for 1st. mile on Sherman E. line.

Thence South at 1900.8 vrs. stone and earth monument 2 feet high and 4 large pits for 2nd. mile.

Thence South at 65 varas cross ravine, at 740 vrs. cross San Francisco Creek, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 3rd. mile.

- Thence South at 400 vrs. passhead of ravine, at 1900.8 vrs. stone and earth mound 2 feet high and 4 pits for 4" mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 5" mile.
- Thence South at 760 vrs. cross ravine, at 1708 vrs. cross wagon road, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 6" mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 7" mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 8" mile, gallon jug buried in mound.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and four large pits for 9" mile.
- Thence South at 385 vrs. cross camp arroya, at 680 vrs. cross ravine at 1178 vrs. recross ravine, at 1730 vrs. head of ravine, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 10" mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high, near head of ravine for 11" mile.
- Thence South at 1745 cross ravine, at 1900.8 stone and earth mound and 4 large pits for 12" mile.
- Thence South, at 820 vrs. cross ravine, at 1108 vrs. cross 2 wire fence at 1620 vrs. cross old road, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 13" mile.
- Thence South at 1200 vrs. observe meridian, no error in line, Magnetic variation at 7-20 A.M. July 15<sup>th</sup> 1897 = 11 deg. 39 min. E at 1775 vrs. cross Coldwater Creek, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 14" mile.
- Thence South, at 390 varas cross wagon road, at 930 vrs. cross head of ravine, at 1700 vrs. head of ravine, at 1800 vrs. head of ravine, at 1900.8 vrs. stone and earth mound 2 feet high for 15" mile, whence round knoll brs. N. 44 $\frac{1}{2}$  E., end of bluff brs. N. 45 deg. 31 min. E., North end of hill brs. S. 86 deg. 51 min. E. and S. end of hill brs. S. 79 deg. 19 min. E.
- Thence South, at 160 vrs. cross ravine, at 450 vrs. cross ravine, at 1020 vrs. cross ravine, at 1050 vrs. cross ravine, at 1900.8 vrs. stone and earth mound and 4 large pits, mound 2 feet high, for 16" mile.
- Thence South, at 130 vrs. cross Loafer draw, at 840 vrs. top of hill, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 17" mile.
- Thence South, at 730 vrs. cross 3 wire fence, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 18" mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 19" mile.
- Thence South, at 1660 cross old dim road, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 20" mile.
- Thence South, at 495 and 635 cross wagon roads, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 21" mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 22" mile.



- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 23<sup>rd</sup> mile.
- Thence South, at 221 vrs. cross ravine, at 1320 vrs. center of small "lake basin", at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 24<sup>th</sup> mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 25<sup>th</sup> mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 26<sup>th</sup> mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 27<sup>th</sup> mile.
- Thence South at 770 vrs. cross ravine, at 1670 edge of top of hill, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 28<sup>th</sup> mile.
- Thence South at 335 vrs. cross wagon road, at 600 vrs. meridian observation, error 1' E., Correct. at 625 vrs. cross North Paloduro Creek, at 670 and 760 recross Paloduro, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 29<sup>th</sup> mile.
- Thence South at 2010.4 vrs. Large Stone Marked S.E. Sherman, N.E. Moore Hutch, and Hans, and 4 large pits for 30<sup>th</sup> mile whence S.E. Sherman Co. vrs. S. ~~474~~ <sup>747</sup> *See Surveyor's letter*
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 31<sup>st</sup> mile.
- Thence South, at 740 vrs. cross ravine at 1665 cross middle fork of Palo-duro Creek, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 32<sup>nd</sup> mile.
- Thence South at 890 vrs. cross ravine, at 1860 vrs. cross ravine, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 33<sup>rd</sup> mile.
- Thence South, at 150 vrs. cross wagon road, at 410, 570, and 760 vrs. cross and recross ravine, at 1900.8 vrs. stone and 4 large pits and earth m'd. 2 feet high for 34<sup>th</sup> mile.
- Thence South, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 35<sup>th</sup> mile.
- Thence South at 1240 vrs. cross ~~max~~ ravine, at 1788 vrs. cross South Palo-duro Creek, at 1900.8 stone marked 6-24 and earth mound 2 ft. high and 4 large pits for 36<sup>th</sup> mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 37<sup>th</sup> mile.
- Thence South at 595 vrs. cross ravine, at 700 vrs. cross ravine, at 1429 vrs. cross Turkey track North fence, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 38<sup>th</sup> mile.
- Thence South, at 115 vrs. cross ravine, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 39<sup>th</sup> mile.
- Thence South, at 835 vrs. cross old wagon road, at 860 to 950 vrs. cross "lake basin" at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 40<sup>th</sup> mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 ft. high and 4 large pits for 41<sup>st</sup> mile.
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 42<sup>nd</sup> mile. Observe Meridian error 5' left Correct
- Thence South at 1900.8 vrs. stone and earth mound 2 feet high and 4

notes 30m: 4 556 6m - Sherman Co

large pits for 43" mile.

Thence South, at 1110 varas cross LX N. and S. fence at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 44" mile.

Thence South at 845 to 1015 cross "lake basin", at 1900.8 vrs. stone and 4 large pits and earth mound 2 feet high for 45" mile, Magnetic Variation July 21" '97 at 9-45 A.M. = 11 deg. 06 min. E.

Thence South at 1900.8 vrs. 46" mile, a stone and earth mound and 4 large pits, earth mound 2 feet high.

Thence South at 480 to 575 cross lake basin, at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 47" mile.

Thence South 582 vrs. cross old road, at 520 vrs. h'd of ravine, at 1160 vrs. head of ravine, at 1420 vrs. cross ravine, at 1900.8 vrs. stone and 4 large pits and earth mound 2 feet high for 48" mile.

Thence South at 405, 720, 920, and 1082 varas cross ravines at 453.3 varas crossed fence at 1900.8 varas a stone and earth mound 2 feet high and 4 large pits for 49" mile.

Thence South, at 1900.8 vrs. a stone and 4 large pits and earth mound 2 feet high for 50" mile.

Thence South at 30 varas cross head of Bugby Creek, thence <sup>h</sup> through Sand at 1900.8 vrs. an earth mound 2 feet high and 4 large pits for 51" mile.

Thence South, at 1853 varas pass head of ravine, at 1900.8 varas stone and earth mound 2 feet high and 4 large pits for 52" mile.

Thence South, at 105, 480, 680, and 780 cross heads of ravines, at 852.2 vrs. cross LX fence, at 1095, 1230, and 1528 varas cross cañons at 1900.8 vrs. stone and earth mound 2 feet high and 4 large pits for 53" mile.

Thence South, at 70 and 480 vrs. cross ravines, at 905 vrs. cross Turkey Creek, at 1140, 1435 and 1515 cross ravines, at 1900.8 varas a stone and earth mound 2 feet high and 4 large pits for 54" mile. whence Antelope Peak bears S. 19 deg. 10 min.

Thence South, at 1250, and 1515 vrs. cross ravines, at 1900.8 vrs. large stone marked 5 Hutch and 25 Moore and 4 large pits for 55" mile, whence door of E.B. Trigg's house brs. S. 59 deg. 18 min. W. Point of bluff brs. S., clump of Cotton woods bears S. 2 deg. 56 min. E., and lone Cottonwood in the bed of the Blue bears S. 7 deg. 45 min. E.

Thence South at 340 vrs. enter cañon, at 490 vrs. bed of cañon, at 1550 varas North edge of bed of Blue Creek at 1900.8 vrs. a point in the bed of Big Blue Creek for 56" mile

Thence South, at 80 vrs. South bank of Blue Creek, at 290 vrs. pile of rocks on end of bluff, at 1089 varas a rock in the east line of Survey # 47, H. and T.C.R.R.Co. block # 47 ( whence C.W. bears N. 8 deg. E. 430 vrs. and N. bank of Canadian river bears S. 254 varas) bears S. 83 deg. 52 min. E. 616.4 vrs. from Co. line at 1166 varas cross wagon road, at 1360 vrs. north bank of Canadian river at 1900.8 vrs. a point in the bed of the Canadian 57" mile whence round top bluff bears N. 60 deg. 15 min. West, Lone Cottonwood

bears S. 41 deg. 3 min. W., Red point on top of bluff bears S. 59 deg. 15 min. E., Cottonwood on L. bank bears N. 44 deg. 56 min. E., Round top peak bears N. 37 deg. 10 min. E., and Cottonwood on R. bank of Blue bears N. 3 deg. 38 min. E.

Thence South at 140 vrs. a pt. on N. side of an island, at 1429 vrs. South bank of the Canadian River, at 1705 vrs. top of bluff at 1900.8 vrs. a rock monument on S.W. slope of bluff, large sand stone marked 28, 2 for 58" mile. whence a stone set in ground bears S. 65 deg. 12 min. W. 1250 varas.

Thence South at 400 varas cross ravine, at 920 varas top of bluff, at 1710 and 1790 vrs. cross ravine, at 1900.8 vrs. a pile of stones on W. slope of gravelly hill whence a 12" Cottonwood marked x bears N. 5 deg. 15 min. E. 236 vrs. and do 12" bears N. 7 deg. 6 min. E. 239 vrs., for 59" mile.

Thence South at 215 vrs. cross ravine, at 1900.8 vrs. a stone and earth mound 2 feet high and 4 large pits for 60" mile, \* whence South point Jno. Ray Peak bears S. 77 deg. 12 min. W. North point of do bears S. 77 deg. 12 min. W., Cottonwood on N. Turkey C'k brs. N. 0 deg. 19 min. E., point of bluff N. of Jno. Ray bears S. 79 deg. 36 min. W., Round knoll end of bluff bears N. 87 deg. W. error in preliminary 2 1/2 min. E. corrected. Magnetic declination at 8-37 A.M. Aug. 11<sup>th</sup> 1897 = 11 deg. 5 min. E.

Thence South at 476.4 vrs. zinc cone, 3 feet high and 2 feet base, marked N.E. Potter, N.W. Carson, S.W. Hutch and S.E. Moore and 2 large pits, whence N.E. corner of Potter, N.W. Carson S.W. Hutchison, and S.E. Moore Counties bears South <sup>512</sup>~~462~~ varas. *the first letter.*

26 Thence South at 1900.8 vrs. zinc marked Potter, Carson, 1, 29; 2 large pits and earth mound 2 feet high for 61" mile.

27 Thence South, at 240 vrs. cross ravine, at 530 vrs. cross creek, at 1900.8 vrs. zinc marked Potter, Carson, 2, 28; 2 large pits; and earth mound 2 feet high for 62" mile

28 Thence South, at 510, 630, and 920 vrs. cross ravines, at 1755 vrs. cross ravine, at 1900.8 vrs. zinc marked Potter, Carson, 3, and 27; 2 large pits, and earth mound 2 feet high.

29 Thence South, at 190, 317 and 740 vrs. cross creeks, at 1700 vrs. cross head of ravine, at 1900.8 vrs. zinc marked Potter, Carson, 4 and 26, two large pits and earth mound 2 feet high for 64" mile.

30 Thence South at 60, 400 and 920 cross ravines at 1900.8 a zinc marked Potter, Carson, 5, and 25; two large pits; and earth mound 2 feet high on top of south slope for 65" mile, whence north point of Jno. Ray Peak bears north 30 deg. 5 min. W. S. point do. brs. N. 80 deg. 19 min. W.

31 Thence South at 150, 460 and 850, cross ravines at 1260 vrs. cross Turkey Creek, at 460 cross ravine, at 1900.8 varas a zinc marked

60 m + 109.6 by addition of distance to Moore Co.

Carson, Potter, 6,24, and 2 large pits on a divide for 68" mile.

- 24 Thence South at 480 and 735 vrs. cross ravine at 920 vrs. meridian observation, error 2 1/2 min. left. Correct, Mag. declination Aug. 12" 1897 at 6 A.M. = 11 deg. 1 min. E. at 1380 vrs. cross ravine at 1900.8 vrs. a zinc marked Potter, Carson. 7.23. 2 large pits, on W., slope of divide for 67" mile. and earth mound 2 feet high.
- 23 Thence South at 237 vrs. cross ravine at 1900.8 vrs. 68" mile, a zinc marked 8,22, Carson, Potter, and 2 large pits, and earth mound 2 feet high.
- 22 Thence South 15 and 400 vrs. cross ravine at 1900.8 vrs. 69" mile a zinc marked 9,21 Potter and Carson and 2 large pits and earth mound 2 feet high.
- 21 Thence South at 70 and 320 vrs. cross ravine 1180 vrs. across wagon road, at 1760 vrs. cross ravine at 1900.8 vrs. 70" mile, a large zinc marked 10,20 Potter and Carson, 2 large pits and earth mound 2 feet high 20 vrs. from top of divide a lone cedar on rocky point brs. S. 55 deg. and 7 min W.
- 20 Thence South at 130 vrs. cross ravine, at 345 head of ravine, at 525.4 vrs. cross LX fence, at 780, 1100, and 1440 vrs. cross ravines, at 1900.8 vrs. 71" mile, a zinc marked 11,19 Carson, Potter, 2 large pits and earth mound 2 feet high on S. slope of hill.
- 19 Thence South 165 vrs. cross Alibatis Creek at 690, 1640, 1730, cross ravine at 1900.8 vrs. ~~71" mile, a zinc marked 10,20 Potter and Carson~~ 2 large pits and earth mound 2 feet high on S. slope of hill 72" mile, a zinc marked 12,18 2 pits and earth mound 2 feet high on each slope.
- 18 Thence South at 320, 520 and 1425 vrs. cross ravine, at 1900.8 vrs. 73" mile, a zinc marked 13,17 Carson and Potter, 2 large pits, and earth mound 2 feet high, on head of draw.
- 17 Thence South at 810 and 1830 vrs., cross ravine, at 1900.8 vrs. 74" mile, a zinc marked 14,16 Carson and Potter 2 large pits and earth mound 2 feet high, whence Bonita Point brs. S. 45 3/4 W.
- 16 Thence South at 117 vrs. cross wagon road, 480 vrs. cross ravine, 1900.8 vrs. 75" mile, zinc marked 15,15 Carson and Potter, 2 large pits and earth mound 2 feet high.
- 15 Thence South at 1110, 1410, cross ravine, 1900.8 vrs. 76" mile, zinc marked 16,14, Carson, Potter, 2 large pits, and earth mound 2 feet high, on S.W. slope of canon.
- 14 Thence South at 130 cross canon, at 795 vrs. cross ravine, at 1463.8 vrs. cross Wright's 3 wire fence, at 1791 vrs. cross head of ravine, at 1900.8 vrs. 77" mile, zinc marked 17,15 Carson Potter, 2 large pits and earth mound 2 feet high, on N. slope of ravine.
- 13 Thence South at 877 vrs. cross wagon road, at 1900.8 vrs. 78" mile, a zinc marked 18,12 Carson, Potter, 2 large pits, earth mound 2 feet high on top of plains, whence Bonita Point brs. N. 79 deg. W.
- 12 Thence South at 1580 vrs. cross wagon road, at 1900.8 vrs. 79" mile, a zinc marked 19 and 11 Carson and Potter, 2 large pits and earth mound 2 feet high on E. slope of draw.

- ① Thence South, at 1272 cross ravine, at 1900.8 vrs. 80" mile, a zinc marked 20,10, Carson, Potter 2 large pits and earth mound 2 feet high on W. slope of lake basin.
- ② Thence South at 220 vrs. cross ravine, at 563 and 1142 vrs. cross wagon road, at 1900.8 vrs. 81" mile, a zinc marked 21,9, Carson, Potter, 2 large pits and earth mound 2 feet high.
- ③ Thence South at 355 vrs. cross wagon road, at 1229.9 Wright's 3 wire fence, at 1880 vrs. cross wagon road at 1900.6 vrs. 82" mile a zinc marked 22,8, Carson, Potter, 2 large pits, and earth mound 2 feet high.
- ④ Thence South at 984 1/2 vrs. cross 2 wire fence, at 1240 to 1450 E. edge of basin, at 1545 a draw vrs. 15 vrs. E., at 1780 vrs. cross ravine, at 1900.8 vrs. 83" mile a zinc marked 23,7 Carson, Potter, 2 large pits earth mound 2 feet high on N.W. slope of basin.
- ⑤ Thence South at 910 and 1014 vrs. cross wagon road at 1900.8 vrs. 84" mile a zinc marked 24,6, Carson, Potter, 2 large pits and earth mound 2 feet high.
- ⑥ Thence South at 550 vrs. cross Amarillo and Panhandle road, at 1320 vrs. cross wagon road, at 1900.8 85" mi. a zinc marked 25,5 Carson, Potter, 2 large pits and earth mound 2 feet high.
- ⑦ Thence South, at 1038 vrs. cross wagon road, at 1900.8 vrs. 86" mile a zinc marked 26,4, Carson, Potter, 2 large pits and earth mound 2 feet high.
- ⑧ Thence South at 425 and 640 cross ravine, 1403.9 vrs. a mound and 4 pits the N.E. corner of survey # 6 A.B. and M. certificate 123, (same being 7 miles S. 10 miles E. from the N.E. corner of survey # 14 B.S. and F. certificate 1/2) vrs. E. 504 vrs. at 1415.9 vrs. cross 3 wire fence, at 1900.8 vrs. 87" mile a zinc marked 27,3, Carson, Potter, 2 large pits and earth mound 2 feet high.
- ⑨ Thence South at 1420 vrs. cross wagon road, at 1900.8 vrs. 88" mile, a zinc marked 28,2, Carson, Potter, 2 large pits earth mound 2 feet high.
- ⑩ Thence South, at 1900.8 vrs. 89" mile, a zinc marked 29,1, Carson, Potter, 2 large pits and earth mound 2 feet high.
- ⑪ Thence South, at 1900.8 vrs. 90" mile <sup>(90M+586 by addition of distances)</sup>
- ⑫ Thence South, at 565.2 vrs. cross Ft. <sup>North</sup> and Denver City R.R. at 8326 vrs a zinc marked S.E. Potter, S.W. Carson, N.W. Armstrong, N.E. Randall, 4 large pits and earth mound 2 feet high same being due W. from 42" mile post on the 100" meridian.

Howard Trigg :  
 Harry Whitcomb : Chain Carriers.  
 Harry McGee :  
 - -

I, W.D. Twichell, Special Surveyor for Ochiltree, Sherman, Moore, Potter, Carson and Randall Counties, Texas, do hereby certify that the foregoing field notes are true and correct and that the marks both natural and artificial are correctly described and that said survey was actually made upon the ground.

Witness my hand this the 24 day of Jan 1895.

W.D. Twichell, W.D. Twichell, Special Surveyor for Ochiltree, Sherman, Moore, Potter, Carson and Randall Counties, Texas.

The State of Texas }  
County of Randall } I, R M Peeler  
Clerk of the County Court in and for  
said County and State, do hereby certify  
that the foregoing Field Notes was Recorded  
on the 8th day of February 1898, in the  
Civil Minutes of the County Court of said County  
Column 1, Pages 41 to 45 inclusive

Witness my hand and seal of  
office at Canyon City this Feb 8th  
1898

R M Peeler Clerk  
County Court Randall County Texas

Approved This Feb 9 ad 1898

L. C. Lair County Judge  
Randall County, Tex

Potter Co Bdry Line 2

See also Maps K-7-38,  
K-7-45, K-7-46,  
K-7-98

Begin at N.E. Corner of  
West to N.W. Handford  
and South to S.W. Cor. of  
Carson Co. S.E. Potter  
Potter Co Bdry Line 2

Fieldnotes of the Eastline of  
Potter County.

Filed in the Gen. Land Office  
March 28/98. E.W. Prussler.

W. D. Twitchell was appoin-  
ted, qualified and gave bond  
as Special Surveyor, and field  
notes approved by Court and  
duly recorded in Carson Co.  
(See Cert. J. C. Paul Co. Judge  
4/8/98) This boundary approved

11/9/99 L. C. Wise  
Filed for Record  
Jan'y 25<sup>th</sup> 1898 at  
11 o'clock am

R. M. Peller  
Co Clerk

Correct - but suspended for apper-  
eal until shown that Carson County  
properly notified and has accepted

Can established  
April 8/98 E.W. Prussler



Case No. 57966

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32