

The State of Texas :

County of Potter :

Field notes of the survey of Potter's countys south county same being Randall county's N. boundary beginning at a monument 6 vrs. in diameter, and 2 stones marked S.E.Old., N.E. D.S., W.W.P.T.R., N.W.R.N.D.L. The same being the N.E. corner of Deaf Smith Co.

- 1 Thence East, at 745 vrs. cross 2 wire fence, at 1900.8 vrs. and earth md. 2 feet high and 4 large pits for 1" mile, whence Frying Pan 4 wire fence bears W. 197 vrs.
- 2 Thence East, at 1900.8 vrs. earth mound 2 feet high and 4 large pits for 2" mile, whence east end of dam bears N. 29 deg. 10 min. East 2000 vrs.
- 3 Thence East, at 1900.8 vrs. 3" mile and earth mound 2 feet high and 4 large pits, whence E. of dam bears N. 27 deg. 45 min. W. 1950 vrs.
- 4 Thence East, at 1900.8 vrs. and earth mound 2 ft. high and 4 large pits for 4" mile, whence Frying Pan mill bears S. 42 deg. W. 2420 vrs.
- 5 Thence East, at 1158 vrs. enter lake basin at 1900.8 vrs. point in lake basin whence earth md. 2 ft. high and 4 large pits bears E. 100 vrs.
- 6 Thence East at 100 vrs. past mound and 4 pits, at 1585 vrs. cross fence at 1900.8 vrs. 6" mile earth mound and 4 large pits.
- 7 Thence East, at 1630 vrs. a large monument S.W. corner of survey 144 block 9 hrs. S, 823.6 vrs., at 1900.8 vrs. 7" mile. an earth mound 2 ft. high and 4 large pits, whence a Frying Pan mill hrs. S. 25 deg. 35 min. E. 1700 vrs..
- 8 Thence East, at 950 vrs. Meridian observation error 5 min. N. Correct. Magnetic variation May 25<sup>th</sup> 1897 at 6 A.M. = 11 deg. 27 min. E. 1150 vrs. enter lake at 1900.8 vrs. point in lake for 8" mi. whence an earth md. 2 ft. high 4 large pits hrs. E. 120 vrs.
- 9 Thence East at 120 pass md. and pits at 1570.8 vrs. cross wire fence, at 1900.8 vrs. 9" mile, an earth md. 2 ft. high and 4 large pits whence Snyder's mill hrs. S. 74 deg. 30 min. E. 1010 vrs.
- 10 Thence East, at 1054.4 vrs. cross 3 wire fence, at 1591.4 vrs. cross 3 wire fence 1900.8 vrs. 10" mile, and earth md. 2 ft. high and 4 large pits whence Dillon's mill hrs. S. 4 deg. 20 min. W. 3960 vrs.
- 11 Thence East at 1900.8 vrs. 11" mile ~~xxx~~ earth md. 2 ft. high 4 large pits whence a Frying Pan mill hrs. S. 30 1/4 deg. E. 1810 vrs.
- 12 Thence East, at 1720 vrs. cross wagon road, at 1900.8 vrs. earth md. 2 ft. high and 4 large pits for 12" mile, whence Carr's mill hrs. S. 74 deg. 10 min. E. 5175 vrs.
- 13 Thence East, at 1110.8 vrs. earth md. 4 large pits at 1900.8 vrs. 13" mile and earth md. 2 ft. high and 4 large pits.
- 14 Thence East, at 1000.8 vrs. an earth md. and 4 large pits S.W. edge of basin, at 1900.8 vrs. 14" mile earth md. 2 ft. high 4 large pits.
- Thence East, 65.5 vrs. cross wire fence, at 1100.8 vrs. earth md. and

Potter Co. Bdry Line 26

- 4 large pits, at 1900.8 vrs. 15<sup>th</sup> mile earth md. 2 ft. high and 4 large pits. Whence Earth monument at N.W. of survey # 16 block 9 brs. N. 8 miles and 1290 vrs. at W. 83 vrs and S.W. corner of 1 block 9 brs. S. 7 miles and 1221 vrs. at E. 101 vrs. (set large stone in center of monument at N.W. corner of 16 stone marked N.W. 16 X)
- 15 Thence East, at 113.3 vrs. cross 5 wire fence, observed meridian error 2min. N. Correct. Magnetic variation May 27<sup>th</sup> 1897 at 6 A.M. = 11 $\frac{1}{2}$  deg & 27 min. at 1900.8 vrs. 16<sup>th</sup> mile earth md. 2 ft. high 4 large pits.
- 16 Thence East, at 169.3 vrs. cross 4 wire fence at 350 vrs. cross ravine at 1900.8 vrs. 17<sup>th</sup> mile earth md. 2 ft. high 4 large pits.
- 17 Thence East at 48.1 vrs. cross 2 wire fence, at 120.3 vrs. cross 3 wire fence, at 1469 vrs. cross field fence, at 1900.8 vrs. a zinc corner whence earth md. 2 ft. high and 4 large pits brs. S. 10 vrs. 18<sup>th</sup> mile.
- 18 Thence East, at 37 vrs. cross fence, at 424 vrs. cross fence, at 1558 vrs. a zinc marked Potter, Randall, 12, and 2 large pits and earth md. 2 ft. high. 19 mi
- 19 Thence East, 430.2 vrs. cross wire fence, at 456.1 vrs. cross 3-wire fence, 1900.8 vrs. a zinc marked Potter, Randall 11, 2 large pits and earth md. 2 ft. high. 20 mi
- 20 Thence East, at 471.8 vrs. a stone the N.W. a survey # 140 (the same being 9 miles S. at 1908.4 E. from S.W. corner of survey 12 block 1 B.S. and F.) brs. S. 2 deg. 9 min. W. 611.8 vrs. at 1811.8 vrs. cross wagon road at 1900.8 vrs. a zinc marked 10 Potter, Randall, 2 large pits and earth md. 2 ft. high.
- 21 Thence East at 1900.8 vrs. a zinc marked 9 Potter, Randall, 2 large pits and earth md. 2 ft. high.
- 22 Thence East at 1900.8 vrs. a zinc marked 8 Potter, Randall, 2 large pits and earth md. 2 ft. high.
- 23 Thence East at 1900.8 vrs. a zinc marked 7 Potter, Randall, 2 large pits and earth md. 2 ft. high.
- 24 Thence East, at 1900.8 vrs. zinc marked 6 Potter, Randall, 2 large pits and earth md. 2 ft. high.
- 25 Thence East, at 1900.8 vrs. zinc marked 5 Potter, Randall, 2 large pits and earth md. 2 ft. high.
- 26 Thence East, at 1246 vrs. enter lake basin 1900.8 vrs. zinc marked 4 Potter, Randall, 2 large pits earth md. 2 ft. high in lake basin.
- 27 Thence East at 1900.8 vrs. a zinc marked 3 Potter, Randall, 2 large pits and earth md. 2 ft. high.
- 28 Thence East at 1900.8 vrs. a zinc marked 2 Potter, Randall, 2 large pits earth md. 2 ft. high.
- 29 Thence East, at 1900.8 vrs. a zinc marked 1 Potter, Randall, 2 large pits and earth md. 2 ft. high.
- 30 Thence East at 1900.8 vrs. intersect line run 90 miles W. and 90 miles N. and 1400 vrs. S. to Potter Co. S.E. corner a zinc marked S.E. Potter, S.W. Carson, N.W. Armstrong, N.E. Randall and 4 large pits.
- 31 Howard Trigg  
Wilbur Withey Chain Carriers

Potter County, Texas

I, W. D. Twichell, Special Surveyor for Potter and Randall Counties Tex. do hereby certify that the above and foregoing field notes are true and correct and that the marks both natural and artificial are truly described in the foregoing field notes, and that the survey was actually made upon the ground.

*Witness my hand this 24th day of Jan 1898*  
W. D. Twichell, *W. D. Twichell*

Special Surveyor for Potter and Randall Counties Tex.

W. D. Twichell

3a

Potter Co. Survey # 214665

The State of Texas }  
County of Randall } J. R. M. Peeler County  
Clerk of Randall County, Texas do hereby  
Certify that the foregoing Field Notes of  
Randall and Potter Counties dated Oct 12<sup>th</sup> 1897  
and filed in my office Jan'y 25<sup>th</sup> 1898 was  
Recorded the 8<sup>th</sup> day of February 1898 at  
4 o'clock P.M. in the minutes of the County  
Court of said County in Vol 1 Pages 38, 39 & 40  
Witness my hand and Seal of  
Office at Canyon City this 8<sup>th</sup>  
day of February 1898  
J. R. M. Peeler County  
Clerk of Randall County Texas

Approved this Feb 9<sup>th</sup> AD 1898

L. C. Lair County Judge  
Randall County Texas

Field notes  
 of  
 the South boundary of Potter  
 County filed in the  
 Genl. Land Office.

March 28<sup>th</sup> 1898.

Filed for record  
 January 25<sup>th</sup> 1898

R. W. Peeler  
 Co. Clerk

Examined and found correct.

Approved April 8<sup>th</sup> 1898.

C. W. Pressler.

See letter from this office  
 to Twitchell dated April 6/98  
 See F/H<sup>2</sup> Retrac, filed 5/6/31  
 Clark

30