

OK.

F I E L D    N O T E S

SOUTH LINE OF POTTER COUNTY

AND

NORTH LINE OF RANDALL COUNTY

Land office

Potter Co Bdry Line 4

STATE OF TEXAS )  
COUNTY OF POTTER )

In the County Court of Potter  
County Texas January Term A.D. 1931

On this the 29th day of January A.D. 1931, came on to be considered by me, Sam B. Motlow, Judge of the County Court of Potter County Texas, the matter of re-establishing the boundary lines between Potter and Randall Counties; between Potter and Moore Counties; and between Potter and Oldham Counties, in the State of Texas, and it appearing to my satisfaction that the boundary lines between the aforesaid counties, are not sufficiently definite, or well defined, I the said Sam B. Motlow, in the capacity aforesaid, in behalf of the said County Court of Potter County Texas, do hereby order:

That E. McBride, a competent and experienced practical surveyor, be, and he is hereby appointed to perform the duties of ascertaining by actual survey the boundaries, or any part thereof, and to make and establish the lines or lines to be run and the corners to be established, and marked, in the manner herein prescribed. That the line of lines to be run, and the corners to be established, and marked, are described in substance as follows:

RANDALL: To re-establish south line of Potter and north line of Randall Counties.

OLDHAM : Establish line between Potter and Oldham Counties, establishing the northwest corner of Potter and the southwest corner of Potter.

MOORE : Establish line between Potter and Moore Counties, including northeast and northwest corners of Potter County Texas.

Meeting Places: (1) On the southeast corner of Potter County, to re-establish line between Potter and Randall Counties: (2) On the northeast corner of Potter County to Establish line between Moore and Potter Counties: (3) Northwest corner of Potter County to establish line between Potter and Oldham Counties.

Herein Fail Not, but proceed in accordance with the order of this Court and perform the duties herein prescribed, in accordance with Article 1582 of the Revised Civil Statutes of the State of Texas.

Sam B. Motlow, County Judge of Potter Co.

TO THE HON. COUNTY COURTS OF RANDALL, OLDHAM AND  
MOORE COUNTIES..

GREETINGS:

THAT WHEREAS, in accordance with Article 1582 of Civil Statutes of State of Texas, I Sam B. Motlow, County Judge of Potter County Texas, appointed Mr. E. McBride, a competent, practical, and experienced surveyor whose duties shall be to work in harmony with and cooperate with surveyors in the respective counties to be affected by this survey, to establish, or re-establish, by actual survey, the boundaries of Potter and Oldham Counties: Potter and Randall Counties: and Potter and Moore Counties, in the State of Texas.

RANDALL

RANDALL COUNTY: That by these presents you shall take notice that on the 23rd day of

February A.D. 1931, surveyor aforesaid, appointed by this COURT shall commence his actual survey in accordance with Article 1582 of the Civil Statutes of the State of Texas.

Given under my hand and seal of office on this the 29th day of January A.D. 1931.

Sam B. Motlow, County Judge of Potter Co.

I certify the foregoing to be a true and correct copy of an Order and Notice of Order passed by the County Court of Potter County Texas and recorded in volume 8 Page 149 and in volume 8 Page 150 of the County Court Records of Potter County.

Given under my hand and seal of office this 27th day of February A.D. 1931.

W. B. Blackburn  
County Clerk of Potter County

Geo. A. Stalcup  
Deputy

THE STATE OF TEXAS  
COUNTY OF RANDALL

0  
0  
0

I, S. B. Orton, Judge of the County Court of Randall County, having received notice from the County Court of Potter County that under Art. 1582 of the Revised Civil Statutes of 1925, a survey should be made of the common boundary between Potter and Randall County, that the survey would be commenced at the Southeast corner of Potter County on February 23, 1931, I hereby appoint and designate W. J. Williams as the surveyor for Randall County to participate and assist in said survey for Randall County.

Done in open court this the 14th day of Feb. 1931.

S. B. Orton

County Judge, Randall County, Texas.

-----o-----o-----

THE STATE OF TEXAS  
COUNTY OF RANDALL

0  
0  
0

I, BERL E. MAYFIELD, County Clerk in and for Randall County, Texas, do hereby certify that the above and foregoing is a true and correct copy of an order of the County Court of Randall County, Texas, and that the same is duly of record in Volume 3, page 304, of the Minutes of the County Court of Randall County, Texas.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, on March 20th, A. D. 1931.

Berl E. Mayfield County Clerk  
Randall County, State of Texas.

FIELDNOTES

of a survey of the line between  
Potter and Randall Counties,

made by E. McBride and W.J. Williams, by virtue of order of the ~~Commiss-~~  
~~ioners'~~ <sup>County</sup> Court of Potter County and notice to the ~~Commiss-~~  
~~ioners'~~ <sup>County</sup> Court of Randall County, setting ~~August 13, 1930,~~ <sup>February 23, 1931</sup> as the date to begin  
the survey, to which the ~~Commiss-~~ <sup>County</sup> Court responded by appointing  
W.J. Williams to represent Randall County by order made ~~August 13, 1930.~~ <sup>February 14, 1931</sup>

The surveyors met at the time and place designated and proceeded  
to retrace and re-mark the line between Potter and Randall Counties,  
conforming with the line marked by W.D. Twichell, special surveyor  
for Potter and Randall Counties, made in the year 1898.

The positions and areas of sections in Block 2, A. B. & M. are  
considered to be where now held, indicated by fences and centers of  
public roads as these locations will likely remain as they are now  
held by virtue of limitation, acquiescence, agreement or other rea-  
sons which will constitute estoppel.

The positions and areas of sections in Block 9, B. S. & F. conform  
with resurvey of Block 9, made by state surveyor, W.D. Twichell. Sec-  
tion No. 4, Block 5 Z and sections 32, 33 and 34, Block 8, crossed  
by the west end of the line between the counties are considered to be  
where now held and defined by fences and centers of public roads and  
areas are so computed.

Beginning at frustrum of square pyramid of concrete, 5 feet high, 24 inches square at bottom and 12 inches square at top, set 30 inches in ground and in center of top of which is a 5 inch bronze disc marked POTTER COUNTY RANDALL COUNTY ARMSTRONG COUNTY CARSON COUNTY and being <sup>7538?</sup> 7406 feet south of mile <sup>29?</sup> 59. (4 old pits) made by W.D. Twichell on the east line of Potter county, and on the parallel of latitude passing through remaining evidences of the south line of Potter as surveyed by Twichell and above referred to.

Thence West at 3900.2 feet (1404.1 varas) a concrete post 6"x6"x36" set in ground about 30 inches, with a 3" bronze disc set in middle of top marked POTTER COUNTY RANDALL COUNTY 1930 M.P.O.7386 set under fence between sections 9 and 14, Block 2, A.B. & M;

Thence West at about 30 feet cross the West line of Section No. 9 and 1757.8 feet from a brick set in ground and claimed as its southwest corner, in all 5282.4 feet (1901.7 varas) to a concrete post 6"x6"x36" set in ground about 30 inches deep with 3 inch bronze disc on top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 1.7391, being 4 feet east of fence on east side of lane between sections 14 and 31, Block 2, A. B. & M;

Thence West at 34 feet, middle of lane, the west line of Section No. 14, Block 2, in all 5278.5 feet (1900.3 varas) to a concrete post 6"x6"x36" set in ground about 30 inches with 3" bronze disc set in middle of top and marked POTTER COUNTY RANDALL COUNTY 1930 M.P.2.7388

Thence West at 1.5 feet cross fence between sections 31 and 36, Block 2, at 5371 feet (1933<sup>6</sup> varas) a concrete post 6"x6"x36" marked POTTER COUNTY RANDALL COUNTY 1930 M. P. 3.7561 set under fence between sections 36 and 53, Block 2 and 1735.5 feet north from middle of public road along their south line;

Thence West at 1280<sup>3</sup> feet pass remains of zinc cone in lake basin, Twichell's 4th mile from southeast corner of Potter County, in all 5245 feet (1888.2 varas) concrete post 6"x6"x36" with bronze disc 3 inches in diameter marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 4.7494 in middle of top set in ground 30 inches deep under fence;

X Thence West at 28 feet middle of public road between sections 53 and 58 Block 2, in all 5248 feet (1889.3 varas) to a concrete post 6"x6"x36" with a 3" bronze disc set in middle of top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 5.7434 set in ground about 30 inches, under fence;

X Thence West at 36 feet middle of public road between sections 58 and 75, Block 2, in all 5313 feet (1912.7 varas) to a concrete post 6"x6"x36" with 3 inch bronze disc on top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 6.7496 set in ground about 30 inches deep ~~under~~ fence;

X Thence West at <sup>about</sup> 27 feet middle of public road between sections 75 and 90. Block 2, in all 5293 feet (1905.5 varas) to a concrete post 6"x6"x36" with 3" bronze disc set in middle of top and marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 7.7521 set in ground about 30 inches under fence;

X 7.7521 mi Thence West crossing public road 5274 feet (1898.6 varas) to a concrete post 6"x6"x36" marked POTTER COUNTY RANDALL COUNTY 1930 M. P. 8.7509 set in ground about 30 inches under fence;

X 8.7509 mi Thence West at 30 feet middle of public road between sections 107 and 122, Block 2, and 1705.9 feet north of middle of public road along their south line, at 60.5 feet pass 35.9 feet south from southeast corner of tract No. 1, Block 4 of Famous Heights Addition to Amarillo, at 1309 feet pass 2 old pits, Twickell's 9th mile from the southeast corner of Potter County, in all 5277 feet (1899.7 varas) to a concrete post 6"x6"x36" with bronze disc 3 inches in diameter marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 9.7504 in top set in ground 30 inches deep under fence from which the northwest corner of tract No. 5, Block 8, Famous Heights Addition bears south 28.1 feet and the southwest corner of tract No. 5, Block 9 bears north 31.9 feet;

X 9.7504 mi Thence West at 33 feet middle of public road on east line of section No. 139, Block 2 and 1707.9 feet north of middle of public road on its south line, in all 5312.3 feet (1912.3 varas) to a concrete post 6"x6"x36" marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 10.7565 set in ground about 30 inches under fence;

Thence West at about 30 feet middle of public road between sections 139 and 154, Block 2 and 1680.6 feet north of public road on their south line, at 77 feet the southeast corner of lot 6, Block 196 of Glenwood Addition to Amarillo bears north 29.7 feet, at 4130 feet the southeast corner of lot No. 6 Block 37, Glenwood bears north 21.8 feet and the northeast corner of cemetery bears south 38.2 feet, at 5295.3 feet the southwest corner of lot No. 7, Block 9, Glenwood bears north 18.9 feet, at 7610.1 feet the northeast corner of lot No. 10, Block 62, Eakle Addition bears north 237 feet, at 9896.4 feet the northeast corner of lot No. 10, Block 131 Eakle Addition bears south 99.1 feet, at 10626.4 feet the northeast corner of lot No. 1, Block 30, Wolflin Place Addition to Amarillo bears north 216.6 feet, at 11716.4 feet the northeast corner of Lot No. 1, Block 23, Wolflin Place bears north 213.7 feet and the southeast corner of Lot No. 10, bears south 380.3 feet at 12206.4 feet cross the west line of Lot No. 4 Block 22, Wolflin Place 27.6 feet from southwest corner, in all 15846.7 feet (5704.8 varas) to a concrete post 6"x6"x36" with a 3" bronze disc set in middle of top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 13.7578 set in ground about 30 inches, under fence;

Thence West at 30 feet middle of public road between sections 186 and 227, Block 2, in all 5311.5 feet (1912.1 varas) to a concrete post 6"x6"x36" marked POTTER COUNTY RANDALL COUNTY 1930 M. P. 14.7637 set in ground about 30 inches under fence;

Thence West at 29 feet middle of public road between sections 227 Block 2 and 1757.1 feet north of a 2 inch pipe for its southwest corner and No. 8, Block 9 at 2466.8 feet from middle of public road on its south line, in all 5469.7 feet (1969.1 varas) to a concrete post 6"x6"x36" with bronze disc 3 inches in diameter marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 15.7997 in top set in ground 30 inches deep under fence;

Thence West at 35 feet middle of public road between sections 8 and 27, Block 9 at 2438.3 north of middle of public road on their south line, in all 5384 feet (1938.2 varas) to a concrete post 6"x6"x36" marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 16.8195 set in ground about 30 inches under fence;



Thence West at 30 feet middle of public road between sections 27 and 42 Block 9, in all 5377 feet (1935.7 varas) to a concrete post 6"x6"x36" with 3 inch bronze disc on top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 17.8379 set in ground about 30 inches under fence;

Thence West at 30 feet middle of public road between sections 42 and 61, Block 9, in all 5382.1 feet (1937.6 varas) to a concrete post 6"x6"x36" with 3" bronze disc set in middle of top and marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 18.8570 set in ground about 30 inches under fence;

19,873 mi  
Thence West at 22 feet middle of public road between sections 61 and 76, Block 9, in all 5377.8 feet (1936.0 varas) to a concrete post 6"x6"x36" with a 3" bronze disc set in middle of top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 19.8756 set in ground about 30 inches, under fence;

Thence West at 34 feet middle of public road between sections 76 and 95 Block 9, in all 5380 feet (1936.8 varas) to a concrete post 6"x6"x36" marked POTTER COUNTY RANDALL COUNTY 1930 M. P. 20.8945 set in ground about 30 inches under fence;

Thence West at ~~15.0~~ feet from middle of public road between sections 95 and 110 Block 9, in all 5365 feet (1931.4 varas) to a concrete post 6"x6"x36" with bronze disc 3 inches in diameter marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 21.9106 in top set in ground 30 inches deep under fence;

22,933 mi  
Thence West at 30 feet middle of public road between sections 110 and 129, Block 9, in all 5405 feet (1945.8 varas) to a concrete post 6"x6"x36" marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 22.9333 set in ground about 30 inches under fence;

Thence West 5344 feet (1923.8 varas) to a concrete post 6"x6"x36" with 3" bronze disc set in top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 23.9454 set in ground about 30 inches under fence;

24,945 mi  
58005  
Thence West at 30 feet middle of public road between sections 144 and 163, Block 9, 2288 feet north of southwest corner of Section No. 144, in all 5280.8 feet (1901.1 varas) to a concrete post 6"x6"x36" with 3" bronze disc set in top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 24.9456 set in ground about 30 inches under fence;

Thence West at 30 feet middle of public road between sections 163 and 178 Block 9, in all 7012.8 feet (2524.6 varas) to a concrete post 6"x6"x36" with 3 inch bronze disc on top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 26.2747 set in ground about 30 inches under fence;

26.2747 mi.

Thence West 3549.6 feet (1277.9 varas) to a concrete post 6"x6"x36" with 3" bronze disc set in middle of top and marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 26.9460 set in ground about 30 inches;

Thence West at 30 feet middle of public road between sections 197, Block 9, and 4, Block 5 Z, and 3083.6 feet south of stone for northwest corner of No. 197, in all 4557.7 feet (1640.8 varas) to a concrete post 6"x6"x36" with a 3" bronze disc set in middle of top marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 27.8292 set in ground about 30 inches, under fence in old pit, remains of 3rd mile on Twichell's south line of Potter county;

27.8292 mi.

Thence West at 30 feet middle of public road between sections 4, Block 5 Z and 32, Block 8, 2140.6 feet south of ~~stone~~ the northwest corner of Section No. 4, Block 5 Z, in all 5298.6 feet (1907.5 varas) to a concrete post 6"x6"x36" marked POTTER COUNTY RANDALL COUNTY 1930 M. P. 28.8138 set in ground about 30 inches under fence between sections 32 and 33 Block 8;

Thence West 5299.4 feet (1907.8 varas) to a concrete post 6"x6"x36" with bronze disc 3 inches in diameter marked POTTER COUNTY RANDALL COUNTY 1930 M.P. 29.8174 in top set in ground 30 inches deep under west fence of lane between sections 34 and 33, Block 8 from which 3 old pits, the remains of Twichell's 1st milepost from southwest Potter, bear east 54 feet;

29.8174 mi.

Thence West 5226.6 feet (1881.6 varas) to a frustrum of square pyramid of concrete 24 inches at bottom and 12 inches at top and 60 inches high set in ground 30 inches under west fence of Section No. 34, Block 8 at place occupied by 2 old stones and traces of old pits north and south the remains of Twichell's southwest corner of Potter county. A 5 inch bronze disc marked POTTER COUNTY RANDALL COUNTY DEAF SMITH COUNTY OLDHAM COUNTY set in middle of top of monument.

30 mi + 1534 varas

*See Plat attached for N+S. distances or connections to Corners of surveys traversed by this line -  
5/14/31 Clark*

We, E. McBride, Special Surveyor for Potter County and W.J. Williams, Special Surveyor for Randall County, by virtue of orders issued by the County Court of Potter County dated January 29th A.D. 1931 and by the County Court of Randall County dated February 14 A.D. 1931, Do hereby certify that the foregoing survey was made by us on the ground according to the orders above cited and that corners boundaries and areas are correctly described and set forth in the foregoing plat and field notes, recorded in Book 8 Page 201 County Court Records of Potter County and in BOOK "BOUNDARIES" Page 1 to 14 of the County Court Records of Randall County.

Witness our hands this the 20 th day of March A.D. 1931..

E. M. McBride      W. J. Williams  
Special Surveyor Potter Co.      Special Surveyor Randall Co.  
Licensed Land Surveyor of  
Texas

THE STATE OF TEXAS }  
COUNTY OF RANDALL }

IN THE COUNTY COURT OF  
RANDALL COUNTY, TEXAS.

On this the 20th day of March A.D. 1931, came on to be considered by me, S.B. Orton, County Judge of Randall County, Texas, the matter of approving certain field notes pertaining to a re-survey of the County line between Randall and Potter Counties Texas. It appearing to the Court that heretofore, I. S.B. Orton, in the Capacity aforesaid, Caused to be issued an order directing said re-survey to be made. That in pursuance of said order the surveyors proceeded to make the survey and have submitted the field notes of same.

Now, Therefore, I. S.B. Orton, in the Capacity aforesaid, after having Carefully examined said survey and field notes and plat, do hereby approve the same, in all things and order said field notes filed.

Witness my hand in Canyon, Texas, this 20th day of March A . D. 1931.

S. B. Orton

County Judge, Randall County,  
Texas.

-----O-----O-----

THE STATE OF TEXAS {  
COUNTY OF RANDALL }

I, Berl E. Mayfield, County Clerk of Randall County, Texas, do hereby certify that the above and foregoing is a true and correct copy of an order of the County Court approving survey and field notes and as fully as said order appears of record in Volume 3 page 305, Minutes of the County Court of said county.

Given under my hand and seal of office this 20th day of March, A.D. 1931.

Berl E. Mayfield

County Clerk, Randall County, Texas.

STATE OF TEXAS )  
COUNTY OF POTTER )

In the County Court of  
Potter County, Texas

On this the 21st day of April A.D. 1931,  
came on to be considered by me, Sam B. Motlow,  
County Judge of Potter County, Texas, the matter  
of approving the field notes of the resurvey of  
the line between Potter County and Randall County  
in accordance with an order heretofore issued by  
me on the 29th day of January A.D. 1931 for the  
resurvey of said County line.

NOW, THEREFORE, I, Sam B. Motlow, in the capacity  
aforesaid, after having carefully examined said field  
notes and plat of said survey do hereby approve the  
same, in all things, and order said field notes and  
plat filed.

Witness my hand in Amarillo, Texas, this the 21st  
day of April A.D. 1931.

Sam B. Motlow,  
County Judge of Potter County  
T E X A S

THE STATE OF TEXAS |  
COUNTY OF POTTER |

I, W. E. Blackburn, County Clerk of  
Potter County, Texas, do hereby Certify that the above and  
foregoing is a true and correct copy of an order of the  
County Court approving survey and field notes and as fully  
set out and appears of record in Volume No. 8, page No. ~~201~~<sup>205</sup>,  
Minutes of the County Court, Potter County, Texas.

Given under my hand and seal of office this 29th day of  
April, A. D. 1931.

W. E. Blackburn, County Clerk,  
Potter County, Texas.  
By *Jno. A. Stalcup*  
Deputy.

Potter Co Bary Line 4

~~15~~

Potter-Randoll  
Boundary

see also Map K-7-89

Filed May 6<sup>th</sup> 1931.

J. H. Walker, Counr-  
Clark

Retrace of line by  
W. D. Twitchell, filed  
Mch 28<sup>th</sup> 1898  
Clark

(Abstracted 5-22-31  
R.B.N.)