

OK

F I E L D N O T E S

WEST LINE OF POTTER COUNTY

AND

EAST LINE OF OLDHAM COUNTY

Land office

Potter Co. Barre Line 6

STATE OF TEXAS)
COUNTY OF POTTER)

In the County Court of Potter
County Texas January Term A.D. 1931

On this the 29th day of January A.D. 1931, came on to be considered by me, Sam B. Motlow, Judge of the County Court of Potter County Texas, the matter of re-establishing the boundary lines between Potter and Randall Counties; between Potter and Moore Counties; and between Potter and Oldham Counties, in the State of Texas, and it appearing to my satisfaction that the boundary lines between the aforesaid counties, are not sufficiently definite, or well defined, I the said Sam B. Motlow, in the capacity aforesaid, in behalf of the said County Court of Potter County Texas, do hereby order:

That E. McBride, a competent and experienced practical surveyor, be, and he is hereby appointed to perform the duties of ascertaining by actual survey the boundaries, or any part thereof, and to make and establish the lines or lines to be run and the corners to be established, and marked, in the manner herein prescribed. That the line of lines to be run, and the corners to be established, and marked, are described in substance as follows:

RANDALL: To re-establish south line of Potter and north line of Randall Counties.

OLDHAM: Establish line between Potter and Oldham Counties, establishing the northwest corner of Potter and the southwest corner of Potter.

MOORE: Establish line between Potter and Moore Counties, including northeast and northwest corners of Potter County Texas.

Meeting Places: (1) On the southeast corner of Potter County, to re-establish line between Potter and Randall Counties: (2) On the northeast corner of Potter County to Establish line between Moore and Potter Counties: (3) Northwest corner of Potter County to establish line between Potter and Oldham Counties.

Herein Fail Not, but proceed in accordance with the order of this Court and perform the duties herein prescribed, in accordance with Article 1582 of the Revised Civil Statutes of the State of Texas.

Sam B. Motlow, County Judge of Potter Co.

Potter Co Bdry Line 6

TO THE HON. COUNTY COURTS OF RANDALL, OLDHAM AND
MOORE COUNTIES..

GREETINGS:

THAT WHEREAS, in accordance with Article 1582 of Civil Statutes of State of Texas, I Sam B. Motlow, County Judge of Potter County Texas, appointed Mr. E. McBride, a competent, practical, and experienced surveyor whose duties shall be to work in harmony with and cooperate with surveyors in the respective counties to be affected by this survey, to establish, or re-establish, by actual survey, the boundaries of Potter and Oldham Counties: Potter and Randall Counties: and Potter and Moore Counties, in the State of Texas.

OLDHAM COUNTY: That by these presents you shall take notice that on the 9th day of

March A.D. 1931, surveyor aforesaid, appointed by this COURT shall commence his actual survey in accordance with Article 1582 of the Civil Statutes of the State of Texas.

Given under my hand and seal of office on this the 29th day of January A.D. 1931.

Sam B. Motlow, County Judge of Potter Co.

I certify the foregoing to be a true and correct copy of an Order and Notice of Order passed by the County Court of Potter County Texas and recorded in volume 8 Page 148 and in volume 8 Page 151 of the County Court Records of Potter County.

Given under my hand and seal of office this 27th day of February A.D. 1931.

W. E. Blackburn
County Clerk of Potter County

J. A. Stalcup
Deputy

STATE OF TEXAS,
COUNTY OF OLDHAM.

In the County Court of Oldham
County, Texas, ~~XXXXXXXXXXXX~~
February Term, 1931.

On this the 28th day of February, 1931, came on to be considered by me, Chas. Ingram, Judge of the County Court of Oldham County, Texas, the matter of re-establishing the boundary line between Oldham and Potter Counties, Texas, and it appearing to my satisfaction that the boundary line between the aforesaid named counties, are not sufficiently definite, or well defined, I the said Chas. Ingram, in the capacity aforesaid, in behalf of the said County of Oldham, Texas do hereby order:

That W. D. Howren, a competent and experienced and practical Surveyor, be, he and he is hereby appointed to perform the duties of ascertaining by actual survey the boundaries, or any part thereof, and to make and establish the line or lines to be run and the corners to be established, and marked, in the manner herein prescribed. That the line or lines to be run, and the corners to be established, and marked, are described in substance as follows:

Establish line between Potter and Oldham County, Texas establishing the northeast corner of Oldham, and the Southeast corner of Oldham County, Texas.


Herein fail not, but proceed in accordance with the order of this Court, and perform the duties herein prescribed, in accordance with Article 1582, of the Revised Civil Statutes of the State of Texas.

Chas. Ingram, County Judge of Oldham County, Texas.

THE STATE OF TEXAS |
COUNTY OF OLDHAM |

I, Roy N. Ivy, Clerk of the County Court of Oldham County, Texas, do hereby certify that the above and foregoing is a true and correct copy of an Order entered at the February Term of the County Court of Oldham County, Texas, as the same appears of record in The Minutes of the County Court of Oldham County, Texas, in Volume 2 at page 26.

Given under my hand and seal of office, at office in Vega, Texas, this the 11th day of March, A. D. 1931.


Clerk County Court,
Oldham County, Texas.

WEST LINE OF POTTER COUNTY

BEGINNING at a concrete monument 24" square at base, 24" square at ground line, 12" square at top, approximately 30" above ground, and 30" in ground, with bronz disc in top 5" in diameter marked POTTER COUNTY MOORE COUNTY HARTLEY COUNTY OLDHAM COUNTY, set for the northwest corner of Potter County and the northeast corner of Oldham County, and previously established for the southwest corner of Moore County and the northwest corner of Potter County by W D Howren and E McBride through order of Courts of Potter and Moore Counties dated January 29, 1931 and February 21, 1931, respectively, whence the

Southeast edge of Tascosa Peak brs.	N 37 deg.	37' E
Northwest " " " "	N 34 "	48' E
Tower Great West Mill Amarillo	S 35 "	21' E
Herring Hotel Amarillo	S 33 "	29' E
City Water Tower Amarillo	S 31 "	19' E
Santa Fe Building Amarillo	S 32 "	42' E
South Point of a Bluff	S 32 "	28' W about 1000'
Red Top Knob South Edge	S 77 "	07' E
" " " " "	S 89 "	13' E;

said monument being on the true Meridian and 30 miles south of the common corner of DALLAM COUNTY SHERMAN COUNTY MOORE COUNTY HARTLEY COUNTY as established by Doucette and Spiller by order of the District Court January 14, 1909;

1 THENCE S 0°29'17"W by observation on Polaris at 482.5 feet (173.7 yrs) the southeast corner of survey 20, Block G&M2 brs. east 521.3 feet (187.6 yrs) at 1089.8 feet (392.3 yrs) cross east and west fence at 5280 feet (1900.8 yrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 1 for 1st mile;

2 THENCE S 0°29'17"W at 480.3 feet (172.9 yrs) the southeast corner of survey 21, Block G&M2 brs. east 523.3 feet (188.3 yrs) at 1400 feet (504 yrs) deep draw at 2000 feet (720 yrs) deep draw, at 4780 feet (1720.8 yrs) deep draw, at 5280 feet (1900.8 yrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 2 for 2nd mile;

3 THENCE S 0°29'17"W at 741.4 feet (266.9 yrs) the northeast corner of survey 47, Block 018 brs. west 61.5 feet (22.1 yrs) at 5280 feet (1900.8 yrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 3 for 3rd mile;

4 THENCE S 0°29'17"W at 738.9 feet (266.1 yrs) the southeast corner of survey 47, block 018 brs. west 16.5 feet (5.9 yrs) at 2676 feet (963.4 yrs) cross the east line of survey 36, Block B11 at 4472 feet (1609.9 yrs) the southeast corner of survey 36, Block B11 brs. east 15.3 feet (5.5 yrs) at 5280 feet (1900.8 yrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 4 for 4th mile, about 100 feet south of a draw;

5 THENCE S 0°29'17"W at 736.7 feet (265.3 yrs) the southwest corner of survey 49, Block 018 brs. east 28.5 feet (10.3 yrs) at 2926.8 feet (1053.6 yrs) the southeast corner of survey 35, Block B11 brs. east 47.1 feet (17 yrs) at 5280 feet (1900.8 yrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 5 for 5th mile.

6 THENCE S 0°29'17"W at 734.4 feet (264.4 yrs) the southwest corner of survey 50, Block 018 brs. east 73.5 feet (26.4 yrs) at 5170 feet (1861.2 yrs) the northeast corner of survey 107, Block 47 H&TC Ry brs. east 387 feet (139.3 yrs) at 5280 feet (1900.8 yrs) to a point in draw from whence a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 6.0189 for 6th mile plus brs. south 100 feet (36 yrs);

7 THENCE S 0° 29' 17" W at 100 feet (36 vrs) pass said monument marked M P 6.0189, etc, at 5280 feet (1900.8 vrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 7 for 7th mile, about 200 feet south of Casino Creek;

8 THENCE S 0° 29' 17" W at 5280 feet (1900.8 vrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 8 for 8th mile;

X 9 THENCE S 0° 29' 17" W crossing the Canadian river and at 3686 feet (1326.9 vrs) cross the center line of the FWDC Ry track about 60 feet south of the south bank of the Canadian river (course of Ry N 88 deg. 36' W) at 3736 feet (1345 vrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 8.7076 and under the south right-of-way fence of the FWDC Ry at 3784.4 feet (1362.4 vrs) a stone marked 60-61 for the northwest corner of survey 60, Block G&M5 brs. east 101.5 feet (36.5 vrs) at 5280 feet (1900.8 vrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 9 for 9th mile;

10 THENCE S 0° 29' 17" W at 5280 feet (1900.8 vrs) a 6"x6"x36" concrete post set in ground about 30" with a 3" disc in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 10 for 10th mile;

X 11 THENCE S 0° 29' 17" W at 1154 feet (415.4 vrs) a stone marked E 61 G&M for the southeast corner of survey 61, Block G&M5 brs. East 131.7 feet (47.4 vrs) at 2776.7 feet (999.6 vrs) a stone marked SW 60 G&M5 for the southwest corner of survey 60, Block G&M5 brs. east 159 feet (57.2 vrs) 5280 feet (1900.8 vrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 11 for 11th miles;

X 12 THENCE S 0° 29' 17" W at 4625.4 feet (1665.1 vrs) an old stone mound for the northwest corner survey 25, Block M-19 brs. west 519.2 feet (186.9 vrs) at 5280 feet (1900.8 vrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 12 for 12th mile;

13 THENCE S 0° 29' 17" W at 240 feet (86.4 vrs) top of high bluff to Sierrreta De La Cruz Basin, at 3240 (1166.4 vrs) cross long draw, at 5280 feet (1900.8 vrs) a 6"x6"x36" concrete pst set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 13 for 13th mile;

14 THENCE S 0° 29' 17" W at 5280 feet (1900.8 vrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 14 for 14th mile;

15 THENCE S 0° 29' 17" W at 5280 feet (1900.8 vrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 15 for 15th mile;

16 THENCE S 0° 29' 17" W crossing Sierrreta De La Cruz Creek at 5280 feet (1900.8 vrs) a concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 16 for 16th mile;

17 THENCE S 0° 29' 17" W crossing Sierrreta De La Cruz Creek and at 820 feet (295.2 vrs) cross east and west fence (division fence LS Ranch) at 5280 feet (1900.8 vrs) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 17 for 17th mile;

THENCE S 0° 29' 17" W crossing said Creek at 1623 feet

18 (584.3 varas) the southwest corner of Survey 22, Block M-19 bears west 303 feet (109.1 varas) and at 5280 feet (1900.8 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 18 for 18th mile;

19 THENCE S 0°29'17"W at 4579.8 feet (1648.7 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 18.8674 for mile post 18.8774 same being on north bluff line of high cedar ridge in Sierreta De La Cruz Basin, at 5280 feet (1900.8 varas) a point for 19th mile;

20 THENCE S 0°29'17"W 5280 feet (1900.8 varas) to a point for the 20th mile;

21 THENCE S 0°29'17"W at 2333.7 feet (840.1 varas) a concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 20.4420 under east and west fence and in small draw, at 5280 feet (1900.8 varas) a point for the 21st mile;

22 THENCE S 0°29'17"W at 5280 feet (1900.8 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 22 for 22nd mile;

X 23 THENCE S 0°29'17"W at 2550.8 feet (918.3 varas) a stone for the southeast corner of Survey 57, Block S GC&SF bears east 4263.8 feet (1535.0 varas), also the southwest corner of said survey bears west 1013.3 feet (364.8 varas), at 5280 feet (1900.8 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 23 for 23rd mile;

X 24 THENCE S 0°29'17"W at 2749.5 feet (989.8 varas) a stone for the southeast corner of Survey 58, Block S GC&SF bears east 4310.5 feet (1551.8 varas) at 5280 feet (1900.8 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 24 for 24th mile;

25 THENCE S 0°29'17"W at 5280 feet (1900.8 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 25 for 25th mile;

26 THENCE S 0°29'17"W at 2895 feet (1042.2 Varas) cross an east and west fence at 5280 feet (1900.8 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 26 for 26th mile;

X 27 THENCE S 0°29'17"W at 2601.5 feet (936.5 varas) the northwest corner of Survey 4, Block 2, D&W RR CO bears west 75.3 feet (27.1 varas) at 5280 feet (1900.8 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 27 for 27th mile;

X 28 THENCE S 0°29'17"W at 3851 feet (1386.4 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 27.7294 under fence on the south line of Survey 4, Block 2, D&W RR, whence the southwest corner of said survey 4 bears west 35.7 feet (12.8 varas) at 5280 feet (1900.8 varas) a point in plowed field for 28th mile;

29 THENCE S 0°29'17"W at 1932.4 feet (695.7 varas) cross the center line of the CRI&G Ry tracks (course Ry N 73 36 W) at 1983.4 feet (714 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 28.3757 under the south right-of-way fence of said Railway; THENCE S 0°29'17"W crossing U.S. Highway #66 and at 5280 feet (1900.8 varas) a point for the 29th mile in a plowed field;

30
THENCE S 0° 29' 17" W at 3865.2 feet (1391.5 varas) a 6"x6"x36" concrete post set in ground about 30" with 3" bronz disc set in top marked POTTER COUNTY OLDHAM COUNTY 1930 M P 29.7308 and 23.3 feet (8.4 varas) east of the southwest corner of Survey 7, Block Z-3 at 5280 feet (1900.8 varas) a point for the 30th mile in a plowed field;

30 + 288^{varas}
THENCE S 0° 29' 17" W at 801 feet (288.4 varas) a concrete monument 24" square at base, 24" square at the ground line and 12" square at the top, approximately 30" in ground and 30" above ground with bronz disc in top 5" in diameter marked POTTER COUNTY OLDHAM COUNTY RANDALL COUNTY DEAF SMITH COUNTY at place occupied by 2 old stones and traces of old pits north and south the remains of Twichell's southwest corner of POTTER COUNTY, for the southwest corner of POTTER COUNTY and the southeast corner of OLDHAM COUNTY.

WE, E. McBride, Special Surveyor for Potter County, and W. D. Howren, Special Surveyor for Oldham County, by virtue of orders issued by the County Court of Potter County, dated January 29, A D 1931, and by the County Court of Oldham County, dated February 28 A D 1931, do hereby certify that the foregoing survey was made by us on the ground according to the orders above cited, and that the lines, boundaries and corners are correctly described and set forth in the foregoing plat and field notes, and that all areas are based upon the present rendition of such lands as traversed by said survey, recorded in Book 8, Pages 206, County Court Records of Potter County, and Book 2, Pages 266 +, County Court Records of Oldham County.

WITNESS our hands this the 19th day of March

A D 1931.

E. McBride
SPECIAL SURVEYOR POTTER COUNTY

W. D. Howren
SPECIAL SURVEYOR OLDHAM COUNTY

STATE OF TEXAS
COUNTY OF OLDHAM

§
§
§

IN THE COUNTY COURT OF
OLDHAM COUNTY, TEXAS

On this the 21st day of March A D 1931, came on to be considered by me, Chas. Ingram, County Judge of Oldham County, Texas, the matter of approving the field notes of the survey of the line between Oldham County and Potter County in accordance with an order heretofore issued by me on the 28th day of February A D 1931 for the survey of said county line.

NOW, THEREFORE, I, Chas. Ingram, in the capacity aforesaid, after having carefully examined said field notes and plat of said survey do hereby approve the same, in all things, and order said field notes and plat filed.

Witness my hand in Vega, Texas, this the 21st day of March A.D. 1931.

Chas Ingram
COUNTY JUDGE OF OLDHAM COUNTY
T E X A S

STATE OF TEXAS }
COUNTY OF POTTER }

In the County Court of
Potter County, Texas

On this 21st day of April A.D. 1931, came on to be considered by me, Sam B. Motlow County Judge of Potter County, Texas, the matter of approving the field notes of the survey of the line between Oldham County and Potter County in accordance with an order heretofore issued by me on the 29th day of January A.D. 1931 for the survey of said County line.

NOW, THEREFORE, I, Sam B. Motlow, in the capacity aforesaid, after having carefully examined said field notes and plat of said survey do hereby approve the same, in all things, and order said field notes and plat filed.

Witness my hand in Amarillo, Texas, this the 21st day of April A.D. 1931

Sam B. Motlow
County Judge of Potter County
T E X A S

THE STATE OF TEXAS |
COUNTY OF POTTER |

I, W. E. Blackburn, County Clerk of Potter County, Texas, do hereby Certify that the above and foregoing is a true and correct copy of an order of the County Court approving survey and field notes and as fully as said order appears of record in Volume No. 8, page No. ~~206~~, Minutes of the County Court, Potter County, Texas. ²⁰⁹

Given under my hand and seal of office, this 29th day of April, A. D. 1931.

W. E. Blackburn, County Clerk,
Potter County, T e x a s.
By *J. A. Blalock* Deputy.

Potter - Oldham
Boundary

Filed May 6th 1931

J. H. Walker, Commissioner
Clark

(Abstracted 5-21-1931
R.B.H.)

See Oldham Rolled Sk. 9
for County Line Tracing