

1

Stonewall Co.

North & West line

Filed Oct 10/89

See endorsement on
field notes by
President

R.

Stonewall Co Edry Line 1

State of Texas } It is ordered by the
County of Stonewall } commissioners court that
J. H. Dalman County surveyor proceed to run
out the north & west boundary lines of
this Stonewall county and that he begin
at the NW corner of Haskell county
and that he establish corners at the
North East North west and southwest
corners of this county and that he
establish a post mound or stone monu-
ment as required by the statutes at the
end of each mile on said lines and
it is further ordered by the court that
the surveyor above mentioned, commenced
this survey at the NW corner of Haskell
county on the 3rd Monday^{19th} in August 1889
and that he begin at the NW corner
of this county to run the county line
between this and Kent county on the
11th Monday^{24th} in August 1889 and that the
commissioners courts of Knox and Scurry
counties to be served with a copy
which King and Kent are attached for
judicial purposes be served with a copy
of this order as required by sec no 4
of the Law of 1899 page 137

It is ordered by the court that the
County surveyor J. H. Dalman shall be
paid when the line is established plotted and
accepted by the Commissioner of the general
land office as required by law the sum
of three dollars per mile for each mile of the
line so run and that he be further be allowed
the sum of one dollar each for erecting at the
end of each mile the post mound or stone
monument as required by the statutes

Variation 10° 30' E

State of Tex } In compliance with
County of Stonewall } the foregoing Order
of J. H. Dalman County Surveyor of Stonewall
County, did meet with A. C. Pickett
District surveyor of Knox Co land Dist.
agreed and proceeded to run out the
North line of Stonewall County as
ordered by the Court.

Beginning at a mesquite post
marked on S. E. side N W H C on NE
side S. W. K. on NW side K. S. B. and
on S W side S. C. x A mesquite post
set 3 ft in ground and 2 ft above mnd.
N. E. C. S. C for beginning corner. Said corner
is situated 477 vrs S from the N. B. line
of Ruthy Campbell sur. no 50. Thence West
at 155 vrs top of sand Hill at 950 vrs
~~pass~~ a point due South of the NW cor
of said Ruthy Campbell sur. in a low
bottom at 1340 vrs E bank of Brazos River
Course N 5 E at 1540 vrs W bank from
which point the Mouth of Croton Creek hrs
S 16 E 325 vrs, ^{also cross E line of Eustis sur. no 2, 45 vrs N of its S W corner} at 1900.8 vrs a mesq. post
3 ft high mkd N. L. S. C. W. 1

Thence West at 460 vrs top of high ridge
at 1030 vrs ravine C S 32 E at 1180 vrs top of
ridge at 1900.8 vrs a mesq. post 3 ft high
mkd N. L. S. C. W. 2

Thence west 80 vrs a piece of stone
from which Kiawa peak hrs S 28 W
at 340 vrs top of high ridge at 560 vrs
Draw C. S. 17 1/2 E. at 660 vrs ravine C S 17 E

Stonewall Co. Bdry. Line #1

at 880 vrs top of bluff, at 1282 vrs
 cross E line of Ruben Percy Survey 185 vrs
 S from its NE corner at 1290 vrs ravine
 C.S. at 1670 vrs E bank of Croton Creek
 C.S. 1/2 E at 1807 vrs Croton Creek C.N. 15 W
 at 1900.8 vrs mesqt. post 3ft high mkd N.L.S.C.W.3
 Set in China Grove

Thence west 240 vrs high point from which
 Kiawa peak hrs S 3 E at 480 vrs ravine
 C.S. at 770 top of bluff crossing several of
 same at 881 vrs cross W line Ruben Percy
 sur. 185 vrs S from its NW corner at 1660 vrs
 Deep Drain Course S at 1900.8 vrs Stone 5x12-
 18 inches high mkd N.L.S.C.W.4 from which
 Kiawa peak hrs S 19 1/4 E

Thence W at 130 vrs cross E line sec
 No 2 of B.B.B. & Co. R.R. Co 373 vrs S from its NE
 corner at 320 vrs Croton Crk C.S. at 520 vrs
 Croton Creek C.N. 5 1/2 E at 600 vrs bed of Croton
 Creek C.S. at 630 vrs Croton creek C.N. 12 E
 at 960 vrs Croton creek C.S. E W at 1160 vrs
 Croton Creek C.N. 11 E at 1720 vrs Croton Crk
 C.S. 6 3/4 E at 1900.8 vrs a mesqt. post 3ft high
 mkd N.L.S.C.W.5

Thence West at 130 vrs cross W line
 of No 2 and E of No 4 B.B.B. & Co. R.R. Co 373 vrs
 S from from there NW 2 & NE 4 corner at
 460 vrs top of high bluff at 600 vrs
 ravine at 1900.8 W line No 4 B.B.B. & Co. R.R. Co a
 Cedar post 3ft high mkd N.L.S.C.W.6 set
 on west bank of branch, which is 752 vrs
 due N of S E cor. sec. No 4 blk F surveyed

for N. D. R. R. Co

Thence W 50 yrs top of small bluff from which Kiawa Peak hrs S 53 E. Changed variation to $10^{\circ} 27'$ E at 1560 yrs branch C.S. at 1900.8 yrs cedar post 3ft high mkd N.L.S.C.W.7 from which Kiawa PK hrs S 61 E

Thence West at 8 yrs cross west line Sec 4 Blk F 743 yrs N from its S.W. Cor at 400 yrs top of high line Peak from which Kiawa PK hrs S 62 E at 860 yrs ravine C.S. at 1420 yrs branch, at 1840 yrs top of mountain at 1900.8 yrs a stone 5x18-20 inches high mkd N.L.S.C.W.8

Thence W at 16 yrs cross E line sec No 24 734 yrs N from its S.E. Corner at 380 yrs branch at 760 yrs another branch at 1040 yrs pass on S side of high point of mountain at 1280 yrs Canyon C.S. 36 E at 1900.8 yrs a stone 3x15-3ft high set in pile of large stone 2ft high mkd N.L.S.C.W.9 set on E side of mountain

Thence west at 24 yrs cross west line No 24 blk F 725 yrs N from its S.W. Corner at 1900.8 yrs a stone 6x10-15 in high mkd N.L.S.C.W.10 set on mesq. Prairie

Thence west at 32 yrs cross E line of Sec No 44 - 716 yrs N from the its S.E. corner at 1080 yrs creek C.S. at 1900.8 yrs a stone 4x12-15 in high mkd N.L.S.C.W.11

Thence west at 40 yrs cross the E line of sec no 57 - 707 yrs N from its S.E. Corner at 1600 yrs branch at 1900.8 yrs

stone wall Co. Bdy. line #1

Changed variation to $10^{\circ} 24' E$
 a stone $6 \times 12 - 18$ in high mkd N.L.S.C.W.12

Thence west at 48 vrs cross E line sec
 No 64 - 498 vrs N from its SE corner at
 1820 vrs cross CALL Road at 1900.8 vrs
 a Gyp stone 2 ft high mkd N.L.S.C.W.13

Thence W at 50 vrs branch C.M. at
 56 vrs cross E line Sec No 77 - at 689 vrs
 North from its SE corner at 1900.8 vrs a
 stone $4 \times 12 - 18$ inches high mkd N.L.S.C.W.14

Thence west at 64 vrs cross E line
 Sec no 84 Blk # 680 vrs N from its SE
 corner at 1900.8 vrs a stone $6 \times 10 + 16$ in
 high mkd N.L.S.C.W.15

Thence W at 72 vrs cross E line sec
 No 97 at 671 vrs N from its SE corner
 at 280 vrs breaks at 1600 vrs Canyon
 at 1900.8 vrs a stone 20 inches high mkd
 N.L.S.C.W.16 Sit on W side of breaks

Thence West at 80 vrs cross E line
 Sec no 104 at 662 vrs N from its SE
 corner at 1240 vrs cross Canyon at
 1900.8 vrs a stone $4 \times 16 - 20$ in high
 mkd N.L.S.C.W.17

Thence west at 88 vrs cross E line
 of sec no 117 at 653 vrs N from its
 SE corner at 600 cross Canyon at
 1900.8 vrs a stone 2 ft high mkd N.L.S.C.W.18
 Changed variation to $10^{\circ} 24' E$

Thence W at 96 vrs cross E line
 sect No 124 - 644 vrs N from its SE
 corner at 820 vrs deep Canyon
 1040 vrs N bluff of Salt fork at

1320 vrs pass mouth of Canyon at
1900.8 vrs a stone 5x14-18 in high mkd
N.L.S.C.W.19 from which the mouth
of salt croton creek brs S35W
Thence W at 104 vrs cross E line
of sec No 137 - 635 vrs N from its
SE Cor. 1900.8 vrs a stone 18 in high
mkd N.L.S.C.W.20

Thence W at 112 vrs cross E
line of sec No 144 at 629 vrs N from
the SE Cor at 600 vrs branch at 1900.8 vrs
a cedar post mkd N.L.S.C.W.21

Thence W at 120 vrs cross E line
sec. No 157 - 617 vrs N from its SE
corner at 1840 vrs bed of salt croton
creek C S18W East at 1900.8 vrs a cedar
post 3ft high mkd N.L.S.C.W.22. Set on
west bank of said creek

Thence west at 128 vrs cross
the E line of sec no 164 at 608 vrs
N from its SE corner at 1900.8 vrs
a mesqt post 3ft high marked N.L.S.C.W.23

Thence West at 136 vrs cross E
line Sec. No 177 - 599 vrs N from
its SE Corner at 1900.8 vrs a stone
20 in high mkd N.L.S.C.W.24. changed
variation to $10^{\circ} 18'$ E

Thence W at 144 vrs cross E
line of sec. 184 at 590 vrs N from its
SE Corner at 1900.8 vrs a stone 2ft
high mkd N.L.S.C.W.25

Thence W at 152 vrs cross E line

of section No 197 Blk F 581 wrs N from its SE Corner at 1400 wrs cross road leading to salt flat at 1900.8 wrs a stone 4x12-16 in high marked N.L.S.C.W.26

Thence west at 160 wrs cross E line Sec no 204 - 572 wrs N from its SE Corner at 720 wrs road at 1720 wrs bed of canyon at 1900.8 wrs a stone 6x10-15 in high mkd N.L.S.C.W.27 set on W side of Hill

Thence West 168 wrs cross E line of sec No 217 at 563 wrs N from its SE Corner crossing several deep ravines at 1900.8 wrs a mesqt post 3ft high marked N.L.S.C.W.28

Thence West at 176 wrs cross E line of sec No 224 at 554 wrs N from its SE Cor at 1900.8 wrs a stone 20 in high marked N.L.S.C.W.29

Thence west at 184 wrs cross E line of sec no 237 at 545 wrs North from its SE Cor at 1152 wrs a high Prairie ridge from which point the E point of Double mountain brs S 12 1/4 E at 1900.8 wrs a mesqt post 4 in \varnothing 3ft high set firm in ground and marked N.W.C.S.C.W.30 on SE side on SW side N.E.K.C on NW side S.E.D.C and on NE side S.W.K.C set on west bank of ravine course S 2 W from which a point high Prairie ridge brs S 9 1/2 W at ^{junction} forks of two ravines brs S 2 E

North line of Stonewall Co continued
the above said line was surveyed from
the 19th day of Aug 1889 to the 24 day of
Aug 1889

L. H. Smith } Chain
Frank W. L. Glass } Carriers

J. J. H. Dolman County Surveyor of Stonewall
County Texas hereby certify that the above
and foregoing survey was made in the
field according to law and that the
corners with their marks both natural &
artificial are truly described in the
foregoing plat & field notes

J. H. Dolman County Surveyor
of Stonewall Co Texas

Variation 10° 30' E

Field notes of West line of
Stonewall County

Beginning at the NW corner
of Stonewall County a mesqt post
3ft high 6 in in diameter marked
N.W.C.S.C.W.30 on S.E. side on SW
side N.E.K.C on N.W. side S.E.D.C and
on N.E. side S.W.K.C Set on the W
bank of a ravine 082 W from
which ^{the W} a point of a high Prairie
ridge brs S 9 1/2 W and a Junction
of two ravines brs S 2 E

Thence South 300 vrs cross ravine
at 537 vrs cross the South line of
section No 237 at a point 200 vrs E of
its SW corner at 1270 vrs a high
ridge from which the E point of D. Mtn
brs S 13 1/4 E West point of W mound brs
S 10 E at 1900.8 vrs a stone 3x12-15 in
high mkd W.L.S.C.S.!

Thence South at 538 vrs cross
the S line of sec No 238 at 224 1/2 vrs
E of its SW Corner at 1900.8 vrs a
mesqt post 3ft high mkd W.L.S.C.S. 2

Thence South at 360 vrs cross
road leading to Jaten Rust Co at
539 vrs cross S line of sec no 239 blk F
249 vrs E of its SW corner at 1900.8 vrs
a mesqt post 3ft high mkd W.L.S.C.S. 3

Thence S at 540 vrs cross the
S line of Sec. No 240 Blk F 273 1/2 vrs
E of its SW corner at 1740 vrs the

of A Goodwin District Surveyor of Young Land District
was present on Aug 26 and agreed that J. C. Dalman should run the west line
of Stonewall county at variation 10° 30' E

Stonewall Co. Bdy. line #1

North bank of South Crater Creek
 C E at 1900.8 was a stone $3 \times 15 - 27$ in
 high mkd W.L.S.C.S.4

Thence S at 541 was cross S line
 of Section No 432 Blk D surveyed for
 A. G. B. R. Co at a point 298 was
 E of its S. W. Corner at 1900.8 was
 a stone $4 \times 12 - 17$ in high mkd W.L.S.C.S.5
 Set on South side of Road

Thence S at 542 was cross S line
 of Sec No 431 Blk D $322\frac{1}{2}$ was E of
 its S. W. Cor at 1900.8 was crossing
 Hills & Ravines a mesqt post 3 ft high
 mkd W.L.S.C.S.6. (Changed Variation to $10^{\circ} 33'$ E)

Thence S at 543 cross S line
 of Sec. No 430 Blk D, 347 was E of
 its S W Corner at 1900.8 was a
 mesqt post 3 ft high mkd W.L.S.C.S.7
 Set on N. Side of Hill

Thence South at 544 was Cross
 S line of Sec 429 Blk D $371\frac{1}{2}$ was E
 of its S W cor at 1900.8 was Crossing
 Several deep ravines a stone $8 \times 12 - 16$ in
 high mkd W.L.S.C.S.8.

Thence S at, 545 was Cross S
 line of Sec 428 Blk D 396 was E
 of its S W cor at 1900.8 was a mesqt
 post 3 ft high mkd W.L.S.C.S.9

Thence South at 210 was cross
 branch at 546 was Cross S line of
 sec 427 Blk D $420\frac{1}{2}$ was E of its S W
 Corner at 1660 was Cross Abilene and

9th

Jater. Road at 1900.8 vs a mesqt post
3ft high mkd W.L.S.C.S.10 Set in N edge
of Shinery

Thence S at 547 vs Cross E line
of Sec 426 Blk D 445 vs E of its
SW corner at 1900.8 vs a mesqt post
3ft high mkd W.L.S.C.S.11 set in shinary
from which E point of S. Men brs
S 27 E West point brs S 20 E

Thence S at 548 vs Cross S line
of sec 425 Blk D 469 $\frac{1}{2}$ vs E of its
SW cor at 1900.8 vs a mesqt post 3ft
high mkd W.L.S.C.S.12 Changed variation
to 10° 36' E

Thence S at 549 vs Cross S
line of Sec no 424 Blk D 494 vs E
of its SW cor at 1900.8 vs a mesqt
post 3ft high mkd W.L.S.C.S.13 set in shinary

Thence S at 530 vs Cross S line
Sec 423 Blk D 518 $\frac{1}{2}$ vs E of its SW
corner at 1900.8 vs a mesqt post
3ft high mkd W.L.S.C.S.14

Thence S at 551 vs cross South
line of sec. 422 Blk D 543 vs E of
its SW cor at 1900.8 vs a mesqt
post 3ft high mkd W.L.S.C.S.15 set in Shinary

Thence S at 552 vs Cross S line
of sec no 421 Blk D 567 $\frac{1}{2}$ E of its SW
cor also S Edge of Shinary at 820
N Bank of Salt fork of Brazos River
at 1010 vs S Bank course E at 1665 vs
Cross McKinzie Trail at 1900.8 vs a

mesq. post 3ft high mkd W.L.S.C.S.16. Set
in River Valley

Thence S at 553 vrs Cross S line
of Sec 420 Blk D 592 vrs E of its
SW Corner at 1240 vrs a Deep washout
at 1900.8 vrs a ^{stone} 6x11-15 in high mkd W.L.S.C.S.17
Set on W side of ravine C N 10 E

Thence S at 554 vrs cross S line
of Sec 419 - 616 1/2 vrs E of its SW
corner at 840 vrs road at 1200 vrs
banks of little Stinking Creek at 1900.8 vrs
a mesq. post 3ft high mkd W.L.S.C.S.18
changed variation 10° 39' E from which
E point of S. Mtn. hrs S 6 1/4 E West point
hrs S 5 2/4 E

Thence South at 555 vrs cross
S line of Sec 418 - 641 vrs E of its
SW cor at 820 vrs little Stinking
creek C E at 1900.8 vrs a mesq. post
3ft high mkd W.L.S.C.S.19

Thence South at 556 vrs Cross
S line of Sec 417 - 665 1/2 vrs E of its
SW cor at 1900.8 vrs a mesq. post 3ft
high marked W.L.S.C.S.20 set in Draw
C N 20 W

Thence S at 557 vrs cross S line
of Sec no 416 Blk D 690 vrs E of its
SW cor. at 1900.8 vrs a stone 6x8-15 in
high mkd W.L.S.C.S.21 set on N Bank
of ravine C S 60 E a mesq. brook W

Thence South Crossing several
Deep ravines at 558 vrs cross S line

Sec No 415 Blk D 714 1/2 w/s E of its
S W Corner at 1900.8 w/s a mesqt
post 3ft high mkd W.L.S.C.S.22

Thence South at 559 w/s cross
S line Sec No 2 of Washington County
RR Land at 739 w/s E of its S W cor
at 1566 w/s cross N line 499 Blk 2 at 596 w/s E of its N W cor
at 1900.8 w/s a mesqt post 3ft high marked
W.L.S.C.S.23

Thence South at 1900.8 w/s a mesqt
post 3ft high mkd W.L.S.C.S.24. No corners are
bearing ~~that could be recognized~~ ^{according to field note at}
found South of Wash. Co RR Co Land
1007 w/s cross North line Sec 419 ^{W of its NW cor}
Variation changed to 10° 42' E

Thence South at 1720 w/s cross
ravine C & E at 1900.8 w/s a mesqt post
3ft high marked W.L.S.C.S.25

Thence South at 1900.8 w/s a
mesqt post 3ft high marked W.L.S.C.
S.26

Thence S crossing deep ravine
course E at 1900.8 w/s a mesqt post
3ft high mkd W.L.S.C.S.27

Thence South at 1900.8 w/s a
Gyp stone 6x11-12 in high mkd W.L.S.C.S.28
Set on top of high ridge

Thence S at 1720 w/s cross Deep Draw
course E at 1900.8 w/s a mesqt post
3ft high mkd W.L.S.C.S.29

Thence South at 1840 w/s a
Deep Canyon C & W at 1900.8 w/s
a stone 5x14-20 in high mkd S.W.C.
S.C.S.30 for S W Cor of County set
in bunch of Cedar on cedar mound
on North bluffs of Double Mountain fork of
Brayas River No bearings found that could
be recognized

Stonewall Co. Bdry. Line #1

Surveyed from Aug. 19th to Aug. 31st 1889
J H Dolman County Surveyor
Stonewall Co Tex Frank W Glass Chain
Lee S Smith Carriers

I J H Dolman County Surveyor of Stonewall County Tex, Do hereby certify that the foregoing survey was actually made by me on the ground according to law, on the date and with the chain carriers affore said, duly qualified, and that all the corners, lines boundaries and marks of the same, whether natural or artificial are truly and correctly described and set forth in the foregoing plat and Field Notes
J H Dolman
Co Surveyor Stonewall Co Tex

A 108-CERTIFICATE OF RECORD-Class 1

Clarke & Courts, Stationers, Printers, Lithographers, Galveston.

THE STATE OF TEXAS.

County of Stonewall

I, Herbert Posey Clerk of the

County Court in and for said County, do hereby certify that the foregoing Field Notes dated the 31st day of Aug 1889, with its certificates of authentication, was filed for Record in my office, the 3rd day of Sept 1889, at — o'clock — M., and duly Recorded the 5th day of October 1889, at 12 o'clock — M., in Deed, ~~Mortgage or Bill of Sale~~ Records of said County, in Vol. 2 on Pages 212 to 219

WITNESS my hand and the seal of the County Court of said County, at office in Rayson Texas, the day and year last above Written.

Herbert Posey Clerk,
County Court Stonewall County.

By _____ Deputy.

ST. LOUIS.
GEO. D. BARNARD & CO.
PLUM
RECORD ABSTRACT

THE STATE OF TEXAS,

County of Stonewall } I, Herbert Posey
Clerk of the County Court of Stonewall County, Texas, do hereby certify that
the foregoing is a true and correct copy of the original Filed notes as are

of record

now ~~in~~ in my office.

Given under my hand and the seal of said Court, at Office in Raymer
this the 5th day of October A. D. 1889

ATTEST:

By Herbert Posey Clerk.
Deputy.

Stonewall Co. Cd. No. 41

Stonewall Co.

North vs Westline



Filed in office
Sept 3rd 1889
Hubert Porey
Co clerk

Filed in the General Land
Office October 10th 1889
\$700
D. W. Shelley
Chief Clerk.

At the beginning point, the N.W. corner
of Washell Co, said County should
have been represented, also at the S.W.
corner as connection should have been
made with a milepost of the Fisher
Co. line, established in 87. The N.W. corner
of Stonewall Co as established appears
to be $\frac{1}{4}$ of a mile South of the Fisher
Co. line. Novemb. 16/89

D. W. Profeter

Rep'd to Clerk of Stonewall
Co - 11/16/89