

Tom Green Co Bdry Line 4

County Boundary  
between

Tom Green and Concho.

Filed Aug. 22<sup>nd</sup> 1891

Examined and approved  
Aug. 29<sup>th</sup> 1891.

Chf Draftsman.

The State of Texas  
Tom Green County

To the Honorable  
Commissioners Court of Tom Green County,  
Gentlemen:

By virtue of an order of  
your Honorable Court, made on the 12<sup>th</sup> day  
of February A.D. 1891, appointing me  
Surveyor to assist in surveying, and es-  
tablishing the line between Concho and  
Tom Green Counties on May 21<sup>st</sup> 1891, and  
an amendatory order of your Court made  
April 13<sup>th</sup> 1891, changing the date of said  
survey to June 15<sup>th</sup> 1891, and after having  
given bond and qualified as the law  
directs, I proceeded to the S.E. Corner of  
Tom Green County and there met H.M. Gardner  
County Surveyor of Concho Co. on the 15<sup>th</sup> day  
of June 1891, and we jointly surveyed as  
follows, to wit:—

We began at a large stone  
monument capped with a stone which is  
marked CORNER of M'D. C'HO, SCH. &  
TG. Counties. June 8<sup>th</sup> 1891, from which a  
Live Oak 10' marked  $\equiv$  brs. S 30<sup>th</sup> W. 37<sup>1</sup>/<sub>5</sub> varas  
a double Live Oak each prong 12' in dia.  
marked  $\equiv$  brs. S 59<sup>th</sup> E. 148<sup>4</sup>/<sub>5</sub> varas, a Live  
Oak 6' in. dia. marked  $\equiv$  bears N. 27<sup>1</sup>/<sub>4</sub> E. 77<sup>1</sup>/<sub>4</sub>  
varas, a Live Oak 12' in. dia. marked  $\times$  bears  
S 81<sup>1</sup>/<sub>2</sub> W. 20<sup>1</sup>/<sub>2</sub> varas, a Live Oak 12' in dia.  
marked  $\equiv$  bears N. 34<sup>1</sup>/<sub>2</sub> W. 121<sup>1</sup>/<sub>5</sub> varas said  
stone mound is exactly 10 miles North

1 and 30 miles West from the S.W. Corner of  
 2 McCulloch County, which is a stone and with  
 3 large stone marked 65 MILES. S.W. Cor. M & C.  
 4 Co. from which a double Live Oak marked  
 5  $\frac{X}{X}$  bears N. 38 E 53 varas and a Live Oak 8 in.  
 6 dia. bears S. 65  $\frac{1}{4}$  E 44 varas, it is also 6  
 7 miles and 95 varas west and 111 varas  
 8 south from the N.E. Corner of Survey No.  
 9 121 in name of E.L. & R.R. R.R. Co. which was  
 10 found and identified, it is also 219 varas  
 11 North and 4153 varas East from the N.E.  
 12 Corner of Survey No. 5 Bk. "H" G.H. & S.A.R.R. Co.  
 13 also found and identified, and it is 1030 varas  
 14 East and 1166 varas South from the S.W.  
 15 Corner of Survey No. 17 Block No. 8 H. & T.C.  
 16 R.R. Co. which was found and identified.

1. Thence North at 1166 varas cross the S.  
 17 line of survey No. 17 Block 8. H. & T.C. R.R. Co  
 18 1030 varas East from its S.W. corner. at 1325  
 19 varas cross South fence of "Kickapoo Pasture"  
 20 at 1900 var. build a stone monument marked  
 21 1 MILE T.G. & C. Co. LINE.

2 Thence North at 1155 varas cross the  
 23 North line of Sur. No. 17 & S. line of No. 18 Bk.  
 24 No. 8. - 862  $\frac{1}{2}$  varas West from the S.E. corner of  
 25 the latter at 1900 varas build stone monument  
 26 marked 2 MILES T.G. & C. Co. LINE from which  
 27 a L.O. 16' in dia. bears North 5  $\frac{1}{2}$  varas. a do. 18'  
 28 in dia. bears N. 16 E. 19 varas.

3 Thence North at 1144 varas cross N.  
 30 line of said survey No. 18 & S. line of #19 Bk. 8  
 31 855 varas West from the S.E. corner of said No. 19.  
 32

1 1900 varas set a stone monument on E. slope  
2 marked 3 MILES T.G. & C. Co. LINE from which a  
3 Live Oak 10' in dia. bears N.  $1\frac{1}{2}$ ° W.  $45\frac{1}{2}$  varas. a do.  
4 12' in dia. bears N.  $20\frac{3}{4}$ ° E  $20\frac{3}{5}$  varas. the old  
5 Titus ranch house bears N.  $35\frac{3}{4}$ ° W.

4. 6 Thence North at 1133 varas cross the  
7 N. line of said Survey No. 19 & S. line of No. 20 B.K.S.  
8  $84\frac{7}{2}$  varas West from the S.E. corner of the latter  
9 1900 set stone monument in valley marked  
10 4 MILES T.G. & C. Co. LINE. from which a Live  
11 Oak 12' in dia. bears N.  $84$ ° W.  $42\frac{1}{5}$  varas. a do.  
12 8' bears S  $8\frac{1}{2}$ ° E.  $74\frac{7}{5}$  varas.

5. 13 Thence North at 100 varas cross an  
14 East prong of Kickapoo Cr. course N.  $60$ ° W.  
15 at 469 varas set a stone on N.E. side of San  
16 Angela & Menardville road marked County  
17 Line at 1122 varas the N.E. cor. of Survey  
18 No. 20 Block No. 8 N. & T. C. R. R. Co. bears  
19 East 840 varas, a stake & stone md. fr. which  
20 a Live Oak 18' in dia. bears N.  $8\frac{1}{2}$ ° W.  $19\frac{1}{2}$  varas  
21 marked  $\times$ , at 1368 varas cross the South  
22 line of Survey No. 3 T. & N. 3rd N. G. R. R. Co.  
23 1300 var. East from its S.W. corner. 1900 varas  
24 set stone monument marked 5 MILES T.G. &  
25 C. Co. LINE.


6. 26 Thence North, at 673 varas cross the  
27 S.E. line of Survey No. 431 Leonard Breit  
28  $475$  varas S  $45$ ° W. from its East corner which  
29 was found and identified. at 1263 varas  
30 cross Irrigation ditch. at 1345 cross the N.E.  
31 line of said survey No. 431 & S.W. line of the  
32 Hearn preemption  $475$  varas N.  $45$ ° W. from the

1 East corner of said No. 431, at 1435 varas  
 2 Kickapoo Creek at 1460 varas a rock bluff. 1900  
 3 varas set stone monument in thicket marked  
 4 6 MILES T.G. & C. Co. LINE from which a Burr  
 5 Oak 6' in dia. bears N. 35 W.  $1\frac{3}{5}$  varas


7. Thence North at 13 varas the East  
 7 corner of James Green Survey No. 2 bears West  
 8 638 varas which was found & identified &  
 9 which calls to be on the South line of Geo.  
 10 Self Survey No. 21, 154 varas East from S.W.  
 11 corner of said No. 21, at 994 varas the S.E.  
 12 corner of Survey No. 19 Indianola R.R. Co.  
 13 bears West 800 varas. which was found and  
 14 identified, by stone mound from which a  
 15 Live Oak 10' in dia. bears N. 46 W. 24 varas. a do  
 16 12' in dia. bears N.  $4\frac{3}{4}$  W. 41 varas. marked  $\overline{\text{F}}$   
 17 1900 varas set stone monument marked 7  
 18 MILES T.G. & C. Co. LINE from which a Live Oak  
 19 18' in dia. bears S  $53^{\circ}$  E.  $27\frac{3}{4}$  varas a do. 8'  
 20 in dia. bears N.  $64\frac{1}{4}$  E. 7 varas and the N.W. cor.  
 21 of Survey No. 21. Geo. Self bears West 798  
 22 varas. To a stone mound from which a Live  
 23 Oak 6' (now 12') in dia. marked  $\overline{\text{H}}$  bears  
 24 S.  $64^{\circ}$  W.  $23\frac{1}{2}$  varas a Live Oak Stump bears  
 25 N. 26 W. 21 varas.

8. Thence North at 385 varas cross  
 26 Buena Ventura Pasture fence, 1900 varas set  
 27 stone mound, on North line of State Survey  
 28 No. 20 - 798 varas East from its N.W. corner marked  
 29 8 MILES T.G. & C. Co. LINE from which a Live  
 30 Oak 10' in dia. bears S. 88 E. 15 varas

9. Thence North at  $386\frac{1}{2}$  varas cross the

1 N. line of Lucius Fitzgerald survey No. 1 and  
2 S. line of Survey No. 906 Geo. Parsky 180 varas  
3 West from the S. E. corner of said Sur. #906  
4 at 1892 varas the North line of Survey No. 906  
5 and South line of Survey No. 904. Gattlieb  
6 Gerbing 730 varas East from the S. W. cor. of  
7 said Gerbing survey a stone mound from  
8 which a Live Oak 15' (call 9') in dia. bears  
9 N.  $88\frac{3}{4}$  W.  $26\frac{1}{2}$  varas a do. 11' (call 9') in dia.  
10 bears S  $11\frac{1}{2}$  W. 22 varas. old marked  at 1900 varas set stone monument  
marked 9 miles T.G. & C.C. line from the S. W. cor. of said Gerbing survey a stone mound

10  
11 Thence North at 20 varas cross  
12 road to Buena Ventura Ranch at 1780 varas cross  
13 road to Vigo. 1900 varas set stone monument  
14 marked 10 MILES T.G. & C.C. LINE  
15 about 120 varas East from a creek.

11,  
16 Thence North at 210 varas cross  
17 road at 215 varas the North line of Survey  
18 No. 904 and South line of Survey No. 905 F.  
19 Waat 486 varas East from the S. W. corner  
20 of said Waat Survey and the Most Northern S. E.  
21 corner of Survey No. 3 Lucius Fitzgerald  
22 a stone mnd. from which a L. O. 20' in dia.  
23 bears South 15 varas a do. 12' bears S  $37\frac{1}{2}$  W.  
24  $123\frac{1}{2}$  varas (call 120 varas.) marked  at 462 varas  
25 cross a creek, course N. E. at 864 varas the  
26 S. W. line of Survey No. 439 W. F. Rathemier 1221  
27 varas S  $45^{\circ}$  E from its West corner at 1334  
28 varas the North corner of Survey No. 905 bears  
29 West 470 varas, a stone mound from which  
30 a Live Oak 8' in dia. bears S  $37\frac{1}{2}$  W. 183 varas.  
31 1900 varas set stone monument marked 11 MILES  
32 T.G. & C.C. LINE from which a mesquite

1 4' in dia. bears N. 58 W.  $21\frac{3}{5}$  varas, a mesquite  
 2 6' in dia. bears S 25  $\frac{3}{4}$  E.  $15\frac{4}{5}$  varas.

12 3 Thence North at 412 varas cross a  
 4 fence, at 691 varas the N. W. line of said Rathenier  
 5 & a line of L. Fitzgerald survey No. 3, 1221 varas  
 6 N. 45° E. from the West corner of said Rathenier  
 7 survey. at 1754 varas the S. line of Survey No. 9  
 8 Beatty Seal<sup>rd</sup> Forwood, and N. line of said  
 9 Fitzgerald Survey. 583 varas West from the  
 10 S. E. corner of said Survey No. 9. 1900 vs. set  
 11 stone monument marked 12 MILES T. G. &  
 12 C. Co. LINE.

13 13 Thence North, at 1414 varas cross a  
 14 branch at 1754 varas the North line of Survey  
 15 No. 9 D. O. & F. and South line of Survey No. 11 in  
 16 name of Huskins 583 vs. West from the  
 17 N. E. cor. of No. 9 & 290 varas West from the S. E.  
 18 corner of No. 11. 1900 vs. set stone monument  
 19 marked 13 MILES T. G. & C. Co. LINE from which  
 20 a mesquite 12' in dia. bears S 71 W.  $8\frac{4}{5}$  varas.

14 21 Thence North at 602 varas the North line  
 22 of Survey No. 11 and South line of Survey No.  
 23 174 S. P. R. R. Co. 290 varas West from the S. E.  
 24 corner of said No. 174. at 1900 varas set stone  
 25 monument marked 14 MILES T. G. & C. Co.  
 26 LINE from which a mesquite 15 inches in  
 27 diameter bears S 45 E.  $46\frac{1}{2}$  varas.

15 28 Thence North at 602 varas the North  
 29 line of Survey No. 174 and South line of No.  
 30 175 S. P. R. R. Co. 327 varas West from their  
 31 East common corner which was found and  
 32 identified. at 1327 varas set stone, on N. E.

1 side of road from San Angela to Eden, marked  
2 COUNTY LINE 1900 vs. Stone mound in a  
3 flat prairie marked 15 MILES T.G. + C. Co LINE  
4 from which Round Mt. bears N.  $39\frac{1}{2}$  W. Susan  
5 Mt. bears S  $68\frac{1}{4}$  W.

16. 6 Thence North at 602 varas the North  
7 line of Survey No. 175 and South line of Survey  
8 No. 144 S.P. R.R. Co. 364 varas West from their  
9 East common corner at 613 varas cross North  
10 fence of Buena Ventura Pasture 1900 vs. set  
11 stone monument marked 16 MILES T.G. &  
12 C. Co LINE.

17. 13 Thence North at 481 varas cross a road  
14 at 602 varas the North line of Survey No. 144  
15 and South line of Survey No. 115 S.P. R.R. Co.  
16 401 varas West from their East common  
17 corner at 1085 varas cross Dry Hollow 1900  
18 varas set stone monument marked 17 MILES  
19 T.G. & C. Co LINE.

18. 20 Thence North at 365 varas cross fence  
21 at 603 varas the North line of Survey No. 115 and  
22 South line of No. 40 S.P. R.R. Co. 439 vs. West  
23 from their East Common Corner. 1900 varas set  
24 stone monument marked 18 MILES T.G. + C. Co LINE.

19. 25 Thence North at 603 varas the North  
26 line of Survey No. 40 + South line of Joseph  
27 Days Survey 476 varas West from the N.E. cor. of  
28 said Survey No. 40. 1900 vs. set stone monument  
29 marked 19 MILES T.G. & C. Co. LINE.

20. 30 Thence North at 430 varas the  
31 North line of Joseph Days survey + South line of  
32 Casper Dragger Sur. No. 2361. 648 varas West



1 from their East common corner. 1900 varas  
 2 set stone monument marked 20 MILES  
 3 T.G. + C.Co. LINE

21. 4 Thence North at 430 varas the  
 5 North line of Survey No. 2361<sup>and</sup> South line  
 6 of Survey No. 1671 Phil. Jos. Frey decd. 648 varas  
 7 West from their East Common Corner. 1900  
 8 varas stone monument marked 21 MILES  
 9 T.G. + C.Co. LINE.

22 10 Thence North, at 430 the North  
 11 line of Survey No. 1671<sup>and</sup> South line of Survey  
 12 No. 1672 Fred Sommers 648 varas West from  
 13 their East Common Corner which was found  
 14 and identified by stake fr. wh. a mesquite  
 15 old marked H bears N. 68 W. 7 varas and a  
 16 stump S 42 E. 27 varas. 1900 varas set stone  
 17 monument marked 22 MILES T.G. + C.Co  
 18 LINE.

23 19 Thence North at 442 $\frac{1}{2}$  varas cross  
 20 a fence at 468 varas the North line of Survey  
 21 No. 1672<sup>and</sup> South line of Survey No. 1637 W.T.  
 22 Bohls 653 $\frac{2}{3}$  varas West from their East  
 23 common corner at 470 varas cross a road. 1900  
 24 varas stone monument marked 23 MILES  
 25 T.G. + C.Co LINE from which Mt. Margaret  
 26 bears N. 26° 5' W. Round Mt. N. 54° 5' W.

24. 27 Thence North at 507 varas the  
 28 North line of Survey No. 1637<sup>and</sup> South line  
 29 of Survey No. 1639 Heinrich Werner 659 $\frac{1}{3}$   
 30 varas West from their East common corner  
 31 1900 varas set stone monument in flat  
 32 marked 24 MILES T.G. + C.Co LINE

25. Thence North, at 546 varas the North  
line of Survey No. 1639<sup>th</sup> and South line of Survey  
No. 1633 August Wolfshohl 665 varas west from  
their East common corner. 1900 varas stone  
monument in prairie marked 25 MILES  
T.G. + C.Co. LINE.

26. Thence North, at 585 varas the North  
line of Survey No. 1633<sup>rd</sup> and South line of Survey  
No. 1624 Christiane Coester 670<sup>2</sup>/<sub>3</sub> varas West from  
their East common corner at 652<sup>1</sup>/<sub>2</sub> vrs. cross  
a fence. at 1164<sup>1</sup>/<sub>2</sub> varas cross a fence into a  
field and at 1353 vrs. cross fence out of  
field. 1900 vrs. set stone monument marked  
26 MILES T.G. + C.Co. LINE from which a  
mesquite 8' in dia. bears N. 27<sup>1</sup>/<sub>2</sub> E. 9<sup>3</sup>/<sub>5</sub> varas  
a do. 14' in dia. bears N. 36° W. 61<sup>4</sup>/<sub>5</sub> vrs. Mr.  
Stout's house bears S 81° W. Mr. Crawford's house  
bears S 75<sup>1</sup>/<sub>2</sub> W. each about 1600 vrs distant.

27. Thence North, at 624 varas the  
North line of Survey No. 1624<sup>th</sup> and South line  
of Survey No. 1617 R. Roke 676<sup>1</sup>/<sub>3</sub> vrs. West  
from their East common corner at 1600  
vrs. cross road to Loomis ranch. 1900 vrs  
set stone mound in Valley of Lipan Cr.  
marked 27 MILES T.G. + C.Co. LINE from  
which a mesquite 7' in dia. bears S 32° W. 3<sup>1</sup>/<sub>2</sub>  
vrs. a do. 6' in dia. bears S 32<sup>1</sup>/<sub>2</sub> E. 15 vrs.

28. Thence North, at 220 vrs Lipan  
Creek at 663 vrs the North line of Sur. No.  
1617<sup>th</sup> and South line of Survey No. 1606 Mt.  
Shaw, 682 varas West from their East  
common corner a stone mound from which a

1 mesquite 18' in dia. bears N. 15 W. 99 varas a do.  
2 10' in dia. bears N. 18 W. 104 varas. 1900 varas  
3 stone monument on hillside marked 28 MILES  
4 T.G. & C. Co. LINE.

29. 5 Thence North at 652 1/2 vrs cross a  
6 fence at 663 varas the North line of Survey  
7 No. 1606 & South line of Survey No. 1605  
8 J. A. Metzger 682 varas West from the N.E.  
9 corner of Survey No. 1606. at 952 varas the  
10 North line of survey No. 1605 and a South  
11 line of Survey No. 1605 1/2 Napoleon D. Giddings  
12 201 varas East from the N.W. corner of No.  
13 1605. at 1525 varas set a stone on the North  
14 side of San Angela and Paint Rock Road  
15 marked COUNTY LINE 1900 varas set  
16 monument on North slope marked 29  
17 MILES T.G. & C. Co LINE

30 18 Thence North, at 25 varas the  
19 South line of Survey No. 550 German Eng. Co.  
20 84 varas West from its S.E. corner, at 1860  
21 vrs stake on South bank of Concha River  
22 1900 varas set stone monument on the North  
23 bank of Concha River <sup>marked 30 miles T.G. & C. Co Line</sup> from which a Pecan  
24 42' in dia. bears S 11 1/2 W. 4 1/2 varas, an Elm  
25 21' in dia. bears S 17 1/4 E. 3 vrs and the upper  
26 or S.W. cor. of Sur. No. 597 German Eng. Co.  
27 bears N. 32 varas and East 72 1/2 varas.

31 28 Thence North, at 374 varas cross  
29 a road, at 1161 varas cross fence. at 1798  
30 varas the North line of Survey No. <sup>576</sup> 796  
31 German Eng. Co. 72 1/2 varas West from  
32 its N.E. corner. 1900 varas set stone

monument on gravel ridge marked 31  
MILES T.G. & C. Co. LINE from which Emory's  
house bears S 65 W. about 1 mile Round  
Mx. bears N. 78 W.

32. Thence North, at 1167 varas cross the  
North line of Survey No. 5 N. C. R. R. Co. and the  
South line of Survey No. 2 G. C. and S. F. R. R. Co.  
125 varas West from the N. E. cor. of No. 5 and  
775 varas East from the S. W. corner of No. 2  
1900 var. stone monument in prairie marked  
32 MILES T.G. & C. Co. LINE.

33 Thence North at 717 varas the  
North line of Survey No. 2 G. C. & S. F. R. R. Co.  
& South line of Survey No. 6 T. C. R. R. Co. 1340  
var. East from the S. W. corner of said survey  
No. 6 at 537 var. the North line of said survey  
No. 6 and the South line of Sur. No. M.  
Wilkinson 5615 varas East from the S. W. corner  
of said Wilkinson survey at 1358 varas the  
North line of said Wilkinson survey and  
South line of Survey No. 157 N. C. R. R. Co.  
85 varas West from the S. E. corner of said  
survey No. 157. 1900 var. set stone monument  
marked 33 MILES T.G. & C. Co. LINE

Thence North 1166 varas set stone  
monument on South line of Pannels County  
marked COR. Tom Green Co. Jun 20<sup>th</sup>  
1891 on West side and N. W. Cor. Concho Co.  
Jun 20<sup>th</sup> 1891 on East side from which the 23  
mile stone on South line of Pannels County  
bears West  $354\frac{1}{2}$  varas. Round Mx. bears  
N. 87 W. a mesquite 13' in dia. marked C. Co.

1 bears S 8 1/2 E. vs. a do. 8 in dia. marked  
2 T. G. Co. bears S 55 1/2 W. 43 1/4 vs.

3 All bearings not otherwise described  
4 marked X and line marks I.

5 All monuments are fully two feet  
6 high, made of stone and marked as described  
7 Variation 9° 20' East being identical with  
8 the west line of McCulloch Co. and North  
9 line of Menard Co.

10 Surveyed June 15<sup>th</sup> to 20<sup>th</sup> 1891 inclusive  
11 H. H. McClanahan } Chain  
12 Fred Ede } Barriers

13 Respectfully submitted

14 Louis L. Farr  
15 Special Surveyor.

17 J. H. M. Gardner, County Surveyor of Concho  
18 County, Texas, do hereby certify that I  
19 have examined the above and foregoing  
20 report of Louis L. Farr and find the  
21 same true and correct and said report  
22 correctly describes the line between  
23 Concho and Tom Green Counties as run  
24 by said Farr and myself from June  
25 15<sup>th</sup> to 20<sup>th</sup> 1891 inclusive.


26 In testimony whereof witness my  
27 official signature at Paint Rock, Texas  
28 this the 6 day of July A.D. 1891.

29 J. H. M. Gardner  
30 County Surveyor  
31 Concho Co. Texas.

1 The State of Texas & J. E. Suggan  
2 County of Tom Green & Clerk of the County Court  
3 of Tom Green County Texas do hereby certify  
4 that the above and foregoing field notes  
5 and the attached sketch of the Tom Green  
6 and Comcho County boundary line are true  
7 and correct copies of the originals now  
8 on file in this office

9 In testimony whereof witness my hand  
10 and official seal this 17<sup>th</sup> day August 1891

11 J. E. Suggan Clerk  
12 Co. Court Tom Green County



Tom Green Co ~~5~~ Bary Line 4

*Cainety Line*

between


Tom Green and Concho  
Counties

Report of  
Louis L. Farr,  
Filed Aug 22<sup>nd</sup> 1891

Examined approved and  
applied Aug 23<sup>rd</sup> 1891  
Beaumont

Abstract Corrected April  
2<sup>nd</sup> 1892 Beaumont

Burnetts County



I do hereby certify that the above sketch correctly represents the line between Tom Green and Concho Counties with regard to the lines and boundaries of the surveys shown thereon as the said line was surveyed and established by S. M. Sanders, Co. Sur. of Concho Co. and myself, June 15<sup>th</sup> to 20<sup>th</sup> 1891 inclusive as described on attached field notes.

Witness my hand at San Angelo, Texas, this 25<sup>th</sup> day of June A.D. 1891.

Louis L. Farr  
Special Surveyor for Tom Green Co. Texas

Examined and approved this 6<sup>th</sup> day of July A.D. 1891.  
S. M. Sanders  
Co. Sur. Concho Co. Texas