

1694

CERTIFIED COPY OF ORDER APPROVING RESURVEY
OF UPTON & CRANE COUNTY BOUNDARY LINE

WHEREAS, at a meeting of the Commissioners Court of Upton County, Texas, held on November 14th, 1927, the said Court ordered a re-survey of the boundary line between Crane and Upton Counties, and an agreement was made between Crane County County and Upton County to employ J. J. Goodfellow, a state surveyor, to re-survey and re-tract the aforesaid line as surveyed by R. W. Cushman and J. R. Wordsworth in February, 1911, and

WHEREAS, the said J. J. Goodfellow did make said re-survey of the common boundary line between Crane and Upton Counties as directed by the respective Commissioners Court of the said Crane and Upton Counties and based his work upon such original markings, mounds and corners as he was able to find which were identified as the markings, mounds and corners placed in said line by the said Cushman and Wordsworth in 1911;

AND, after said Common Boundary Line was run out and identified, the said Goodfellow re-marked the entire line by placing a two-inch by five-foot iron pipe at the end of each mile along said line; and

WHEREAS, on May 14th, 1928, after the completion of the said re-survey by said J. J. Goodfellow, and after he had made his report, and after said report had been placed of record in the records of Crane County and Upton County, the Commissioners' Court of Crane County entered the following order in the Minutes of said Court as appears in Volume 1, page 46 of said Minutes, to-wit:

"It is ordered by the Court that County-line-survey as surveyed by J. J. Goodfellow, surveyor, be approved"; and

WHEREAS, Upton County has not as yet entered an order approving said survey, it was therefore moved by Commissioner Rankin, and seconded by Commissioner Key, that the re-survey of the Common boundary line between Crane and Upton Counties, as heretofore made by J. J. Goodfellow, be approved, and that the line as established by the said J. J. Goodfellow Survey be adopted as the common boundary line between Crane and Upton Counties.

All Commissioners voting "Aye".

THE STATE OF TEXAS
COUNTY OF UPTON

I, Ralph H. Daugherty, Clerk of the County Court of Upton County, Texas, do hereby certify that the foregoing is a true and correct copy of the original Order Approving Re-survey of Upton & Crane County Boundary Line as the same appears of record in my office in Book 2 page 228 of the Minutes of Commissioners' Court Records of Upton County.

GIVEN UNDER my hand and official seal at my office at Rankin, Texas, this 26th day of June, A. D. 1939.

Ralph H. Daugherty
Clerk of the County Court of Upton County,
T e x a s

BY T. Windham
Deputy

10758 1839

RECEIVED

Upton Co Bdry Line 2a

Filed June 28, 1939 (To replace original which was misplaced)
Upton Co Bdry Line 2a
Bascom Giles, Conn. C

59521

RECEIVED

JUN 28 1939

REFERRED TO MAP

100

1694

CERTIFIED COPY OF REPORT OF RESURVEY BY
J. J. GOODFELLOW, SPECIAL
SURVEYOR

CRANE AND UPTON COUNTY BOUNDARY,
REPORT OF RESURVEY BY

J. J. Goodfellow, Special
Surveyor

To the Hon. Ben F. Allen County Judge of Crane County,
and Hon. J. D. Patterson County Judge of Upton County.

As special surveyor appointed by your Honorable Courts to
resurvey the common boundary between your respective counties, I
beg to submit the following report:

I was furnished by the Commissioner of the General Land
Office a certified copy of the original Survey of this line made
by R. W. Cushman and J. R. Wadsworth in February 1911 and filed in
the General Land Office February 3, 1913, with instructions from
the Commissioner of the General Land Office, to use it as my guide in
this resurvey. I also secured a working sketch from the General
Land Office of surveys adjacent to the County line to be surveyed.

With the above data as my guide, I began the work by making
a preliminary survey of the line beginning at the N. E. Corner of
Crane and N. W. Corner of Upton County as set up by said Cushman
and Wadsworth, a cedar post. From this point I ran South to find
original Mile post described in said Cushman, Wadsworth report. On
the line I found the 1st, 3rd, 4th, 6th, and 7th miles, the 6th,
and 7th mile posts were large mounds of stone. The course of the
line to this point was S. 0. deg, 25' E.

The next original post found was the 21st mile, a large mound
of rock on a North rocky hillside. The course from 7th mile to this
point was S 1 deg 17' E.

The next original post found was the 24th mile. A large mound
of rock in the valley about 700 varas South of the foot of hills.
The course from mile 21 to this point was S. 2 deg. E.

The next original post found was mile 31 a large old mound
of Stone on the S edge of the West point of the Cap Rock of Castle
Mountain. The course of the line from mile 24 to this point was

Upton Co Baldy Line 2a

S 2 deg 08' E.

The next original mile post found was 36th, a mesquite post marked "Upton Co." on E side, around which the surveyors had placed some rock and broke their jug, as described in report. The course of the line from mile 31 to this point was S. 5 deg 03' E.

The next and last post found was the S. W. Corner of Upton and S. E. Corner Crane County, as described in the Surveyor's report, a large mound of stone, one mkd "S. W. Upton Co.", the distance from original mile post 36 to this original S. W. Corner was found to be 2 miles and 1614 varas and the course South, (This post may or may not be on the North line of Crockett County.)

Returning to the original North Common Corner of these two counties, a cedar post about 7" square marked "N.E. Crane Co." on West side N. W. Upton Co." on East side and "Line Ector Co. on North side. This post is one mile and 1532 varas West of a large red sand stone about 10" x 14" at bottom and 10" swure at top and marked "S. E. Corner U. Co." on one side and "M. C. S. W. Cor" on End. This stone is lying on the ground at an excavation from which it appeared to have fallen, being about 5 feet long. I set a 2" x 5' iron pipe in mound of stone at the S. edge of above described Cedar Post, said Pipe marked "N. E. Crane Co." on W side "NW. Upton Co." on E. and "J.J.G. on South side. From this corner a mound of stone brs W. 468½ varas and another bears E 1532 varas.

Thence, with original line S 0 deg. 25' E at 1301 varas crossed S. line Survey 16, Block 42, T. 4 S. T & P R.R. Co. 788 varas North 75 deg. 37' E. from its S. W. Corner in all 1901 varas and set a 2" x 5' iron pipe mkd "U. Co." on E.- "C.Co.". on W. "J.J.G." on South and "1 Mile" on N Side, in a mound of stone, 1 vr. North of a Mes. stake in Earth md the original Mile post No. 1.

Thence S 0 deg. 25' E. at 1374 varas crossed S line Survey 21, Block 42, T 4S. T & P Ry Co. 272, varas N. 75 deg 37' E.

from its S. W. Corner, in all 1901 varas and set 2" x 5' Iron Pipe in mound stone in a dry lake, pipe marked "U Co." on E. "C. Co." on W. "J.J.G." on S. and "2 M." on North side.

Thence S 0 deg ^(?) 27' E at 1441 varas crossed S line Survey 29, said Block 253 varas S 75 Deg. 37' E. on its S. E. Corner in all 1901 varas and set 2" x 5' Iron pipe in md stone 2 varas North of old mes. stake in Earth mound the original mile 2 on Cushman-Wadsworth line, said pipe marked "U. Co." on East- "C. Co." on W. "J.J.G." on S. and "3 M. " on North side.

Thence S. 0 deg. 25' E. at 1525, varas crossed the South line of Survey 32, said township, 777 varas S. 75 deg. 37' W of its N. E. Corner, in all 1901 varas and set 2" x 5' iron pipe, in mound of stone, 3 varas W of an old mound of earth in a circle pit, Cushman-Wadsworth original 4 mile post. Pipe marked "U.Co." on E. - "C. Co." on W. "J.J.G." on S. and "4 M" on North side.

Thence S 0. deg 25' E at 1566 varas crossed S line Survey 41 said Block 607 varas N. 75 deg 37' E of its S. W. Corner and 716 varas North 75 deg 37' E. of the N. W. Corner Survey 44 same block, in all 19 01 varas and set 2" x 5' Iron pipe in mound stone in a draw (Co.W.) no original post found. Said pipe mkd. "U.Co." on E. "C. CO." on West "J.J.G." on S and "5M." on North side.

Thence S. 0. deg 25 E at 1630 varas crossed S. line Survey 44, Block 42, T. 4S 213 varas N 75 E. of its S. W. Corner and 89 varas N. 75 deg. E. from the N. W. Corner of Survey 5, Block 42 T. 5. S. T & P Ry. Co. in all 1901 varas and set 2" x 5' iron pipe in md. stone, 8 varas North of a large old mound of stone the original 6 mile post on Cushman-Wadsworth line. Said pipe marked "U.Co." on E - "C.Co." on W. "J.J.G." on South and "6.M." on North side.

Thence S. 0. deg 25' E. at about 60 varas crossed branch (co. S.W.) at 1725 varas crossed S line Survey 6 T. 5 S. 452,

varas S. 75 deg. 36' "from its S. E. Corner and 357 varas S. 75 deg. 36' W from N. E. Corner Survey 7 this Block at 950 varas on high ridge in all 1911 varas to original 7th mile post on Cushman-Wadsworth line, an old mound of large stone in Valley near the foot hill, whence a 2" x 5' iron pipe set in mound of stone bears North 16 varas, said pipe mkd "U. Co." on East "C. C. C" on W. "J.J.G." on S and "7.M." on North side.

Thence, from said old mound of stone, the original 7th mile, S. 1 deg. 17' E at 1777 varas crossed the S. line of Survey 7T. 5. S. 815 varas S. 75 deg. 41' W. of its S. E. corner and 861½ varas S. 75 deg. 41' W of the N. E. Corner Survey 18, same Block, in all 1901 varas and set 2" x 5' iron pipe in mound of stone, pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on South and "8.M." on North, side.

Thence S. 1 deg. 17' E 1901 varas and set 2" x 5' iron pipe in mound stone pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S and "9.M." on North side.

Thence S 1. deg. 17' E. 1901 varas and set 2" x 5' iron pipe in mound of stone, said pipe marked "U. Co." on East -"C. Co." on W "J.J.G." on S and "10 M." on N. side.

Thence S 1 deg. 17' E. at 12 varas crossing S line Survey 19, T. 5 S. 96 varas N. 75 deg. 37' E. from its S. E. Corner at 402, varas crossed the E line of Survey 25 Block 30 U of T lands 423 varas S. 15 deg. 30' E. of its N. W. Corner at 1700 varas on sand hill in all 1901 varas and set 2" x 5' iron pipe, in mound stone in low sandy ground pipe marked ". Co." on E. "C. Co." on West "J.J.G." on S. and "11.M." on North side.

Thence S. 1 deg 17' E. 34 varas crossed S. line Survey 25 Block 30, at 1237 varas set 1" iron pipe 65 varas E. of a water well, in all 1901 varas and set a 2" x 5' iron pipe in mound of stone in smooth sandy land, said pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on South and "12M." on North side.

Thence S. 1 deg. 17' E. 1901 varas and set 2" x 5' iron pipe in mound stone on sodded sand ridge, said pipe marked "U.

Co." on E. -" C. Co." on W. "J.J.G." on South and "12 M." on

North side.

Thence S 1 deg 17' E. 1901 varas and set 2" x 5" iron pipe in mound stone in a sink hold in level sandy land (inoil fields) said pipe mkd "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "14.M." on North side.

Thence S. 1 deg. 17' E. at 224 varas crossed the S line of Survey 48, Block 30, U. of T. lands 54 varas N. 75 deg. 34 E. of its S. W. Corner (as now surveyed on ground) at 312 varas crossed the N. line of Survey 200 Block "F", C.C.S.D. & R.G.N.G. Ry. Co. 33 varas S. 75 deg. 23' W of its N. E. Corner, in all 1901 varas and set 15th mile post a 2" x 5' iron pipe in a mound of stone in Sandy land, set post mkd "U.Co." on E. "C.Co." on W. "J.J.G." on S. and "15.M." on North Side.

Thence S 1 deg. 17' E. 1950 varas and set mile post 16 a 2" x 5' iron pipe in a mound of stone on a small sand hill, said pipe marked "U.Co." on E. "C. Co." on W. "J.J.G." on S. and "16 M." on North side.

Thence S 1 deg. 17' E at 375, varas crossed the S. line of Survey 199 Block "F" varas N. 75 deg. 23' E. from its S. W. Corner, in all 1901 varas and set 17th mile post a 2" x 5' iron pipe in a mound of stone on low gravelly hill, said pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S and "17 M." on North side.

Thence S 1 deg. 17' E. through the Gulf Production Cos. material yards and camp at 431, varas crossed the S. line of Survey 198, said Block "F" 378 varas N. 75 deg. 23' E. of its S. W. Corner at 530 varas set 2" x 5' iron pipe in E. line of a street in said Gulf Production Co.s camp at 1864 varas crossed the McCamey-Odessa Road, in all 1901 varas and set 18 mile post, a 2" x 5' iron pipe in a mound of stone on a N. rocky hillside, said pipe mkd "U.Co." on E. "C. Co." on W. "J.J.G." on S. and "18.M." on North Side.

Thence S 1 deg. 17' E at 486 varas crossed S line Survey 204 Block "F" 118 varas S. 75 deg. 23' E. of its S. E. Corner, at 700 varas in edge of small dry lake, in all 1901 varas and set 19th mile post a 2" x 5' iron pipe in mound of large stone in valley S. of a ridge, said pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S and "19M." on North side.

Thence S. 1 deg 17' E 1901 varas and set 20th mile post on a low gravelly ridge a 2" x 5' iron pipe in a mound of stone, said pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S. and "20 M." on North side.

Thence S. 1 deg 17' E. at 598 varas crossed S. line Survey 206 Block "F", 793 -varas N. 75 deg. 23' E. of S. W. Corner in all 1901 varas and set 21st mile post a 2" x 5' iron pipe in a mound of stone at North edge of a large old mound of stone on North slope of a rocky ridge the original 21st mile post on Cushman-Wadsworth line, said pipe marked "U. Co." on E. "C.Co." on W. "J.J.G.". on S. and "21 M." on North side.

Thence S 2 deg. E. at 624, varas crossed S. line Survey 207, Block "F", 306 varas N. 75 Deg. 23' E from its S. W. Corner, in all 1901 varas and set 22nd mile post in a mound of stone a 2" x 5' iron pipe marked "U. Co." on E. "C.Co." on W. "J.J.G." on S. and " 22 M." on North side.

Thence S. 2 deg. E at 10 varas crossed W line Survey 208 at 699 varas crossed S line Survey 209, Block "F" 167 varas S. 75 deg. 23' " from its S. E. Corner in all 1901 varas and set 23rd mile post in a mound of stone in a draw (co") a 2" x 5' iron pipe mka. "U.Co." on E. "C. Co." on W. "J.J.G." on S. and "23M." on North side.

Thence S. 2 deg. E at 1400 varas brow of breaks, at about 1600 varas foot of hill, in all 1933 varas to a large old mound of stone in valley the original 24th mile post on Cushman-Wadsworth line here set 2" x 5' iron pipe marked "U.Co." on E.

"C. Co." on W. "J.J.G." on S. and " 24 M." on North side.

Thence S 2 deg 08' E at 826, varas crossed the S. line Survey 87, Block "X" 109 varas S. 75 deg. 08' W. of its S. E. Corner, at 1344 varas crossed the stage road running through Castle Gap to Horsehead Crossing on Pecos River, in all 1901 varas and set 25th mile post in a mound of stone on level grease wood flat, a 2" x 5' iron pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S. and " 25, M." on North side.

Thence S 2. deg. 08' E in all 1901 varas and set 26th mile post in a mound of stone in Grease wood flat a 2" x 5' iron pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S and "26 M." on North side.

Thence S 2 deg 08' E at 946 varas crossed S. line Survey 93, Block "Y", 1076 varas S. 75 deg. 08' W of its S. E. Corner in all 1901 varas and set 27th mile post in a mound of stone a 2" x 5' iron pipe mkd. "U. Co." on E. " C. Co." on W. "J.J.G." on S. and "27 M." on North side.

Thence S. 2 deg. 08' E at 1098 varas a point 193, varas W. of a S. W. Corner Survey 2, J. A. Prater and 254, varas W. of the S. W. Corner Survey 1, J. A. Prater in all 1901 varas and set 28th mile post in a mound, in level land a 2" x 4' iron pipe marked "U.Co." on E. "C. Co." on W. "J.J.G." on S. and "28 M." on North Side.

Thence S. 2 deg. 08' E. at 1095 varas a point 635 varas W. of S. W. Corner of Survey 11, Block 3 $\frac{1}{2}$ at 1844 varas crossed N. line Survey 3, G. C. & S. F. Ry. Co. 192, varas E. of its N.W. Corner, in all 1901 varas and set 29th mile post in a mound of stone in level land, a 2" x 6' iron pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S and "29 M." on North side.

Thence S. 2 deg. 08' E at 1771 varas crossed old fence line in all 1901 varas and set 30th mile post in mound of stone a 2" x 5' iron pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S. and "30. M." on North side.

Thence S. 2 deg. 08' E at 50 varas a small gravelly

ridge at 226 var

c o c 6

cont 59528

ridge at 226 varas crossed the N. E. line of Survey 22, Block 35, H & T C Ry Co. 511 varas S. 50 E. from its N. Corner at 1550 varas began to ascend W slope of W end of Castle Mt. in all 1901 varas and set 2" x 5' iron pipe in a mound of stone on N. W. hillside of Castle Mt. said pipe marked "U. Co." on E. "C. Co." on W "J.J.G." on S. and "31 M." on North side.

Thence S. 2 deg. 08' E. at 180 varas N. W. point of cap rock at 190 varas passed about 50 E of E. end of "Castle Rock" in all 352, varas to a large old mound of stone on cap rock at S. W. edge of same the original 31st mile post on Cushman-Wadsworth line, set a 2" x 5' iron pipe in mound of stone at W side of said original rock mound.

Thence S. 5 deg. 03' E at 65 varas crossed the S. E. line of Survey 22, said H & T C Ry Block 370 varas N. 40 E. from its S. corner in all 1657 varas and set mile post 32, in mound stone a 2" x 5' iron pipe marked "U. Co." on E. "C. Co." on W "J.J.G." on S. and "32. M." on North side, a large newly set stone marked C. L. on E. side bears N. $75\frac{1}{2}$ E 143 varas.

Thence S 5 deg. 03' E. crossing the S. E. line Survey 24, H & T C Ry. 369 varas N. 40 E. from its S. corner in all 1901 varas and set mile post 33 in a mound of stone, a 2" x 5' iron pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S. and "33 M." on North side.

Thence S 5 deg. 03' E. 1901 varas and set mile post 34 in a mound in grease wood flat a 2" x 5' iron pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S. and "34 M." on North side.

Thence S. 5 deg. 03' E. crossed N. E. line Survey 40 Block 35 H & T C Ry. 344 varas S. 50 E. from its N. Corner, in all 1901 varas and set mile post 35 in a mound of stone a 2" x 5' Iron pipe marked "U. Co." on E. "C. Co." on W. "J. J. G." on S. and "35 M". on North side.

Thence S 5 deg. 03' E. at 950 varas low sand ridge, in all 1901 varas to Cushman-Wadsworth 36th mile post a cedar post marked Upton Co. on E. side and set in ground with rock and broken jug around it whence the N. Corner of Survey 46, Block 35, Brs. N. 20 W. 878 varas here we set a 2" x 5' iron pipe on North side of said cedar post and placed some large stones around same, said pipe marked "U. Co." on E. "C. Co." on W. and "J.J.G." on S. and "36 M." on North side.

Thence due South at 1443 varas set large stone marked "Co. line" on North side, in North line of San Angelo, Fort Stockton road, in all 1901 varas and set mile post 37 in a mound of stone in level Sandy land, a 2" x 5' iron pipe marked "U. Co." on E. "C. Co." on W "J.J.G." on South and "37 M" on North side.

Thence due South, at 843, varas set a 2" x 5' iron pipe in mound of stone on North line of Rt. of way of K.C.M. & O.R.R. Co. said pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S. and "Co. line " on North side at 863 varas crossed said R.R. tract, in all 1901 varas and set 38th mile post in mound of rock in Sand Hills, said pipe marked "U. Co." on E. "C. Co." on W. "J.J.G." on S. and "38 M." on North side, whence W end of a ridge bears S. 48 deg. 10' E about 3/4 mile distance., the N. E. point of rim rock bears S. 74 E. the center of top of a round mt. vs. N 89-3/4th E. about 1 mile, a windmill brs S. 88 3/4 W about 3/4 mile.

Thence due South at 632 varas crossed the S. W. line of Survey 56 Block 35, H & T C Ry Co. 320 varas North 50 W. from its S. Corner, in all 1614 varas to a large old mound of stone one marked "S. E. Upton Co." " S. E. Crane Co." the original S common corner of Upton and Crane Counties as established by Cushman and Wadsworth, at this point we set a 2" x 5' iron pipe in a very large mound of stone, said pipe marked "S.W.U. Co." "S. E. C. Co." "J.J.G." on S. and "38 1722 varas" on North side. Attached is a

map which is made a part of this report.

Surveyed from March 21st, to April 12, 1928.

W. J. Hurd, Transit Man

John Christie)
Roy Bennett) Chain Carriers

Signed this the 28th day of April 1928.

J. J. Goodfellow Special Surveyor,
to resurvey Co. line.

Following is a list of the surveys through which the
County Line runs showing the acreage in each County of said Surveys.

Survey No.	Block No.	Township	Names of Survey	Acres in C.Co.	Acres in U. Co.
16	42	4-S	T & P RR Co.	245.2	197.2
21	42	4-S-	"	178.4	461.6
28	42	"	"	23.5	658.9
29	"	"	"	619.2	20.9
32	"	"	"	510.0	174.4
41	"	"	"	291.2	349.9
44	"	"	"	155.5	508.6
5	"	T 5S	"	2.5	637.5
6	"	"	"	606.1	64.9
7	"	"	"	442.0	198.0
18	"	"	"	282.9	375.0
19	"	"	"	116.5	523.5
30	"	"	"	3.6	660.3
25	30	"	University Ld.	588.4	51.6
36	"	"	"	428.1	211.9
37	"	"	"	264.2	375.8
48	"	"	"	100.2	539.8
			J. M. Cowden	34.0	33.5
200	F		CCSD & RGNG RR Co.	545.6	94.8
199	"		"	378.3	262.0
198	"		"	210.7	429.6
197	"		"	48.3	592.0
204	"		"	635.5	4.8
205	"		"	517.1	123.2
206	"		"	356.1	285.2
208	"		"	184.4	455.9
209	"		"	630.3	10.0
6	"		J. H. Gibson	504.6	135.4
90	Y		G.C. & S. F. RR.	51.4	610.1
87	"		CCSD & RGNG R.R.	655.7	4.1
92	"		G. C. & S. F. RR	527.3	118.1
93	"		F. Rooney	364.7	280.7
2			Julia M Prater	589.0	104.0
6			W. P. L. Nugent	733.9	310.7
3			G.C.&S.F. R.R.Co.	103.1	503.5
22	35		H & T C RR	448.4	189.2
23	"		"	12.1	634.1
24	"		"	439.6	212.4
35	"		"	12.0	640.4
34	"		"	437.0	217.1

<u>Survey No.</u>	<u>Block No.</u>	<u>Township</u>	<u>Name of Survey</u>	<u>Acres in Car Co. in</u>	<u>Acres in U. Co.</u>
39	35		H & TC RR. Co.	10.3	642.7
40	"		"	428.1	220.5
47	"		"	9.3	640.2
46	"		"	396.1	243.9
56	"		"	244.1	395.9
57-	"		"	445.7	110.2

Accompanying this report is the certified copy, from the General Land Office of the Cushman-Wadsworth Report of Original Survey, which I used as a guide in making this resurvey.

J. J. Goodfellow,
Special Surveyor

* * * * *

THE STATE OF TEXAS
COUNTY OF UPTON

I, Ralph H. Daugherty, Clerk of the County Court of Upton County, Texas, do hereby certify that the foregoing is a true and correct copy of the original J. J. Goodfellow's report of Resurvey of the Crane and Upton County boundary line as the same appears of record in my office in Book 2 Page 46 to 51 of the Minutes of the Commissioners' Court Records of Upton County.

GIVEN UNDER my hand and official seal at my office at Rankin, Texas, this 26th day of June, A. D. 1939.

Ralph H. Daugherty
Clerk of the County Court Upton County,

BY T. W. Windham
Deputy

20210
anti 59532

Upton Co Bdry Line 2a

(7)

Rec'd in GLO 6-28-1939

RECEIVED

JUN 28 1939

REFERRED TO MAP

200
" 200
" 200