

DISTRICT AND COUNTY CLERK

KIMBLE COUNTY.

W. G. BOYLE, CLERK.

3210

JUNCTION CITY, TEXAS,

Aug. 28 1895

Hon. Andrew J. Baker
Comr. Genl Land Offic
Austin

Dear Sir:

Please find herewith the report
of surveyors of the establishment
of Mason and Kimble County boundary
lines, record in the minutes
of the Commissioners Court.

Respy.

W. G. Boyle, clk

{ The State of Texas
{ County of Kimble }

To the Honorable Commissioners

Court of Kimble County, Texas.

In compliance

with an order of your Court made at the February Term A.D. 1895 I. in company with J. D. Hurley County Surveyor of Mason County appointed by the Commissioners Court of said County to survey and establish the lines between Mason and Kimble Counties proceeded on the 27th day of May 1895 to make a survey, mark out, and establish mile mounds on said lines, and to make connections with the corners of original surveys crossed by said lines.

To wit: the South line of Mason County, the same being a part of the North line of Gillespie (Gillespie having been duly notified) and Kimble Counties, and the west line of Mason County so far as Kimble County extends on said line - the object of this survey being to definitely fix said lines and to furnish data from which the abstracts of lands in said Counties may be corrected, and I herewith submit the following field notes, plat and accompanying explanations to my report of said work - we find it necessary to state that many of the old corners can not be identified by the original bearings, hence we give only such as can be - we also find that lines of surveys purporting to run on the same variation were actually run on different variations, some surveys are excessive while others are short, we make this explanation to account for certain calls which otherwise might appear inconsistent

Field notes of South line of Mason County

1st Mile

Beginning at the S.W. cor. of Llano County and the S.E. cor. of Mason County as established by Wm Kyle County Surveyor of Llano County in 1887. a large stone and mtd. L on the East bank of Cherry Spring branch from which a forked pecan 20" each prong mtd. L. bns. N 38° 7 $\frac{3}{5}$ vs. a Sp. O. 6" mtd x bns S 44° 6.6' vs. a stone md. bns North 275 vs. from which a L. O. 14" bns S 40 W. 1 $\frac{4}{5}$ vs. mtd $\frac{x}{2}$. Thence West at 30 vs. the West bank of Cherry Spring branch at 1131 vs pass a rock md. at 1569 vs cross wire fence. at 1882 vs. the N.E. cor. of No 631 M.T. Flores bns South 412 $\frac{3}{5}$ vs. 1900 vs. to stoned md. mtd N. directly on East bank of Marshall, ^{cut} from which a L. O. 12" mtd. N. bns N 61 E. 9 $\frac{4}{5}$ vs. a L. O. 14" mtd G bns S 65 $\frac{1}{2}$ W. 18 $\frac{2}{5}$ vs.

2nd Mile

Thence West at 182 $\frac{1}{2}$ vs. the West bank of Marshall Creek at 1677 vs. cross dry creek. 1900 vs. to stone md. mtd. 2 N. from which P.O. 12" bns mtd N. N. 5 $\frac{1}{4}$ W. 5 vs. - a P.O. 20" mtd G bns S 11 E. 25 $\frac{4}{5}$ vs.

3rd Mile

Thence West at 1590 vs. cross Fredericksburg and Mason road at 1641 vs. a stone md. on slope of Mountain bns South 123 vs. the S. W. cor. of No 129 Joseph Borden bns South 377 vs. 1900 vs to stone md. mtd 3 N. on top of ~~the~~ Mountain from which a round knot bns S 20 $\frac{3}{4}$ E. and House Mountain bns N. 40 E. about 9 miles

4th Mile

Thence West at 650 vs. cross branch - at 832 vs. cross branch
 at 1065 $\frac{1}{2}$ vs. the S. W. cor. of N° 621 trs South 104 $\frac{3}{5}$ - at 1760
 cross deep ravine. 1900 vs. to stone md. mtd. 4 M. from which
 a fkd. L. O. 10" mtd X (both prong) trs S 47 W. 61 $\frac{2}{5}$ vs. - a
 L. O. 5" mtd X trs. N 4 $\frac{1}{4}$ W. 41 $\frac{1}{5}$

5th Mile

Thence West at 756 vs. a stone md. trs South 100 vs. and from
 said md. a L. O. 10" trs N 56 $\frac{1}{2}$ W. 61 $\frac{1}{2}$ vs. at 939 vs. cross wire
 fence - at 960 vs. cross road. at 1115 vs. cross dry branch
 1900 vs. to stone md mtd 5 M. from which an Elm 6"
 mtd X trs S 42 $\frac{1}{4}$ E. 13 $\frac{1}{2}$ vs. - an Elm 10" mtd X trs N 23 $\frac{3}{4}$ E. 52 vs.

6th Mile

Thence West at 1030 vs. cross ravine - at 1169 vs. cross ravine
 at 1500 vs. cross ravine 1900 vs. to stone md. mtd 6 M. on West
 slope of hill from which a flat rock mtd M trs N 5 $\frac{1}{2}$ E. 12 vs.
 a flat rock mtd G trs S 11 $\frac{1}{4}$ W. 10 $\frac{4}{5}$ vs.

7th Mile

Thence West at 691 vs. the west bank of Squaw Creek at 771 $\frac{1}{2}$
 the S. E. cor. of N° 53 - J. V. Murray trs South 180 vs. at 1875
 vs. cross wire fence 1900 vs. to st. md. mtd. 7 M. from
 which a rock mtd X trs S 2 $\frac{1}{2}$ E. 3 vs.

8th Mile

Thence West at 320 vs. cross a draw of Squaw Creek at
 663 vs. cross old road - at 978 $\frac{1}{2}$ vs. a stone md. trs South 4000.
 from which an Elm 5" trs N 7 $\frac{1}{2}$ E. 17 vs. - an Elm 5" N 10 E. 26 vs.
 mtd (X) from said md. another another stone md. trs North
 341 vs. and East 6 $\frac{3}{5}$ vs. from which a L. O. 4" trs N 67 $\frac{1}{2}$ E. 9 $\frac{1}{2}$ vs.
 a L. O. 6" trs N 66 $\frac{1}{4}$ E. 10 vs. - at 1360 vs. cross draw of Spreadgill
 Creek - at 1500 vs. a draw Thence with draw at 1610 leave
 draw 1900 vs. to st. md. mtd. 8 M. from which a flat rock
 mtd M. trs N 4 $\frac{1}{2}$ W. 66 vs. - a flat rock mtd G trs S 49 W. 3 $\frac{4}{5}$ vs.

4

9th Mile

Thence West at 383 vs the East bank of Treadgill Creek - at 420 vs. the West bank of same - at 630 vs. the N.W. cor. of N° 55 - J. V. Maesey bros. North 679 vs. - at 1062 vs. cross ravine at 1280 vs. cross ravine 1900 vs. to st. md. mtd. 9 M. - 3 $\frac{1}{2}$ vs. west of a wire fence from which a L.O. 12" bro N 67 $\frac{3}{4}$ E. 38 $\frac{3}{4}$ vs. mtd. M. - a three pronged Elm 15" mtd G. bro S 43 $\frac{3}{4}$ E. 25 vs.

10th Mile

Thence West at 140 vs. cross ravine - at 475 vs. cross ravine at 655 $\frac{3}{4}$ vs. the S.E. cor. N° 58. - J. V. Maesey on West line of N° 919 bro South 216 $\frac{1}{2}$ at 785 vs. cross wire fence - at 1071 $\frac{1}{2}$ vs. cross rock fence - at 1123 vs. cross rock fence - at 1632 vs. cross wire fence 1900 vs. to st. md. mtd. 10 M. from which a L.O. 12" mtd M. bro N 31 $\frac{1}{2}$ W. 10 $\frac{1}{2}$ vs. - a L.O. 12" mtd G. bro S. 61 W. 57 $\frac{3}{4}$

11th Mile

Thence West at 4 vs. cross road. at 122 $\frac{3}{4}$ vs. cross road in draw. at 874 vs. cross draw at 1817 $\frac{3}{4}$ vs. the S.E. cor. N° 328 bros South 265 $\frac{1}{2}$ vs. at 1836 cross draw. 1900 vs. to st. md. mtd 11 M. from which a L.O. 15" mtd M. bro N 5 W. 16 $\frac{2}{5}$ vs. a L.O. 15" mtd G. bro N 67 $\frac{3}{4}$ W. 16 $\frac{4}{5}$ vs.

12th Mile

Thence West at 840 vs. cross wire fence at 976 vs. cross wire fence 1900 vs. to stone md. mtd. 12 M. from which a L.O. 15" mtd G. bro S 27 $\frac{3}{4}$ W. 28 vs. - a L.O. 12" mtd M. bro N 88. 41 vs.

13th Mile

Thence West at 36 vs. cross wire fence on old marked line (the S.W. cor. N° 328 not found) at 384 vs. cross road at 866 vs. cross road at 1210 vs. cross ravine - at 1843 vs. cross road 1900 vs. to st. md. mtd 13 M. on south side of old road. from

which a P.O. 12" mld G bns S $38\frac{1}{2}$ W. 7 $\frac{1}{2}$ vs. - a P.O. 18" mld N. bns
N $67\frac{1}{4}$ W. 21 $\frac{1}{2}$ vs.

14th Mile

Thence West at 80 vs. the S.W. cor. N° 332 - Samuel Cunningham
bns South 246 $\frac{3}{4}$ vs. at 482 vs. cross wire fence at 822 vs.
the S.E. cor. N° 120 L. Evers bns North 346 the N.W. cor. N° 139
bns North 926 vs. at 1390 vs. cross ravine at 1760 vs. cross
ravine 1900 vs. to st. md. mld. 14 M. from which a flat rock mld
N. bns N $11\frac{1}{2}$ W. 18 $\frac{1}{2}$ vs. - a Sp. O. 3" mld X bns S $70\frac{1}{2}$ W. 20 $\frac{1}{2}$ vs.

15th Mile

Thence West at 88 vs. 125 vs. the S.W. cor. N° 120 bns North
338 $\frac{1}{2}$ vs. - at 585 vs. from which a st. md. bns South 160 vs.
and from said md. a L.O. bns N $49\frac{1}{2}$ W. 53 vs. at 585 vs. cross
ravine at 1600 vs. cross ravine at 1707 $\frac{1}{2}$ vs. cross wire
fence 340 vs. South of a st. md. from which a Sp. O. 10"
mld X bns S 76 W. 7 $\frac{1}{2}$ vs. - 1900 vs. to st. md. mld 15 M. from
which a L.O. 10" mld. N. bns N $158\frac{1}{2}$ E. 54 $\frac{1}{2}$ vs. - a L.O. 18" mld G
bns S $67\frac{1}{2}$ W. 99 $\frac{1}{2}$ vs.

16th Mile

Thence West at 855 vs. cross road at 1538 vs. cross ravine
at 1770 vs. cross Spring branch - in all 1900 vs. to stone md.
mld 16 M. from which a L.O. 3" mld X bns S 58 W. 13 $\frac{3}{5}$ vs. - a L.O.
3" mld X bns N $20\frac{3}{4}$ E. 5 $\frac{1}{2}$ vs.

17th Mile

Thence West at 105 vs. cross road at 368 vs. cross ravine
at 720 vs. cross ravine at 1180 vs. cross ravine at 1736 vs. the
S.E. cor. N° 362 bns North 126 $\frac{3}{4}$ vs. in all 1900 vs. to stone md.
mld 17 M. on south slope of mountain from which a Sp. O.
mld. G. 12" bns S. 34 $\frac{1}{2}$ E. 23 $\frac{2}{5}$ vs. - a rock mld N. bns N $39\frac{1}{2}$ W. 1 vs.

18th Mile

Thence West at 140 vs. cross road. at 423 $\frac{4}{5}$ vs. cross rock
fence at 758 vs. cross East fork of Salt Cut at 782 vs.

the S.W. cor. N^o 362. frs North 114 $\frac{1}{2}$ vs. at 1000 and 1500
 cross East fork of Salt Creek in all 1900 vs. to stone md. mtd
 18 M from which a L.D. 10" mtd G frs S 52 $\frac{1}{4}$ E 21 $\frac{1}{2}$ vs. - a meag. 12"
 frs N 68 $\frac{3}{4}$ E 15 $\frac{1}{2}$ vs.

19th Mile

Thence West at 141 vs cross road at 545 vs. cross a prong of
 Salt Creek at 681 and 900 vs. recross road at 1856 vs. cross
 wire fence in all 1900 vs. to meag. post mtd 19 M from
 which a P.O. 14" mtd G frs S 32 $\frac{1}{4}$ E 4 $\frac{1}{2}$ vs. - a P.O. 20" mtd N.
 frs N 15 $\frac{1}{2}$ E 35 $\frac{1}{2}$ vs.

20th Mile

Thence West 1900 vs. to stone md. mtd 20 M. from which
 a meag. 14" mtd N. frs N 8 $\frac{1}{2}$ W. 30 $\frac{1}{2}$ vs. - a meag. 5" mtd X
 frs S 44 $\frac{1}{4}$ E. 28 $\frac{1}{2}$ vs.

21st Mile

Thence West at 520 vs. a stone md. mtd N.W.G - N.E.K. from
 which a meag. 5" mtd G frs S 32 $\frac{1}{4}$ E 9 $\frac{1}{2}$ vs. - a meag. 5" mtd K.
 frs S 40 W. 32 vs. - a rock monument on top of mountain
 frs N 22 $\frac{1}{4}$ E. - a large stone md. mtd N.E.K - N.W.G. made
 by Wickrey and Schuchard. from which a stone monument on
 a high mountain frs S 39 $\frac{1}{4}$ W. - a meag. 12" frs S 47 $\frac{1}{4}$ W. 55 vs.
 a meag. 12" frs S 52 E. 30 $\frac{3}{4}$ vs. frs North 1557 vs. - at 665
 vs. the N.W. cor. N^o 688 - F.A. Ruiz frs. North 1684 vs. at 1140
 vs. the top of a mountain in all 1900 vs. to stone md. mtd
 21 M. from which a meag. 10" mtd N. frs N 50 $\frac{1}{2}$ W. 31 vs. - a meag.
 6" mtd K. frs S 52 $\frac{1}{2}$ E. 16 $\frac{3}{4}$ vs.

22nd Mile

Thence West at 960 vs. cross West prong Salt Creek 1900
 vs. to stone md. mtd 22 M. from which a meag. 5" mtd K. frs
 S 43 $\frac{1}{4}$ E. 7 $\frac{1}{2}$ vs. - a meag. 5" mtd N. frs N 10 $\frac{1}{2}$ W. 17 $\frac{1}{2}$ vs.

23rd Mile

1 Thence West at 539 vs. cross wire fence in gap of mountain
 2 a large pond by North 1330 vs. 1900 vs. to st. mtd. mtd.
 3 23 M. from which a rock mtd. K. by S 79° E 16 $\frac{2}{5}$ vs. - a L. O. 12 $\frac{1}{2}$
 4 mtd. N. by N 57 $\frac{3}{4}$ W. 81 vs.

24th Mile

5 Thence West at 1240 vs. the top of mountain 1900 vs. to
 6 st. mtd. mtd 24 M. from which a mesg 8" mtd N. by
 7 N 10 W. 33 $\frac{4}{5}$ vs. - a mesg 4" mtd x by S 6° W. 19 vs. a rock
 8 bluff on west side of mountain by S 35 $\frac{1}{2}$ E.
 9

25th Mile

10 Thence West at 76 vs. cross road - at 1540 vs. cross draw
 11 of James River 1900 vs. to stone mtd. mtd. 25 M. from
 12 which a L. O. 15" mtd. K. by S 45 $\frac{1}{2}$ E 12 $\frac{4}{5}$ vs. - a L. O. 14" mtd.
 13 N. by N 8 W. 36 $\frac{2}{5}$ vs.

26th Mile

14 Thence West at 425 cross draw - at 1070 vs. cross ravine
 15 at 1480 vs. cross James River about 200 vs. below the
 16 junction of East and West fork. at 1831 vs. the N. W. cor. N^o 338 by north 961 vs.
 17 1900 vs. to stone mtd. mtd. 26 M. from which a L. O. 18 $\frac{1}{2}$ mtd. K. by S 56 $\frac{1}{2}$ W. 19 vs.
 18 a L. O. 9" mtd. N. by N 41 $\frac{3}{4}$ W. 27 $\frac{4}{5}$ vs.

27th Mile

19 Thence West at 108 vs. cross ravine. at 205 vs. cross old
 20 road. at 487 vs. cross West fork James River 1900 vs. to stone
 21 mtd. in bed of West fork James River from which a L. O. 30"
 22 mtd. 27 M. by N 1° W. 53 $\frac{1}{2}$ vs. - a rock mtd. K. by S 18 $\frac{1}{2}$ W.
 23 69 $\frac{2}{5}$ vs.

28th Mile

24 Thence West at 131 $\frac{1}{2}$ vs. the N. W. cor. N^o 338 - T. Coy bns
 25 North 699 vs. at 366 vs. cross creek 1900 vs. to stone mtd. mtd.
 26 28 M. from which a L. O. 12 $\frac{1}{2}$ mtd. N 74 W. 63 $\frac{4}{5}$ vs. - a mesg 8" mtd. K. by
 27 S 49 $\frac{1}{4}$ W. 62 $\frac{4}{5}$ vs.

29th Mile

1 Hence West at $250\frac{3}{5}$ vs. the N. W. cor. 349-C. Perea bns North
 2 $696\frac{3}{5}$ vs. at 1140 vs. cross a dry cut 1900 vs. to stone md.
 3 mtd. 29 M. from which a mesg. 6" mtd. N. bns $765\frac{1}{2}$ E. 15 vs.
 4 a mesg. 4" mtd. K. bns $840\frac{1}{2}$ W. $13\frac{1}{2}$ vs.

30th Mile

7 Hence West at 316 vs. the N. W. cor. $7^{\circ}35'4$ bns. North
 8 $724\frac{1}{2}$ vs. at 416 vs. cross wire fence 1900 vs. to stone md.
 9 mtd. 31 M. on East slope of mountain. from which a rock
 10 mtd. K. bns 819 W. $1\frac{1}{2}$ vs. - a rock mtd. 30 M. bns $71\frac{1}{2}$ W. $4\frac{4}{5}\%$ vs.

31st Mile

12 Hence West at 358 vs. cross head of deep ravine at $637\frac{2}{5}$
 13 vs. the S. E. cor. $7^{\circ}3$. G. H. and S. A. Ry Co. bns North $335\frac{4}{5}$ vs.
 14 at 1000 vs. cross deep ravine. at 1550 vs. cross deep
 15 ravine at 1840 vs. cross deep ravine 1900 vs. to stone
 16 monument 4 feet high, erected for the S. W. cor. of Mason
 17 County and a corner of Trimble County mtd. S. W. M.-C. K.
 18 from which a rock mtd. K. bns $845\frac{3}{4}$ E. 7 vs. - a rock
 19 mtd. M. bns $787\frac{1}{4}$ E. $9\frac{2}{5}$ vs.

20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32

Field Notes of West Line of Mason County

1st Mile
 Beginning at a stone monument 4 feet high
 the S. W. cor. of Mason County, from which a rock
 mtd. K. bros S $40\frac{3}{4}$ E. 7 vs. - a rock mtd M. bros N $87\frac{1}{2}$ E. 9 $\frac{3}{4}$ vs.
 Thence North at 120 vs. cross spring branch 1900 vs.
 to stone mnd. mtd. 1M. from which a L. O. 5" mtd X bros
 S 42 E. 6 $\frac{3}{5}$ vs. a L. O. 3" mtd X bros N $\frac{1}{2}$ E. 26 $\frac{3}{5}$ vs.

2nd Mile

Thence North at 349 vs. the S. E. cor. N $^{\circ}44$ and S. W. cor.
 N $^{\circ}43$ - G. C. and St. F. Ry. Co. bros West 199 $\frac{2}{5}$ vs. at 355 vs.
 cross ravine at 560 vs. cross branch. at 1812 $\frac{1}{2}$ vs.
 cross wire fence 1900 vs. to stone mnd. mtd 2M.
 from which a L. O. 5" mtd M. bros N $89\frac{1}{2}$ E. 54 $\frac{3}{5}$ vs. - a L. O.
 8" mtd K. bros S $16\frac{1}{4}$ W. 74 $\frac{3}{5}$ vs.

3rd Mile

Thence North 1900 vs. to stone mnd. mtd 3M. from which a
 flat rock mtd K. bros S $27\frac{3}{4}$ W. 12 $\frac{3}{5}$ vs. - a flat rock mtd M.
 bros N $28\frac{1}{2}$ E. 7 $\frac{3}{5}$ vs.

4th Mile

Thence North at 373 $\frac{3}{5}$ vs. the N. E. cor. N $^{\circ}45$ bros West
 203 vs. at 1380 vs. cross ravine 1900 vs. to stone mnd.
 mtd. 4M. from which a Sp. O. 6" bros S $53\frac{3}{4}$ W. 29 $\frac{3}{5}$ vs.
 mtd K. - a L. O. 8" mtd M. bros N $26\frac{1}{2}$ E. 40 $\frac{3}{5}$ vs.

5th Mile

Thence North at 162 vs. the South West cor N $^{\circ}10$ -S. J.
 Guest bros. West 514 $\frac{1}{5}$ vs. at 400 $\frac{3}{5}$ vs. the the N. W. cor.
 N $^{\circ}1$ - H. S. & W. T. Ry. Co. bros East 13 $\frac{4}{5}$ vs. at 642 vs. the
 N. W. cor. N $^{\circ}10$. bro West 732 vs. at 685 vs. cross wire
 fence in deep ravine 1900 vs. to mesg. Post mtd
 5M. from which a L. O. 5" mtd X bros S 67 W. 26 $\frac{3}{5}$ vs.
 a L. O. 10" mtd X bros S $48\frac{1}{2}$ W. 33 vs.

6th Mile

Thence North at 410 vs. cross ravine - at 1041 the N.
E. cor N° 49 bns East 1007 $\frac{3}{5}$ vs. at 1107 the East cor.
N° 23 bns East 1149 vs. 1900 vs. to stone md. mtd.
6 M. from which a L.O. 2" mtd M. bns N 76 $\frac{3}{4}$ E 31 $\frac{1}{2}$ vs.
a L.O. 5" bns N 42 $\frac{1}{2}$ W. 71 vs. mtd K

7th Mile

Thence North at 967 vs. the North cor. N° 23 bns East 345 $\frac{1}{2}$
vs. at 1488 a pond 1900 vs. to cedar post mtd
7 $\frac{1}{2}$ ft. by the south side of road from which a
black jack 7" mtd K. bns S 8 $\frac{1}{2}$ W. 20 $\frac{1}{2}$ vs. - a Do. 10" mtd
M. bns S 40 E. 20 vs.

8th Mile

Thence North at 6 $\frac{2}{3}$ vs cross wire fence at 685 $\frac{4}{5}$ vs.
cross wire fence at 827 vs. the North cor. N° 22 bns
West 465 vs. 1900 vs. to misc post mtd 8 M. from
which a L.O. 8" bns S 12 $\frac{3}{4}$ E. 16 $\frac{1}{2}$ vs. mtd M. - a L.O. 14" mtd
K. bns S 66 $\frac{1}{4}$ W. 51 $\frac{1}{2}$ vs.

9th Mile

Thence North at 1499 vs. a stone md bns East 48 $\frac{1}{2}$ vs.
at 1581 $\frac{1}{2}$ vs. the East cor. N° 41 bns East 667 vs. 1900
vs. to stone md. mtd. 9 M. from which a rock mtd. M. bns
S 54 E. 11 $\frac{1}{2}$ vs. a rock mtd K. bns N 65 W. 5 $\frac{2}{5}$ vs.

10th Mile

Thence North at 180 vs. cross ravine at 320 vs. cross
ravine at 980 vs. cross deep ravine 1900 vs. to a point
near the edge of water on the South side of Llano River
from which a large rock mtd M. bns S 6 $\frac{3}{4}$ E 13 vs.
a rock mtd K. bns S 3 $\frac{3}{4}$ W. 13 $\frac{1}{2}$ vs.

11th Mile

Thence North at 125 vs. the North bank of Llano River
1900 vs. to stone md. mtd. 11 M. from which a L.O. 12" mtd K

bns $\delta 25\frac{3}{4}$ W. $20\frac{3}{4}$ vs. - a L.O. 9" mrd N. bns $\delta 73\frac{1}{2}$ E. $48\frac{4}{5}$ vs.

12th Mile

Thence North at 559 vs. the N.W.cor N° 11 - C.J. Co.

bns west 460 vs. at 816 vs. cross old road 1900 vs. to stone md. mrd. 12 M. from which a fkd. mrd 1.5" mrd 1
bns $\delta 19\frac{1}{2}$ W. $19\frac{4}{5}$ vs. - a L.O. 7" mrd N. bns N. 55 E. 76 vs.

13th Mile

Thence North at 445 vs cross road at $606\frac{2}{3}$ vs. the
N.W.cor. N° 12 bns West 1369 vs. at 986 vs. cross
ravine 1900 vs. to stone md. mrd. 13 M. from which
a L.O. 12" mrd K bns $\delta 25\frac{3}{4}$ E. $49\frac{4}{5}$ vs. a L.O. 14" mrd N. bns
 $\delta 28\frac{8}{5} 52\frac{3}{5}$ vs.

14th Mile

Thence North at 55 vs. cross Cedar Creek at 659 vs.
the S.W.cor N° 13 bns West 1299 vs. 1900 vs. to stone
md. mrd 14 M. from which a P.O. 14" mrd K bns N. 48 $\frac{3}{4}$
 $19\frac{1}{5}$ vs. - a P.O. 12" mrd N. bns N. 37 $\frac{1}{2}$ E. $3\frac{1}{2}$ vs.

15th Mile

Thence North at 652 vs. the S.E. cor N° 84 - Charles
Duffenbach bns West 348 vs. at 688 vs. the S.E. cor
N° 83 bns East $607\frac{3}{5}$ vs. 1900 vs. to ~~strategic state~~
mrd. 15 M. from which a P.O. 12" bns N. 39 $\frac{3}{4}$ E. $22\frac{4}{5}$ vs.

Bearings marked - X. K. M. 27 M.

Surveyed from May 27th to June 14th 1895

{ W.G. Eason } Chain
Oscar Hurley } Carriers

I, W.F. Hope, Special Surveyor of Kimble County
do hereby certify that the foregoing Survey was
actually made in the field according to law and
that the above named lines with the marks natural
and artificial are truly described in the foregoing
plat and field notes.

Given under my hand this

day of June A.D. 1895

W.F. Hope, Special Surveyor
Kimble Co.

J.D. Hurley
County Surveyor Mason Co.

The State of Texas

County of Humble } This is to certify that the
forgoing report and plot was duly recorded
in the minutes of the Commissioners Court of
said County, in Vol. 1. pages 567 to 567. incl., on
the 12th day of August 1895.

Witness my hand and seal of said Court
this 28 day of August 1895.

W. G. Boyle, County Clerk
Humble Co. Texas.

No 4
895

Report of Surveyor
of Mason &
Humble County
boundary lines.

Filed this August 10.
1895
W. G. Boyle,
Co. Clerk
Humble Co.

Filed in the Gen'l Land Office
August 31st 1895.

Great - but illegal in
Commissioners Court
Authority to collect
taxes