SHELF 21

FIELD NOTES

PUBLIC SCHOOL LAND

CULBERSON CO.

BOOK X

26

STATE OF TEXAS

COUNTY OF CULBERSON

I, Frances Walker, County Clerk of Culberson County, Texas, do hereby certify that the following field notes appearing on Pages 1 through 301 of this Volume are duly recorded in the book and pages of the County Surveyors records, Culberson County, Texas, being Book X, Pages 1 through 301, respectively.

This the 28th day of June, 1954.

Frances Walker
County Clerk
Culberson County, Texas

By: Lavinia Jones, Deputy

D-262

COOL & STILLEY
CONSULTING ENGINEERS - LICENSED LAND SURVEYORS
ARCHITECTS
2211 S. W. FRONT STREET
P. O. 574 PHONE 4-8296
MIDLAND, TEXAS

RECEIVED
JUN 30 1954
REFERRED TO MAP

CLIFFORD C. COOL
C. C. STILLEY
E. E. SAUNDERS
D. ALSOP
M. E. SHOWS
A. H. NEUHARDT
HOMER E. PACE
E. W. BABB

June 24, 1954

In re: Public School Land Blocks
Culberson County, Texas

Honorable Bascom Giles, Commissioner
General Land Office
Austin, Texas

Dear Sir:

In accordance with instructions from your office on July 20, 1953 and June 15, 1954, I have completed a ground survey, established permanent corners and prepared the accompaning field notes and map of the P.S.L. Blocks 60 through 93 in Culberson County, Texas. The major portion of this area lies on the J. B. Foster Ranch. Results of my survey, as represented on the attached map and discussed in the contents of this letter, are submitted for your approval.

The first surveying in this area was done by Jacob Kuechler in 1878 and 1879, at which time he laid in the T. & P. R. R. Co. blocks shown on the map. Paul McCombs retraced these same blocks in 1883 and 1884 adhering to Mr. Kuechler's work in most cases. Kuechler's and McCombs' original corners which I have have found on the ground are designated on my map with double circles, labelled "K" and "M", respectively. I have constructed these blocks in accordance with their field notes and original corners.

The next surveying in this area was done by Dennis Corwin in 1884, at which time he laid in Public School Land Blocks 60, 61 and 62. His field notes for these blocks call to build from T. & P. R. R. Co. Block 60, Township 5, and recite no corner descriptions.

I have constructed Block 60, P.S.L., by adjoinder to T. & P. R. R. Co. Block 60, Township 5, and Block 59, Township 6, making the section lines call distance, parallel, and perpendicular. I then constructed the north lines of P.S.L. Blocks 61 and 62 honoring call for adjoinder to the southwest corner of P.S.L. Block 60, and extending call distance through A. H. Parker's original corners along the south line of P.S.L. Block 88. Parker's blocks are junior surveys and are discussed later in this letter. The east and west lines of Blocks 61 and 62 were constructed call distance and parallel to the corresponding lines of Block 60, described above. Therefore, the south lines of Blocks 61 and 62 are parallel to and eight miles south of their respective north lines.

In the year 1900, A. H. Parker laid in the remaining Public School Land blocks listed below and shown on the attached map: Blocks 82, 83, 84, 85, 87, 88, 89, 90, 92, 93, 94, 96, 97 and 101. Mr. Parker calls for corners along some, but not all, of his block lines. His corners, which I have found on the ground, are shown double circled and labelled "P". I have constructed these blocks in accordance with their field notes and original corners, with exception of block lines which were not monumented on the ground. In these cases, field note adjoinder calls were honored to the senior Public School Land and T. & P. R. R. Co. blocks.

As indicated by single circles labelled "C" on the map, I have marked some eighteen additional block corners on the ground. These corners conform to the above discussed construction of the Public School Land blocks, and they are fully described in my corrected field notes which accompany this letter.

Respectfully yours,

Clifford C. Cool

Clifford C. Cool

CCC:vr

Block 60

Counter #81667

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 60, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 43 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stone mound and slab by Paul McCombs marked 5T6 59 B60 from which Gomez Peak bears S 14° 27' E, also a 3" brass cap (by T. & P. RY. Survey) marked K. R. A. 1931, the common corner of Survey 48, T. & P. RR. Co. Block 60, Township 5; Survey 6, T. & P. R. R. Co. Block 59, Township 6; & Survey 1, Block C-17, P.S.L., for the N.E. corner of this survey;

THENCE, S 01° 53' 20" W 1900.80 varas to a stake in the west line of Survey 6, T. & P. R.R. Co., Block 59, Township 6, for the S.E. corner of this survey;

THENCE, N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE, N 01° 53' 20" E 1900.80 varas to a stake in the south line of Survey 48, T. & P. R.R. Co., Block 60, Township 5, for the N.W. corner of this survey;

THENCE, S 88° 06' 40" E 1900.80 varas ----------

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coodinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ XXXXX) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 1 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 2
Block No. 60, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 42 miles N 57°E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N.W. corner of Survey 1, Block 60, P.S.L. in the South line of Survey 48, T. & P. R.R. Co., Block 60, Township 5, for the N.E. corner of this survey;

THENCE, S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 1, this block, for the S.E. corner of this survey;

THENCE, N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE, N 01° 53' 20" E 1900.80 varas to a stake in the South Line of Survey 47, T. & P. R.R. Co., Block 60, Township 5, for the N.W. corner of this survey;

THENCE, S 88° 06' 40" E 1900.80 varas ----------

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 2 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 3
Block No. 60, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 41 miles N 56° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N.W. corner of Survey 2, Block 60, P.S.L., in the south line of Survey 47, T. & P. R.R. Co. Block 60, Township 5, for the N.E. corner of this survey;

THENCE, S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 2, this block, for the S.E. corner of this survey;

THENCE, N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE, N 01° 53' 20" E 1900.80 varas to a stake in the south line of Survey 46, T. & P. R.R. Co., Block 60, Township 5, for the N.W. corner of this survey;

THENCE, S 88° 06' 40" E 1900.80 varas ----------

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 3 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED AS STATED

100

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 4
Block No. 60, P.S.L.
Cert. No. _____
Tsp. _____

~~CORRECTED~~ FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 40 miles N 56° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N.W. corner of Survey 3, Block 60, P.S.L., in the south line of Survey 46, T. & P. R.R. Co., Block 60, Township 5, for the N. E. corner of this survey;

THENCE, S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 3, this block, for the S.E. corner of this survey;

THENCE, N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE, N 01° 53' 20" E 1900.80 varas to a stake in the south line of Survey 45, T. & P. R.R. Co., Block 60, Township 5, for the N.W. corner of this survey;

THENCE, S 88° 06' 40" E 1900.80 varas ----------

F.N. W 3/4 in 144197
F.N. E 1/2 of E 1/2
in 135335

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 4 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

RECEIVED AS STATED

/ —

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT



THE STATE OF TEXAS)
Culberson County)

E/2 of NE/4 &
E/2 of SE/4 of
Survey No. 5
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

E/2 of NE/4 & E/2 of SE/4 of Survey 5, Block 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 40 miles N 55° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 4 & 5, Block 60, P.S.L., in the south line of Sur. 45, T. & P. R.R. Co., Block 60, Township 5, for the N.E. corner of this survey;

THENCE, S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of Survey 4, this block, for the S. E. corner of this survey;

THENCE, N 88° 06' 40" W 475.20 varas to a stake, for the S.W. corner of this survey;

THENCE, N 01° 53' 20" E 1900.80 varas to a stake in the north line of Survey 5, this block, and the south line of survey 45, T. & P. R.R. Co., Block 60, Township 5, for the N.W. corner of this survey;

THENCE, S 88° 06' 40" E 475.20 varas ----------

---------- ~~to the place of beginning~~, and containing 160.00 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 5 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

W/2, & W/2 of NE/4
& W/2 of SE/4 of

THE STATE OF TEXAS)
Culberson County)

Survey No. 5
Block No. 60, P.S.L.
Cert. No.
Tsp.

Merge o/k
B&L
9/22/53

CORRECTED FIELD NOTES of the

W/2, & W/2 of NE/4 & W/2 of SE/4 of Sur. 5 (INSERT NAME OF SURVEY OR SECTION) Survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 39 miles N 55° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of the east 160 acres of Survey 5, Block 60, P. S. L., in the south line of Survey 45, T.&P. RR Co., Block 60, Township 5, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner o f the east 160 acres of Survey 5, this block, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1425.60 varas to a stake, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, in the south line of Survey 44, T.&.P. RR. Co., Block 60, Township 5, for the NW corner of this survey;

THENCE S 88° 06' 40" E 1425.60 varas ----------



---------- to the place of beginning, and containing 480.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 6 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 6
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 6, Block No. 60, P. S. L. survey made for Jo Ann Correll & Frank Jones
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 54° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron bar notched on two sides set in concrete and stone mound head of east branch of draw, from which another stone mound on hill bears S 46° 25½' E 58.0 varas, a 3/8" iron bar on sharp high hill bears S 55° 40' 28" W 565.4 varas, an X marked on rock outcrop on bank of draw bears N 39° 41' E 50.8 varas, the N. E. corner of Survey 1, Block 91, P.S.L., in the south line of Survey 43, T.&P. RR. Co., Block 60, Township 5, for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the N. W. corner of Survey 5, this block, in the south line of Survey 44, T.&P. RR. Co., Block 60, Township 5, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, in the S. W. corner of Survey 5, this block, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 1, Block 91, P.S.L., for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



103945
CORRECT ON MAP FOR 640 ACRES
To Correct Patent
7/30/54 VGS
Repated
8-5-54
Rothe Sean

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E
Bearings marked
Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)
I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 7 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 7
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 7, Block No. 60, P. S. L. survey made for Jo Ann Correll & Frank Jones
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 55° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 1, and 12, Block 91, P.S.L., and Survey 6, Block 60, P.S.L. for the N. W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S. W. corner of Survey 5, and the S. E. corner of Survey 6, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S. E. corner of Survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 12, Block 91, P.S.L., from which a stone mound on the north slope of a high hill bears S 75° 23' E 11.1 varas, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------

103946
CORRECT ON MAP FOR 640 ACRES
To correct Patent
7/30/54 VES
Repated
8-5-54
Robertson

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 8 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk



RECEIVED AS STATED

1

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 9
Block No. 60, P.S.L.
Cert. No. _____
Tsp. _____

~~CORRECTED~~ FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 40 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 4, 5, and 8, Block 60, P.S.L. for the N. W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S. W. corner of Survey 3, and the S. E. corner of Survey 4, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 8, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------

SE1/4 in 135339
SW1/4 & W1/2 of NW1/4 in 144198
NE1/4 in 135338
E1/2 of NW1/4 in 135337

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 10 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

1-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

N/2 of
THE STATE OF TEXAS) Survey No. 10
Block No. 60, P.S.L.
Culberson County) Cert. No.
Tsp.

Block 61

accepted
B&L
9/22/53

CORRECTED FIELD NOTES of the

N/2 of Survey No. 10, Block No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 41 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 3, 4, 9, and 10, Block 60, P.S.L. for the N. W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S. W. corner of Survey 2, and the S. E. corner of Survey 3, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 950.40 varas to a stake, the mid-point of the east line of Survey 10, this block, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the mid-point of the east line of Survey 9, and the west line of Survey 10, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 950.40 varas ---------



---------- to the place of beginning, and containing 320.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ XXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 11 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED TO BE RECORDED

PLAT

S/2 of

THE STATE OF TEXAS)
Culberson County)

Survey No. 10
Block No. 60, P.S.L.
Cert. No.
Tsp.

Block 61

acreage o/k P.E.L. 9/23/53

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 41 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the S. W. corner of the N/2 of Survey 10, in the east line of Survey 9, Block 60, P.S.L. for the N. W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S. E. corner of the N/2 of Survey 10, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 950.40 varas to a stake, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 9, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 950.40 varas ----------



----------to the place of beginning, and containing 320.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 12 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 11
Block No. 60, P.S.L.
Cert. No.
Tsp.

Block 61

acreage OK B&L 9/22/55

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 42 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 2, 3, and 10, Block 60, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S. W. corner of Survey 1, and the S. E. corner of Survey 2, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varasto a stake, for the S. E.corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the s. e. corner of Survey 10, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~(Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 13 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 12
Block No. 60, P.S.L.
Cert. No.
Tsp.

Block 61

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 42 miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 1, 2, and 11, ock 60, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S. E. corner of Survey 1, this ck, in the west line of Survey 6, T. & P. RR. Co., Block 59, Township 6, for the N. E rner of this survey;

THENCE S01° 53' 20" W 1900.80 varas to a stake, in the west line of Survey 7, T. & P. . Co., Block 59, Township 6, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 11, this ck, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
urses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 14 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 13
Block No. 60, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 42 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the S. E. corner of Survey 12, Block 60, P.S.L., in the west line of Survey 7, T. & P. RR. Co. Block 59, Township 6, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, in the west line of Survey 18, T.&P. RR. Co., Block 59, Township 6, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S. E. corner o f Survey 11, and the S. W. Corner of Survey 12, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas ----------

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. -Oct ,1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 15 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 14
Block No. 60, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 41 miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 11, 12, and 13, Block 60, P.S.L., for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of Survey 13, this block, for the S. E. corner of This survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S. E. corner of Survey 10, and the S. W. corner of Survey 11, this block, for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas ----------

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. -Oct., 1953.

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ XXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 16 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



NE/4 of

THE STATE OF TEXAS)
Culberson County)

Survey No. 15
Block No. 60, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of - (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 40 miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 10, 11, 14, and 15, Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 950.40 varas to a stake, the mid-point of the common line of surveys 14 and 15, this Block for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 950.40 varas to a stake, the center of Survey 15, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 950.40 varas to a stake, the mid-point of the south line of Survey 10, and the north line of Survey 15, this Block for the NW corner of this survey;

THENCE S 88° 06' 40" E 950.40 varas----------

---------- to the place of beginning, and containing 160.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. - Oct., 19 53

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of _____ County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 17 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

NW/4 & SW/4 & SE/4 of
Survey No. 15
Block No. 60, P.S.L.
Cert. No.
Tsp.

THE STATE OF TEXAS)
Culberson County)

average of P&L

CORRECTED FIELD NOTES of the NW/4 & SW/4 & SE/4 of Sur. 15, Block 60, P.S.L. survey made for State of Texas by virtue of ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 40 N miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N.W. corner of the NE/4 of Survey 15, in the South line of Survey 10, Block 60, P.S.L., for the upper N.E. corner of this survey;

THENCE S 01° 53' 20" W 950.40 varas to a stake, the S.W. corner of the NE/4, the center of Survey 15;

THENCE S 88° 06' 40" E 950.40 varas to a stake, the S.E. corner of the NE/4 of Survey 15, for the lower N.E. corner of this survey;

THENCE S 01° 53' 20" W 950.40 varas to a stake, the S.W. corner of Survey 14, this block for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 9, and the S.W. corner of Survey 10, this block for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 950.40 varas - - - - - - - - - - - - - - - - - -



- - - - - - - to the place of beginning, and containing 480.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 18 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 16
Block No. 60, P.S.L.
Cert. No.
Tsp.

average OK
R.E.C.
9/29/55

Jones

~~CORRECTED~~-FIELD NOTES of a survey made for Jo Ann Correll & Frank (INSERT NAME OF OWNER) by virtue of Their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 39 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 9, 10, and 15, Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 15, this block, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 8, and the S.W. corner of Survey 9, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas----------

F.N.-S½, NW¼ & S½ of NE¼ 97664
" N½ of NE¼ 135346

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 19 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

111

RECEIVED AS STATED

1-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 17
Block No. 60, P.S.L.,
Cert. No.
Tsp.

Acreage OK
P.E.L.
9/22/55

~~CORRECTED~~ FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of Their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 38 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 8, 9, and 16, Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 16, this block, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 7, and the S.W. corner of Survey 8, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas - - - - - - - - - - - - - - - -

143493
CORRECT ON MAP FOR 640 ACRES
2/3/56 VES
J. Lewis
2-8-56 Robertson

- - - - - - - - to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 20 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 18
Block No. 60, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of Their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 38 miles N 56 E from , the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 7, 8, and 17, Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 17, this block, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S.~~W.~~ E. corner of Survey 13, Block 91, P.S.L., for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the common corner of Survey 7, this block, and Surveys 12 and 13, Block 91, P.S.L., from which a stone mound on the north slope of a high hill bears S 75° 23' E 11.1 varas for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas - - - - - - - - - - - - -



143494
CORRECT ON MAP FOR 640 ACRES
7/30/54 VES

Patented 8-4-54

- - - - - - - to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, , Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 21 of the County Surveyor's Records of Culberson County, Texas.

This day of , 19 .

County Surveyor
County Clerk

RECEIVED AS STATED

1-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 19
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey 19, Block 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of Their (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 37 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 13 & 24, Block 91, P.S.L., and Survey 18, Block 60, P.S.L., for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 17, and the S.E. corner of Survey 18, this block, for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a 3/4" iron rod notched on two sides set in concrete & large stone mound on side of hill sloping East, from which another stone mound bears S 69° 13' E 29.7 varas, a fence corner bears S 79° 13' E approximately 250 varas, the S.E. corner of Survey 24, Block 91, P.S.L., and the N.E. corner of Survey 1, Block 89, P.S.L., for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas - - - - - - - - - - - - - - - -

103949
CORRECT ON MAP FOR 640 ACRES
To Correct Patent
7/30/54 VES
Repaid
8-5-54
Robertson

- - - - - - - to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 22 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 20
Block No. 60, P.S.L.
Cert. No.
Tsp.

acreage o/s
E.C.C. 9/22/53

CORRECTED FIELD NOTES of the Survey No. 20, Blk. No. 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 17, 18, and 19, Block 60, P.S.L. for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 16, and the S.E. corner of Survey 17, this block, for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S.E. corner of Survey 19, this block, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 23 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

acreage OK
R.E.D.
9/22/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 21
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 21, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 16, 17, and 20, Block 60, P.S.L. for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 15, and the S.E. corner of Survey 16, this block, for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S.E. corner of Survey 20, this block, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30" E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 24 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 22
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 22, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 39 miles n 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 15, 16, & 21, Block 60, P.S.L. for the N.W. corner of this survey;

THENCE s 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 14, and the S.E. corner of Survey 15, this block, for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S.E. corner of Survey 21, this block, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 25 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 23
Block No. 60, P.S.L.
Cert. No.
Tsp.

Answer OK
BEL
9/24/53

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 41 miles N 61° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 14, 15, and 22 Block 60, P.S.L. for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 13, and the S. E. corner of Survey 14, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 22, this block, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas - - - - - - - - - - - - - - - -



- - - - - - to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alson
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 26 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED AS STATED

100

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 24
Block No. 60, P.S.L.
Cert. No.
Tsp.

Acreage OK 9/22/55 BGP

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 42 miles N 61 E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 13, 14, & 23, Block 60, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.E. corner of Survey 13, this block, in the west line of Survey 18, T & P RR Co., Block 59, Township 6, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the west line of Survey 19, T & P RR Co., Block 59, Township 6, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 23, this block, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas - - - - - - - - - - - - - - - - - -



- - - - - - to the place of beginning, and containing 640.00 acres of land, more or less.

Courses based on the Texas Coordinate Grid System

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 19 53

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 27 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk



RECEIVED AS STATED

100

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

acreage ok
R&L
9/22/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 25
Block No. 60, P.S.L.
Cert. No. ____
Tsp. ____

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of ____ (HIS, HER OR THEIR) ownership of Certificate No. ____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 41 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the S.E. corner of Survey 24, Block 60, P.S.L, in the west line of Survey 19, T & P RR Co., Block 59, Township 6, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the west line of Survey 30, T & P RR, Block 59, Township 6, from which an old 2" x 4" stake marked N. E. 36 in stone mound at fence turn bears S 10° 00' E 37.9 varas for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, from which an old stone mound with stone marked N.W. 36 bears S 08° 27' E 41.7 varas, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 23, and the S.W. corner of Survey 24, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas -

- - - - - - - - to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked ____

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 29th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 28 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

RECORDED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 26
Block No. 60, P.S.L.
Cert. No. _____
Tsp. _____

acreage ok
RE L
9/23/53

CORRECTED FIELD NOTES of the Survey No. 26, Blk. No. 60, P.S.L. survey made for State of Texas (INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER) by virtue of _____ (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 40 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 23, 24, & 25, Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 25, this block, from which an old stone mound with a stone marked N.W. 36, bears S 08° 27' E 41.7 varas, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, from which an old stone mound on the north side of a gravel hill bears S 11° 17' E 52.3 varas, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 22, and the S.W. corner of Survey 23, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 29 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

arrange OK 4/22/53 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 27
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 27, Blk. No. 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 39 miles N 61° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 22, 23, & 26 Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 26, this block, from which an old stone mound on the North side of a gravel hill bears S 11° 17' E 52.3 varas, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, from which an old stone mound bears S 13° 49' E 89.4 varas, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 21, and the S.W. corner of Survey 22, this block for the NW corner of this survey;

Thence S 88° 06' 40" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor) XXXXXX (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
XXXXXXXXXXXXXX County Surveyor

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 30 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT



Acreage OK
B&L
4/26/54

THE STATE OF TEXAS)
Culberson County)

Survey No. 28
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 28, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 61° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 21, 22, & 27 Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 27, this block, from which an old stone mound bears S 13° 49' E 89.4 varas, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, from which an old stone mound bears S 11° 27' E 96.6 varas, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 20, and the S.W. corner of Survey 21, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas ----------

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
County Surveyor

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 31 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

32

THE STATE OF TEXAS)
Culberson County)

Survey No. 29
Block No. 60, P.S.L.
Cert. No.
Tsp.

accepted OP 9/22/55 B&L

CORRECTED FIELD NOTES of the

Survey No. 29, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 37 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 20, 21 & 28 Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 28, this block, from which an old stone mound bears S 11° 27' E 96.6 varas, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, from which an old stone mound bears S 12° 15' E 102.8 varas, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 19, and the S.W. corner of Survey 20, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Coursed are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 32 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 30
Block No. 60, P.S.L.
Cert. No.
Tsp.

Acreage okd P&L 9/21/53

CORRECTED FIELD NOTES of the Survey No. 30, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 37 miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron rod notched on two sides set in concrete and large stone mound on side of hill sloping East, from which another stone mound bears S 69° 13' E 29.7 varas, a fence corner bears S 79° 13' E about 250 varas, the common corner of Survey 19, Block 60, P.S.L., Survey 1, Block 89, P.S.L. and Survey 24, Block 91, P.S.L., for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the common corner of Survey 19, 20, and 29, this block, for the NE corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the SW corner of Survey 29, this block, from which an old stone mound bears S 12° 15' E 102.8 varas, for the SE corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the SE corner of Survey 1, Block 89, P.S.L., from which an old stone mound north of deep canyon bears S 15° 20' E 110.5 varas, for the SW corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas - - - - - - - - - - - -



- - - - - - - - - - to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of _____ County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 33 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

VIOLATED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 31
Block No. 60, P.S.L.
Cert. No.
Tsp.

acreage OK 9/22/55 BCL

CORRECTED FIELD NOTES of the Survey 31, Blk. No. 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 36 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 1 & 12, Block 89, P.S.L. and Sur. 30, Block 60, P.S.L., from which an old stone mound north of a deep canyon bears S 15° 20' E 110.5 varas, for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the SW corner of Survey 29, and the SE corner of Survey 30, this block, from which an old stone mound bears S 12 15' E 102.8 varas, for the NE corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the SE corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the SE corner of Survey 12, Block 89, P.S.L. for the SW corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas - - -

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 32
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey 32, Blk. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 37 miles N 61° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 29, 30 & 31, Block 60, P.S.L., from which an old stone mound bears S 12° 15' E 102.8 varas, for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the SW corner of Survey 28, and the SE corner of Survey 29, this block, from which an old stone mound bears S 11° 27' E 96.6 varas, for the NE corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the SE corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the SE corner of Survey 31, this block, for the SW corner of this survey;

THENCE N 1° 53' 20" E 1900.80 varas - - - - - - - - - -



- - - - - - - - to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and arrificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of _____ County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 35 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 33
Block No. 60, P.S.L.
Cert. No.
Tsp.

corrected p.o.b. B&L 9/24/53

CORRECTED FIELD NOTES of the

Survey No. 33, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 28, 29, & 32, Block 60, P.S.L., from which an old stone mound bears S 11° 27' E 96.6 varas, for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 27, and the S.E. corner of Survey 28, this block, from which an old stone mound bears S 13° 49' E 89.4 varas, for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S.E. corner of Survey 32, this block, for the S.W. corner of this survey;

THENCE N 1° 53' 20" E 1900.80 varas



to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 36 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

RECEIVED

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 34
Block No. 60, P.S.L.
Cert. No.
Tsp.

acreage ok
BCL 9/2/53

CORRECTED FIELD NOTES of the

Survey No. 34, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 39 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 27, 28, & 33, Block 60, P.S.L., from which an old stone mound bears S 13° 49' E 89.4 varas, for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 26, and the S.E. corner of Survey 27, this block, from which an old stone mound on the north side of a gravel hill bears S 11° 17' E 52.3 varas, for the N.E. corner of this survey;

THENCE S01° 53' 20" W 1900.80 varas to a stake, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S.E. corner of Survey 33, this block, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



----------to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 37 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

RECEIVED

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 35
Block No. 60, P.S.L.
Cert. No.
Tsp.

acreage o/k
BSZ
9/2/53

CORRECTED FIELD NOTES of the

Survey No. 35, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 39 miles N 63 E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 26, 27, & 34, Block 60, P.S.L., from which an old stone mound on the North side of a gravel hill bears S 11° 17' E 52.3 varas, for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 25, and the S.E. corner of Survey 26, this block, from which an old stone mound with a stone marked "N.W. 36" bears S 08° 27' E 41.7 varas, for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S.E. corner of Survey 34, this block, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 38 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 36
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 36, Blk. No. 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 40 miles N 64° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 25, 26, & 35, Block 60, P.S.L., from which an old stone mound with a stone marked "NW 36" bears S 08° 27' E 41.7 varas, for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.E. corner of Survey 25, this Block, in the west line of Survey 30, T. & P. R.R. Co., Block 59, Township 6, from which an old stake marked "N.E. 36" in a stone mound at fence turn bears S 10° 00' E 37.9 varas, for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the west line of Survey 31, T. & P. R.R. Co., Block 59, Township 6, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S.E. corner of Survey 35, this block, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 39 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 37
Block No. 60, P.S.L.
Cert. No.
Tsp.

acreage OK
9/22/53
BEL

CORRECTED FIELD NOTES of the

Survey No. 37, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 40 miles N 65° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the S.E. corner of Sur. 36, Block 60, P.S.L., in the west line of Sur. 31, T. & P. R.R. Co. Block 59, Township 6, for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the west line of Survey 42, T. & P. R.R. Co., Block 59, Township 6, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 35, and the S.W. corner of Survey 36, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 40 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 38
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 38, Blk. No. 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 39 miles N 65° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 35, 36 & 37 Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 37, this block, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 34, and the S.W. corner of Survey 35, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), XXXXXXX (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
XXXXXXXXXXXXX
County Surveyor

I, ----------, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 41 of the County Surveyor's Records of Culberson County, Texas.

This ---------- day of ----------, 19----.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 39
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 39, Blk. No. 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 64° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 34, 35, & 38, Block 60, P.S.L., for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S.W. corner of Survey 38, this block, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S.E. corner of Survey 33, and the S.W. corner of Survey 34, this block for the NW corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor) (~~Surveyor~~ XXXXX) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~ XXXXXXXXXX

I, ----------, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 42 of the County Surveyor's Records of Culberson County, Texas.

This ---------- day of ----------, 19----.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 40
Block No. 60, P.S.L.
Cert. No.
Tsp.

acreage OK 9/22/53 DEL

CORRECTED FIELD NOTES of the Survey No. 40, Block No. 60, PSL (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 37 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 33, 34, & 39, Block 60, P. S. L., for the N. E. corner of this survey;

Thence S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of Survey 39, this block, for the S. E. corner of this survey;

Thence N 88° 06' 40" W 1900.80 varas to a stake, for the S. W. corner of this survey;

Thence N 01° 53' 20" E 1900.80 varas to a stake, the S. E. corner of Survey 32, and the S. W. corner of Survey 33, this block for the NW corner of this survey;

Thence S 88° 06' 40" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ XXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 43 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 41
Block No. 60, P. S. L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 41, Blk. No. 60, P. S. L. survey made for State of Texas (INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 36 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 32, 33, & 40, Block 60, P. S. L., for the N. E. corner of this survey;

Thence S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of Survey 40, this block, for the S. E. corner of this survey;

Thence N 88° 06' 40" W 1900.80 varas to a stake, for the S. W. corner of this survey;

Thence N 01° 53' 20" E 1900.80 varas to a stake, the S. E. corner of Survey 31, and the S. W. corner of Survey 32, this block for the N. W. corner of this survey;

Thence S 88° 06' 40" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.
Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 44 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 42
Block No. 60, P.S.L.
Cert. No.
Tsp.

corrected 9/22/55 B&L

CORRECTED FIELD NOTES of the

Survey No. 42, Blk. No. 60, P. S. L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 36 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 31, 32 & 41, Block 60, P. S. L., for the N. E. corner of this survey;

Thence S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of Survey 41, this block, for the S. E. corner of this survey;

Thence N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Sur. 13, Block 89, P. S. L., for the S. W. corner of this survey;

Thence N 01° 53' 20" E 1900.80 varas to a stake, the common corner of Surveys 12 & 13, Block 89, P. S. L., and Survey 31, this block, for the NW corner of this survey;

Thence S 88° 06' 40" E 1900.80 varas ----------

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 45 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 43
Block No. 60, P. S. L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey 43, Block 60, P. S. L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 35 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron rod notched on two sides set in concrete and stone mound in small drain on south side of hill, from which a windmill bears S 47° 13' E about 350 varas, a 2" Gav. Iron Pipe in stone mound bears N 49° 03' E 46.1 varas, an E-W fence bears South 199 varas, the common corner of Survey 1, Block 61, Survey 24, Block 89, and Survey 4, Block 90, P. S. L., for the S. W. corner of this survey;

Thence N 01° 53' 20" E 1900.80 varas to a stake, the common corner of Surveys 13 & 24, Block 89, P. S. L., and Survey 42, this block, for the N. W. corner of this survey;

Thence S 88° 06'40" E 1900.80 varas to a stake, the S. W. corner of Survey 41, and the S. E. corner of Survey 42, this block, for the N. E. corner of this survey;

Thence S 01° 53' 20" W 1900.80 varas to a stake, in the north line of Survey 4, Block 90, P. S. L., for the S. E. corner of this survey;

Thence N 88° 06' 40" W 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.
Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 46 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 44
Block No. 60, P.S.L.
Cert. No.
Tsp.

acreage OK 9/24/53 RL

CORRECTED FIELD NOTES of the

Survey 44, Block 60, P. S. L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 36 miles N 64°E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 41, 42, & 43, Block 60, P. S. L. for the N. W. corner of this survey;

Thence S 88° 06' 40" E 1900.80 varas to a stake, the S. W. corner of Survey 40, and the S. E. corner of Survey 41, this block, for the N. E. corner of this survey;

Thence S 01° 53' 20" W 1900.80 varas to a stake in the north line of Survey 3, Block 90, P. L. S., for the S. E. corner of this survey;

Thence N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 43, this block, in the northline of Survey 4, Block 90, P. S. L., for the S. W. corner of this survey;

Thence N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses based on the Texas Coordinate Grid System.

Variation 12° 30'E

Bearings marked

Surveyed Feb. - Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
County Surveyor

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 47 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 45
Block No. 60, P.S.L.
Cert. No.
Tsp.

acreage OK 1/22/55 EEL

CORRECTED FIELD NOTES of the Survey 45, Block 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of Their (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 37 miles N 65° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 40, 41 & 44, Block 60, P.S.L. for the N. W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S. W. corner of Survey 39, and the S. E. corner of Survey 40, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the North line of Survey 3, Block 90, P.S.L, for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 44, this block, in the North line of Survey 3, Block 90, P.S.L., for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas



to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 48 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 46
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey 46, Block 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER)
by virtue of Their (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 65° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of surveys 39, 40 & 45, Block 60, P.S.L. for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 38, and the S.E. corner of Survey 39, this block , for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the north line of Survey 2, Block 90, P.S.L. for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 45, this block, in the north line of Survey 3, Block 90, P.S.L. for the S.W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas



to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct. ,1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ XXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 49 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 47
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey 47, Block 60, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of Their (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 66° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 38, 39, & 46, Block 60, P.S.L. for the N.W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S.W. corner of Survey 37, and the S. E. corner of Survey 38, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the north line of Survey 1, Block 90, P.S.L., for the S. E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 46, this block, in the north line of Survey 2, Block 90, P.S.L., for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas



to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~(Surveyor)~~ XXXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~ XXXXXXXXXX

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 50 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 48
Block No. 60, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey 48, Block 60, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of Their ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)
in Culberson County, about 39 miles N 67° E from Van Horn, the county seat,
and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron rod notched on two sides set in concrete and stone mound 1.2 varas west of a fence, from which an old stone mound bears S 02° 26' W 81.5 varas, a 4" clump of catclaw bears S 09° E 8.3 varas, the N. E. corner of Survey 1, Block 90, P.S.L., in the West line of Survey 43, T & P RR Co., Block 59, Twonship 6, for the S.E. corner of this survey;

THENCE N 88° 06' 40" W 1900.80 varas to a stake, the S. E. corner of Survey 47, Block 60, P.S.L., in the north line of Survey 1, Block 90, P.S.L., for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the common corner of Surveys 37, 38, and 47, this block, for the N. W. corner of this survey;

THENCE S 88° 06' 40" E 1900.80 varas to a stake, the S. E. corner of Survey 37, this block, in the west line of Survey 42, Block 59, Twonship 6, for the N. E. corner of this survey;

THENCE S 01° 53' 20" 1900.80 varas



to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ XXXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 51 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

Block 61

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 1, Blk. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER)

by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 34 miles N 64° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron rod notched on two sides, set in concrete and stone mound, in a small drain on the south side of a hill, from which a windmill bears S 47° 13' E about 350 varas, a 2" galvanized iron pipe in a stone mound bears N 49° 03' E 46.1 varas, an east-west fence bears South 199 varas, the common corner of Section 43, Block 60, Sec. 24, Block 89, and Sec. 4, Block 90, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W at 1251.14 varas pass a 3/4" iron rod notched on two sides, set in concrete and stone mound, on the southwest slope of a small rocky hill, from which the northeast point of Gomez Peak bears S 38° 19' E, a 1" iron pipe in stone mound bears N 39° 17' E 51.8 varas, a windmill bears N 12° 40' E about 1050 varas, the southwest corner of Sur. 4 and the northwest corner of Sur. 5, P.S.L. Block 90, in all 1900.8 varas to a stake in the west line of said Survey 5, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake in the south line of Sec. 24, P.S.L. Block 89, for the northwest corner of this survey;

THENCE S 87° 57' 30 E 1900.80 varas ----- ---------- to the place of beginning, and containing 640.00 acres of land, more or less.

135710
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 YES
Repatd
11-19-54

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 52 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

53

THE STATE OF TEXAS)
Culberson County)

Survey No. 2
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK. JWR 8-2-54

CORRECTED FIELD NOTES of the

Survey No. 2, Blk. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER)

by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 33 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the south line of Section 24, Block 89, P.S.L., the northwest corner of Section 1, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Sec. 1, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake in the south line of Section 23, P.S.L. Block 89, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas------

138207
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 VES
Repats
11-19-54
Robertson

----------to the place of beginning, and containing 640.00 acres of land, more or less.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~(Surveyor)~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 53 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK JWR 9-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 3
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 3, Blk. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER)
by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 32 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the south line of Section 23, Block 89, P.S.L., the northwest corner of Section 2, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 2, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake in the south line of Section 22, Block 89, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

13571 CORRECT ON MAP FOR 640 ACRES To correct patent 8/20/54 YES Reports 10-19-54 Robertson

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 54 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK JWP 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 4
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 4, Block 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 31 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the south line of Section 22, Block 89, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 3, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake in the south line of Section 21, P.S.L. Block 89, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

13572
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 VES
Released
11-19-54 Roberteau

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 55 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

acreage OK JWB 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 5
Block No. ~~61,~~ P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 61° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the south line of Section 21, Block 89, P.S.L., for the Northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 4, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake in the south line of Section 20, Block 89, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

9/807
CORRECT ON MAP FOR 640 ACRES
11/16/54 VES
Patented
12-13-54
Rhentram

---------- to the place of beginning, and containing 640.00 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 56 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

CENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

57

acreage OK. JWC 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 6
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at the northeast corner of Section 1, Block 62, in the south line of Section 19, Block ~~88~~ 89, P.S.L., the northwest corner of this survey, a 3/4" iron rod, notched on two sides, in small stone mound about 1/4 down the inside slope of the west dam of an earth tank, from which a clump of mesquites with six 3" prongs bears N 6¼° W 78.5 varas, a 2" mes. on dam bears S 36¼° E 31.0 varas, the east post of a wire gate in an east-west fence bears S 00° W 83.7 varas, an old stone mound (Parker's original SE Section 24, P.S.L. Block 88 and SW Section 19, P.S.L. Block 89) bears N 87° 34' 52" W 248.21 varas;

THENCE S 87° 57' 30" E 1900.80 varas to a stake in the South line of Section 20, P.S.L. Block 89, the Northwest corner of Section 5, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 5, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 1, P.S.L. Block 62, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

9/1808
CORRECT ON MAP FOR 640 ACRES
11/18/54 YES
Patsitti
12-13-54
Schulteau

---------- to the place of beginning, and containing 640.00 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 57 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 7
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK JWB 8-2-54

CORRECTED FIELD NOTES of the

Survey No. 7, Block No. 61, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)

in Culberson County, about 29 miles N 61° E from Van Horn, the county seat,

and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Section 6, Block 61, P.S.L., and sections 1 and 12, Block 62, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 5, and the southeast corner of Section 6, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 12, Block 62, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

136552
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 VES
Re-Patt
11-19-54
Robertson

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O.Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 58 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

acreage O.K. JWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 8
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 8, Block No. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 30 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 5, 6, and 7, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 4, and the southeast corner of Section 5, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 7, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

136553
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 VES
Re-Pats
11-19-54
Rotherham

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 59 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 9
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 9, Block No. 61, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)
in Culberson County, about 31 miles N 63° E from Van Horn, the county seat,
and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Section 4, 5, and 8, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 3, and the southeast corner of Section 4, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the Southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 8, this block for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



136554
CORRECT ON MAP FOR 640 ACRES
To correct patent
8/20/54 YES
Patented
11-2-54
Rebuttan

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.
Variation 12° 30' E
Bearings marked
Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)
I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 60 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

61

THE STATE OF TEXAS)
Culberson County)

Survey No. 10
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 10, Blk. No. 61, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)

in Culberson County, about 32 miles N 64° E from Van Horn, the county seat,

and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Section 3, 4, and 9, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 2, and the southeast corner of Section 3, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 9, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



136555
CORRECT ON MAP FOR 640 ACRES
8/20/54 YES
Repaid
11-22-54
Robertson

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 61 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 11
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK JWR 8-2-54

CORRECTED FIELD NOTES of the

Survey No. 11, Blk. No. 61, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)

in Culberson County, about 32 miles N 65° E from Van Horn, the county seat,

and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Section 2, 3, and 10, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 1, and the southeast corner of Section 2, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 10, this block, for the southwest corner of this Survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

13573 CORRECT ON MAP FOR 640 ACRES To correct Patent 8/20/54 YES Report 11-22-54 Robertson

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and arrificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 62 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 12
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK. gwp 8-2-54

CORRECTED FIELD NOTES of the

Survey No. 12, Blk. No. 61, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)

in Culberson County, about 33 miles N 66° E from Van Horn, the county seat,

and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Section 1, 2, and 11, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southeast corner of Section 1, this block, in the west line of survey 5, Block 90, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the west line of said survey 5, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 11, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



13574 640 ACRES CORRECT ON MAP FOR To correct Patent 8/20/54 VES Refers 11-27-54 Arthur Sears

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 63 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 13
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK JWR 8-2-54

CORRECTED FIELD NOTES of the Survey No. 13, Blk. No. 61, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)
in Culberson County, about 33 miles N 67° E from Van Horn, the county seat,
and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the west line of Survey 5, P.S.L. Block 90, the southeast corner of Section 12, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the west line of Survey 5, Block 90, P.S.L., for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 11, and the southwest corner of Section 12, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

9/8/98
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 Yes
Refused
11-22-54 Robertson

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 64 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 14
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK JWP 9-2-54

CORRECTED FIELD NOTES of the Survey No. 14, Blk. No. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 32 miles N 66° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 11, 12 and 13, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 13, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 10, and the southwest corner of Section 11, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

13515
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 YES
Refiled
11-22-54 Rothelean

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 65 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 15
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK. JMR 8-2-54

CORRECTED FIELD NOTES of the Survey No. 15, Blk. No. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 31 miles N 65° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 10, 11, and 14, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 14, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 9, and the southwest corner of Section 10, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----



1357/6 CORRECT ON MAP FOR 640 ACRES To correct Patent 8/20/54 YES Refers 11-22-54 Arbuckle

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 66 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

acreage OK JWP 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 16
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 16, Blk. No. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 30 miles N 65° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 9, 10, and 15, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 15, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 8, and the southwest corner of Section 9, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

136556
CORRECT ON MAP FOR 640 ACRES
To Correct Patent
8/20/54 VES
Replaced
11-22-54
Robertson

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 67 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 17
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK Jme 8-2-54

CORRECTED FIELD NOTES of the Survey No. 17, Blk. No. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 29 miles N 64°E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 8, 9, and 16, Block 61, P.S.L., for the Northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 16, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 7, and the southwest corner of Section 8, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

13557
CORRECT ON MAP FOR 640 ACRES
To Correct Patent
8/20/54 VES
Refused
11-22-54
Culberson

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor) (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 68 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK - JWB 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 18
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 18, Blk. No. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 28 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 7, 8, and 17, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 17, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 13, Block 62, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 12, Block 62, P.S.L., and the southwest corner of Section 7, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

13571
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 YES
Rejected
11-24-54 Robichaux

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 69 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 19
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK-JAR 8-2-54

CORRECTED FIELD NOTES of the

Sur. 19, Blk. 61, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)

in Culberson County, about 28 miles N 65° E from Van Horn, the county seat,

and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Section 18, Block 61, P.S.L., and Sections 13 and 24, Block 62, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 17, and the southeast corner of Section 18, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 24, Block 61, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

91896 CORRECT ON MAP FOR 640 ACRES. To correct Patent 8/20/54 VES
Checked 11-24-54 RobtLee

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 70 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

71

acreage OK GWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 20
Block No. ~~61~~, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Sur. 20, Blk. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 29 miles N 66° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 17, 18, and 19, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 16, and the southeast corner of Section 17, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 19, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



91892
CORRECT ON MAP FOR 640 ACRES
To Correct Patent
8/20/54 VES
Reported
11-24-54
Robertson

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor) ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 71 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECORDED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 21
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK gwb 8-2-54

CORRECTED FIELD NOTES of the

Sur. 21, Blk. 61, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)

in Culberson County, about 30 miles N 67° E from Van Horn, the county seat,

and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 16, 17, and 20, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 15, and the southeast corner of Section 16, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 20, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



13578
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 VES
Refiled
11-24-54
Rotheleen

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 72 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

acreage OK gwp 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 22
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Sur. 22, Blk. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER)

by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 31 miles N 67° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 15, 16, and 21, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 14, and the southeast corner of Section 15, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 21, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



1357/9
CORRECT ON MAP FOR 640 ACRES
To correct Patent
8/20/54 YES
Rpt
11-24-54
Johnstone

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 73 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK JWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 23
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Sur. 23, Blk. 61, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 32 miles N 68° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 14, 15, and 22, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 13, and the southeast corner of Section 14, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 22, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

137438 CORRECT ON MAP FOR 640 ACRES To correct Patent 8/20/54 YES Refused 11-24-54 Robert Lean

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 74 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

acreage OK gwk 8-2-54

THE STATE OF TEXAS)
Culberson County)

W/2, and the W/2 and SE/4 ~~of~~ the SE/4 of
Survey No. 24
Block No. 61, P.S.L.
Cert. No.
Tsp.

W/2, and the W/2 and SE/4 of the SE/4 of

CORRECTED FIELD NOTES of the Survey 24, Block 61, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)
in Culberson County, about 32 miles N 69° E from Van Horn, the county seat,
and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 13, 14 and 23, P.S.L. Block 61, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 950.40 varas to a stake in the midpoint of the south line of Section 13, and the North line of Section 24, this block, for the upper northeast corner of this survey;

THENCE S 01° 53' 20" W 950.40 varas to a stake in the center of Section 24, this block;

THENCE S 87° 57' 30" E 475.20 varas to a stake;

THENCE S 01° 53' 20" W 475.20 varas to a stake;

THENCE S 87° 57' 30" E 475.20 varas to a stake in the East line of Section 24, this block, and the West line of Survey 5, P.S.L. Block 90;

THENCE S 01° 53' 20" W 475.20 varas to a stake in the West line of Survey 5, P.S.L. Block 90, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 23, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----- to the place of beginning, and containing 440.00 acres of land, more or less.

148385
CORRECT ON MAP FOR 440 ACRES
To correct Patent
8/20/54 YES
Report
11-24-54
Arbuckle

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 75 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

acreage OK JWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

NE/4, and the NE/4 of the SE/4 of
Survey No. 24
Block No. 61, P.S.L.
Cert. No.
Tsp.

NE/4, and the NE/4 of the SE/4 of Sur. 24, Blk. 61, P.S.L. survey made for J. B. Foster (INSERT NAME OF OWNER) CORRECTED FIELD NOTES of the (INSERT NAME OF SURVEY OR SECTION)

by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 33 miles N 69° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the South line of Section 13, P.S.L. Block 61, and the northeast corner of the West half of Section 24, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 950.40 varas to a stake, the southeast corner of Section 13, this block, in the West line of Survey 5, P.S.L. Block 90 for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1425.60 varas to a stake in the West line of said Survey 5, and the northeast corner of the SE/4 of the SE/4 of Section 24;

THENCE N 87° 57' 30" W 475.20 varas to a stake, the northwest corner of the said SE/4 of the SE/4;

THENCE N 01° 53' 20" E 475.20 varas to a stake, the Northeast corner of the NW/4 of the SE/4 of Section 24;

THENCE N 87° 57' 30" W 475.20 varas to a stake in the center of Section 24, this block;

THENCE N 01° 53' 20" E 950.40 varas -----

13743 CORRECT ON MAP FOR 200 ACRES To Correct Patent 8/20/54 VES Refused 11-24-54 Galveston

---------- to the place of beginning, and containing 200.00 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 76 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

77

THE STATE OF TEXAS)
Culberson County)

Survey No. 25
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK JWP 8-25-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the West line of survey 5, Block 90, P.S.L., the southeast corner of Section 24, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the West line of said Survey 5, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 23, and the southwest corner of Section 24, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

135430
CORRECT ON MAP FOR 640 ACRES
11/18/54 YES
Patsies
12-13-54
Robertson

---------- to the place of beginning, and containing 640.00 acres of land, ~~more or less.~~

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 77 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECORDED

PLAT

77

THE STATE OF TEXAS)
Culberson County)

Survey No. 25
Block No. 61, T.S.L.
Cer. No.
Tsp.

CORRECTED FIELD NOTES of a survey

made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED) . Said land is situated in Culberson County, about 32 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the West line of survey 5, Block 90, T.S.L., the southeast corner of Section 24, Block 61, T.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the West line of said Survey 5, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 25, and the southwest corner of Section 24, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas ----



RECEIVED AS STATED

1 -
Date 6/30/54
Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

78

THE STATE OF TEXAS)
Culberson County)

Survey No. 26
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK JWR 8-2-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 23, 24, and 25, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 25, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section ~~23~~ 22, and the southwest corner of Section ~~24~~ 23, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas ----- ---------- to the place of beginning, and containing 640.00 acres of land, ~~more or less~~.

135431
CORRECT ON MAP FOR 640 ACRES
10/31/62 VES

Patented
12-31-62
Zull

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 78 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED AS STATED

1-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

79

THE STATE OF TEXAS)
Culberson County)

Survey No. 27
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK Jap 8-2-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 69° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 22, 23, and 26, Block 61, P.S.L. for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 26, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 21, and the southwest corner of Section 22, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

136558
CORRECT ON MAP FOR 640 ACRES
10/31/62 VES

Patented
12-31-62
Gull

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 79 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

1-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

80

THE STATE OF TEXAS)
Culberson County)

Survey No. 28
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK JWR 8-2-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 69° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 21, 22, and 27, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 27, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 20, and the southwest corner of Section 21, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

136559
CORRECT ON MAP FOR 640 ACRES
10/31/62 VES

Patented
12-31-62
gull

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 80 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk



RECEIVED AS STATED

/-

Date 6/30/51

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1964
REFERRED TO MAP

PLAT

acreage OK. JWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 29
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 69° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 20, 21, and 28, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 28, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 19, and the southwest corner of Section 20, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas ----- .

91894
CORRECT ON MAP FOR 640 ACRES
10/31/62 VES

Patented
12-31-62
Zull

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 81 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

111

PLAT

RECEIVED AS STATED

1/

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 30
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK Jwp 8-2-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 67° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 19, 20, and 29, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 29, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 25, Block 62, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 24, and the northeast corner of Section 25, Block 62, P.S.L., the southwest corner of Section 19, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----



1357 20
CORRECT ON MAP FOR 640 ACRES
10/31/62 YES

Patented

Zull

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 82 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

RECEIVED AS STATED

/s/

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

143013

640a
F/Notes ok to Patent 7/14/53 RWJ
acreage OK GWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 31
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 69° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 25 and 36, Block 62, P.S.L., and Section 30, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 29, and the southeast corner of Section 30, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 36, Block 62, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

FEB 23 1996
PATENTED [redacted]
NO. 199 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 83 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 31
Block No. 61, P.S.L.
Cert. No. _____
Twp. _____

SUBSEQUENT FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (WIFE, HER OR THEIR) ownership of Certificate No. _____ (INSERT THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED)

Said land is situated in Culberson County, about 27 miles N 69° E from Van Horn, the county seat, and is described by metes and bounds as follows, (to-wit): BEGINNING at a stake the common corner of Sections 25 and 36, Block 62, P.S.L., and Section 30, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 30, and the southeast corner of Section 30, this block, for the northeast corner of this survey;

THENCE S 02° 53' 30" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 36, Block 62, P.S.L., for the southwest corner of this survey;

THENCE N 02° 53' 30" E 1900.80 varas ----



Courses are based on the Texas Coordinate Grid System.

Bearings marked _____ Chain Carriers O. Aldrich

Surveyed Feb.-Oct., 1953 V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cook, Chairman of Midland County, Texas, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, courses, and distances, and the marks of the survey actual and artificial, are truly and correctly described on the Plat and Field Notes, just as I found them on the ground.

This 26th day of April 1954

(County Surveyor)

I, _____, Surveyor of Culberson County, Texas do certify that the foregoing Field Notes are recorded in Book X, Page 62 of the County Records of Culberson County, Texas.

This _____ day of _____ 19__

(County Surveyor)

(County Clerk)

RECEIVED AS STATED

1-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

84

9/893

640°
Fl Notes ok to Patent
7/6/95 RVM
acreage OK DWR
8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 32
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 29, 30, and 31, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 28, and the southeast corner of Section 29, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 31, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

PATENTED FEB 01 1996
NO. 186 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool, (~~Surveyor~~ Licensed State Land Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 84 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Cullerson County)

Survey No. 52
Block No. 61, T.S.L.
Cert. No.
Twp.

I, J. B. Foster, by virtue of this ownership of Certificate No. (RECEIPT NO. AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED)
made for (INSERT NAME OF OWNER) (HIS, HER OR THEIR)
County, about 28 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 29, 30, and 31, Block 61, T.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 30, and the southeast corner of Section 29, this block, for the northeast corner of this survey;

THENCE S 01° 52' 30" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 31, this block, for the southwest corner of this survey;

THENCE N 01° 52' 20" E 1900.80 varas

---

to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

RECEIVED AS STATED

Fee

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 33
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 28, 29, and 32, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 27, and the southeast corner of Section 28, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 32, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 85 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

acreage OK JWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 34
Block No. 61, P.S.L.
Cert. No. _____
Tsp. _____

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 71° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 27, 28 and 33, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 26, and the southeast corner of Section 27, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 33, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Chain Carriers O. Alsop

V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 86 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk



RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

acreage OK GWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 35
Block No. 61, P.S.L.
Cert. No. _____
Tsp. _____

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 71° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 26, 27, and 34, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 25, and the southeast corner of Section 26, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 34, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 87 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk



RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

88

THE STATE OF TEXAS)
Culberson County)

Survey No. 36
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK. JWR 8-2-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 72° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 25, 26, and 35, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake in the West line of Survey 5, Block 90, P.S.L., the southeast corner of Section 25, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the West line of said Survey 5, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 35, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

135433
CORRECT ON MAP FOR 640 ACRES
11/18/54 VES
Patented
12-13-54
Roberteau

---------- to the place of beginning, and containing 640.00 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 88 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 36 P.S.L.
Block No. 61
Cert. No.
Twp.

SURVEYOR'S FIELD NOTES of a survey made for J. D. Foster by virtue of his (HIS OR THEIR) ownership of Certificate No. (RECEIVED FROM THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED)

Said land is situated in Culberson County, about 35 miles N 12° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 25, 26, and 35, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake in the West line of Survey 5, Block 90, P.S.L., the southeast corner of Section 25, this block, for the northeast corner of this survey;

THENCE S 01° 53' 30" W 1900.80 varas to a stake in the West line of said Survey 5, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 35, this block, for the southwest corner of this survey;

THENCE N 01° 53' 30" E 1900.80 varas ----



RECEIVED AS STATED

1-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

acreage OK GWP 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 37
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 73° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the southeast corner of Section 36, Block 61, P.S.L., in the West line of Survey 5, Block 90, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, in the west line of said Survey 5, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 35, and the southwest corner of Section 36, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----



Pld 135434 152116

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 89 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk



RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

PLAT

Split
135435
152117
acreage OK. JWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 38
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 73° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 35, 36 and 37, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 37, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 34, and the southwest corner of Section 35, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 90 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

111

PLAT



RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED

JUN 30 1954

REFERRED TO MAP

PLAT

143014

[redacted] 640 ac
Fldnotes ok to Patent 7/19/95 RVM
acreage OK JWR 9-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 39
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 72° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 34, 35, and 38, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 38, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 33, and the Southwest corner of Section 34, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas ----------

PATENTED FEB 23 1996
NO. 200 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 91 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

THE STATE OF TEXAS)
Culberson County)

Survey No. 39
Block No. 61, P.S.L.
Cert. No. _____
Twp. _____

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of Ltr. (STR, HER OR THEIR) ownership of Certificate No. _____ (WRITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED) Said land is situated in Culberson County, about 30 miles N 72° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 34, 35, and 39, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1800.80 varas to a stake, the southwest corner of Section 39, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1800.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1800.80 varas to a stake, the southeast corner of Section 35, and the Southwest corner of Section 34, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1800.80 varas -----



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Bearings are based on the Texas Coordinate Grid System.
Variation 12° 30' E

Bearings marked _____ Chain Carrier O. Alsop

Surveyed Feb.-Oct. 1953 V. E. Young

(Licensed State Land Surveyor)

I, Clifford O. Cool, Surveyor of Midland County, Texas do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the lines and corners as shown with the marks of the same, natural and artificial, are truly and correctly described by the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April 1954

(Licensed State Land Surveyor)

I, _____, Surveyor of Culberson County, do hereby certify that the foregoing Field Notes are recorded in Book X Page 97

Records of Culberson County, Texas.

This _____ day of _____ 19____

County Surveyor

County Clerk

RECEIVED AS STATED

By /-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

REFERRED TO MAP

JUN 30 1954

RECEIVED

PATENTED FEB 23 1956
NO. 3990
BAILEY CO. CLK. MAR 05 1956

PLAT

143015

640.0
F/Notes ok to Patent 7/19/95
RWM

acreage OK JMR 8-2-54

92

THE STATE OF TEXAS)
Culberson County)

Survey No. 40
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 39 miles N 72° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 33, 34, and 39, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 39, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 32, and the southwest corner of Section 33, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas ----------

PATENTED FEB 23 1996
NO. 201 VOL. 41-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 92 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk



RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

143016

[redacted] 640°
Fnotes ok to Patent 7/14/95
RWH
acreage OK RWR 8.25.96

93

THE STATE OF TEXAS)
Culberson County)

Survey No. 41
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 71° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 32, 33, and 40, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 40, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 31, and the southwest corner of Section 32, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----

PATENTED FEB 23 1996
NO. 202 VOL. 41-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 93 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

REFERRED TO MAP

JUN 30 1954

RECEIVED

PLAT

143017

640.0

P/Notes ok to Patent 7/14/95 KWW

acreage OK 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 42
Block No. 61, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 31, 32, and 41, Block 61, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the southwest corner of Section 41, this block, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 37, Block 62, P.S.L., the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the southeast corner of Section 36, and the northeast corner of Section 37, Block 62, P.S. L., and the southwest corner of Section 31, this block, for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas -----



FILED FOR RECORD FEB 23 1996
RECORDED Vol. 203 Vol. 47-8
MAILED OR DEL. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct. 1953

Chain Carriers O. Alsop
V. E. Young

((Licensed State Land Surveyor))

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 94 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

143018

640.00
Fldnotes ok to Patent 7/10/53 RDM
acreage OK JMB 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 43
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 73° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 37 and 48, Block 62, P.S.L., and Section 42, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section ~~5~~ 41 and the southeast corner of Section 42, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the North line of Survey 7, Block 85, P.S.L., for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a 3/4" iron rod notched on two sides set in concrete and stone mound about N 20° W 35 varas from a fork of draw, from which U.S.C.&G.S. Station "West" bears N 71° 41' 18" W 905.40 varas, the southeast corner of Section 48, Block 62, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



PATENTED FEB 23 1996 VOL. 47 PAGE 73
NO. 204
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 95 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk



RECEIVED AS STATED

/—

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

REFERRED TO MAP

JUN 30 1954

RECEIVED

PLAT

143019

96

~~CORRECTED~~ 640 ACRES
F/Notes ok to Patent
7/14/55 RWM
acreage OK JWP 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 44
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 73° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 41, 42, and 43, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 40, and the southeast corner of Section 41, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the North line of Survey 6, P.S.L., Block 85, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake in the North line of Survey 7, P.S.L. Block 85, the southeast corner of Section 43, this block, for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

PATENTED FEB 23 1996
NO. 205 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 96 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATED

Date 6/30/54

Reg. No. 61128

PLAT

143020

640.0
Fldnotes ok to Patent
7/14/95 RDM
acreage OK JMC 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 45
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 74° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 40, 41, and 44, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 39, and the southeast corner of Section 40, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the North line of Survey 5, Block 85 P.S.L., for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 44, this block in the North line of Survey 6, Block 85, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

PATENTED FEB 23 1996 VOL. 47-B
NO. 206 MAIL CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~(Surveyor)~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 97 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

143021

98

640 ac
Fl Notes ok to Patent
7/10/95 RWM
acreage OK JWP 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 46
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 74° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 39, 40, and 45, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 38, and the southeast corner of Section 39, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the North line of Survey 4, Block 85, P.S.L., for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 45, this block in the North line of Survey 5, Block 85, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

PATENTED FEB 23 1996
NO. 207 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 98 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

THE STATE OF TEXAS)
Culberson County)

Survey No. 46
Block No. 61, T.&S.L.
Cer. No.
Twp.

PLAT

RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

143022

640.0

F/Notes ok to Patent 7/19/55 RWM

acreage OK JWP 9-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 47
Block No. 61, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 75° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 38, 39, and 46, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southwest corner of Section 37, and the southeast corner of Section 38, this block, for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the North line of Survey 2, Block 85, P.S.L., for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 46, this block, in the north line of Survey 4, Block 85, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----



FEB 23 1996

PATENTED VOL. 47-B
NO. 208
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 99 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

THE STATE OF TEXAS)
Gulberson County)

Survey No. 47
Block No. 61, T.S.L.
Cert. No.
Tsp.



I, B. Foster, by virtue of Nila ownership of Certificate No.
(Surveyor name or owner)
Said land is situated in Gulberson
(Section, Block or Survey)
County, about 30 miles N 75° E from Van Horn, the county seat, and is described by metes and
bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 39, 38, and
40, Block 61, T.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1800.80 varas to a stake, the southwest corner of Section
37, and the southeast corner of Section 38, this block, for the northeast corner of
this survey;

THENCE S 01° 32' 30" W 1800.80 varas to a stake in the North line of Survey 2,
Block 88, T.S.L., for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1800.80 varas to a stake, the southeast corner of Section
48, this block, in the north line of Survey 4, Block 88, T.S.L., for the southwest
corner of this survey;

THENCE N 01° 32' 30" E 1800.80 varas -----



RECEIVED AS STATED

1-
Date 6/30/54
Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

100

THE STATE OF TEXAS)
Culberson County)

Survey No. 48
Block No. 61, P.S.L.
Cert. No.
Tsp.

acreage OK JWB 8-3-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 75° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 37, 38, and 47, Block 61, P.S.L., for the northwest corner of this survey;

THENCE S 87° 57' 30" E 1900.80 varas to a stake, the southeast corner of Section 37, this block, in the West line of Survey 5, Block 90, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a 3/4" iron rod notched on two sides in stone mound on West slope of high mountain near bottom about 50 varas East of a draw, the southwest corner of Survey 5, Block 90, P.S.L., from which a 1-1/2" galvanized iron pipe in stone mound bears S 20° 32' E 28.3 varas, for the southeast corner of this survey;

THENCE N 87° 57' 30" W 1900.80 varas to a stake, the southeast corner of Section 47, this block, in the North line of Survey 2, Block 85, P.S.L., for the southwest corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas -----

143023
CORRECT ON MAP FOR 640 ACRES
1/18/54 VES

Patented
12-13-54
Robertson

---------- to the place of beginning, and containing 640.00 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 100 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECORDED

RECEIVED AS STATED

1/

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED

JUN 30 1954

REFERRED TO MAP

Block 62

PLAT

101

91655

CORRECT ON MAP FOR 640.0 ACRES
1-5-73 JEM

PATENTED 9/10/73

NO. 338 Vol 40B

MAILED CO. CLK. 9/17/73

acreage OK JMP 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of His (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron rod, notched on two sides, in small stone mound about $\frac{1}{4}$ down the inside slope of the west dam of an earth tank, from which a clump of mesquite with six - 3" prongs bears N $6\frac{1}{4}$° W, 78.5 varas, a 2" mes. on dam bears S $36\frac{1}{4}$° E, 31 varas, the east post of wire gate in an east-west fence bears S 00° 30' W 83.7 varas, the NW corner of Sec. 6, Block 61, P.S.L, in the South line of Survey 19, P.S.L. Block 89, for the NE corner of this survey;

THENCE, S 01° 53' 20" W 1900.80 varas to a stake, the SW corner of Sec. 6, Block 61, P.S.L., for the SE corner of this survey;

THENCE, N 87° 34' 52 W 1900.80 varas to a stake for the SW corner of this survey;

THENCE, N 01° 53' 20" E 1900.80 varas to a stake in the South line of Sec. 24, Block 88, P.S.L., for the NW corner of this survey;

THENCE, S 87° 34' 52" E at 1652.59 varas past an old stone mound from which an east-west fence bears S 79.2 varas, the original SE corner of Sec. 24, Block 88, P.S.L. and the SW corner of Sec. 19, Block 89, P.S.L., in all 1900.80 varas - - - - - - - - -



- - - - - - to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 101 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED



RECEIVED AS STATED

100

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

9/654

CORRECT ON MAP FOR 640° ACRES 7-5-73 gem

PATENTED 9/10/73

NO. 237 Vol 40-B

MAILED CO. CLK 9/17/73

acreage OK JWP 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 2
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of His (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the NW corner of Sec. 1, Block 62, P.S.L. in the South line of Sec. 24, Block 88, P.S.L., for the NE corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the SW corner of Sec. 1, this block, for the SE corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake for the SW corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake in the South line of Sec. 23, Block 88, P.S.L. for the NW corner of this survey;

THENCE S 87° 34' 52" E at 1657.07 varas past an old stone mound (Parker's original SE corner of Sec. 23 and SW corner of Sec. 24, Block 88, P.S.L.), in all 1900.80 varas - - -

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT



THE STATE OF TEXAS)
Culberson County)

N/2 of
Survey No. 3
Block No. 62, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the N/2 of Survey No. 3, Block 62, P. S. L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 27 miles N 56° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the NW corner of Sec. 2, Block 62, P.S. L. in the south line of Sec. 23, Block 88, P.S. L., for the NE corner of this survey;

THENCE S 01° 53' 20" W 950.40 varas to a stake in the midpoint of common line of sections 2 and 3, this block for the SE corner o f this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake in the midpoint of the west line of Section 3, this block, for the SW corner of this survey;

THENCE N 01° 53' 20" E 950.40 varas to a stake, the NW corner of Section 3, this block, in the South line of Section 22, Block 88, P.S.L. for the NW corner of this survey;

THENCE S 87° 34' 52" E at 1666.00 varas pass (Parker's original SE corner of Sec. 22 and SW corner of Sec. 23, Block 88, P.S.L.), a 3/8" iron rod set in an old stone mound on the southwest slope of a rocky hill, from which a sharp peak bears S 81° 08' W, a natural tank in rock bears S 50° 41' W 152.6 varas in all 1900.80 varas ---------

----------to the place of beginning, and containing 320.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.
Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. - Oct., 1953

(Licensed State Land Surveyor)
I, Clifford C. Cool, (~~Surveyor of~~ Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 103 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

S/2 of
Survey No. 3
Block No. 62, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

S/2 of Survey No. 3, Block 62, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 27 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the SE corner of the N/2 of Survey 3 in the West line of Survey No. 2, Block 62, P.S.L., for the NE corner of this survey;

THENCE S 01° 53' 20" W 950.40 varas to a stake, the SW corner of Section 2, and the NE. corner of Section 3, this block, for the SE corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake, the SW corner of Section 3, this block, the for the SW corner of this survey;

THENCE N 01° 53' 20" E 950.40 varas to a stake, the SW corner of the N/2 of Sec. 3, this block, for the NW corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varas ----------

---------- to the place of beginning, and containing 320.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor of~~ Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 104 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 4
Block No. 62, P.S.L.
Cert. No.
Tsp.

acreage OK JMP 8-2-54

CORRECTED FIELD NOTES of the

Survey No. 4, Block 62, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 26 miles N 55° E. from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the NW corner of Sur. 3, Block 62, P.S.L., for the NE corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the SW corner of Section 3, this block, for the SE corner of this syrvey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake for the SW corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake in the South line of Survey 21, Block 88, P.S.L. for the NW corner of this survey;

THENCE S 87° 34' 52" E at 1665.57 varas pass a large earth and gravel mound (Parker's original SE corner of Survey 21 and SW corner of Survey 22, Block 88, P.S.L.) from which a sharp peak bears S 72° 51' W a nipple top mountain bears N 79° 19' W and a mountain ridge bears N 83° 32' E, in all 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 105 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 5
Block No. 62, P.S.L.
Cert. No.
Tsp.

acreage OK JWB 8-2-54

CORRECTED FIELD NOTES of the

Survey No. 5, Block No 62, P.S.L. survey made for J. G. Foster.
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 25 miles N 54° E from VAn Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Section 4, Block 62, P.S.L. in the south line of Section 21, Block 88, P.S.L. for the N. E. corner of this syrvey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of Section 4, this block, for the S. E. corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake, the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, in the south line of section 20, block 88, P.S.L. for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 106 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 6
Block No. 62, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 6, Block No. 62, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 24 miles N 53° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron bar, notched on two sides, set in concrete and a stone mound, at the foot of the south side of a high hill, another stone mound (old) in fence with a stone marked "1905 P.S.L." bears S 85° 02' W, 264.6 varas, the SW corner of Section 19, Block 88, P.S.L., in the East line of Survey 29, Block 87, P.S.L., for the NW corner of this survey;

THENCE, S 87° 34' 52" E, 1900.80 varas to a stake, the NW corner of Section 5, this block, in the south line of Sec. 20, P.S.L., Block 88, for the NE corner of this survey;

THENCE, S 01° 53' 20" W, 1900.80 varas to a stake, the SW corner of Sec. 5, this block, for the SE corner of this survey;

THENCE, N 87° 34' 52" W, 1900.80 varas to a stake in the east line of Survey No. 1, Block 84, P.S.L. for the SW corner of this survey;

THENCE, N 01° 53' 20" E, at 133.06 varas pass the NE corner of Survey 1, Block 84, and the SE corner of Survey 29, Block 87, P.S.L., a 3/4" iron bar set in concrete and a stone mound from which an X on large flat rock outcrop bears S 79° 51' E, 66.24 varas, a 2" mesquite marked X bears N 28" 16' W, 9.29 varas, a north-south fence bears west 276.5 varas, in all 1900.80 varas ----------

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.
Variation 12° 30' E
Bearings marked
Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)
I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 107 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

PLAT

acreage OK GWR 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 7
Block No. 62, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 7, Block No. 62, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 23 miles N 55° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the SW corner of Section 6, Block 62, P.S.L., in the east line of Survey 1, Block 84, P.S.L.; from which a 3/4" iron bar notched on two sides set in concrete and stone mound, from which an X on large flat rock outcrop bears S 79° 51' E 66.24 varas, a 2" mesquire marked X bears N 28° 16' W 9.29 varas, a North-South fence bears West 276.5 varas, the N. E. corner of Section 1, Block 84, P.S.L., bears N 01° 53' 20" E 133.06 varas for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varas to a stake, the S. W. corner of Section 5, and the S. E. corner of Section 6, This block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S. E. corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake, in the east line of Survey 1, Block 84, P.S.L., for the S. W. corner of this survey;

THENCE N 01° 53' 20" E. 1900.80 varas ----------



---------- to the place of beginning, and containing 640.000 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)
I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 108 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 8
Block No. 62, P.S.L.
Cert. No.
Tsp.

acreage O.K. GMP 8-2-54

CORRECTED FIELD NOTES of the Survey No 8, Block No 62, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 25 miles N 56° E from VAn Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 5, 6, and 7, Block 62, P.S.L., for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varas to a stake, the S. W. corner of Section 4, and the S. E. corner of SEction 5, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S. E. Corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake, the. S. E. corner of Section 7, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ---------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30'E

Bearings marked

Surveyed Feb. - Oct., 1953.

Chain Carriers O. Alsop
V. E. YOung

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~(Surveyor)~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and arrificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of APril, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 109 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 9
Block No. 62, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 9, Block No. 62, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 25 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 4, 5, and 8, Block 62, P.S.L., for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varas to a stake, the S. W. corner of Section 3, and the S. E. corner of Section 4, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S. E. corner of this survey;

THENCE N 87° 34' 52" W 1900,80 varas to a stake, the S. E. corner of Section 8, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 110 of the County Surveyor's Records of ~~Culberson~~ County, Texas.

This _____ day of _____, 19____.

RECEIVED

_____
County Surveyor
County Clerk

PLAT

acreage OK dwp 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 10
Block No. 62, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 10, Block No 62, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 26 miles N 58° E from VAn Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 3, 4, and 9, Block 62, P.S.L., for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varasto a stake, the S. W. corner of Section 2, and the S. E. corner of Section 3, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varasto a stake, for the S. E. corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake, the S. E. corner of Section 9, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 111 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

136566

CORRECT ON MAP FOR 640° ACRES
7-5-73 JEW

PATENTED 9/10/73

NO. 246 VOL. 406

MAILED CO. CLK. 9/17/73

acreage of June 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 11
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections, 2, 3, and 10, Block 62, P.S.L., for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varas to a stake, the S. W. corner of Section 1, and the S. E. corner of Section 2, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, for the S. E. corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake, the S. E. corner of Section 10, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ----------



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 112 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk

RECEIVED AS STATE

100

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED

JUN 30 1954

REFERRED TO MAP

PLAT

acreage OK JWB 8-2-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 12
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in County, about 28 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 1, 2, and 11, Block 62, P.S.L., for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varas to a stake, the S. W. corner of Section 6, Block 61, P.S.L., the S. E. corner of Section 1, this block, for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of Section 7, Block 61, P.S.L., for the S. E. corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake, the S. E. corner of Section 11, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas ---------->



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ XXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book K, Page 113 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

RECEIVED AS STATED

1 00

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED

JUN 30 1954

REFERRED TO MAP

PLAT



THE STATE OF TEXAS)
Culberson County)

E/2 of the NE/4 &
E/2 of the SE/4 of
Survey No. Section 13
Block No. 62, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

E/2 of the NE/4 & E/2 of the SE/4 of Sec 13 survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 28 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 12, Block 62, P.S.L., and Sections 7 and 18, Block 61, P.S.L. for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of Section 18, Block 61, P.S.L., for the S. E. corner of this survey;

THENCE N 87° 34' 52" W 475.20 varas to a stake, in the south line of Section 13, this block, for the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake in the north line of Section 13 and the south line of Section 12, this block, for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 475.20 varas ----------

---------- to the place of beginning, and containing 160.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 114 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

PLAT

135721

CORRECT ON MAP FOR 480.0 ACRES

PATENTED 9/10/73 243 7-5-73 JEm

NO. 243 VOL. 40B.

MAILED CO. CLK. 9/17/73

acreage OK JWR 8-3-54

W/2, W/2 of NE/4 & W/2 of SE/4, of
Survey No. Sec. 13
Block No. 62, P.S.L.
Cert. No.
Tsp.

THE STATE OF TEXAS)
Culberson County)

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of the east 160 acres of Section 13, Block 62, P.S.L., in the south line of Section 12, Block 62, P.S.L., for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of the east 160 acres of Section 13, this block, for the S. E. corner ofthis survey;

THENCE N 87° 34' 52" W 1425.60 varas to a stake, the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S. E. corner of Section 11, and the S. W. corner of Section 12, this block, for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 1425.60 varas ----------

---------- to the place of beginning, and containing 480.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. -Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 115 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATE LANDS
GENERAL LAND OFFICE
Date 6/30/54
Reg. No. 61128

PLAT

135 722

CORRECT ON MAP FOR 640° ACRES 7-5-73 JEm

PATENTED 9/10/73

NO. 244 VOL. 408

MAILED CO. CLK. 9/17/73

denied O.F. JMP 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 14
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common cornerof Sections 11, 12, and 13, Block 62, P.S.L. for the N. E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the S. W. corner of Section 13, this block, for the S. E. corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake, the S. W. corner of this survey;

THENCE N 01° 53' 20" E 1900.80 varas to a stake, the S. E. corner of Section 10, and the S. W. corner of Section 11, this block, for the N. W. corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varas ----------



----------to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool ~~(Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~County Surveyor~~ State Land Surveyor

I, ----------, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 116 of the County Surveyor's Records of Culberson County, Texas.

This ---------- day of ---------- 19----.

County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Date 6/30/54
Reg. No. 6112B
RECEIVED AS STATED

136568
CORRECT ON MAP FOR 320 ACRES
PATENTED 9/10/73 7-6-73 Em
NO. 247 VOL. 40B
MAILED CO. CLK. 9/17/73
acreage OK. Jap 8-3-51

E/2 of

THE STATE OF TEXAS)
Culberson County)

Survey No. 15
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 26 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 10, 11, 14 and 15, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 14, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 950.40 varas to a stake, the mid-point of the south line of Section 15, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the mid-point of the North line of Section 15 and the south line of Section 10, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 950.40 varas -----



---------- to the place of beginning, and containing 320.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 19 53

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 117 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATED
Date 6/30/54
Reg. No. G1128
GENERAL LAND OFFICE

PLAT

acreage OK JWR 8-3-54

THE STATE OF TEXAS)
Culberson County)

W/2 of
Survey No. 15
Block No. 62, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the W/2 of Survey No. 15, Block No. 62, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 26 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 9, 10, and 16, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 950.40 varas to a stake, the northwest corner of the east half of Survey 15 in south line of Section 10, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of the east half of Survey 15, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 950.40 varas to a stake, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----



---------- to the place of beginning, and containing 320.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 118 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 16
Block No. 62, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 16, Block No. 62, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 25 miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 9, 10, and 15, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 15, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 8, and the southwest corner of Section 9, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas ----- ---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
County Surveyor

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 119 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT



acreage OK JWR 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 17
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 24 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 8, 9, and 16, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 16, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 7, and the southwest corner of Section 8, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

149430 CORRECT ON MAP FOR 640 ACRES
10-10-62 JWW

Patented
11-29-62
Zull

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ XXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 120 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Rec. No. 6112.8
Date 6/30/54
Doc
RECEIVED AS STATED

PLAT

121

acreage OK Jmc 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 18
Block No. 62, P.S.L.
Cert. No. _____
Tsp. _____

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 23 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 7, 8, and 17, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 17, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake in the east line of Survey 14, Block 84, P.S.L., the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southwest corner of Section 7, this block, in the east line of Survey 1, Block 84, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas ----------

124824
CORRECT ON MAP FOR 640 ACRES
5-29-70 YES

Patented
Pat 462 - Vol 36-B
9-22-70
Lawn

---------- to the place of beginning, and containing 640.00 acres of land, ~~more or less.~~

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 121 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATED
GENERAL LAND OFFICE
Dtd. 6/30/54
Reg. No. G1128



PLAT

122

THE STATE OF TEXAS)
Culberson County)

Survey No. 19
Block No. 62, P.S.L.
Cert. No.
Tsp.

acreage OK GWR 7-3-54

CORRECTED FIELD NOTES of the

Survey No. 19, Block No. 62, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of his ownership thereof, for the purpose of correcting the patent. Said land is situated
(HIS, HER OR THEIR)

in Culberson County, about 23 miles N 59° E from Van Horn, the county seat,

and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the southwest corner of Section 18, Block 62, P.S.L., in the east line of Survey 14, Block 84, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 17, and the southeast corner of Section 18, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake in the east line of Survey 15, Block 84, P.S.L., for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 122 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

acreage OK Jmp 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 20
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of the Survey No. 20, Block No. 62, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 23 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sectinns 17, 18, and 19, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 16, and the southeast corner of Section 17, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 19, this block, for the southwest corner of this Survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

Split F.N. for Required 25 & E. pts 2-14-3025

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 123 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECORDED

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 21
Block No. 62, P.S.L.
Cert. No.
Tsp.

acreage OK Jmp 8-3-54

~~CORRECTED~~ FIELD NOTES of the Survey No. 21, Block No. 62, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 24 miles N 61° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 16, 17, and 20, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 15, and the southeast corner of Section 16, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 20, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

Split F.N. for S.Pt. Rgd. for File 143026

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 124 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

108436

DISTRICT ON MAP 640 ACRES

F/Notes or to Patent 7/27/95 RVL

acreage OK GWB 8-3-54

125

THE STATE OF TEXAS)
Culberson County)

Survey No. 22
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 25 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 15, 16, and 21, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 14, and the southeast corner of Section 15, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 21, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

PATENTED FEB 01 1996
NO. 185 VOL. 41-B
MAILED CO. CLK. FEB 07 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 125 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

111

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 22
Block No. 22, T.S.L.
Cert. No.
Twp.

RECEIVED AS STATED

Date 6/30/54
Rec. No. 61128

GENERAL LAND OFFICE

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 23
Block No. 62, P.S.L.
Cert. No. _____
Tsp. _____

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 26 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 14, 15, and 22, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" E st 1900.80 varas to a stake, the southwest corner of Section 13, and the southeast corner of Section 14, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 22, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----



---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____ Chain Carriers O. Alsop

Surveyed Feb.-Oct., 19 53 V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 126 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATED

Date 6/30/54

Reg. No. 21128

GENERAL LAND OFFICE

PLAT

135724

CORRECT ON MAP FOR 480° ACRES 7-5-73 JEM

PATENTED 9/10/73

NO. 246 VOL. 40B

MAILED CO. CLK. 9/17/73

acreage OK JMP 9-3-54

W/2 & W/2 of NE/4 & W/2 of SE/4 of

THE STATE OF TEXAS)
Culberson County)

Survey No. 24
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 64° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 13, 14, and 23, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1425.60 varas to a stake, the southeast corner of the West 480 acres, and the southwest corner of the East 160 acres of Section 13, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1425.60 varas to a stake, the southeast corner of Section 23, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----



---------- to the place of beginning, and containing 480.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 127 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATE LAND
Pat. No. 8211/28
Pub. 6/30/54
Ltr.
GENERAL LAND OFFICE

PLAT

E/2 of NE/4 and
E/2 of SE/4 of
Survey No. 24
Block No. 62, P.S.L.
Cert. No.
Tsp.

THE STATE OF TEXAS)
Culberson County)

acreage OK JWR 1-13-54

E/2 of NE/4 and E/2 of SE/4 of Survey No. 24, Block 62, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 27 miles N 64° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

CORRECTED FIELD NOTES of the

BEGINNING at a stake the common corner of the west 480 acres of Section 24, the west 480 acres and the east 160 acres of Section 13, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 475.20 varas to a stake, the southwest corner of Section 18, Block 61, P.S.L., the southeast corner of Section 13, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 19, Block 61, P.S.L., for the southeast corner of this survey;

THENCE North 87° 34' 52" West 475.20 varas to a stake, the southeast corner of the West 480 acres of Section 24, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

---------- to the place of beginning, and containing 160.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and arrificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 128 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

108437

640-

F/Notes at to Patent 7/9/95

acres OK JHP 8-3-54

129

THE STATE OF TEXAS)
Culberson County)

Survey No. 25
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ Amended FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 66° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 24, Block 62, P.S.L., and Sections 19 and 30, Block 61, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 30, Block 61, P.S.L., for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 23, and the southwest corner of Section 24, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

PATENTED FEB 23 1996
NO. 195 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 129 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

100

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

RECEIVED

JUN 30 1954

REFERRED TO MAP

PLAT

130

108438

[redacted] 640 ac
F/Notes OK to Patent 3/10/95 RVM

acreage OK JWR 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 26
Block No. 62, P.S.L.
Cert. No. ____
Tsp. ____

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. ____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 26 miles N 65° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 23, 24, and 25, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 25, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 22, and the southwest corner of Section 23, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

PATENTED FEB 23 1996
NO. 213 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked ____

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 130 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Date 6/30/54
Reg. No. 6112B
RECEIVED AS SHOWN

PLAT

acreage OK JWR 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 27
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of the Survey No. 27, Block No. 62, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 25 miles N 64° E from V n Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 22, 23, and 26, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900'80 varas to a stake, the southwest corner of Section 26, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 21, and the southwest corner of Section 22, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----



---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 131 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

132

143027

640.0

Notes ok to Patent 7/13/95 KVM

acreage OK JWR 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 28
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 24 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 21, 22, and 27, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 27, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 20, and the southwest corner of Section 21, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

PATENTED FEB 01 1996
NO. 182 VOL. 47-B
MAILED CO. CLK. FEB 07 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 132 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 20
Block No. 22, P.S.L.
Cert. No.
Twp.



PLAT

133

THE STATE OF TEXAS)
Culberson County)

Survey No. 29
Block No. 62, P.S.L.
Cert. No.
Tsp.

acreage OK JMR 8-3-54

~~CORRECTED~~ FIELD NOTES of the Survey No. 29, Block No. 62, P.S.L. survey made for J. B. Foster
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 23 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 20, 21, and 28, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 28, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 19, and the southwest corner of Section 20, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

F. N. rgd. for S & E pt. see File 143028 $1.00 F. F. rgd.

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool, (~~Surveyor~~ Licensed State Land Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 133 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 30
Block No. 62, P.S.L.
Cert. No.
Tsp.

acreage OK Jmc 8-3-54

~~CORRECTED~~ FIELD NOTES of the Survey No. 30, Block 62, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 22 miles N 61° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 19, 20, and 29, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 29, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake in the east line of Survey 28, Block 84, P.S.L , for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southwest corner of Section 19, this block, in the east line of Survey 15, Block 84, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

Split F.N. & F.F. rgd. See 143029

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 134 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 31
Block No. 62, P.S.L.
Cert. No.
Tsp.

acreage OK Jue 8-3-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 21 miles N 63° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the southwest corner of Section 30, Block 62, P.S.L., in the east line of Survey 28, Block 84, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Survey 29 and the southeast corner of Survey 30, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, in the east line of Survey 1, Block 83, P.S.L., for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

1430 30

CORRECT ON MAP FOR 640 ACRES To Patent - 3-19-81 JEM

PATENTED 4/27/81
NO. 288 V. 44-B
MAILED CO. CLK 5/8/81 mw

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 135 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECORDED

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Date 6/30/54
Reg. No. 61128
RECEIVED AS SHOWN

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 32
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 22 miles N 64° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 29, 30, and 31, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 28, and the southeast corner of Section 29, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 31, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

14 3031

CORRECT ON MAP FOR 640 ACRES
To Patent - 3-19-81 JEM

PATENTED 4/27/81
NO. 289 VOL. 446
MAILED 5/8/81
mw

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 136 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Date 6/30/54
Reg. No. 6112 28
Deputy
FILED AS STAKED

PLAT

143032

640.0
F/Notes ok to Patent
7/18/95 RVM
acreage OK DMP
8-3-54

137

THE STATE OF TEXAS)
Culberson County)

Survey No. 33
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 23 miles N 65° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 28, 29, and 32, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 27, and the southeast corner of Section 28, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 32, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

PATENTED FEB 01 1996
NO. 183 VOL. 47-B
MAILED CO. CLK. FEB 07 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 137 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Date 6/30/54
Reg. No. 61128
RECEIVED AS STATED

PLAT

133438

640-

Fnotes ok to Patent
7/10/95 RVM

acreage OK JWR 8-3-54

138

THE STATE OF TEXAS)
Culberson County)

Survey No. 34
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 24 miles N 66° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 27, 28, and 33, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 26, and the southeast corner of Section 27, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 33, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

PATENTED FEB 23 1996
NO. 197 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 138 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

THE STATE OF TEXAS)
Culberson County)

Survey No. 54
Block No. 62, P.S.L.
Cert. No.
Tsp.

FIELD NOTES of a survey made for J. B. Foster by virtue of his ownership of Certificate No. (INSERT NAME OF OWNER) (HIS, HER OR THEIR)

Said land is situated in Culberson County (EXCEPT THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED)

(County), about 24 miles N 66° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 27, 28, and 35, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1800.80 varas to a stake, the southwest corner of Section 26, and the southeast corner of Section 27, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1800.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1800.80 varas to a stake, the southeast corner of Section 35, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1800.80 varas -----



PLAT

108439

640-

Notes ok to patent
7/10/95 KLM

acreage OK JWR 8-5-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 35
Block No. 62, P.S.L.
Cert. No. ____
Tsp. ____

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. ____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 25 miles N 67° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 26, 27, and 34, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 25, and the southeast corner of Section 26, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" W st 1900.80 varas to a stake, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 34, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

PATENTED FEB 23 1996 VOL. 47-B
NO. 194 MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked ____

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 139 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATED
Date 6/30/54
Reg. No. 6112B
GENERAL LAND OFFICE

PLAT

143033

640 ac
F/Notes dr to Patent
7/10/95 KVM

acreage OK Jwc
8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 36
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 26 miles N 68° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 25, 26, and 35, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of S ction 30, Block 61, P.S.L., the southeast corner of Section 25, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 31, Block 61, P.S.L., for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 35, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

PATENTED FEB 23 1996
NO. 209 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 140 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Date 6/30/54
Reg. No. 6112 8
RECEIVED AS
DATED

PLAT

143034

CORRECT FOR 640 ACRES
640 ac
F/Notes OK to Patent
7/10/95 RVM
acreage OK JMR 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 37
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 26 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 36, Block 62, P.S.L., and Sections 31 and 42, Block 61, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 42, Block 61, P.S.L., for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 35, and the southwest corner of Section 36, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

PATENTED FEB 23 1996 VOL. 47-B NO. 310
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop

Surveyed Feb.-Oct., 1953.

V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 141 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Rec. No. 61128
Date 6/30/54
RECEIVED AS STATED

PLAT

143035

640°

F/notes ok to patent
7/16/95 KWM

acreage OK JWR
8-3-54

142

THE STATE OF TEXAS)
Culberson County)

Survey No. 38
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 25 miles N 69° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 35, 36, and 37, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 37, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 34, and the southwest corner of Section 35, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas ----------

PATENTED FEB 23 1996 VOL. 47-B
NO. 211
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 142 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

111

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Date 6/30/54
Reg. No. 6112.8
RECEIVED AS STATED

PLAT

143

143036

640 ac
Notes ok to Patent
7/11/95 KRM
acreage OK June
8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 39
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 24 miles N 68° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 34, 35, and 38, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 38, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 33, and the Southwest corner of Section 34, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

PATENTED FEB 23 1996
NO. 212 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 143 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

GENERAL LAND OFFICE
Dec. 6/30/54
Ms. No. 6112B
RECEIVED AS STATED

PLAT

143037

[redacted] 640.0
Fnotes ok to Patent 7/13/55 RWB

acreage OK JWB 8-3-54

144

THE STATE OF TEXAS)
Culberson County)

Survey No. 40
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 23 miles N 68° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 33, 34, and 39, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 39, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 32, and the southwest corner of Section 33, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas ----->

PATENTED FEB 01 1996 VOL. 47-B
NO. 184
MAILED CO. CLK. FEB 07 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 144 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATED
Date 6/30/54
Fee. No. 61128
GENERAL LAND OFFICE

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 41
Block No. 62, P.S.L.
Cert. No. _____
Tsp. _____

acreage OK JWB 8-3-51

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 22 miles N 66° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 32, 33, and 40, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 40, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southeast corner of Section 31, and the southwest corner of Section 32, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

143038

CORRECT ON MAP FOR 640 ACRES
To Patent. 3-19-81 JEM

PATENTED 4/27/81
NO. 290 44-B
MAILED CO. CLK. 5/8/81
mw

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 145 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATED
GENERAL LAND OFFICE
Date 6/30/54
Pat. No. 6112
100

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 42
Block No. 62, P.S.L.
Cert. No. _____
Tsp. _____

acreage OK JWR 8-3-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 21 miles N 66° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 31, 32, and 41, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 41, this block, for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake in the east line of survey 14, Block 83, P.S.L. for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southwest corner of Section 31, this block, in the east line of Survey 1, Block 83, P.S.L. for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas -----

PATENTED 4/27/81
NO. 286 VOL. 44B
MAILED CO. CLK. 5/8/81
mw

134042

CORRECT ON MAP FOR 640.0 ACRES
To Patent 3-19-81 JEM

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 19 53

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~(Surveyor)~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 146 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 42
Block No. 62, P.S.L.
Cert. No.
Tsp.



RECEIVED AS STATED

100

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

PATENTED

NO.

MAILED TO GLO

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 43
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 21 miles N 68° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron bar notched on two sides, set in concrete and stone mound, on the northeast slope of a high hill about one-third way up, from which a stone mound bears N 78° 30' E 136.8 varas, the west post of a wire gate bears N 08° 21' West about 180 varas, another west post of a wire gate bears N 65° 38' East, being also a corner of Survey 15, Block 83, P.S.L., for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the southwest corner of Section 42, this block, in the east line of Survey 14, Block 83, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 41 and the southeast corner of Section 42, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake in the north line of Survey 14, Block 85, P.S.L., for the southeast corner of this survey;

THENCE North 87° 34' 52" West, at 1642.80 varas pass the northwest corner of Survey 15, Block 85, and the lower northeast corner of Survey 15, Block 83, P.S.L., a 3/4" iron bar notched on two sides set in concrete and stone mound in bottom of valley, from which another stone mound bears N 86° 51' East 137 varas, the west post of a wire gate bears N 52° 06' West, another west post of wire gate bears N 36° 18' East, continuing in all 1900.80 varas -----

134043

CORRECT ON MAP FOR 640 ACRES
To Patent 3-19-81 JEM

PATENTED
NO.

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 147 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED
JUN 30 1954
REFERRED TO MAP

RECEIVED AS STATE
GENERAL LAND OFFICE
Date 6/30/54
Fee. No. 61128

PLAT

103694

CORRECT ON MAP FOR 640 ACRES
To Patent- 3-19-81 JEM

acreage OK JWP 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 44
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 22 miles N 69° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 41, 42, and 43, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 40, and the southeast corner of Section 41, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake in the north line of survey 13, Block 85, P.S.L., for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 43, this block, in the north line of Survey 14, Block 85, P.S.L., for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

PATENTED 4/27/1981
NO. 283 44-B
MAILED CO. CLK. 5/8/81 mw

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.
Variation 12° 30' E
Bearings marked
Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 148 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

5.00

Date 3-19-81

Reg. No. 89781

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

103695

640°

F/Notes ok to Patent 7/18/95RM

acreage OK JWB 8-3-54

149

THE STATE OF TEXAS)
Culberson County)

Survey No. 45
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 22 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 40, 41, and 44, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southwest corner of Section 39, and the southeast corner of S ction 40, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake in the north line of Survey 12, Block 85, P.S.L., for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 44, this block, in the north line of Survey 13, Block 85, P.S.L., for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

PATENTED FEB 01 1996 VOL. 47-B
NO. 175
MAILED CO. CLK. FEB 07 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 149 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

$ 25.00

DATE 7/13/95 RVM

REG. NO. 67090

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

150

114711

640 ac
F/Notes ok to patent
7/18/95 RVM
acreage OK JWR 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 46
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 23 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Sections 39, 40, and 45, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" E st 1900.80 varas to a stake, the southwest corner of Section 38, and the southeast corner of Section 39, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake in the north line of Survey 11, Block 85, P.S.L., for the southeast corner of this survey;

THENCE North 87° 34' 52" West 1900.80 varas to a stake, the southeast corner of Section 45, this block, in the north line of Survey 12, Block 85, P.S.L., for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas -----

PATENTED FEB 01 1996
NO. 177 VOL. 47-B
MAILED CO. CLK. FEB 07 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 19 53

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 150 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

$25.00

DATE 7/19/95 RVM

REG. NO. 67090

GENERAL LAND OFFICE

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

114712

640 ac
F/Notes ok to Patent
7/18/1953 RWM

acreage OK Jmp 8-3-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 47
Block No. 62, P.S.L.
Cert. No. _____
Tsp. _____

--~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 24 miles N 71° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake the common corner of Section 38, 39, 46, Block 62, P.S.L., for the N.W. corner of this survey;

THENCE S 87° 34' 52" E 1900.80 varas to a stake, the S.W. Corner of Section 37, and the S.E. corner of Section 38, this block, for the N.E. corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake in the north line of survey 10, Block 85, P.S.L., for the S.E. Corner of this survey;

THENCE N 87° 34' 52" W 1900.80 varas to a stake, the S.E. corner of Section 46, this block, in the north line of survey 11, Block 85, P.S.L., for the S.W. corner of this Survey;

THENCE N 01° 53' 20" E 1900.80 varas----

PATENTED FEB 01 1996
NO. 178 VOL. 47-B
MAILED CO. CLK. FEB 07 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 151 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

$25.00

DATE 7/18/95 RVM.

REG. NO. 67090

GENERAL LAND OFFICE

RECEIVED

JUN 30 1954

REFERRED TO MAP

PLAT

B4478

640a
F/Notes ok to Patent
7/14/95 KUM
acreage OK JWR
8-3-54

152

THE STATE OF TEXAS)
Culberson County)

Survey No. 48
Block No. 62, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 26 miles N 72° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron rod notched on two sides set in concrete and stone mound about N 20° West 35 varas from a fork of draw, from which U.S. Coast and Geodetic Survey Station "WEST" bears N 71° 41' 18" West 905.40 varas, the southwest corner of Section 43, Block 61, P.S.L. in the north line of Survey 8, Block 85, P.S.L., for the southeast corner of this survey;

THENCE North 87° 34' 52" West with the north line of Surveys 9, and 10, Block 85 to a stake, the southeast corner of Survey 47, this block, for the southwest corner of this survey;

THENCE North 01° 53' 20" East 1900.80 varas to a stake, the common corner of Surveys 37, 38 and 47, this block, for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1900.80 varas to a stake, the southeast corner of Section 37, this block, and the common corner of Sections 42 and 43, Block 61, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas----

PATENTED FEB 23 1996
VOL. 41-B
NO. 178
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 640.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~(Surveyor)~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 152 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

$25.00

DATE 7/10/45 2M

REG. NO. 65529

GENERAL LAND

RECEIVED

JUN 30 1954

REFERRED TO MAP

Block 83

PLAT

153

THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 83, P.S.L.
Cert. No.
Tsp.

acreage OK JWR 8-25-54

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 21 miles N 62° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the southeast corner of Survey 28, Block 84, P.S.L., in the west line of Survey 31, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1895.22 varas to a stake in the west line of Survey 42, Block 62, P.S.L., for the southeast corner of this survey;

THENCE North 88° 18' 12" West 1337.84 varas to a stake the common corner of Surveys 2, 13, and 14, this block, for the southwest corner of this survey;

THENCE North 01° 55' 33" East 1896.59 varas to a stake, the common corner of Surveys 27 and 28, Block 84, P.S.L., and Survey 2, this block, for the northwest corner of this survey;

THENCE South 88° 14' 42" East 1336.62 varas -----

138584
CORRECT ON MAP FOR 449.08 ACRES
7-25-61 JSH

patented
7-31-61
Zull

---------- to the place of beginning, and containing 449.08 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 153 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 14
Blk. 83
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 449.49 acres of land for J. B. Foster

acreage OK E&L 9/22/53

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 20 miles North 65° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the southeast corner of Survey 1, Block 83, P.S.L., in the west line of Survey 42, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1895.22 varas to a stake in the west line of Survey 43, Block 62, P.S.L., for the southeast corner of this survey;

THENCE North 88° 21' 41" West 1339.06 varas to a stake the common corner of Surveys 13, 15, and 16, this block, for the southwest corner of this survey;

THENCE North 01° 55' 33" East 1896.59 varas to a stake, the common corner of Surveys 1, 2 and 13, this block, for the northwest corner of this survey;

THENCE South 88° 18' 12" East 1337.84 varas ----- to the place of beginning.

134044

INS. CORRECT FOR 449.49 ACRES
TO PURCHASE EXCESS of 3.19 Ac
ENGR JEM DATE 3-19-81
LEGAL DATE

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop, V. E. Young

Bearings marked

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 154 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $ 1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 15
Blk. 83
Cert.
Tsp.

wrong 01° R&L 9/22/53

CORRECTED FIELD NOTES of a survey of 467.85 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 20 miles North 67° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the southeast corner of Survey 14, Block 83, P.S.L., in the west line of Survey 43, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1500.78 varas to the southwest corner of Survey 43, Block 62, P.S.L., a 3/4" iron bar notched on two sides set in concrete and stone mound on the northeast slope of a high hill about one-third of the way up, from which a stone mound bears North 78° 30' East 136.8 varas, the west post of wire gate bears North 08° 21' West about 180 varas, another west post of a wire gate bears North 65° 38' East, for a corner of this survey;

THENCE South 87° 34' 52" East 258.00 varas to the northwest corner of Survey 15, Block 85, P.S.L., in the south line of Survey 43, Block 62, P.S.L., a 3/4" iron bar notched on two sides set in concrete and stone mound in bottom of valley, from which a stone mound bears North 86° 51' East 137 varas, the west post of a wire gate bears North 52° 06' West, another west post of a wire gate bears North 36° 18' East, for the lower northeast corner of this survey; post

THENCE South 01° 53' 20" West 390.67 varas to a stake in the west line of Survey 15, Block 85, P.S.L., and the northeast corner of survey 28, this block, for the southeast corner of this survey;

THENCE North 88° 25' 11" West 1598.30 varas to a stake the common corner of Surveys 16, 27, and 28, this block, for the southwest corner of this survey;

THENCE North 01° 55' 33" East 1896.59 varas to a stake, the common corner of Surveys 13, 14 and 16, this block, for the northwest corner of this survey;

THENCE South 88° 21' 41" East 1339.06 varas ----- to the place of beginning.

115837

CORRECT FOR 467.85 ACRES
TO PURCHASE EXCESS of 2.85 Ac.
ENGR. JEM DATE 3-19-81
LEGAL _____ DATE _____

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop, V. E. Young

Bearings marked

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 155 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No. _____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

acreage O/C R&L 9/23/53

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey No. 28 Blk. 83 Cert. Tsp.

CORRECTED FIELD NOTES of a survey of 536.93 **acres of land for** J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 19 miles North 70° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the southeast corner of Survey 15, Block 83, P.S.L., in the west line of Survey 15, Block 85, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West at 1870.96 varas pass the southwest corner of Survey 15, Block 85, P.S.L., a 3/4" iron rod notched on two sides set in concrete and stone mound north of the head of a small draw, continuing in all 1894.96 varas to the northeast corner of Survey 1, Block 82, P.S.L., a galvanized spike set in concrete and stone mound on the east side of a low hill, from which a very large fence corner post bears South 50° 30' East about 125 varas, for the southeast corner of this survey;

THENCE North 88° 28' 40" West 1599.53 varas to a stake in the north line of Survey 1, Block 82, P.S.L., the southeast corner of Survey 27, this block, for the southwest corner of this survey;

THENCE North 01° 55' 33" East 1896.59 varas to a stake, the common corner of Surveys 15, 16 and 27, this block, for the northwest corner of this survey;

THENCE South 88° 25' 11" East 1598.30 varas ----------

133384
CORRECT ON MAP FOR 536.93 ACRES
~~To Patent~~ - 3-19-81 JEM
For D. of A. —

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop, V. E. Young

Bearings marked

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the ____ day of ____ 19____, at ____ o'clock ____ M, and duly recorded the ____ day of ____ 19____, in Book X, Page 156 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber NONE

Value $ 1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

Block 84

PLAT

157

133955
CORRECTION MAP 572.03 ACRES
F/Notes OK to Patent 5/6/02 RLL
SEE CORR. F/Notes in File
acreage OK BEL 9/23/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 84, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 23 miles N 54° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4 inch iron bar, notched on two sides, set in concrete and stone mound, from which an X on large flat rock outcrop bears S 79° 51' E 66.24 varas, a two-inch mesquite marked X bears N 28° 16' W 9.29 varas, a north-south fence bears west 276.5 varas, the southeast corner of Survey 29, Block 87, P.S.L., in the west line of Survey 6, Block 62, P.S.L., for the northeast corner of this survey;

THENCE, S 01° 53' 20" W with the west lines of Surveys 6, 7 and 18, Block 62, P.S.L., 2445.03 varas to a stake, the northeast corner of Survey 14, this block, for the southeast corner of this survey;

THENCE, N 88° 10' 48" W, 1332.93 varas to a stake, the common corner of Surveys 2, 13 and 14, this block, for the southwest corner of this survey;

THENCE, N 01° 55' 33" E, 2445.67 varas to a stake, the common corner of Survey 2, this block, and Surveys 29 and 30, Block 87, P.S.L., for the northwest corner of this survey;

THENCE, S 88° 09' 10" E, 1331.35 varas ----------



---------- to the place of beginning, and containing 577.03 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~(Surveyor)~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 157 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 14
Block No. 84, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 22 miles N 56° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the southeast corner of Survey 1, Block 84, P.S.L., in the west line of Survey 18, Block 62, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, the northeast corner of Survey 15, this block, in the west line of Survey 19, Block 62, P.S.L., for the southeast corner of this survey;

THENCE N 88° 12' 06" W 1334.16 varas to a stake, the common corner of Surveys 13, 15 and 16, this block, for the southwest corner of this survey;

THENCE N 01° 55' 33" E 1901.30 varas to a stake, the common corner of Surveys 1, 2 and 13, this block, for the northwest corner of this survey;

THENCE S 88° 10' 48" E 1332.93 varas ----- ---------- to the place of beginning, and containing 449.06 acres of land, more or less.

141020
CORRECT ON MAP FOR 449.06 ACRES
7-25-61 J.A.H.
patented
7-31-61
Zull

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 158 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

159

THE STATE OF TEXAS)
Culberson County)

Survey No. 15
Block No. 84, P.S.L.
Cert. No.
Tsp.

acreage OP B&L 9/23/55

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 22 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the southeast corner of Survey 14, Block 84, P.S.L., in the west line of Survey 19, Block 62, P.S.L., for the northeast corner of this survey;

THENCE S 01° 53' 20" W, 1900.80 varas to a stake, the northeast corner of Survey 28, this block, in the west line of Survey 30, Block 62, P.S.L. for the southeast corner of this survey;

THENCE N 88° 13' 24" W, 1335.39 varas to a stake, the common corner of Surveys 16, 27 and 28, this block, for the southwest corner of this survey;

THENCE N 01° 55' 33" E, 1901.30 varas to a stake, the common corner of Surveys 13, 14 and 16, this block, for the northwest corner of this survey;

THENCE S 88° 12' 06" E, 1334.16 varas ----------

14/021
CORRECT ON MAP FOR 449.48 ACRES
7-25-61 H.A.H.

Patented
8-1-61
Zull

---------- to the place of beginning, and containing 449.48 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 159 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acres OK
BE D
9/23/53

THE STATE OF TEXAS)
Culberson County)

Survey No. 28
Block No. 84, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 22 miles N 60° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 15, 16 and 27, Block 84, P.S.L., for the northwest corner of this survey;

THENCE South 88° 13' 24" East 1335.39 varas to a stake, the southeast corner of said Survey 15, in the west line of Survey 30, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake in the west line of Survey 31, Block 62, P.S.L., the northeast corner of Survey 1, Block 83, P.S.L., for the southeast corner of this survey;

THENCE North 88° 14' 42" West 1336.62 varas to a stake, the common corner of Survey 27, this block, and Surveys 1 and 2, Block 83, P.S.L., for the southwest corner of this survey;

THENCE North 01° 55' 33" East 1901.30 Varas-----

141028
CORRECT ON MAP FOR 449.89 ACRES
1-25-61 J.H.H.

Patented
8-1-61
Zull

---------- to the place of beginning, and containing 449.89 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 160 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

Block 85

PLAT

161

155320
~~132613~~

acreage & D E & L 4/23/54

THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 78° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron rod notched on two sides in stone mound on top of a high mountain near the southeast end, from which a 1½" galvanized iron pipe in stone mound bears South 73° 46' West 70.1 varas, the southeast corner of Survey 5, Block 90, P.S.L., in the west line of Survey 42, T. & P. R. R. Co. Block 60, Township 7, for the northeast corner of this survey;

THENCE South 01° 32' 26" West 2402.50 varas to a 3/4" iron bar notched on two sides set in concrete and stone mound about 7 varas down the east slope of the southeast point of a high mountain, from which a small x marked on a large natural rock two varas high bears North 37° 18' West 12.6 varas, a windmill at ranch house bears South 24° 02' East about two miles, a concrete tank on small hill south of Kent bears South 42° 54' East, the common corner of T.&P.R.R. Co. Surveys 43, Block 60, Township 7; and 6, Block 60, Township 8; and 1, Block 61, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 683.12 varas to a stake in the north line of said Survey 1, for the southwest corner of this survey;

THENCE North 01° 33' 50" East 2396.10 varas to a stake in the south line of Section 48, Block 61, P.S.L. for the northwest corner of this survey;

THENCE South 87° 57' 30" East at 345.92 varas pass the southeast corner of said Section 48 and the southwest corner of Survey 5, Block 90, P.S.L., a 3/4" iron rod notched on two sides in a stone mound on west slope of high mountain near the bottom about 50 varas east of a draw, from which a 1½" galvanized iron pipe in stone mound bears South 20° 32' East 28.3 varas, continuing in all 682.02 varas -----

---------- to the place of beginning, and containing 290.06 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 161 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT

143039

671.35
Floats OK to Patent 7/10/95 EVM

THE STATE OF TEXAS)
Culberson County)

Survey No. 2
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of His (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 77° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 1, Block 85, P.S.L., in the south line of Survey 48, Block 61, P.S.L., for the northeast corner of this survey;

THENCE South 01° 33' 50" West 2396.10 varas to a stake, the southwest corner of Survey 1, this block, in the north line of Survey 1, T.& P R.R. Co. Block 61, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 2, T.&P. R.R. Co. Block 61, Township 8, for the southwest corner of this survey;

THENCE North 01° 36' 18" East 2381.25 varas to a stake in the South line of Survey 47, Block 61, P.S.L., for the northwest corner of this survey;

THENCE South 87° 57' 30" East 1586.12 varas ----- ---------- to the place of beginning, and containing 671.35 acres of land, more or less.

PATENTED FEB 01 1996
NO. 191 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 19 53

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 162 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

99214

CORRECT ON MAP 667.17
FIELDNOTES OK to Patent
7/10/95 RVM

THE STATE OF TEXAS)
Culberson County)

Survey No. 3
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 77° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 2, Block 85, P.S.L., in the south line of Survey 47, Block 61, P.S.L., for the northeast corner of this survey;

THENCE South 01° 36' 18" West 2381.25 varas to a stake, the southwest corner of Survey 2, this block, in the north line of Survey 2, T.&P. R.R. Co. Block 61, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 3, T.&P. R.R. Co. Block 61, Township 8, for the southwest corner of this survey;

THENCE North 01° 38' 46" East 2366.39 varas to a stake in the south line of Survey 47, Block 61, P.S.L., for the northwest corner of this survey;

THENCE South 87° 57' 30" East 1586.12 varas ----------

PATENTED FEB 01 1996
NO. 187 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 667.17 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19__.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 163 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19__.

County Surveyor
County Clerk

PLAT

99216

CORRECT ON ABST 663.0
F/Notes OK to Patent
7/10/53 Rdm

acreage OK
BEL 9/23/53

164

THE STATE OF TEXAS)
Culberson County)

Survey No. 4
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 77° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 3, Block 85, P.S.L., in the south line of Survey 47, Block 61, P.S.L., for the northeast corner of this survey;

THENCE South 01° 38' 46" West 2366.39 varas to a stake, the southwest corner of Survey 3, this block, in the north line of Survey 3, T.&P. R.R. Co. Block 61, Township 8, for the southeast corner of this survey;

THENCE NORTH 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 3, T.&P. R.R. Co. Block 61, Township 8, for the southwest corner of this survey;

THENCE North 01° 41' 14" East 2351.53 varas to a stake in the South line of Survey 46, Block 61, P.S.L., for the northwest corner of this survey;

THENCE South 87° 57' 30" East 1586.12 varas ----------

PATENTED FEB 01 1996
NO. 189 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 663.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 164 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

99213

658.82
Fldnotes ok to Patent
7/14/95 RVM

ACREAGE O/K
P.E.L.
9/23/55

165

THE STATE OF TEXAS)
Culberson County)

Survey No. 5
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 76° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 4, Block 85, P.S.L., in the south line of Survey 46, Block 61, P.S.L. for the northeast corner of this survey;

THENCE, S 01° 41' 14" W, 2351.53 varas to a stake, the southwest corner of Survey 4, this block, in the north line of Survey 3, T.& P. R.R. Co. Block 61, Township 8, for the southeast corner of this survey;

THENCE, N 87° 25' 20" W, 1587.19 varas to a stake in the north line of Survey 4, T.& P. R.R. Co. Block 61, Township 8, for the southwest corner of this survey;

THENCE, N 01° 43' 42" E, 2336.67 varas to a stake in the south line of Survey 45, Block 61, P.S.L.,for the northwest corner of this survey;

THENCE, S 87° 57' 30" E, 1586.12 varas ----------

PATENTED FEB 23 1996
NO. 193 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

87
9/3/16°

---------- to the place of beginning, and containing 658.82 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 165 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

99215

654.65
F/Notes of to patent 7/10/95 RVM
acreage OK
BEL 9/23/55

166

THE STATE OF TEXAS)
Culberson County)

Survey No. 6
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 76° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 5, Block 85, P.S.L., in the south line of Survey 45, Block 61, P.S.L., for the northeast corner of this survey;

THENCE South 01° 43' 42" West 2336.67 varas to a stake, the southwest corner of Survey 5, this block, in the north line of Survey 4, T.&P. R.R. Co. Block 61, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 5, T.&P. R.R. Co. Block 61, Township 8, for the southwest corner of this Survey;

THENCE North 01° 46' 10" East 2321.82 varas to a stake in the South line of Survey 44, Block 61, P.S.L., for the northwest corner of this survey;

THENCE South 87° 57' 30" East 1586.12 varas -----

PATENTED FEB 01 1996
NO. 188 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 654.65 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 166 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

99794

650.47

F/Notes ok to Patent
2/10/95 RWM

ACreage 650
852 9/23/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 7
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 75° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 6, Block 85, P.S.L., in the south line of Survey 44, Block 61, P.S.L., for the northeast corner of this survey;

THENCE South 01° 46' 10" West 2321.82 varas to a stake, the southwest corner of Survey 6, this block, in the north line of Survey 5, T.&P. R.R. Co. Block 61, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 6, T.&P. R.R. Co. Block 61, Township 8, for the southwest corner of this survey;

THENCE North 01° 48' 38" East 2306.96 varas to a stake in the south line of Survey 43, Block 61, P.S.L., for the northwest corner of this survey;

THENCE South 87° 57' 30" East 1586.12 varas -----

PATENTED FEB 23 1996
PD. 194 VOL. 47-B
MAILED CO. CLK. MAR 05 1996

---------- to the place of beginning, and containing 650.47 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool, (Licensed State Land Surveyor) ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 167 of the County Surveyor's Records of ~~Culberson~~ County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

143040

646.25
F/Notes ok to Patent
7/10/95 RDM

acreage OK
B.E.L.
9/23/55

168

THE STATE OF TEXAS)
Culberson County)

Survey No. 8
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 26 miles N 75° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 7, Block 85, P.S,L., in the south line of Survey 43, Block 61, P.S.L., for the northeast corner of this survey;

THENCE South 01° 48' 38" West 2306.96 varas to a stake, the southwest corner of Survey 7, this block, in the north line of Survey 6, T.&P. R.R. Co. Block 61, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 1, T.&P. R.R. Co. Block 62, Township 8, for the southwest corner of this survey;

THENCE North 01° 43' 00" East 2292.44 varas to a stake in the south line of Survey 48, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 43.96 varas to a 3/4" iron rod notched on two sides set in concrete and stone mound, about N 20° W 35 varas from a fork of draw, from which U.S.C&G.S. Station "WEST" bears N 71° 41' 18" W 905.40 varas, the southwest corner of Section 43, Block 61, and the southeast corner of Section 48, Block 62, P.S.L.;

THENCE South 87° 57' 30" East 1542.16 varas -----

PATENTED FEB 01 1996 VOL. 47-B
NO. 192
MAILED CO. CLK. MAR 05 1996

(645.7)?

---------- to the place of beginning, and containing 646.25 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 168 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

134479

643.68
Fl/Notes ok to Patent
7/10/95 RM

169

THE STATE OF TEXAS)
Culberson County)

Survey No. 9
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 25 miles N 74° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 8, Block 85, P.S.L., in the south line of Survey 48, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 43' 00" West 2292.44 varas to a stake, the southwest corner of Survey 8, this block, in the north line of Survey 1, T.&P. R.R. Co. Block 62, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 2, T.&P. R. R. Co. Block 62, Township 8, for the southwest corner of this survey;

THENCE North 01° 44' 29" East 2288.04 varas to a stake in the south line of Survey 48, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1586.12 varas -----

PATENTED FEB 01 1996
NO. 190 VOL. 42-B
MAILED CO. CLK. MAR 05 1996

642.7 ?

---------- to the place of beginning, and containing 643.68 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 169 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

114713

642.44
F/Notes ok to Patent
7/18/95 RWM

acreage OK
B&L 9/22/95

170

THE STATE OF TEXAS)
Culberson County)

Survey No. 10
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 24 miles N 74° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 9, Block 85, P.S.L., in the south line of Survey 48, Block 62, P.S.L., for the Northeast corner of this survey;

THENCE South 01° 44' 29" West 2288.04 varas to a stake, the southwest corner of Survey 9, this block, in the north line of Survey 2, T.&P. R.R. Co. Block 62, Township 8, for the southeast corner of this survey;

THENCE N 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 2, T.&P. R.R. Co. Block 62, Township 8, for the southwest corner of this survey;

THENCE North 01° 45' 57" East 2283.64 varas to a stake in the south line of Survey 47, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1586.12 varas ----- to the place of beginning, and containing 642.44 acres of land, more or less.

PATENTED FEB 01 1996 VOL. 47-B
NO. 179 MAILED CO. CLK. FEB 07 1996

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 170 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk

PLAT

115835

[redacted] 641.21
Finishes ok to Patent
7/18/95 KJG

Norwood
EB
9/26/55

171

THE STATE OF TEXAS)
Culberson County)

Survey No. 11
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 23 miles N 73° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 10, Block 85, P.S.L., in the south line of Survey 47, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 45' 57" West 2283.64 varas to a stake, the southwest corner of Survey 10, this block, in the north line of Survey 2, T.&P. R.R. Co. Block 62, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 3, T.&P. R.R. Co. Block 62, Township 8, for the southwest corner of this survey;

THENCE North 01° 47' 26" East 2279.24 varas to a stake in the south line of Survey 46, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1586.12 varas -----

PATENTED FEB 01 1996
NO. 180 VOL. 47-B
MAILED CO. CLK. FEB 07 1996

---------- to the place of beginning, and containing 641.21 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 171 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

115836

172

639.97
F/Notes ok to Patent
7/18/95 RVM

acreage OP
E&D
9/26/95

THE STATE OF TEXAS)
Culberson County)

Survey No. 12
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 23 miles N 73° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 11, Block 85, P.S.L., in the south line of Survey 46, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 47' 26" West 2279.24 varas to a stake, the southwest corner of Survey 11, this block, in the north line of Survey 3, T.&P. R.R. Co. Block 62, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 4, T.&P. R.R. Co. Block 62, Township 8, for the southwest corner of this survey;

THENCE North 01° 48' 54" East 2274.83 varas to a stake in the south line of Survey 45, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1586.12 varas---------



FEB 01 1996
PATENTED
NO. 181 VOL. 47-B
MAILED CO. CLK. FEB 07 1996

---------- to the place of beginning, and containing 639.97 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)
I, Clifford C. Cool, (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 172 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

103697

638.73
F/Notes rec'd to Patent
7/18/95 IRM

acres of D
R & B
9/28/95

173

THE STATE OF TEXAS)
Culberson County)

Survey No. 13
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 22 miles N 72° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 12, Block 85, P.S.L., in the south line of Survey 45, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 48' 54" West 2274.83 varas to a stake, the southwest corner of Survey 12, this block, in the north line of Survey 4, T.&P. R.R. Co. Block 62, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 5, T.&P. R.R. Co. Block 62, Township 8, for the southwest corner of this survey;

THENCE North 01° 50' 23" East 2270.43 varas to a stake in the south line of Survey 44, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1586.12 varas ----->



PATENTED FEB 01 1996 VOL. 47-B NO. 176
MAILED CO. CLK FEB 07 1996

---------- to the place of beginning, and containing 638.73 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 173 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT

103696

CORRECT ON MAP FOR 637.50 ACRES
To Patent - 5-19-81 JEM

acreage OK
R&B
9/20/53

174

THE STATE OF TEXAS)
Culberson County)

Survey No. 14
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 21 miles N 71° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 13, Block 85, P.S.L., in the south line of Survey 44, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 50' 23" West 2270.43 varas to a stake, the southwest corner of Survey 13, this block, in the north line of Survey 5, T.&P. R.R. Co. Block 62, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a stake in the north line of Survey 6, T.&P. R.R. Co. Block 62, Township 8, for the southwest corner of this survey;

THENCE North 01° 51' 52" East 2266.03 varas to a stake in the south line of Survey 43, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1586.12 varas -----

PATENTED 4/27/81
NO. 284 44B
MAILED CO. CLK. 5/8/81 mw.

---------- to the place of beginning, and containing 637.50 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 174 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

500

Date 3/19/81

Reg. No. 89781

GENERAL LAND OFFICE

RECEIVED
JUN 30 1981
REFERRED TO MAP

PLAT

175

133389

CORRECT ON MAP FOR 636.26 ACRES
To Patent 3-19-81 JEM

acreage o/o
EE L
9/26/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 15
Block No. 85, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 20 miles N 71° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron bar notched on two sides set in concrete and stone mound in bottom of valley, from which a stone mound bears North 86° 51' East 137 varas, the west post of a wire gate bears North 52° 06' West, another west post of wire gate bears North 36° 18' East, the lower northeast corner of Survey 15, Block 83, P.S.L., in the south line of Survey 43, Block 62, P.S.L., for the northwest corner of this survey;

THENCE South 87° 34' 52" East 1586.12 varas to a stake, the northwest corner of Survey 14, this block, in the south line of Survey 43, Block 62, P.S.L., for the northeast corner of this survey;

THENCE South 01° 51' 52" West 2266.03 varas to a stake, the southwest corner of Survey 14, this block, in the north line of Survey 6, T.&P. R.R. Co. Block 62, Township 8, for the southeast corner of this survey;

THENCE North 87° 25' 20" West 1587.19 varas to a 3/4" iron rod notched on two sides set in concrete and stone mound, north of the head of a small draw, in the east line of Survey 28, Block 83, P.S.L., for the southwest corner of this survey; from said southwest corner the northeast corner of Survey 1, Block 82, P.S.L., a galvanized spike set in concrete and stone mound on east side of low hill, hears South 01° 53' 20" West 24.0 varas;

THENCE North 01° 53' 20" East 2261.63 varas -----

PATENTED 4/27/81
NO. 285 44-B
MAILED CO. CLK. 5/8/81
MW.

---------- to the place of beginning, and containing 636.26 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 175 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

RECEIVED AS STATED

$500

Date 3-19-81

Reg. No. 89781

GENERAL LAND OFFICE

RECEIVED
JUN 30 1984
REFERRED TO MAP

Block 88

PLAT

CORNER ON MAP FOR 628.13 ACRES
7-5-739 E&W
PATENTED 9/10/73
NO. 251 Vol. 40-B
MAILED 9/17/13
Arlington
B&L 9/20/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 88, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 52° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound, from which a 10-inch cedar marked X (old) bears N 58° W, 14.8 varas, another 10-inch cedar marked X bears S 49° W, 10.5 varas, El Capitan Mountain bears N 33° W, fence break 1.2 varas east; the original common corner of Section 6, P.S.L. Block 89; Section 19, P.S.L. Block 91; and Section 24, P.S.L. Block 92, for the northeast corner of this survey;

THENCE, S 02° 24' 21" W, 1893.17 varas to a stake, the southwest corner of Survey 6, P.S.L. Block 89, for the southeast corner of this survey;

THENCE, N 87° 53' 19" W, 1877.80 varas to a stake for the southwest corner of this survey;

THENCE, N 02° 35' 37" E, 1889.83 varas to a stake, the southeast corner of Section 23, and the southwest corner of Section 24, P.S.L. Block 92, for the northwest corner of this survey;

THENCE, S 87° 59' 29" E, 1871.62 varas ----------



---------- to the place of beginning, and containing 628.13 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
County Surveyor

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 176 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

CORRECT ON MAP FOR 626.41 ACRES
7-5-73 9 EW
PATENTED 9/10/73
NO. 255 VOL. 40-B
MAILED CO. CLK. 9/17/73
acreage OK
BEB 9/20/55

177

THE STATE OF TEXAS)
Culberson County)

Survey No. 2
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 51° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 23 and 24, P.S.L. Block 92, and Section 1, P.S.L. Block 88, for the northeast corner of this survey;

THENCE, S 02° 35' 37" W, 1889.84 varas to a stake, the southwest corner of Section 1, this block, for the southeast corner of this survey;

THENCE, N 87° 53' 19" W, 1876.68 varas to a stake for the southwest corner of this survey;

THENCE, N 02° 44' 49" E, 1886.50 varas to a stake, the southeast corner of Section 22, and the southwest corner of Section 23, P.S.L. Block 92, for the northwest corner of this survey;

THENCE, S 87° 59' 29" E, 1871.62 varas



to the place of beginning, and containing 626.41 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
County Surveyor

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 177 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. E/2 of 3
Block No. 88, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 2 and 3, P.S.L. Block 88, and Sections 22 and 23, P.S.L. Block 92, for the northeast corner of this survey;

THENCE, S 02° 44' 49" W, 1886.50 varas to a stake, the southwest corner of Survey 2, this block, for the southeast corner of this survey;

THENCE, N 87° 53' 19" W, 939.51 varas to a stake in the midpoint of the south line of Section 3, this block, for the southwest corner of this survey;

THENCE, N 02° 51' 36" E, 1884.83 varas to a stake in the midpoint of the north line of Survey 3, this block and the south line of Section 22, P.S.L. Block92, for the northwest corner of this survey;

THENCE, S 87° 59' 29" E, 935.81 varas ----------



$1.00 F.F. rgd

---------- to the place of beginning, and containing 312.34 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ XXXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 178 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. W/2 of 3
Block No. 88, P.S.L.
Cert. No.
Tsp.

copy of D & P 9/27/55

CORRECTED FIELD NOTES of the West Half of Sur. 3, Blk. 88, P.S.L. survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 29 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the midpoint of the north line of Section 3, this block, and the south line of Section 22, P.S.L. Block 92, the northwest corner of the east half of Section 3, P.S.L. Block 88, for the northeast corner of this survey;

THENCE, S 02° 51' 36" W, 1884.83 varas to a stake, the southwest corner of the east half of Section 3, this block, for the southeast corner of this survey;

THENCE, N 87° 53' 19" W, 939.51 varas to a stake, the southwest corner of Section 3, this block, for the southwest corner of this survey;

THENCE, N 02° 58' 23" E, 1883.15 varas to a stake, the northwest corner of Section 3, this block, the southeast corner of Section 21 and the southwest corner of Section 22, P.S.L. Block 92, for the northwest corner of this survey;

THENCE, S 87° 59' 29" E, 935.81 varas to the place of beginning ----------



---------- ~~to the place of beginning~~, and containing 312.34 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. - Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 179 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 4
Block No. 88, P.S.L.
Cert. No.
Tsp.

acreage OP B&L 9/27/55

CORRECTED FIELD NOTES of the Sur. 4, Blk. 88, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 28 miles N 49° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 3, P.S.L. Block 88, and Sections 21 and 22, P.S.L. Block 92, for the northeast corner of this survey;

THENCE, S 02° 58' 23" W, 1883.15 varas to a stake, the southwest corner of Section 3, this block, for the southeast corner of this survey;

THENCE, N 87° 53' 19" W, 1859.31 varas to a stake for the southwest corner of this survey;

THENCE, N 02° 35' 52" E, 1879.82 varas to a stake, the southeast corner of Section 20 and the southwest corner of Section 21, P.S.L. Block 92, for the northwest corner of this survey;

THENCE, S 87° 59' 29" E, 1871.62 varas ----------



---------- to the place of beginning, and containing 622.96 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~(Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 180 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 5
Block No. 88, P.S.L.
Cert. No.
Tsp.

acreage o/k B.E.B. 9/27/55

CORRECTED FIELD NOTES of the Survey 5, Block 88, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 28 miles N 47° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 4, P.S.L. Block 88, and Sections 20 and 21, P.S.L. Block 92, for the northeast corner of this survey;

THENCE, S 02° 35' 52" W, 1879.82 varas to a stake, the southwest corner of Section 4, this block, for the southeast corner of this survey;

THENCE, N 87° 53' 19" W, 1859.31 varas to a stake for the southwest corner of this survey;

THENCE, N 02° 13' 22" E, 1876.48 varas to a stake, the southeast corner of Section 19 and the southwest corner of Section 20, P.S.L. Block 92, for the northwest corner of this survey;

THENCE, S 87° 59' 29" E, 1871.62 varas ----------



---------- to the place of beginning, and containing 621.23 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 181 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 6
Block No. 88, P.S.L.
Cert. No.
Tsp.

Berryhood
REL
9/27/55

CORRECTED FIELD NOTES of the

Survey 6, Block 88, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 26 miles N 46° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound from which a near conical peak bears S 70° 52' W, notch in small mountain bears S 68° 02' W, a one-inch B.I.P. in stone mound in fence bears N 18° 03' W, 141.9 varas, the original southwest corner of Section 19, P.S.L. Block 92, in the east line of Survey 1, Block 87, P.S.L., for the northwest corner of this survey;

THENCE, S 87° 59' 29" E, 1871.62 varas to a stake, the common corner of Section 5, P.S.L. Block 88, Sections 19 and 20, P.S.L. Block 92, for the northeast corner of this survey;

THENCE, S 02° 13' 22" W, 1876.48 varas to a stake, the southwest corner of Section 5, this block, for the southeast corner of this survey;

THENCE, N 87° 53' 19" W, 1859.31 varas to a stake in the east line of Section 14, P.S.L. Block 87, for the southwest corner of this survey;

THENCE, N 01° 50' 52" E, with the east line of Sections 14 and 1, P.S.L. Block 87, 1873.14 varas ----------



----------to the place of beginning, and containing 619.51 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. - Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 182 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 7
Block No. 88, P.S.L.
Cert. No.
Tsp.

accepted 9/8/55 BEL

CORRECTED FIELD NOTES of the

Survey 7, Blk. 88, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 26 miles N 48° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the east line of Section 14, P.S.L. Block 87, the southwest corner of Survey 6, P.S.L. Block 88, for the northwest corner of this survey;

THENCE, S 87° 53' 19" E, 1859.31 varas to a stake, the southwest corner of Section 5, and the southeast corner of Section 6, this block, for the northeast corner of this survey;

THENCE, S 02° 13' 22" W, 1876.48 varas to a stake, the southwest corner of Section 8, this block;

THENCE, N 87° 47' 10" W, 1847.00 varas to a stake in the east line of Section 15, P.S.L. Block 87, for the southwest corner of this survey;

THENCE, N 01° 50' 52" E with the east line of Sections 15 and 14, P.S.L. Block 87, 1873.14 varas ----------

---------- to the place of beginning, and containing 615.42 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and arrificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 183 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 8
Block No. 88, P.S.L.
Cert. No.
Tsp.

acreage OP
R E L
9/27/55

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 49° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 5, 6, and 7, Block 88, P.S.L., for the northwest corner of this survey;

THENCE, S 87° 53' 19" E, 1859.31 varas to a stake, the southwest corner of Section 4, and the southeast corner of Section 5, this block, for the northeast corner of this survey;

THENCE, S 02° 35' 52" W, 1879.82 varas to a stake for the southeast corner of this survey;

THENCE, N 87° 47' 10" W, 1847.00 varas to a stake, the southeast corner of Section 7, this block, for the southwest corner of this survey;

THENCE, N 02° 13' 22" E, 1876.48 varas ----------



---------- to the place of beginning, and containing 616.94 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 184 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 9
Block No. 88, P.S.L.
Cert. No.
Tsp.

acreage ok
B&L 9/27/55

CORRECTED FIELD NOTES of the Survey 9, Blk. 88, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 28 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 4, 5 and 8, P.S.L. Block 88, for the northwest corner of this survey;

THENCE, S 87° 53' 19" E, 1859.31 varas to a stake, the southwest corner of Section 3 and the southeast corner of Section 4, this block, for the northeast corner of this survey;

THENCE, S 02° 58' 23" W, 1883.15 varas to a stake for the southeast corner of this survey;

THENCE, N 87° 47' 10" W, 1847.00 varas to a stake, the southeast corner of Section 8, this block, for the southwest corner of this survey;

THENCE, N 02° 35' 52" E, 1879.82 varas ----------



---------- to the place of beginning, and containing 618.44 acres of land, more or less.
Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)
I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 185 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. W/2 of 10
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the West Half of Survey 10, Blk. 88, P.S.L. survey made for State of Texas (INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 28 miles N 51° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 3, 4, 9 and 10, P.S.L. Block 88, for the northwest corner of this survey;

THENCE, S 87° 53' 19" E, 939.51 varas to a stake in the midpoint of the north line of Section 10, the southwest corner of the east half and the southeast corner of the west half of Section 3, this block, for the northeast corner of this survey;

THENCE, S 02° 51' 36" W, 1884.83 varas to a stake in the midpoint of the south line of Section 10, this block, for the southeast corner of this survey;

THENCE, N 87° 47' 10" W, 943.21 varas to a stake, the southeast corner of Section 9, this block, for the southwest corner of this survey;

THENCE, N 02° 58' 23" E, 1883.15 varas ----------



to the place of beginning, and containing 313.82 acres of land, more or less.
Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and arrificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 186 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

92319

CORRECT ON MAP FOR 313.82 ACRES

PATENTED 9/10/73 7-5-73 jem

NO. 239 VOL. 40B

MAILED CO. CLK. 9/17/73

acreage OD 9/28/55 BB

THE STATE OF TEXAS)
Culberson County)

Survey No. E/2 of 10
Block No. 88, P. S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 51° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of the east half and the west half of Section 3, this block, and the west half of Section 10, this block, for the northwest corner of this survey;

THENCE, S 87° 53' 19" E, 939.51 varas to a stake, the southwest corner of Section 2 and the southeast corner of Section 3, this block, for the northeast corner of this survey;

THENCE, S 02° 44' 49" W, 1886.50 varas to a stake for the southeast corner of this survey;

THENCE, N 87° 47' 10" W, 943.21 varas to a stake, the southeast corner of the west half of Section 10, this block, for the southwest corner of this survey;

THENCE, N 02° 51' 36" E, 1884.83 varas ----------

RECEIVED AS STATED

1.00

Date 6/30/54

Rsg. No. 61128

GENERAL LAND OFFICE

---------- to the place of beginning, and containing 313.82 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 187 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

CORRECT ON MAP FOR 628.24 ACRES
7-5-73 gsw
PATENTED 9/10/73 VOL. 40-B
NO. 256
MAILED CO. CLK. 9/17/73
acreage OK
RLL 9/28/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 11
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 52° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 2, 3, and 10, Block 88, P.S.L., for the northwest corner of this survey;

THENCE, S 87° 53' 19" E, 1876.68 varas to a stake, the southwest corner of Section 1, and the southeast corner of Section 2, this block, for the northeast corner of this survey;

THENCE, S 02° 35' 37" W, 1889.84 varas to a stake for the southeast corner of this survey;

THENCE, N 87° 47' 10" W, 1881.74 varas to a stake, the southeast corner of Section 10, this block, for the southwest corner of this survey;

THENCE, N 02° 44' 49" E, 1886.50 varas ----------



---------- to the place of beginning, and containing 628.24 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 188 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

REJ'D ON MAP FOR 630.20 ACRES 7-5-73 GCW

PATENTED 9/10/73 VOL. 40-B

NO. 258 MAILED CO. CLK. 9/17/73

acreage OK 9/28/55 B&R

THE STATE OF TEXAS)
Culberson County)

Survey No. 12
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 54° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 1, 2 and 11, P.S.L. Block 88, for the northwest corner of this survey;

THENCE, S 87° 53' 19" E, 1877.80 varas to a stake, the common corner of Section 1, P.S.L. Block 88, and Sections 6 and7, P.S.L. Block 89, for the northeast corner of this survey;

THENCE, S 02° 24' 21" W, 1893.17 varas to a stake, the southwest corner of Section 7, P.S.L. Block 89, for the southeast corner of this survey;

THENCE, N 87° 47' 10" W, 1883.98 varas to a stake, the southeast corner of Section 11, this block, for the southwest corner of this survey;

THENCE, N 02° 35' 37" E, 1889.84 varas ----------



---------- to the place of beginning, and containing 630.20 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 189 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 13
Block No. 88, P.S.L.
Cert. No. ____
Tsp. ____

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. ____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 55° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sec. 12, P.S.L. Blk. 88, Secs. 7 and 18, P.S.L. Blk. 89, for the northeast corner of this survey;

THENCE, S 02° 24' 21" W, 1893.17 varas to a stake, the southwest corner of Sec. 18, P.S.L. Blk. 89, for the southeast corner of this survey;

THENCE, N 87° 41' 01" W, 1890.16 varas to a stake for the southwest corner of this survey;

THENCE, N 02° 35' 37" E, 1889.84 varas to a stake, the southeast corner of Section 11 and the southwest corner of Section 12, this block, for the northwest corner of this survey;

THENCE, S 87° 47' 10" E, 1883.98 varas ----------



---------- to the place of beginning, and containing 632.27 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked ____

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 190 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

191

CORRECT ON MAP FOR 630.07 ACRES 7-5-73 JEm

PATENTED 9/10/73 VOL. 40-B

NO. 253 MAILED CO. CLK. 9/17/73

acreage OK R E L 9/28/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 14
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 54° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 11, 12, 13, Block 88, P.S.L., for the northeast corner of this survey;

THENCE, S 02° 35' 37" W, 1889.84 varas to a stake, the southwest corner of Section 13, this block, for the southeast corner of this survey;

THENCE, N 87° 41' 01" W, 1886.80 varas to a stake for the southwest corner of this survey;

THENCE, N 02° 44' 49" E, 1886.50 varas to a stake, the southeast corner of Section 10, and the southwest corner of Section 11, this block, for the northwest corner of this survey;

THENCE, S 87° 47' 10" E, 1881.74 varas ----------



-------- to the place of beginning, and containing 630.07 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 191 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

CORRECT ON MAP FOR 630.58 ACRES
7-5-73 JEM

PATENTED 9/10/73 Vol. 40-B
NO. 254
MAILED CO. CLK. 9/17/73

acreage o'd
9/30/55
BEL

THE STATE OF TEXAS)
Culberson County)

Survey No. 15
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 53° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 10, 11, 14, P.S.L. Block 88, for the northeast corner of this survey;

THENCE, S 02° 44' 49" W, 1886.50 varas to a stake, the southwest corner of Section 14, this block, for the southeast corner of this survey;

THENCE, N 87° 41' 01" W, 1893.82 varas to a stake for the southwest corner of this survey;

THENCE, N 02° 58' 23" E, 1883.15 varas to a stake, the southeast corner of Section 9 and the southwest corner of Section 10, this block, for the northwest corner of this survey;

THENCE, S 87° 47' 10" E, at 943.21 varas pass the southeast corner of the west half of Section 10 and the southwest corner of the east half of Section 10, this block, in all 1886.42 varas ----------



---------- to the place of beginning, and containing 630.58 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 192 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT



acreage old
B.E.L. 9/30/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 16
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey 16, Blk. 88, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 27 miles N 52° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 9, 10 and 15, Block 88, P.S.L., for the northeast corner of this survey;

THENCE, S 02° 58' 23" W, 1883.15 varas to a stake, the southwest corner of Section 15, this block, for the southeast corner of this survey;

THENCE, N 87° 41' 01" W, 1834.70 varas to a stake, for the southwest corner of this survey;

THENCE, N 02° 35' 52" E, 1879.82 varas to a stake, the southeast corner of Section 8, and the southwest corner of Section 9, this block, for the northwest corner of this survey;

THENCE, S 87° 47' 10" E, 1847.00 varas ----------



---------- to the place of beginning, and containing 613.93 acres of land, more or less.
Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)
I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 193 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

acreage O/D 9/30/55 EEL

THE STATE OF TEXAS)
_____ County)

Survey No. 17
Block No. 88, P.S.L.
Cert. No. _____
Tsp. _____

CORRECTED FIELD NOTES of the Survey 17, Blk. 88, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of _____ (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 27 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 8, 9 and 16, P.S.L. Block 88, for the northeast corner of this survey;

THENCE, S 02° 35' 52" W, 1879.82 varas to a stake, the southwest corner of Section 16, this block, for the southeast corner of this survey;

THENCE, N 87° 41' 01" W, 1834.70 varas to a stake for the southwest corner of this survey;

THENCE, N 02° 13' 22" E, 1876.48 varas to a stake, the southeast corner of Section 7 and the southwest corner of Section 8, this block, for the northwest corner of this survey;

THENCE, S 87° 47' 10" E, 1847.00 varas ----------



---------- to the place of beginning, and containing 612.64 acres of land, more or less.

Courses are based on Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~(Surveyor of~~ Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 194 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 18
Block No. 88, P.S.L.
Cert. No. _____
Tsp. _____

acreage OK 9/30/55 BEL

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of _____ (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 26 miles N 49° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 7, 8 and 17, P.S.L. Block 88, for the northeast corner of this survey;

THENCE, S 02° 13' 22" W, 1876.48 varas to a stake, the southwest corner of Section 17, this block, for the southeast corner of this survey;

THENCE, N 87° 41' 01" W, 1834.70 varas to a stake in the east line of Section 28, P.S.L. Block 87, for the southwest corner of this survey;

THENCE, N 01° 50' 52" E, with the east line of Sections 28 and 15, P.S.L. Block 87, 1873.14 varas to a stake, the southwest corner of Section 7, this block, for the northwest corner of this survey;

THENCE, S 87° 47' 10" E, 1847.0 varas ----------



---------- to the place of beginning, and containing 611.33 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 195 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 19
Block No. 88, P.S.L.
Cert. No. _____
Tsp. _____

acreage 9/30/54 Beal

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of _____ (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 25 miles N 51° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4-inch iron bar, notched on two sides, set in concrete and stone mound, at the foot of the south side of a high hill, another stone mound in fence with stone marked "1905 P.S.L." bears S 85° 02' W, 264.6 varas; in the east line of Section 29, P.S.L. Block 87, the northwest corner of Section 6, P.S.L. Block 62, for the southwest corner of this survey;

THENCE, N 01° 50' 52" E with the east lines of Sections 29 and 28, P.S.L. Block 87, 1873.14 varas to a stake, the southwest corner of Section 18, this block, for the northwest corner of this survey;

THENCE, S 87° 41' 01" E, 1834.70 varas to a stake, the southwest corner of Section 17, and the southeast corner of Section 18, this block, for the northeast corner of this survey;

THENCE, S 02° 13' 22" W, 1876.48 varas to a stake in the north line of Section 6, P.S.L. Block 62, for the southeast corner of this survey;

THENCE, N 87° 34' 52" W, 1822.39 varas ----------



---------- to the place of beginning, and containing 607.25 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 196 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

197

THE STATE OF TEXAS)
Culberson County)

Survey No. 20
Block No. 88, P.S.L.
Cert. No. _____
Tsp. _____

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of _____ (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 26 miles N 52° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the north line of Section 6, P.S.L. Block 62, the southeast corner of Section 19, P.S.L. Block 88, for the southwest corner of this survey;

THENCE, N 02° 13' 22" E, 1876.48 varas to a stake, the common corner of Sections 17, 18 and 19, this block, for the northwest corner of this survey;

THENCE, S 87° 41' 01" E, 1834.70 varas to a stake, the southwest corner of Section 16, and the southeast corner of Section 17, this block, for the northeast corner of this survey;

THENCE, S 02° 35' 52" W, 1879.82 varas to a stake in the north line of Section 5, P.S.L. Block 62, for the southeast corner of this survey;

THENCE, N 87° 34' 52" W, with the north line of Sections 5 and 6, Block 62, P.S.L., 1822.39 varas ----------

---------- to the place of beginning, and containing 608.34 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 197 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

137440
CORRECT ON MAP FOR 609.42 ACRES
1-5-73 JEM

PATENTED 9/10/73
NO. 248 VOL. 40B
MAILED CO. CLK. 9/17/73 — WORKED 9/30/53 REP

THE STATE OF TEXAS)
Culberson County)

Survey No. 21
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 54° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a large earth and gravel mound from which a sharp peak bears S 72° 51' W, a nipple-top mountain bears N 79° 19' W, a mountain ridge bears N 83° 32' E (Parker's original corner), in the north line of Section 4, P.S.L. Block 62, the southeast corner of this survey;

THENCE, N 87° 34' 52" W 1822.39 vs. with the north lines of Sections 4 and 5, P.S.L. Block 62, to a stake, the southeast corner of Section 20, this block, for the southwest corner of this survey; 1822.39 varas.

THENCE, N 02° 35' 52" E, 1879.82 varas to a stake, the common corner of Sections 16, 17 and 20, this block, for the northwest corner of this survey;

THENCE, S 87° 41' 01" E, 1834.70 varas to a stake, the southwest corner of Section 15 and the southeast corner of Section 16, this block, for the northeast corner of this survey;

THENCE, S 02° 58' 23" W, 1883.15 varas ----------



---------- to the place of beginning, and containing 609.42 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct, 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 198 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

106333

CORRECT ON MAP FOR 633.53 ACRES
7-5-73 JEM

PATENTED 9/10/43

NO. 240 VOL. 40 B

MAILED CO. CLK. 9/17/43

acreage adj
B&L, 10/23/53

THE STATE OF TEXAS)
Culberson County)

Survey No. 22
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 27 miles N 55° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a large earth and gravel mound, from which a sharp peak bears S 72° 51' W, a nipple-top mountain bears N 79° 19' W, and a mountain ridge bears N 83° 32' E (Parker's original corner); the southeast corner of Section 21, P.S.L. Block 88, in the north line of Section 4, P.S.L. Block 62, for the southwest corner of this survey;

THENCE, N 02° 58' 23" E, 1883.15 varas to a stake, the common corner of Sections 15, 16 and 21, this block, for the northwest corner of this survey;

THENCE, S 87° 41' 01" E, 1893.82 varas to a stake, the southwest corner of Section 14, and the southeast corner of Section 15, this block, for the northeast corner of this survey;

THENCE, S 02° 44' 49" W, 1886.50 varas to a 3/8-inch iron rod set in an old stone mound on the southwest slope of a rocky hill, from which a sharp peak bears S 81° 08' W, a natural tank in a rock bears S 50° 41' W, 152.6 varas (Parker's original corner); in the north line of Section 3, P.S.L. Block 62, for the southeast corner of this survey;

THENCE, N 87° 34' 52" W with the north line of Sections 3 and 4, P.S.L. Block 62, 1901.23 varas ----------

---------- to the place of beginning, and containing 633.53 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 199 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

137441

CORRECT ON MAP FOR 631.91 ACRES
7-5-73 JEK

PATENTED 9/10/73
No. 749 Vol. 40-B
MAILED CO. CLK. 9/17/73

average ok
B&L 10/6/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 23
Block No. 88, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 28 miles N 56° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/8-inch iron rod set in an old stone mound on the southwest slope of a rocky hill, from which a sharp peak bears S 81° 08' W, and a natural tank in rock bears S 50° 41' W, 152.6 varas (Parker's original corner); the southeast corner of Section 22, P.S.L. Block 88, in the north line of Section 3, P.S.L. Block 62, for the southwest corner of this survey;

THENCE, N 02° 44' 49" E, 1886.50 varas to a stake, the common corner of Sections 14, 15 and 22, this block, for the northwest corner of this survey;

THENCE, S 87° 41' 01" E, 1886.80 varas to a stake, the southwest corner of Section 13, and the southeast corner of Section 14, this block, for the northeast corner of this survey;

THENCE, S 02° 35' 37" W, 1889.84 varas to an old stone mound (Parker's original corner), in the north line of Section 2, P.S.L. Block 62, for the southeast corner of this survey;

THENCE, N 87° 34' 52" W with the north lines of Sections 2, and 3, P.S.L. Block 62, 1891.87 varas ----------



---------- to the place of beginning, and containing 631.91 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 200 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

CORRECT ON MAP FOR 634.34 ACRES
7-5-73 GEK
PATENTED 9/12/73
NO. 250 V. L. 40-B
MAILED CO. CLK 9/17/73
acreage ok BEL, 10/21/55

THE STATE OF TEXAS)
Culberson County)

Survey No. 24
Block No. 88, P.S.L.
Cert. No. _____
Tsp. _____

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 29 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound (Parker's original corner), the southeast corner of Section 23, P.S.L. Block 88, in the north line of Section 2, P.S.L. Block 62, for the southwest corner of this survey;

THENCE, N 02° 35' 37" E, 1889.84 varas to a stake, the common corner of Sections 13, 14 and 23, this block, for the northwest corner of this survey;

THENCE, S 87° 41' 01" E, 1890.16 varas to a stake, the common corner of Section 13, P.S.L. Block 88, and Sections 18 and 19, P.S.L. Block 89, for the northeast corner of this survey;

THENCE, S 02° 24' 21" W, 1893.17 varas to an old stone mound (Parker's original corner), the southwest corner of Section 19, Block 88, P.S.L., in the north line of Section 1, Block 62, P.S.L., from which an east-west fence bears south 79.2 varas; a 3/4-inch iron rod notched on two sides set in concrete and stone mound, the northeast corner of Section 1, P.S.L. Block 62, bears S 87° 34' 52" E, 248.21 varas; for the southeast corner of this survey;

THENCE, N 87° 34' 52" W with the north lines of Sections 1 and 2, P.S.L. Block 62, at 1596 varas cross a road, in all 1896.32 varas ----------



---------- to the place of beginning, and containing 634.34 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb. - Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 201 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

Block 89

PLAT

acreage OK JWR 8-24-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 89 P.S.L.
Cert. No.
Tsp.

650 36/100 Acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 36 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron rod notched on 2 sides set in concrete and large stone mound on side of hill sloping east, from which another stone mound bears S 69° 13' E 29.7 varas, a fence corner bears S 79° 13' E Approximately 250 varas, the SE corner of Section 24, P.S.L. Block 91, SW corner of Section 19, and the NW corner of Sec. 30, P.S.L. Block 60, for the NE corner of this survey;

THENCE S 01° 53' 20" W 1900.80 varas to a stake, from which an old stone mound North of deep canyon bears S 15° 20' E 110.5 varas, the SW corner of Sec. 30, the NW corner of Sec. 31, P.S.L. Block 60, for the SE corner of this survey;

THENCE N 88° 04' 22" W 1933.64 varas to a stake for the SW corner of this survey;

Thence N 01° 58' 30" E 1899.52 varas to a stake, the SE corner of Sec. 23, and the SW corner of Sec. 24, P.S.L. Block 91, for the NW corner of this survey;

THENCE S 88° 06' 40" E 1930.79 varas-----

106205
CORRECT ON MAP FOR 650.36 ACRES
1/18/54 VES

Patented
12-13-54
Roll Film

----------to the place of beginning, and containing 650.36 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 202 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

RECEIVED AS STATED

Date 6/30/54

Reg. No. 6/1/28

GENERAL LAND OFFICE

RECEIVED

JUN 30 1954

REFERRED TO MAP

PLAT

203

Calculated to be 649.6 ac
JWR 8-24-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 2
Block No. 89, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 35 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sec. 1, P.S.L. Block 89, and Secs. 23 and 24, P.S.L. Block 91, for the NE corner of this survey;

THENCE S 01° 58' 30" W 1898.52 varas to a stake, the SW corner of Sec. 1, this block, for the SE corner of this survey;

THENCE N 88° 04' 22" W 1933.64 varas to a stake for the SW corner of this survey;

THENCE N 02° 03' 40" E 1898.25 varas to a stake, the SW corner of Sec. 23, Block 91, P.S.L.:

THENCE S 88° 06' 40" E 1930.79 varas to the place of beginning, and containing 649.6 acres of land, more or less.

93141
CORRECT ON MAP FOR 649.6 ACRES
2/3/56 VES
Patented
2-8-56
Pokestem

Courses are based on the Texas Coordinate Grid System.

Variation 12 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of _____ County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 203 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 3
Block No. 89, P.S.L.
Cert. No.
Tsp.

acreage OK JWP 8-24-54

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in County, about 34 miles N 56° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 2, Block 89, P.S.L., and Sec. 22 and 23, Block 91, P.S.L., for the NE corner of this survey;

THENCE S 02° 03' 40" W 1898.25 varas to a stake, the SW corner of Sec. 2, this block, for the SE corner of this survey;

THENCE N 88° 04' 22 W 1933.64 varas to a stake for the SW corner of this survey;

THENCE N 02° 08' 50" E 1896.98 varas to a stake, the SE corner of Sec. 21 and the SW corner of Sec. 22, Block 91, P.S.L., for the NW corner of this survey;

THENCE S 88° 06' 40" E 1930.79 varas ----

93/48
CORRECT ON MAP FOR 649.49 ACRES
2/3/56 VES
Patented
1-8.5-6
Rebuilt

---------- to the place of beginning, and containing 649.49 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, , Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 204 of the County Surveyor's Records of Culberson County, Texas.

This day of . . 19 .

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 4
Block No. 89 P.S.L.
Cert. No.
Tsp.

acreage OK JWB 8-24-54

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 55° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sec. 3, Block 89, P.S.L. and Secs. 21 and 22, Block 91, P.S.L., for the Ne corner of this survey;

THENCE S 02° 08' 50" W 1896.98 varas to a stake, the SW corner of Sec. 3, this block, for the SE corner of this survey;

THENCE N 88° 04' 22" W 1933.64 varas to a stake for the SW corner of this survey;

THENCE N 02° 14' 00" E 1895.71 varas to a stake, the SE corner of Sec. 20 and the SW corner of Sec. 21, Block 91, P.S.L., for the NW corner of this survey;

THENCE S 88° 06' 40" E 1930.79 varas----



119363
CORRECT ON MAP FOR 649.05 ACRES
1/15/60 VES
Patented
4-7-1960
H. Yedlick

---------- to the place of beginning, and containing 649.05 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of _____ County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 205 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
~~Culberson~~ County)

Survey No. 5
Block No. 89, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 54° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 4, Block 89, P.S.L. and Sections 20 and 21, Block 91, P.S.L., for the NE corner of this survey;

THENCE S 02° 14' 00" W 1895.71 varas to a stake, the SW corner of Sec. 4, this block, for the SE corner of this survey;

THENCE N 88° 04' 22" W 1933.64 varas to a stake, the SW corner of this survey;

THENCE N 02° 19' 10" E 1894.44 varas to a stake, the SE corner of Sec. 19, and the SW corner of Sec. 20, P.S.L. Block 91, for the NW corner of this survey;

THENCE S 88° 06' 40" E 1930.79 varas ----- to the place of beginning, and containing 648.62 acres of land, more or less.

144203
CORRECT ON MAP FOR 648.62 ACRES
1/15/60 VES

Patented
4-7-1960
Bedick

Courses are based on the Texas Coordinate Grid System.
Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of _____ County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 206 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 6
Block No. 89, P.S.L.
Cert. No.
Tsp.

acreage OK JWR 8-24-54

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 53° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound from which a 10" cedar marked X (old) bears N 58° W 14.8 varas ditto bears S 49° W 10.5 varas, El Capitan Mountain bears N 33° W, a fence break bears 1.2 varas E; the original common corner of Section 1, P.S.L., Block 88, Section 24, P.S.L. Block 92, and Section 19, P.S.L. Block 91, for this Northwest corner of this survey;

THENCE South 88° 06' 40" East 1930.79 varas to a stake, the common corner Section 5, Block 89, P.S.L., and Sections 19 and 20, Block 91, P.S.L., for the northeast corner of this survey;

THENCE South 02° 19' 10" West 1894.44 varas to a stake, the southwest corner of Section 5, this block, for the southeast corner of this survey;

THENCE North 88° 04' 22" West 1933.64 varas to a stake, the southeast corner of Section 1, Block 88, P.S.L., for the southwest corner of this survey;

THENCE North 02° 24' 21" East 1893.17 varas -----

143499 18
CORRECT ON MAP FOR 648 ACRES
1/15/60 VES

Patented 4-7-1960

---------- to the place of beginning, and containing 648.18 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 207 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

acreage OK
10/21/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 7
Block No. 89, P.S.L.
Cert. No. _____
Tsp. _____

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 55° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 6, P.S.L. Block 89, and Sections 1 and 12, P.S.L. Block 88, for the northwest corner of this survey;

THENCE South 88° 04' 22" East 1933.64 varas to a stake, the southwest corner of Section 5, and the southeast corner of Section 6, this block, for the northeast corner of this survey;

THENCE South 02° 19' 10" West 1894.44 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 05" West 1936.48 varas to a stake, the southeast corner of Section 12, P.S.L. Block 88, for the southwest corner of this survey;

THENCE North 02° 24' 21" East 1893.17 varas -----



---------- to the place of beginning, and containing 649.13 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 208 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 8
Block No. 89, P.S.L.
Cert. No.
Tsp.

acreage OK JWR 8-24-54

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 56° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Section 5, 6, and 7, Block 89, P.S.L., for the northwest corner of this survey;

THENCE South 88° 04' 22" East 1933.64 varas to a stake, the southwest corner of Section 4, and the southeast corner of Section 5, this block, for the northeast corner of this survey;

THENCE South 02° 14' 00" West 1895.71 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 05" West 1936.48 varas to a stake, the southeast corner of Section 7, this block, for the southwest corner of this survey;

THENCE North 02° 19' 10" East 1894.44 varas -----

144206 649.57 ACRES
CORRECT ON MAP FOR 649.57 ACRES
1/15/60 VES

Patented
4-7-1960
Medick

---------- to the place of beginning, and containing 649.57 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 209 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 9
Block No. 89, P.S.L.
Cert. No.
Tsp.

Acreage ok
10/21/55 REL

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 4, 5, and 8, P.S.L. Block 89, for the northwest corner of this survey;

THENCE South 88° 04' 22" East 1933.64 varas to a stake, the southwest corner of Section 3, and the southeast corner of Section 4, this block, for the northeast corner of this survey;

THENCE South 02° 08' 50" West 1896.98 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 05" West 1936.48 varas to a stake, the southeast corner of Section 8, this block, for the southwest corner of this survey;

THENCE North 02° 14' 00" E st 1895.71 varas -----



---------- to the place of beginning, and containing 650.01 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 210 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 10
Block No. 89, P.S.L.
Cert. No.
Tsp.

acreage OK JWR 8-24-54

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 3, 4, and 9, P.S.L. Block 89, for the northwest corner of this survey;

THENCE South 88° 04' 22" East 1933.64 varas to a stake, the southwest corner of Section 2 and the Southeast corner of Section 3, this block, for the northeast corner of this survey;

THENCE South 02° 03' 40" West 1898.25 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 05" West 1936.48 varas to a stake, the southeast corner of Section 9, this block, for the southwest corner of this survey;

THENCE North 02° 08' 50" East 1896.98 varas -----

11/2551
CORRECT ON MAP FOR 650.45 ACRES
1/15/60 DES
Patented
4-7-1960
Hedrick

---------- to the place of beginning, and containing 650.45 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 211 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk

PLAT

212

THE STATE OF TEXAS)
Culberson County)

Survey No. 11
Block No. 89, P.S.L.
Cert. No.
Tsp.

acreage OK Dwp 8-24-54

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 34 miles N 58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 2, 3, and 10, P.S.L. Block 89, for the northwest corner of this survey;

THENCE South 88° 04' 22" East 1933.64 varas to a stake, the southwest corner of Section 1, and the southeast corner of Section 2, this block, for the northeast corner of this survey;

THENCE South 01° 58' 30" West 1899.52 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 05" West 1936.48 varas to a stake, the southeast corner of Section 10, this block, for the southwest corner of this survey;

THENCE North 02° 03' 40" East 1898.25 varas -----

109487 88 ACRES
CORRECT ON MAP FOR 650.88 ACRES
1/15/60 VGS

Patented 4-7-1960
H Fedick

---------- to the place of beginning, and containing 650.88 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 212 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT

213

THE STATE OF TEXAS)
Culberson County)

Survey No. 12
Block No. 89, P.S.L.
Cert. No.
Tsp.

acreage OK. JWR 8-24-54

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 35 miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 1, 2, and 11, P.S.L. Block 89, for the northwest corner of this survey;

THENCE South 88° 04' 22" East 1933.64 varas to a stake, the common corner of Section 1, P.S.L. Block 89, and Sections 30 and 31, P.S.L. Block 60, from which an old stone mound bears S 15° 23' E 110.0 varas (H. W. Stoneham's southwest corner of Section 30, Block 60, P.S.L.), for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 31, P.S.L. Block 60, for the southeast corner of this survey;

THENCE North 88° 02' 05" West 1936.48 varas to a stake, the southeast corner of Section 11, this block, for the southwest corner of this survey;

THENCE North 01° 58' 30" East 1899.52 varas ----->

13718 CORRECT ON MAP FOR 651.32 ACRES 11/18/54 YES

Patented 12-13-54 Schuessler

---------- to the place of beginning, and containing 651.32 acres of land, ~~more or less.~~
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 213 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 13
Blk. 89
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 652.28 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 35 miles North 61° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the common corner of Section 12, P.S.L. Block 89, and Sections 41 and 42, P.S.L. Block 60, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Section 42, Block 60, P.S.L., for the southeast corner of this survey;

THENCE North 87° 59' 47" West 1939.33 varas to a stake for the southwest corner of this survey;

THENCE North 01° 58' 30" East 1899.52 varas to a stake, the southeast corner of Section 11, and the southwest corner of Section 12, this block, for the northwest corner of this survey;

THENCE South 88° 02' 05" East 1936.48 varas -----



106204
CORRECT ON MAP FOR 652.28 ACRES
TO PURCHASE EXCESS 8/23/54
YES
Deed of acq. 11-23-54
Roberteau

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop

Bearings marked V. E. Young

Surveyed Feb.-Oct., 1953

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 214 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 14
Blk. 89
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 651.84 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 34 miles North 60° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the common corner of Sections 11, 12, 13, P.S.L. Block 89, for the northeast corner of this survey;

THENCE South 01° 58' 30" West 1899.52 varas to a stake, the southwest corner of Section 13, this block, for the southeast corner of this survey;

THENCE North 87° 59' 47" West 1939.33 varas to a stake for the southwest corner of this survey;

THENCE North 02° 03' 40" East 1898.25 varas to a stake, the southeast corner of Section 10, and the southwest corner of Section 11, this block, for the northwest corner of this survey;

THENCE South 88° 02' 05" East 1936.48 varas -----



---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop

Bearings marked V. E. Young

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 215 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 15
Blk. 89
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 651.40 acres of land for J. B. Foster

By virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 32 miles North 59° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the common corner of Sections 10, 11, and 14, P.S.L. Block 89, for the northeast corner of this survey;

THENCE South 02° 03' 40" West 1898.25 varas to a stake, the southwest corner of Section 14, this block, for the southeast corner of this survey;

THENCE North 87° 59' 47" West 1939.33 varas to a stake for the southwest corner this survey;

THENCE North 02° 08' 50" East 1896.98 varas to a stake, the southeast corner of Section 9 and the southwest corner of Section 10, this block, for the northwest corner this survey;

THENCE South 88° 02' 05" East 1936.48 varas -----

1/16593 651.40 ACRES CORRECT ON MAP FOR TO PURCHASE EXCESS 8/23/54 YES

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop
V. E. Young

Bearings marked

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 216 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $ 1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 19__
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 16
Blk. 89
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 650.96 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 32 miles North 58° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the common corner of Sections 9, 10 and 15, P.S.L. Block 89, for the northeast corner of this survey;

THENCE South 02° 08' 50" West 1896.98 varas to a stake, the southwest corner of Section 15, this block, for the southeast corner of this survey;

THENCE North 87° 59' 47" West 1939.33 varas to a stake for the southwest corner of this survey;

THENCE North 02° 14' 00" East 1895.71 varas to a stake, the southeast corner of Section 8 and the southwest corner of Section 9, this block, for the northwest corner of this survey;

THENCE South 88° 02' 05" E st 1936.48 varas -----



116594 96 ACRES 650 CORRECT ON MAP FOR TO PURCHASE EXCESS 8/23/54 YES

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 217 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

E/2 of P.S.L. Survey No. 17 Blk. 89 Cert. Tsp.

CORRECTED FIELD NOTES of a survey of 325.26 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 31 miles North 58° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the common corner of Sections 8, 9, 16, and 17, Block 89, P.S.L., for the northeast corner of this survey;

THENCE South 02° 14' 00" West 1895.71 varas to a stake, the southwest corner of Section 16, and the southeast corner of Section 17, this block, for the southeast corner of this survey;

THENCE North 87° 59' 47" West 969.67 varas to a stake in the midpoint of the south line of Section 17, this block, for the southwest corner of this survey;

THENCE North 02° 16' 35" East 1895.08 varas to a stake in the midpoint of the south line of Section 8, and the north line of Section 17, this block, for the northwest corner of this survey'

THENCE South 88° 02' 05" East 968.24 varas -----

148354 CORRECT ON MAP FOR 325.26 ACRES TO PURCHASE EXCESS 8/23/54 VES

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop

Markings marked V. E. Young

Surveyed Feb.-Oct., 1953

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 218 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $ 1.50 per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

W/2 of Sec. 17

THE STATE OF TEXAS)
Culberson County)

Survey No.
Block No. 89, P.S.L.
Cert. No.
Tsp.

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the midpoint of the South line of Section 8, P.S.L. Block 89, the northwest corner of the E/2 of Sec. 17, this block, for the northeast corner of this survey;

THENCE South 02° 16' 35" West 1895.08 varas to a stake, the southwest corner of the E/2 of Section 17, this block, for the southeast corner of this survey;

THENCE North 87° 59' 47" West 969.67 varas to a stake for the southwest corner of this survey;

THENCE North 02° 19' 10" East 1894.44 varas to a stake, the southeast corner of Section 7, and the southwest corner of Section 8, this block, for the northwest corner of this survey;

THENCE South 88° 02' 05" East 968.24 varas -----



---------- to the place of beginning, and containing 325.26 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 219 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT

RECEIVED AS STATED

/-

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

REFERRED TO MAP

JUN 30 1954

RECEIVED

PLAT

acreage OK JWR 8-25-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 18
Block No. 89, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 57° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Sections 7, 8 and 17, this block, for the northeast corner of this survey;

THENCE South 02° 19' 10" West 1894.44 varas to a stake, the southwest corner of Section 17, this block, for the southeast corner of this survey;

THENCE North 87° 59' 47" West 1939.33 varas to a stake, the southeast corner of Section 13, Block 88, P.S.L., for the southwest corner of this survey;

THENCE North 02° 24' 21" East 1893.17 varas to a stake, the common corner of Section 7, P.S.L. Block 89, and Sections 12 and 13, P.S.L. Block 88, for the northwest corner of this survey;

THENCE South 88° 02' 05" East 1936.48 varas -----



---------- to the place of beginning, and containing 650.08 acres of land, more or less.

Courses based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 220 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK JWR 8-24-54

THE STATE OF TEXAS)
Culberson County)

Survey No. 19
Block No. 89, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N58° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound (Parker's original southeast corner Section 24, P.S.L. Block 88), in the north line of Section 1, P.S.L. Block 62, for the southwest corner of this survey;

THENCE North 02° 24' 21" East 1893.17 varas to a stake, the common corner of Sections 13 and 24, P.S.L. Block 88, and Section 18, P.S.L. Block 89, for the northwest corner of this survey;

THENCE South 87° 59' 47" East 1939.33 varas to a stake, the southwest corner of Section 17, and the southeast corner of Section 18, this block, for the northeast corner of this survey;

THENCE South 02° 19' 10" West 1894.44 varas to a stake in the north line of Section 6, P.S.L. Block 61, for the southeast corner of this survey;

THENCE North 87° 57' 30" West 1693.98 varas to a 3/4-inch iron rod notched on 2 sides in small stone mound about ¼ down the inside slope of the west dam of an earth tank, from which a clump of mesquites with six - 3" prongs bears N 6¼° W 78.5 varas, a 2" mesquite on dam bears S 36¼° E 31 varas, the east post of wire gate in an east-west fence bears S 00° 30' W 83.7 varas the northeast corner of Section 1, P.S.L. Block 62, and the northwest corner of Section 6, P.S.L. Block 61;

THENCE North 87° 34' 52" West 248.21 varas -----

112495
CORRECT ON MAP FOR 651.04 ACRES
11/18/54 VES

Patented
12-10-54
Robedeaux

---------- to the place of beginning, and containing 651.04 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 221 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk

PLAT

222

W/2 of Sec. 20

THE STATE OF TEXAS)
Culberson County)

Survey No.
Block No. 89, P.S.L.
Cert. No.
Tsp.

acreage OK JWR 8-24-54

~~CORRECTED~~ FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 59° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the southeast corner of Section 19, Block 89, P.S.L. in the North line of Section 6, P.S.L. Block 61, for the southeast ~~east~~ West corner of this survey;

THENCE North 02° 19' 10" East 1894.44 varas to a stake, the common corner of Sections 17, 18 and 19, this block, for the northwest corner of this survey;

THENCE South 87° 59' 47" East 969.67 varas to a stake, the southeast corner of the W/2 of Section 17, and the southwest corner of the E/2 of Section 17, this block, for the northeast corner of this survey;

THENCE South 02° 16' 35" West 1895.08 varas to a stake in the midpoint of the south line of Section 20, P.S.L. Block 89, in the north line of Section 5, P.S.L. Block 61, for the southeast corner of this survey;

THENCE North 87° 57' 30" West with the north line of Sections 5 and 6, P.S.L. Block 61, 971.08 varas -----

1/6597 CORRECT ON MAP FOR 325.74 ACRES 11/18/54 VES
Calculated 8-10-54 Scotsteam

---------- to the place of beginning, and containing 325.74 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 222 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk



RECEIVED AS STATED

/—

Date 6/30/54

Reg. No. 61128

GENERAL LAND OFFICE

REFERRED TO MAP

JUN 30 1954

RECEIVED

PLAT

THE STATE OF TEXAS

Culberson COUNTY

E/2 of Sec. 20
P.S.L. Survey
No.
Blk. 89
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of

325.74 acres of land for

J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 31 miles North 60° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the southeast corner of the W/2 of Section 20, Block 89, P.S.L., in the north line of Section 5, P.S.L. Block 61, for the southwest corner of this survey;

THENCE North 02° 16' 35" East 1895.08 varas to a stake, the common corner of the E/2 and the W/2 of Section 17, and the W/2 of Section 20, this block, for the northwest corner of this survey;

THENCE South 87° 59' 47" East 969.67 varas to a stake, the southwest corner of Section 16 and the southeast corner of Section 17, this block, for the northeast corner of this survey;

THENCE South 02° 14' 00" West 1895.71 varas to a stake in the north line of Sectinn 5, P.S.L. Block 61, for the southeast corner of this survey;

THENCE North 87° 57' 30" West with the north line of Section 5, P.S.L. Block 61, 971.08 varas -----

148353 CORRECT ON MAP FOR 325.74 ACRES TO PURCHASE EXCESS 8/23/54 VES

Deed of acquittance 11-23-54 Anderson

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop
V. E. Young

Bearings marked

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the ____ day of ____ 19____, at ____ o'clock ____ M, and duly recorded the ____ day of ____ 19____, in Book X, Page 223 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $ 1.50 per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 21
Blk. 89
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 651.92 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 32 miles North 60° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the southeast corner of Section 20, Block 89, P.S.L., in the North line of Section 5, Block 61, P.S.L., for the southwest corner of this survey;

THENCE North 02° 14' 00" East 1895.71 varas to a stake, the common corner of Sections 16, 17 and 20, this block, for the northwest corner of this survey;

THENCE South 87° 59' 47" East 1939.33 varas to a stake, the southwest corner of Section 15, and the southeast corner of Section 16, this block, for the northeast corner of this survey;

THENCE South 02° 08' 50" West 1896.98 varas to a stake in the North line of Section 4, P.S.L. Block 61, for the Southeast corner of this survey;

THENCE North 87° 57' 30" West with the north line of Sections 4 and 5, P.S.L. Block 61, 1942.17 varas -----



1/6598
CORRECT ON MAP FOR 651.92 ACRES TO PURCHASE EXCESS 8/23/54 YES
Nov 23, 1954
Deed of acquittance
ewr.

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 224 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $ 1.50 per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 19__
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 22
Blk. 89
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 652.36 ✓ acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 32 miles North 61° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the southeast corner of Section 21, Block 89, P.S.L. in the North line of Section 4, Block 61, P.S.L., for the southwest corner of this survey;

THENCE North 02° 08' 50" East 1896.98 varas to a stake, the common corner of Sections 15, 16 and 21, this block, for the northwest corner of this survey;

THENCE South 87° 59' 47" East 1939.33 varas to a stake, the southwest corner of Section 14 and the southeast corner of Section 15, this block, for the northeast corner of this survey;

THENCE South 02° 03' 40" West 1898.25 varas to a stake in the North line of Section 3, Block 61, P.S.L. for the southeast corner of this survey;

THENCE North 87° 57' 30" West with the North line of Sections 3 and 4, Block 61, P.S.L., 1942.17 varas -----



1/6592
CORRECT ON MAP FOR 652.36 ACRES
TO PURCHASE EXCESS 8/23/54
VES
Deed of acquittance
11-23-54
Robertson

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 225 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $ 1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 23
Blk. 89
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 652.80 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 33 miles North 62° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the southeast corner of Section 22, Block 89, P.S.L., in the North line of Section 3, Block 61, P.S.L., for the southwest corner of this survey;

THENCE North 02° 03' 40" East 1898.25 varas to a stake, the common corner of Sections 14, 15 and 22, this block, for the northwest corner of this survey;

THENCE South 87° 59' 47" East 1939.33 varas to a stake, the southwest corner of Section 13, and the southeast corner of Section 14, this block, for the northeast corner of this survey;

THENCE South 01° 58' 30" West 1899.52 varas to a stake in the North line of Section 2, Block 61, P.S.L. for the southeast corner of this survey;

THENCE North 87° 57' 30" West with the North line of Sections 2 and 3, Block 61, P.S.L., 1942.17 varas -----



142944
CORRECT ON MAP FOR 652.80 ACRES
TO PURCHASE EXCESS 8/23/54
VES
Deed of acquittance
Nov. 23-54
Robertson

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop

Bearings marked V. E. Young

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 226 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky

Pasture

Timber None

Value $ 1.50 per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 19--
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey No. 24 Blk. 89 Cert. Tsp.

CORRECTED FIELD NOTES of a survey of 653.23 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 34 miles North 62° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a 3/4" iron rod notched on two sides, set in concrete and stone mound, in a small drain on south side of a hill, from which a windmill bears S 47° 13' E about 350 varas, a 2" galvanized iron pipe in a stone mound bears N 49° 03' E 46.1 varas, an east-west fence bears S 199 varas, the common corner of Sections 43, P.S.L. Block 60, Section 1, P.S.L. Block 61, Section 4, P.S.L. Block 90, for the southeast corner of this survey;

THENCE North 87° 57' 30" West with the north line of Sections 1 and 2, P.S.L. Block 61, 1942.17 varas to a stake, the southeast corner of Section 23, this block, for the southwest corner of this survey;

THENCE North 01° 58' 30" East 1899.52 varas to a stake, the common corner of Sections 13, 14 and 23, this block, for the northwest corner of this survey;

THENCE South 87° 59' 47" East 1939.33 varas to a stake, the common corner of Section 13, this block, and Sections 42 and 43, P.S.L. Block 60, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas -----

106206
CORRECT ON MAP FOR 653.23 ACRES
TO PURCHASE EXCESS 9/23/53
VES
11-23-54
Deed of acquittance
Reinstatement

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop

Bearings marked V. E. Young

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 227 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $ 1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

Block 90

PLAT

acreage OK
10/21/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 90, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey 1, Block 90, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 39 miles N 68° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 2" galvanized iron pipe in a 2½" iron pipe set in concrete for a fence corner post, a 2" x 10" x 18" slab marked "6 T 7 59 B 60" lies at the foot of the post, from which Gomez Peak bears South 22¼° East, Paul McCombs' common corner of Survey 1, T & P RR Co., Block 60, Township 7, Section 43, T & P RR Co., Block 59, Township 6, and Section 6, T & P RR Co., Block 59, Township 7, for the SE corner of this survey;

THENCE N 88° 16' 05" W 2016.85 varas to a stake in the North line of Survey 2, T & P RR Co., Block 60, Township 7, for the SW corner of this survey;

THENCE N 01° 53' 20" E 1225.34 varas to a stake in the South line of Section 47, Block 60, P.S.L. for the NW corner of this survey;

THENCE S 88° 06' 40" E 2016.84 varas to a 3/4" iron rod notched on two sides set in concrete and stone mound 1.2 varas West of fence from which an old stone mound bears S 02° 26' W 81.5 varas, a 4" clump of cat claw bears S 09° E 8.3 varas, the SE corner of Sec. 48, Block 60, P.S.L., in the West line of Section 43, T & P RR Co., Block 59, Township 6, for the NE corner of this survey;

THENCE S 01° 53' 20" W 1219.79 varas - - -

PLAT

acreage ok
10/21/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 2
Block No. 90, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey 2, Block 90, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 38 miles N 67° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the SW corner of Survey 1, Block 90, P.S.L., in the North line of Survey No. 2, T & P RR Co., Block 60, T-7, for the SE corner of this survey;

THENCE N 88° 16' 05" W 3129.33 varas to a stake in the North line of Survey 3, T & P RR Co., Block 60, T-7, for the SW corner of this survey;

THENCE N 01° 53' 20" E 1233.94 varas to a stake in the South line of Section 46, Block 60, P.S.L., for the NW corner of this survey;

THENCE S 88° 06' 40" E 3129.32 varas to a stake, the NW corner of Survey 1, this block, in the South line of Section 47, Block 60, P.S.L., for the NE corner of this survey;

THENCE S 01° 53' 20" W 1225.34 varas - - - - - - - - - -



- - - - - - to the place of beginning, and containing 681.61 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 229 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS

_____ COUNTY

_____ Survey
No. 3
Blk. 90, P.S.L.
Cert. _____
Tsp. _____

Acreage OK
10/21/55 REL

CORRECTED FIELD NOTES of a survey of

686.38 acres of land for

State of Texas

By virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 37 miles N 66° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the SW corner of Survey 2, Block 90, P.S.L., in the North line of Survey 3, T & P RR Co., Block 60, Township 7, for the SE corner of this survey;

THENCE N 88° 16' 05" W 3129.33 varas to a stake in the North line of Survey 5, T & P RR Co., Block 60, Township 7, for the SW corner of this survey;

THENCE N 01° 53' 20" E 1242.54 varas to a stake in the South line of Section 44, Block 60, P.S.L., for the NW corner of this survey;

THENCE S 88° 06' 40" E 3129.32 varas to a stake in the South line of Section 46, Block 60, P.S.L., for the NW corner of Section 2, this block, for the NE corner of this survey;

THENCE S 01° 53' 20" W 1233.94 varas - - - - - - - - - - - - - -



- - - - - - - - - - - - - -

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $ 1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 19[illegible]
REFERRED TO MAP

PLAT

Acreage OK
10/21/55
REL

THE STATE OF TEXAS

Culberson COUNTY

Survey
No. 4
Blk. 90, P.S.L.
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 691.14 acres of land for State of Texas

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 35 miles N 65° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a 3/4" iron rod notched on two sides set in concrete and stone mound on the SW slope of a small rocky hill from which the NE point of Gomez Peak bears S-38° 19' E, a 1" iron pipe in stone mound bears N 39° 17' E 51.8 varas, a windmill bears N 12° 40' E about 1050 varas; the NW corner of Survey 5, Block 90, P.S.L., in the East line of Survey 1, Block 61, P.S.L., for the SW corner of this survey;

THENCE N 01° 53' 20" E 1251.14 varas to a 3/4" iron rod notched on two sides set in concrete and stone mound in a small drain on the south side of a hill, from which a windmill bears S 47° 13' E about 350 varas, a 2" galvanized iron pipe in stone mound bears N 49° 03' E 46.1 varas, an east-west fence bears S 199 varas, the common corner of Sec. 1, Block 61; Section 24, Block 89, and Section 43, Block 60, P.S.L., for the NW corner of this survey;

THENCE S 88° 06' 40" E 3129.32 varas to a stake, the NW corner of Survey 3, this block, in the South line of Section 44, Block 60, P.S.L., for the NE corner of this survey;

THENCE S 01° 53' 20" W 1242.54 varas to a stake, the SW corner of Survey 3, this block, in the North line of Survey 5, T & P RR Co., Block 60, Township 7, for the SE corner of this survey;

THENCE N 88° 16' 05" W, at 2878.16 varas pass a 3/4" iron rod notched on two sides set in concrete and stone mound, from which a 1" iron pipe in stone mound bears N 45° 43' E 55.6 varas, the NE point of Gomez Peak bears S 37° 58' E, a windmill bears N 00° 32' W about 1000 varas, the NW corner of Sec. 6, T & P RR Co., Block 60, Township 7, and the NE corner of Survey 5, P.S.L., Block 90, in all 3129.33 varas - - -

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky

Pasture.

Timber None

Value $1.50 per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 5
Block No. 90, P.S.L.
Cert. No.
Tsp.

acreage ok
10/21/55 REL

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 70° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at the southwest corner of Survey 4, Block 90, P.S.L., in the east line of Survey 1, Block 61, P.S.L., a 3/4" iron rod notched on two sides set in concrete and stone mound on the southwest slope of a small rocky hill, from which the northeast point of Gomez Peak bears South 38° 19' East, a one-inch ironpipe in stone mound bears North 39° 17' East 51.8 varas, a windmill bears North 12° 40' East about 1050.0 varas, for the northwest corner of this survey;

THENCE South 88° 16' 05" East 251.25 varas to the northwest corner of Survey 6, T.&P. R. R. Co., Block 60, Township 7, in the south line of Survey 4, this block, a 3/4" iron rod notched on two sides set in concrete and stone mound, from which a 1" iron pipe in stone mound bears North 45° 43' East 55.6 varas, the northeast point of Gomez Peak bears South 37° 58' East, a windmaill bears North 0° 32' West about 1000.0 varas, for the northeast corner of this survey;

THENCE South 01° 32' 26" West with the west lines of Sections 6, 7, 18, 19, 30, 31, and 42, Block 60, Township 7, T.&P. R.R. Co. 13,957.10 varas tothe northeast corner of Survey 1, Block 85, P.S.L., a 3/4" iron rod notched on two sides set in stone mound on top of a high mountain near the southeast end, from which a 1½" galvanized iron pipe in stone mound bears South 73° 46' West 70.1 varas, for the southeast corner of this survey;

THENCE North 87° 57' 30" West 336.10 varas to the southeast corner of Section 48, Block 61, P.S.L., in the north line of Survey 1, Block 85, P.S.L., a 3/4" iron rod notched on two sides set in stone mound on the west slope of a high mountain near the bottom about 50 varas east of a draw, from which a 1½" galvanized iron pipe in stone mound bears South 20° 32' East 28.3 varas, for the southwest corner of this survey;

THENCE North 01° 53' 20" East with the east lines of Surveys 48, 37, 36, 25, 24, 13, 12, and 1, Block 61, P.S.L., 13,955.26 varas ----------

---------- to the place of beginning, and containing 725.80 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~County Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 232 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS

Culberson COUNTY

South Part of North Part Survey No. 5 Blk. 90, P.S. L. Cert. Tsp.

CORRECTED FIELD NOTES of a survey of 254.78 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 34 miles N 67° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, in the east line of Survey 12, Block 61, P.S.L. and the west line of Survey 5, Block 90, P.S.L., from which the NW corner of said Survey 5, a 3/4" iron bar notched on two sides set in concrete and stone mound, bears N 01° 53' 20" E 1117.0 varas; for the NW corner of this survey;

THENCE S88° 16' 05" E 257.96 varas to a stake, in the east line of said Survey 5 and the west line of Survey 6, T.&P.R.R. Co., Block 60, Township 7; from which the NE corner of said said Survey 5, a 3/4" iron bar notched on two sides set in concrete and stone mound, bears N 01° 32' 26" E 1117.0 varas; for the NE corner of this survey;

THENCE S 01° 32' 26" W 5251.00 varas to a stake in the east line of said Survey 5 and the west line of Survey 19, T.&P. R. R. Co., Block 60, Township 7, for the SE corner of this survey;

THENCE N 88° 16' 05" W 289.88 varas to a stake in the west line of said Survey 5 and the east line survey 25, Block 61, P.S.L., for the SW corner of this survey;

THENCE n 01° 53' 20" E 5251.00 varas ----------

94180
CORRECT ON MAP FOR 254.78 ACRES
TO PURCHASE EXCESS 7/1/54 VGS
Deed of Acquittance
Nov 23-54

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop, V. E. Young

Bearings marked

Surveyed Feb. - Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 232-a of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $ 1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

Block St

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 1
Blk. 91
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 651.86 ✓ acres of land for Jo Ann Correll & Frank Jones

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 38 miles North 53° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a 3/4 inch iron bar notched on two sides and set in concrete and stone mound, near head of the east branch of a draw, from which another stone mound on hill bears South 46° 25½' East 58.0 varas, a 3/8 inch iron rod on sharp high hill bears South 55° 40' 28" West 565.4 varas; the northwest corner of Survey 6, Block 60, P.S.L., in the south line of Survey 43, T.&P. R.R. Co. Block 60, Township 5, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Survey 6, Block 60, P.S.L., for the southeast corner of this survey;

THENCE North 87° 59' 44" West 1936.92 varas to a stake for the southwest corner of this survey;

THENCE North 01° 49' 38" East 1897.20 varas to a stake in the south line of Survey 1, Block 93, P.S.L., for the northwest corner of this survey;

THENCE South 88° 05' 42" East 1039.24 varas to a 3/4 inch iron bar notched on two sides, set in concrete and stone mound, in a shallow wide branch from which an old stone mound at an old fence corner bears South 81° 10' East 66.6 varas, an X on a large rock outcrop 15 varas south of ranch road bears South 16° 11½' East 64.4 varas, a 3/8 inch iron rod on sharp high hill bears South 51° 07' 23" East 555.3 varas; the southeast corner of Survey 1, Block 93, P.S.L. and the southwest corner of Survey 43, T.&P. R.R. Co. Block 60, Township 5;

THENCE South 88° 06' 40" East 899.70 varas ----- to the place of beginning.

103943 86
CORRECT ON MAP FOR 651 ACRES
TO PURCHASE EXCESS 9/28/54
VES

Deed of acq
2-24-55
Robertson

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the ____ day of ____ 19____, at ____ o'clock ____ M, and duly recorded the ____ day of ____ 19____, in Book X, Page 233 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly,
rocky pasture

Timber None

Value $ 1.50 per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUL 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 2
Blk. 91
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 650.69 acres of land for J. B. Foster

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 37 miles North 52° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, in the south line of Survey 1, Block 93, P.S.L., the northwest corner of Survey 1, Block 91, P.S.L., for the northeast corner of this survey;

THENCE South 01° 49' 38" West 1897.20 varas to a stake, the southwest corner of Survey 1, this block, for the southeast corner of this survey;

THENCE North 87° 59' 44" West 1936.92 varas to a stake for the southwest corner of this survey;

THENCE North 01° 45' 57" East 1893.84 varas to a stake in the south line of Survey 3, Block 93, P.S.L., for the northwest corner of this survey;

THENCE South 88° 05' 42" East 1938.94 varas -----



103944
CORRECT ON MAP FOR 650.69 ACRES
TO PURCHASE EXCESS 9/28/54
VES

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop
V. E. Young

Bearings marked

Surveyed Feb.-Oct., 1953

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 234 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture

Timber None

Value $ 1.50 per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 3
Block No. 91, P.S.L.
Cert. No.
Tsp.

649 53 A.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 37 miles N 51° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 2, Block 91, P.S.L., in the south line of Survey 3, Block 93, P.S.L., for the northeast corner of this survey;

THENCE South 01° 45' 57" West 1893.84 varas to a stake, the southwest corner Of Survey 2, this block, for the southeast corner of this survey;

THENCE North 87° 59' 44" West 1936.92 varas to a stake for the southwest corner of this survey;

THENCE North 01° 42' 15" East 1890.47 varas to a stake in the south line of Survey 5, Block 93, P.S.L., for the northwest corner of this survey;

THENCE South 88° 05' 42" East 1938.94 varas -----

Patented
Pat 418, vol 310
5-19 Tarr

12/2 33
CORRECT ON MAP FOR 649 53 ACRES
5-9-69 YES

---------- to the place of beginning, and containing 649.53 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 235 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 4
Block No. 91, P.S.L.
Cert. No.
Tsp.

648 38/100 A.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 36 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 3, Block 91, P.S.L., in the south line of Survey 5, Block 93, P.S.L., for the northeast corner of this survey;

THENCE South 01° 42' 15" West 1890.47 varas to a stake, the southwest corner of Survey 3, this block, for the southeast corner of this survey;

THENCE North 87° 59' 44" West 1936.92 varas to a stake for the southwest corner of this survey;

THENCE North 01° 38' 34" East 1887.10 varas to a stake in the south line of Survey 7, Block 93, P.S.L., for the northwest corner of this survey;

THENCE South 88° 05' 42" East 1938.94 varas -----

Patented
7-6-62
Zall

F. 93142
CORRECT ON MAP FOR 648.38 ACRES
6-25-62 P.S.L.

---------- to the place of beginning, and containing 648.38 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 236 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 5
Block No. 91, P.S.L.
Cert. No.
Tsp.

647 22/100 a.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 35 miles N 49° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the south line of Survey 7, Block 93, P.S.L., the northwest corner of survey 4, Block 91, P.S.L., for the northeast corner of this survey;

THENCE South 01° 38' 34" West 1887.10 varas to a stake, the southwest corner of Survey 4, this block, for the southeast corner of this survey;

THENCE North 87° 59' 44" West 1936.92 varas to a stake for the southwest corner of this survey;

THENCE North 01° 34' 52" East 1883.74 varas to a stake in the south line of Survey 8, Block 93, P.S.L., for the northwest corner of this survey;

THENCE South 88° 05' 42" East 1938.94 varas -----

Patented 7-6-62 Zull

F-93143 CORRECT ON MAP FOR 647.22 ACRES 6-25-62 OLSTAD

---------- to the place of beginning, and containing 647.22 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 237 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 6
Block No. 91, P.S.L.
Cert. No. _____
Tsp. _____

split F.N. rgd.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 34 miles N 48° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a one-half inch iron rod in small stone mound (by me) on ridge, from which a dead eight inch cedar marked "X" bears N 70° W 33.0 varas, Horse Well Hill bears S 63° W, El Capitan Mountain bears N 35½° W (Parker's original witnesses), a tin cap in low twelve inch cedar bears S 02° W 10.5 varas, an old cedar stake in earth mound bears N 83° 30' E 73.3 varas; the northeast corner of Survey 1, Block 92, P.S.L., in the south line of Survey 10, Block 93, P.S.L., for the northwest corner of this survey;

THENCE S 88° 05' 42" E 1938.94 varas to a stake, the northwest corner of Survey 5, this block, in the south line of Survey 8, Block 93, P.S.L., for the northeast corner of this survey;

THENCE S 01° 34' 52" W 1883.74 varas to a stake, the southwest corner of Survey 5, this block, for the southeast corner of this survey;

THENCE N 87° 59' 44" W 1873.60 varas to a 3/4 inch iron rod notched on two sides in large stone mound (by me) from which a ten inch prong marked "X" of a 16 inch dead cedar bears N 89½° E 36.0 varas (Parker's original witness), another cedar, size 8", marked (by me) bears N 77-3/4° E 11.4 varas; the original common corner of Survey 6 and 7, block 91, P.S.L. and Surveys 1 and 12, Block 92, P.S.L., for the southwest corner of this survey;

THENCE N 00° 24' 31" W 1882.00 varas -----

See 93146 for S 1/2 & NW 1/4

---------- to the place of beginning, and containing 635.51 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 238 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 7
Block No. 91, P.S.L.
Cert. No.
Tsp.

636 46 ac

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 49° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4" iron rod, notched on two sides, in large stone mound, (by me) from which a 10" prong Marked X of a 16" dead cedar bears N 89½° E 36.0 varas (Parker's original witness), another cedar size eight inch marked = (by me) bears N 77-3/4° E 11.4 varas; the original common corner of Survey 6, = Block 91, P.S.L., Surveys 1 and 12, Block 92, P.S.L., for the northwest corner of this survey;

THENCE South 87° 59' 44" East 1873.60 varas to a stake, the southwest corner of Survey 5 and southeast corner of Survey 6, this block, for the northeast corner of this survey;

THENCE South 01° 34' 52" West 1907.40 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 03" West 1892.66 varas to a stake, the southeast corner of Survey 12 and the northeast corner of Survey 13, Block 92, P.S.L., for the southwest corner of this survey;

THENCE North 02° 09' 15" East 1908.66 varas -----

144208
CORRECT ON MAP FOR 636.46 ACRES
2/8/60 DES

Patented
3-9-1960
Kedrick

---------- to the place of beginning, and containing 636.46 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 239 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT

240

THE STATE OF TEXAS)
Culberson County)

Survey No. 8
Block No. 91, P.S.L.
Cert. No.
Tsp.

653.86 A.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 34 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 5, 6, and 7, Block 91, P.S.L., for the northwest corner of this survey;

THENCE South 87° 59' 44" East 1936.92 varas to a stake, the southwest corner of Survey 4, and the southeast corner of Survey 5, this block, for the northeast corner of this Survey;

THENCE South 01° 38' 34" West 1906.08 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 03" West 1934.88 varas to a stake, the southeast corner of Survey 7, this block, for the southwest corner of this survey;

THENCE North 01° 34' 52" East 1907.40 varas -----

143504
CORRECT ON MAP FOR 653.86 ACRES
2/8/60 VES

Patented
3-9-1960
Hedrick

---------- to the place of beginning, and containing 653.86 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 19 53

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 240 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 9
Block No. 91, P.S.L.
Cert. No.
Tsp.

653 41/2,

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 35 miles N 51° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 4, 5, and 8, Block 91, P.S.L., for the northwest corner of this survey;

THENCE South 87° 59' 44" East 1936.92 varas to a stake, the southwest corner of Survey 3, and the southeast corner of Survey 4, this block, for the northeast corner of this survey;

THENCE South 01° 42' 15" West 1904.75 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 03" West 1934.88 varas to a stake, the southeast corner of Survey 8, this block, for the southwest corner of this survey;

THENCE North 01° 38' 34" East 1906.08 varas -----

143505
CORRECT ON MAP FOR 653 41/ ACRES
2/8/60 VES

Patented
3-9-1960
Wedick

---------- to the place of beginning, and containing 653.41 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 241 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

242

THE STATE OF TEXAS)
~~Culberson~~ County)

Survey No. 10
Block No. 91, P.S.L.
Cert. No. _____
Tsp. _____

652.95 a.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 36 miles N 52° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 3, 4, and 9, Block 91, P.S.L., for the northwest corner of this survey;

THENCE South 87° 59' 44" East 1936.92 varas to a stake, the southwest corner of Survey 2, and the southeast corner of Survey 3, this block, for the northeast corner of this Survey;

THENCE South 01° 45' 57" West 1903.42 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 03" West 1934.88 varas to a stake, the southeast corner of Survey 9, this block, for the southwest corner of this survey;

THENCE North 01° 42' 15" East 1904.75 varas -----

143506
CORRECT ON MAP FOR 652.95 ACRES
2/8/60 VES

Patented
3-9-1960
Dedrick

---------- to the place of beginning, and containing 652.95 acres of land, ~~more~~ or ~~less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 242 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

243

THE STATE OF TEXAS)
Culberson County)

Survey No. 11
Block No. 91, P.S.L.
Cert. No.
Tsp.

652.50 a.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 37 miles N 53° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 2, 3, and 10, Block 91, P.S.L., for the northwest corner of this survey;

THENCE South 87° 59' 44" East 1936.92 varas to a stake, the southwest corner of Survey 1, and the southeast corner of Survey 2, this block, for the northeast corner of this survey;

THENCE South 01° 49' 38" West 1902.10 varas to a stake for the southeast corner of this survey;

THENCE North 88° 02' 03" West 1934.88 varas to a stake, the southeast corner of survey 10, this block, for the southwest corner of this survey;

THENCE North 01° 45' 57" East 1903.42 varas -----

143507
CORRECT ON MAP FOR 652.50 ACRES
2/8/60 VES

Patented
3-9-1960
Wedick

---------- to the place of beginning, and containing 652.50 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 243 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 12
Block No. 91, P.S.L.
Cert. No.
Tsp.

652.04 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 38 miles N 54° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 1, 2, and 11, Block 91, P.S.L., for the northwest corner of this survey;

THENCE South 87° 59' 44" East 1936.92 varas to a stake, the southwest corner of Survey 6, Block 60, P.S.L., and the southeast corner of Survey 1, this block, for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake from which a stone mound on north slope of high hill bears S 75° 23' E 11.1 varas; for the southeast corner of this survey;

THENCE North 88° 02' 03" West 1934.88 varas to a stake, the southeast corner of Survey 11, this block, for the southwest corner of this survey;

THENCE North 01° 49' 38" East 1902.10 varas -----



146189
CORRECT ON MAP FOR 652.04 ACRES
1/6/55 VES

Patented
1-11-55
Robertson

---------- to the place of beginning, ~~and containing~~ 652.04 ~~acres of land, more or less.~~
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)
I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 244 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 13
Block No. 91, P.S.L.
Cert. No.
Tsp.

651 35/100 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 37 miles N 56° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, from which a stone mound on the north side of a high hill bears S 75° 23' E 11.1 varas the common corner of Surveys 7 and 18, Block 60, P.S.L., and Survey 12, Block 91, P.S.L. for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas to a stake, the southwest corner of Survey 18, Block 60, P.S.L., for the southeast corner of this survey;

THENCE North 88° 04' 21" West 1932.83 varas to a stake for the southwest corner of this survey;

THENCE North 01° 49' 38" East 1902.10 varas to a stake, the southeast corner of Survey 11, and the southwest corner of Survey 12, this block, for the northwest corner of this survey;

THENCE South 88° 02' 03" East 1934.88 varas ----- to the place of beginning, ~~and containing~~ 651.35 ~~acres of land, more or less.~~

144200
CORRECT ON MAP FOR 651 35/100 ACRES
1/6/55 VE7
Patented
1-1-J-J-
Robertson

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct. ,1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 245 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 14
Blk. 91
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 651.81 ✓ acres of land for Jo.Ann Correll & Frank Jones

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 36 miles North 55° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the common corner of Surveys 11, 12, and 13, Block 91, P.S.L., for the northeast corner of this survey;

THENCE South 01° 49' 38" West 1902.10 varas to a stake, the southwest corner of Survey 13, this block, for the southeast corner of this survey;

THENCE North 88° 04' 21" West 1932.83 varas to a stake for the southwest corner of this survey;

THENCE North 01° 45' 57" East 1903.42 varas to a stake, the southeast corner of Survey 10, and the southwest corner of Survey 11, this block, for the northwest corner of this survey;

THENCE South 88° 02' 03" East 1934.88 varas -----



110436 81
CORRECT ON MAP FOR 651 ACRES
TO PURCHASE EXCESS 9/28/54
VES

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop
V. E. Young

Bearings marked

Surveyed Feb.-Oct., 1953

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 246 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly,
rocky pasture

Timber None

Value $ 1.50 per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 8 0 19
REFERRED TO MAP

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 15
Blk. 91
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 652.26 ✓ acres of land for Jo Ann Correll & Frank Jones

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 35 miles North 54° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a stake, the common corner of Surveys 10, 11, and 14, Block 91, P.S.L. for the northeast corner of this survey;

THENCE South 01° 45' 57" West 1903.42 varas to a stake, the southwest corner of Survey 14, this block, for the southeast corner of this survey;

THENCE North 88° 04' 21" West 1932.83 varas to a stake for the southwest corner of this survey;

THENCE North 01° 42' 15" East 1904.75 varas to a stake, the southeast corner of Survey 9, and the southwest corner of Survey 10, this block, for the northwest corner of this survey;

THENCE South 88° 02' 03" East 1934.88 varas -----

110437
CORRECT ON MAP FOR 652.26 ACRES
TO PURCHASE EXCESS 9/28/54
VES

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 247 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly,
rocky pasture

Timber None

Value $ 1.50 per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 1954
REFERRED TO MAP

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 16
Block No. 91, P.S.L.
Cert. No.
Tsp.

652 72 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 34 miles N 53° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 9, 10, and 15, Block 91, P.S.L. for the northeast corner of this survey;

THENCE South 01° 42' 15" West 1904.75 varas to a stake, the southwest corner of Survey 15, this block, for the southeast corner of this survey;

THENCE North 88° 04' 21" West 1932.83 varas to a stake for the southwest corner of this survey;

THENCE North 01° 38' 34" East 1906.08 varas to a stake, the southeast corner of Survey 8, and the southwest corner of Survey 9, this block, for the northwest corner of this survey;

THENCE South 88° 02' 03" East 1934.88 varas ----- to the place of beginning, and containing 652.72 acres of land, ~~more or less~~.

93147
CORRECT ON MAP FOR 652 72 ACRES
2/3/56 VES

Patented
2-8-56
Robertson

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 248 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 17
Block No. 91, P.S.L.
Cert. No.
Tsp.

Split F.N. rgd.

653 17/100 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 52° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 8, 9, and 16, Block 91, P.S.L. for the northeast corner of this survey;

THENCE South 01° 38' 34" West 1906.08 varas to a stake, the southwest corner of Survey 16, this block, for the southeast corner of this survey;

THENCE North 88° 04' 21" West 1932.83 varas to a stake for the southwest corner of this survey;

THENCE North 01° 34' 52" East 1907.40 varas to a stake, the southeast corner of Survey 7, and the southwest corner of Survey 8, this block, for the northwest corner of this survey;

THENCE South 88° 02' 03" East 1934.88 varas -----

F.N. for N 1/2 in 144209

F.N. for S 1/2 in 103247

---------- to the place of beginning, and containing 653.17 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 249 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT

250

THE STATE OF TEXAS)
Culberson County)

Survey No. 18
Block No. 91, P.S.L.
Cert. No.
Tsp.

642.90 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 7, 8, and 17, Block 91, P.S.L. for the northeast corner of this survey;

THENCE South 01° 34' 52" West 1907.40 varas to a stake, the southwest corner of Survey 17, this block, for the southeast corner of this survey;

THENCE North 88° 04' 21" West 1911.73 varas to a stake from which a 2" Galvanized iron pipe bears S 56° 52' W 17.3 varas, for the southwest corner of this survey;

THENCE North 02° 09' 15" East 1908.66 varas to a stake, the southeast corner of Survey 12, Block 92, P.S.L., and the southwest corner of Survey 7, this block, for the northwest corner of this survey;

THENCE South 88° 02' 03" East 1892.66 varas -----



---------- to the place of beginning, and containing 642.90 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 250 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 19
Block No. 91, P.S.L.
Cert. No.
Tsp.

649 35/100 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 52° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound, Parker's original common corner of Section One, Block 88, P.S.L., Section 6, Block 89, P.S.L., and Section 24, Block 92, P.S.L., from which a 10" cedar marked X bears N 58° W 14.8 varas, ditto bears S 49° W 10.5 varas, El Capitan Mountain bears N 33° W, fence turn bears 1.2 varas East, for the southwest corner of this survey;

THENCE North 02° 09' 15" East 1908.66 varas to a stake, from which a 2" galvanized iron pipe bears S 56° 52' W 17.3 varas, the common corner of Survey 18, this block, and Surveys 13 and 24, Block 92, P.S.L., for the northwest corner of this survey;

THENCE South 88° 04' 21", East 1911.73 varas to a stake, the southwest corner of Survey 17 and the southeast corner of Survey 18, this block, for the northeast corner of this survey;

THENCE South 01° 34' 52" West 1907.40 varas to a stake, the northeast corner of Survey 6, Block 89, P.S.L., for the southeast corner of this survey;

THENCE North 88° 06' 40" West 1930.79 varas -----

14211
CORRECT ON MAP FOR 649.35 ACRES
2/3/56 VES
Patents
2-8-56 Robertson

---------- to the place of beginning, and containing 649.35 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 251 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 20
Block No. 91, P.S.L.
Cert. No.
Tsp.

split F.N. rgd.

652 47 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 53° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 17, 18, and 19, Block 91, P.S.L., for the northwest corner of this survey;

THENCE South 88° 04' 21" East 1932.83 varas to a stake, the southwest corner of Survey 16, and the southeast corner of Survey 17, this block, for the northeast corner of this survey;

THENCE South 01° 38' 34" West 1906.08 varas to a stake the northeast corner of Survey 5, Block 89, P.S.L., for the southeast corner of this survey;

THENCE North 88° 06' 40" West 1930.79 varas to a stake, the common corner of Survey 19, Block 91, and Surveys 5 and 6, Block 89, P.S.L., for the southwest corner of this survey;

THENCE North 01° 34' 52" East 1907.40 varas -----



---------- to the place of beginning, and containing 652.47 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 252 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 21
Block No. 91, P.S.L.
Cert. No.
Tsp.

652.02 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 34 miles N 54° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 16, 17, and 20, Block 91, P.S.L., for the northwest corner of this survey;

THENCE South 88° 04' 21" East 1932.83 varas to a stake, the southwest corner of Survey 15, and the southeast corner of Survey 16, this block, for the northeast corner of this survey;

THENCE South 01° 42' 15" West 1904.75 varas to a stake the northeast corner of Survey 4, Block 89, P.S.L., for the southeast corner of this survey;

THENCE North 88° 06' 40" West 1930.79 varas to a stake, the common corner of Survey 20, Block 91, and Surveys 4 and 5, Block 89, P.S.L., for the southwest corner of this survey;

THENCE North 01° 38' 34" East 1906.08 varas -----



1/9364
CORRECT ON MAP FOR 652.02 ACRES
2/3/56 VES
Patented
2.8.56
Robertson

---------- to the place of beginning, and containing 652.02 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, [illegible], Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 253 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 22
Block No. 91, P.S.L.
Cert. No.
Tsp.

651.57 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 35 miles N 55° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 15, 16, and 21, Block 91, P.S.L., for the northwest corner of this survey;

THENCE South 88° 04' 21" East 1932.83 varas to a stake, the southwest corner of Survey 14, and the southeast corner of Survey 15, this block, for the northeast corner of this survey;

THENCE South 01° 45' 57" West 1903.42 varas to a stake the northeast corner of Survey 3, Block 89, P.S.L., for the southeast corner of this survey;

THENCE North 88° 06' 40" West 1930.79 varas to a stake, the common corner of Survey 21, Block 91, Surveys 3 and 4, Block 89, P.S.L., for the southwest corner of this survey;

THENCE North 01° 42' 15" East 1904.75 varas -----

93/40
CORRECT ON MAP FOR 651 57/100 ACRES
2/3/56 VES
Patented
2-8-56
Patentee

---------- to the place of beginning, and containing 651.57 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 254 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 23
Block No. 91, P.S.L.
Cert. No.
Tsp.

651.11 acres

CORRECTED FIELD NOTES of a survey made for Jo Ann Correll & Frank Jones (INSERT NAME OF OWNER) by virtue of their (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 36 miles N 56° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 14, 15, and 22, Block 91, P.S.L., for the northwest corner of this survey;

THENCE South 88° 04' 21" East 1932.83 varas to a stake, the southwest corner of Survey 13, and the southeast corner of Survey 14, this block, for the northeast corner of this survey;

THENCE South 01° 49' 38" West 1902.10 varas to a stake the northeast corner of Survey 2, Block 89, P.S.L., for the southeast corner of this survey;

THENCE North 88° 06' 40" West 1930.79 varas to a stake, the common corner of Survey 22, Block 91, and Surveys 2 and 3, Block 89, P.S.L., for the southwest corner of this survey;

THENCE North 01° 45' 57" East 1903.42 varas -----



93138
CORRECT ON MAP FOR 651.11 ACRES
2/3/56 VES
Patented
2-8-56
Robertson

---------- to the place of beginning, and containing 651.11 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 255 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS

Culberson COUNTY

P.S.L. Survey
No. 24
Blk. 91
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of 650.66 acres of land for Jo Ann Correll & Frank Jones

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson County, about 37 miles North 57° East from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit:

Beginning at a 3/4 inch iron rod, notched on two sides, set in concrete and large stone mound, on side of hill sloping east, from which a fence corner bears S 79° 13' E approximately 250 varas, a stone mound bears S 69° 13' E 29.7 varas; the common corner of Survey 1, Block 89, P.S.L. and Surveys 19 and 30, Block 60, P.S.L., for the southeast corner of this survey;

THENCE North 88° 06' 40" West 1930.79 varas to a stake, the common corner of Survey 23, Block 91, and Surveys 1 and 2, Block 89, P.S.L., for the southwest corner of this survey;

THENCE North 01° 49' 38" East 1902.10 varas to a stake, the common corner of Surveys 13, 14 and 23, this block, for the northwest corner of this survey;

THENCE South 88° 04' 21" East 1932.83 varas to a stake, the common corner of Survey 13, Block 91, and Surveys 18, and 19, Block 60, P.S.L., for the northeast corner of this survey;

THENCE South 01° 53' 20" West 1900.80 varas -----



103950
CORRECT ON MAP FOR 650.66 ACRES
TO PURCHASE EXCESS 9/28/54
VES

Dest of Lang
2-24-55
Robertson

---------- to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop
V. E. Young

Bearings marked

Surveyed Feb.-Oct., 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 256 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly,
rocky pasture

Timber None

Value $------1.50---------- per acre
(including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 8 0 1934
REFERRED TO MAP

Block 92

PLAT

Acreage OK
10/21/55 BEL

THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 47° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a one-half inch iron rod in small stone mound (by me) on ridge from which a dead 8" cedar marked X bears N 70° W 33.0 varas; Horse Well Hill bears S 63° W; El Capitan Mountain bears N 35½° W (Parker's original witnesses); tin cap in old 12" cedar bears S 02° W 10.5 varas; an old cedar stake in earth mound bears N 83° 30' E 73.3 varas; the original northwest corner of Survey 6, Block 91, P.S.L., in the south line of Survey 10, Block 93, P.S.L., for the northeast corver of this survey;

THENCE S 00° 24' 31" E 1882.00 varas to a 3/4 inch iron rod notched on two sides in large stone mound (by me) from which a 10" prong marked X of a 16" dead cedar bears S 89½° E 36.0 varas (Parker's original witness) another cedar size 8" marked X (by me) bears N 77-3/4° E 11.4 varas; the original common corner of Surveys 6 and , Block 91, P.S.L., and Survey 12, Block 92, P.S.L., for the southeast corner of this survey;

THENCE N 88° 06' 07" W 1912. 42 varas to a stake for the southwest corner of this survey;

THENCE N 01° 44' 47" E 1887.39 varas to a stake in the south line of Survey 12, Block 93, P.S.L., for the northwest corner of this survey;

THENCE S 87° 53' 13" E 1841.68 varas ----------



---------- to the place of beginning, and containing 626.37 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 257 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

acreage OK
10/21/55 REL

THE STATE OF TEXAS)
Culberson County)

N/2 of N/2 of
Survey No. 2
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 45° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 1, Block 92, P. S. L., in the south line of Survey 12, Block 93, P.S.L., from which a small stone mound bears N 84° 53' E 21.3 varas, from said stone mound a 14" cedar stump marked I bears S 18° E 14.8 varas; for the northeast corner of this survey;

THENCE S 01° 44' 47" W 471.84 varas to a stake in the west line of Survey 1, this block, for the southeast corner of this survey;

THENCE N 87° 56' 26" W 1843.54 varas to a stake in the east line of Survey 3, This block, for the southwest corner of this survey;

THENCE N 01° 58' 18" E 473.58 varas to a stake in the south line of Survey 14, Block 93, P.S.L., for the northwest corner of this survey;

THENCE S 87° 53' 13" E at 922.7 varas cross fence 61.0 varas south of corner, in all 1841.68 varas ----------



----------to the place of beginning, and containing 154.52 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 258 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____. 19____.

County Surveyor
County Clerk

PLAT

Acreage OK 10/21/53 BEL

THE STATE OF TEXAS)
Culberson County)

S/2, & S/2 of N/2
Survey No. 2
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the S/2, & S/2 of N/2, Survey No. 2, Blk. 92, PSL survey made for State of Texas (INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 33 miles N 46° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake in the west line of Survey 1, Block 92, P.S.L., the southeast corner of the N/2 of the NE/4 of Survey 2, for the northeast corner of this survey;

THENCE S 01° 44' 47° W 1415.55 varas to a stake, the southwest corner of Survey 1, this block, for the southeast corner of this survey;

THENCE N 88° 06' 07" W 1849.12 varas to a stake for the southwest corner of this survey;

THENCE N 01° 58' 18" E 1420.73 varas to a stake in the east line of Survey 3, the southwest corner of the N/2 of the NW/4 of Survey 2, this block, for the northwest corner of this survey;

THENCE S 87° 56' 26" E 1843.54 varas ----------



---------- to the place of beginning, and containing 463.57 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 259 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK
10/22/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 3
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 3, Block No. 92, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 32 miles N 45°E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound (Parker's original northwest corner of Survey 3, and northeast corner of Survey 4, Block 92, P.S.L.) in the south line of Survey 15, Block 93, P.S.L., from which another stone mound on a small rocky hill bears N 89° 58' W 344.7 varas, an east-west fence bears North about 63 varas; for the northwest corner of this survey;

THENCE S 87° 53' 13" E, at 329.0 varas cross a county road, in all 1841.68 varas to a stake, the northwest corner of Survey 2, this block, in the south line of Survey 14, Block 93, P.S.L., for the northeast corner of this survey;

THENCE S 01° 58' 18" W 1894.31 varas to a stake, the southwest corner of Survey 2, this block, for the southeast corner of this survey;

THENCE N 88° 06' 07" W 1849.12 varas to a stake for the southwest corner of this survey;

THENCE N 02° 11' 49" E 1901.24 varas ----------



---------- to the place of beginning, and containing 620.35 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor) ~~(Surveyor)~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 260 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

Acreage OK
10/22/53 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 4
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 4, Blk. No. 92, P.S.L. survey made for State of Texas (INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 32 miles N 43° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound (Parker's original northwest corner of Survey 3 and northeast corner of Survey 4, Block 92, P.S.L.) in the south line of Survey 15, Block 93, P.S.L., from which another stone mound on small rocky hill bears N 89° 58' W 344.7 varas, an east-west fence bears North about 63 varas; for the N. E. corner of this survey;

THENCE S 02° 11' 49" W 1901.24 varas to a stake, the southwest corner of Survey 3, this block, for the southeast corner of this survey;

THENCE N 88° 06' 07" W 1894.15 varas to a stake, the southwest corner of this survey;

THENCE N 01° 58' 15" E 1900.04 varas to a stake in the south line of Survey 17, Block 93, P.S.L., for the northwest corner of this survey;

THENCE S 88° 08' 16" E 1901.65 varas ----------



---------- to the place of beginning, and containing 639.13 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. -Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 261 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

acreage OK
10/22/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 5
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 5, Blk. No. 92, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 31 miles N 42° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound in center of old trail (Parker's original northwest corner of Survey 5 and northeast corner of Survey 6, Block 92, P.S.L.) in the south line of Survey 19, Block 93, P.S.L., From which another stone mound bears S 84° 37' E 27.3 varas, another stone mound bears N 01° 53' W 69.3 varas, east-west fence bears North 1.8 varas; for the northwest corner of this survey;

THENCE S 88° 08' 16" E 1901.65 varas to a stake, the northwest corner of Survey 4, this block, in the south line of Survey 17, Block 93, P.S.L., for the northeast corner of this survey;

THENCE S 01° 58' 15" W 1900.04 varas to a stake, the southwest corner of Survey 4, this block, for the southeast corner of this survey;

THENCE N 88° 06' 07" W 1894.15 varas to a stake, for the southwest corner of this survey;

THENCE N 01° 44' 42" E 1898.84 varas ----------



---------- to the place of beginning, and containing 638.57 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and arrificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of m Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 262 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

acreage ok
10/29/55 REL

THE STATE OF TEXAS

Culberson **COUNTY**

Survey
No. 6
Blk. 92, P.S.L.
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of

641.33 **acres of land for**

State of Texas

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson **County, about** 30 **miles** N 41° E **from** Van Horn **, the county seat, and is described by metes and bounds as follows, to-wit:**

Beginning at an old stone mound in center of an old trail, (Parker's original northwest corner of Survey 5, Block 92, P.S.L.) in the south line of Survey 19, Block 93, P. S. L., from which another stone mound bears S 84° 37' E 27.3 varas, another stone mound bears N 01° 53' W 69.3 varas, an east-west fence bears North 1.8 varas; for the northeast corner of this survey;

THENCE S 01° 44' 42" W 1898.84 varas to a stake, the southwest corner of Survey 5, this block, for the southeast corner of this survey;

THENCE N 88° 06' 07" W 1908.16 varas to an old stone mound near south side of bottom of wide draw (Parker's original N. W. corner of Survey 7, this block,) in the east line of Survey 28, Block 94, P.S.L., from which a fence turn bears N 05° W 152.5 varas; for the southwest corner of this survey;

THENCE N 01° 49' 45" E 1898.78 varas to a ½ inch black iron pipe in old stone mound on high hill (Parker's original southwest corner of Survey 20, Block 93, P.S.L. in the east line of Survey 15, Block 94, PSL.), from which another stone mound bears N 61° 47' W 106.0 varas, another stone mound near floor of slope bears N 01° 51' E 304.1 varas; for the northwest corner of this survey;

THENCE S 88° 06' 13" E, at 428.8 varas cross a fence, in all 1905.37 varas ------



----------to the place of beginning.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop

Bearings marked V. E. Young

Surveyed Feb. -Oct. , 1953

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 263 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUN 30 19[illegible]
REFERRED TO MAP

PLAT

acreage OK
10/29/65 REL

THE STATE OF TEXAS

Culberson COUNTY

Survey
No. 7
Blk. 92, P.S.L.
Cert.
Tsp.

CORRECTED FIELD NOTES of a survey of

641.40 **acres of land for**

State of Texas

by virture of Section 4 of House Bill No. 9, passed at the Regular Session of the Forty-sixth Legislature, and approved June 19, 1939, regulating the sale of excess acreage in titled or patented surveys. Said land is situated in Culberson **County, about** 29 **miles** N 42° E **from** Van Horn**, the county seat, and is described by metes and bounds as follows, to-wit:**

Beginning at an old stone mound near the south side of the bottom of a wide draw, the original southwest corner of Survey 6, Block 92, P.S.L., in the east line of Survey 28 Block 94, P.S.L., from which a fence turn bears N 05° W 152.5 varas; for the northwest corner of this survey;

THENCE S 88° 06' 07" E 1908.16 varas to a stake, the southwest corner of Survey 5, and the southeast corner of Survey 6, this block, for the northeast corner of this survey;

THENCE S 01° 44' 42" W 1899.87 varas to a stake, the southeast corner of this survey;

Thence N 88° 02' 58" W 1905.24 varas to an old stone mound near head of draw (Parker's original northwest corner of Survey 18, this block in the east line of Survey 29, Block 94, P.S.L.) from which a 1" black iron pipe in stone mound on northeast slope of hill bears N 06° 14' W 142.0 varas; for the southwest corner of this survey;

THENCE N 01° 39' 24" E 1898.28 varas ----------



---------- **to the place of beginning.**

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E Chain Carriers O. Alsop

Bearings marked V. E. Young

Surveyed Feb. -Oct. , 19 53

I, Clifford C. Cool, Licensed State Land Surveyor, do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor

Filed for record in my office, the _____ day of _____ 19____, at _____ o'clock _____ M, and duly recorded the _____ day of _____ 19____, in Book X, Page 264 of the County Surveyors Records of Culberson County, Texas.

County Surveyor - County Clerk

GENERAL LAND OFFICE
Austin, Texas

No._____

Corrected Field Notes

Filed _____ 19____

_____
Commissioner

Approved
Rejected _____ 19____

_____
Commissioner

I, Clifford C. Cool

Licensed State Land Surveyor, do hereby certify that the character and reasonable market value of the land included within the limits of the within field notes are as follows:

Soil (state character) Hilly, rocky pasture.

Timber None

Value $1.50 per acre (including timber)

Clifford C. Cool
Licensed State Land Surveyor

RECEIVED
JUL 30 1974
REFERRED TO MAP

PLAT

acreage OK
10/29/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 8
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 8, Blk. No. 92, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 30 miles N 43° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 5, 6, and 7, Block 92, P. S. L., for the N. W. corner of this survey;

THENCE S 88° 06' 07" E 1894.15 varas to a stake, the SW corner of Survey 4, and the S. E. corner of Survey 5, this block, for the N. E. corner of this survey;

THENCE S. 01° 58' 15" W 1901.61 varas to a stake for the S. E. corner of this survey;

THENCE N 88° 02' 58" W 1886.66 varas to a stake, the S. E. corner of Survey 7, this block, for the S. W. corner of this survey;

THENCE N 01° 44' 42" E 1899.87 varas ----------



---------- to the place of beginning, and containing 636.48 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 265 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK
10/24/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 9
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 9, Blk. No. 92, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 31 miles N 45° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 4, 5, and 8, Block 92, P.S. L., for the N. W. corner of this survey;

THENCE S 88° 06' 07" E 1894.15 varas to a stake, the SW corner of Survey 3, and the S. E. corner of Survey 4, this block, for the N. E. corner of this survey;

THENCE S 02° 11' 49" W 1903.35 varas to a stake for the S. E. corner of this survey;

THENCE N 88° 02' 58" W 1886.66 varas to a stake, the S. E. corner of Survey 8, this block, for the S. W. corner of this survey;

THENCE N 01° 58' 15" E 1901.61 varas ----------



---------- to the place of beginning, and containing 637.05 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 266 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

Acreage OK
10/29/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 10
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 10, Blk. No. 92, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 32 miles N 46° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 3, 4, and 9, Block 92, P. S. L., for the N. W. Corner of this survey;

THENCE S 88° 06' 07" E 1849.12 varas to a stake, the SW corner of Survey 2, and the S. E. corner of Survey 3, this block, for the N. E. corner of this survey;

THENCE S 01° 58' 18" W 1905.12 varas to a stake for the S. E. corner of this survey;

THENCE N 88° 02' 58" W 1856.62 varas to a stake, the S. E. corner of Survey 9, this block, for the S. W. corner of this survey;

THENCE N 02° 11' 49" E 1903.35 varas ----------



----------to the place of beginning, and containing 624.99 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 267 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

acreage ok
10/24/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 11
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 47° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 2, 3, and 10, Block 92, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 06' 07" E 1849.12 varas to a stake, the SW corner of Survey 1, and the S. E. corner of Survey 2, this block, for the N. E. corner of this survey;

THENCE S 01° 44' 47" W 1906.89 varas to a stake for the S. E. corner of this survey;

THENCE N 88° 02' 58" W 1856.62 varas to a stake, the S. E. corner of Survey 10, this block, for the S. W. corner of this survey;

THENCE N 01° 58' 18" E 1905.12 varas ----------

14214
CORRECT ON MAP FOR 625.57 ACRES
2/8/60 VES

Patented
3-9-1960
Wedick

----------to the place of beginning, and containing 625.57 acres of land, more or less.

Courses are based on the T xas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. -Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~County~~ Surveyor of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 268 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____. 19____.

County Surveyor
County Clerk

PLAT



THE STATE OF TEXAS)
Culberson County)

Survey No. 12
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 48° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4 inch iron rod, notched on two sides, in large stone mound (by me) from which a 10" prong marked X of a 16" dead cedar bears N 89½° E 36.0 varas (Parker's original witness); another cedar size 8" eight inch marked _ (by me) bears N 77-3/4° E 11.4 varas; the original common corner of Survey 1, Block 92, P.S.L., Surveys 6 and 7, Block 91, P.S.L., for the northeast corner of this survey;

THENCE S 02° 09' 15" W 1908.66 varas to a stake, the southwest corner of Survey 7, Block 91, P.S.L., for the southeast corner of this survey;

THENCE N 88° 02' 58" W 1898.82 varas to a stake, the southeast corner of Survey 11, this block, for the southwest corner of this survey;

THENCE N 01° 44' 47" E 1906.89 varas to a stake, the common corner of Surveys 1, 2 and 11, this block, for the northwest corner of this survey;

THENCE S 88° 06' 07" E 1912.42 varas ----------

143500
CORRECT ON MAP FOR 643.98 ACRES
2/8/60 VES

Patented
3-9-1960
Wedink

---------- to the place of beginning, and containing 643.98 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ XXXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 269 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 13
Block No. 92, P.S.L.
Cert. No.
Tsp.

acreage ok
10/24/55 REL

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of surveys 12, Block 92, and Surveys 7 and 18, Block 91, P.S.L. for the N. E. corner of this survey;

THENCE S 02° 09' 15" W 1908.66 varas to a stake, the S. W. corner of Survey 18, Block 91, P.S.L., from which a 2" Galv. Iron Pipe bears S 56° 52' w 17.3 varas, for the S. E. corner of this survey;

THENCE N 88° 01' 05" W 1885.22 varas to a stake for the S. W. corner of this survey;

THENCE N 01° 44' 47" E 1907.74 varas to a stake, the S. E. corner of Survey 11, and the S. W. corner of Survey 12, This block, for the N. W. corner of this survey;

THENCE S 88° 02' 58" E 1898.82 varas ----------

Split 5 1/2 Ac. 1435.01
for 319 1/2

---------- to the place of beginning, and containing 639.52 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. -Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 270 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

Acreage OK
10/29/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 14
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 48° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of surveys 11, 12, and 13 Block 92, P.S.L. for the N. E. corner of this survey;

THENCE S 01° 44' 47" W 1907.74 varas to a stake, the S. W. corner of Survey 13, this block, for the S. E. corner of this survey;

THENCE N 88° 01' 05" W 1864.12 varas to a stake for the S. W. corner of this survey;

THENCE N 01° 58' 18" E 1906.83 varas to a stake, the S. E. corner of Survey 10, and the S. W. corner of Survey 11, this block, for the N. W. corner of this survey;

THENCE S 88° 02' 58" E 1856.62 varas ----------



---------- to the place of beginning, and containing 628.52 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 271 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

acreage OK
10/25/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 15
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey 15, Block No. 92, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 31 miles N 47° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of surveys 10, 11, and 14, Block 92, P.S.L. for the N. E. corner of this survey;

THENCE S 01° 58' 18" W 1906.83 varas to a stake, the S. W. corner of Survey 14, this block, for the S. E. corner of this survey;

THENCE N 88° 01' 05" W 1864.12 varas to a stake for the S. W. corner of this survey;

THENCE N 02° 11' 49" E 1905.91 varas to a stake, the S. E. corner of Survey 9, and the S. W. corner of Survey 10, this block, for the N. W. corner of this survey;

THENCE S. 88° 02' 58" E 1856.62 varas ----------



----------to the place of beginning, and containing 628.22 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 272 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

Acreage OK
10/25/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 16
Block No. 92 P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 16, Blk. No. 92, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 30 miles N 46° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of surveys 9, 10, & 15, Block 92, P.S.L. for the N. E. corner of this survey;

THENCE S 02° 11' 49" W 1905.91 varas to a stake, the S. W. corner of Survey 15, this block, for the S. E. corner of this survey;

THENCE N 88° 01' 05" W 1879.14 varas to a stake for the S. W. corner of this survey;

THENCE N 01° 58' 15" E 1904.96 varas to a stake, the S. E. corner of Survey 8, and the S. W. corner of Survey 9, this block, for the N. W. corner of this survey;

THENCE S 88° 02' 58" E 1886.66 varas ----------



---------- to the place of beginning, and containing 635.52 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~(Surveyor)~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 273 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

acreage OK
10/26/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 17
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the

Survey No. 17, Blk. No. 92, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 29 miles N 44° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of surveys 8, 9, and 16, Block 92, P.S.L. for the N. E. corner of this survey;

THENCE S 01° 58' 15" W 1904.96 varas to a stake, the S. W. corner of Survey 16, this block, for the S. E. corner of this survey;

THENCE N 88° 01' 05" W 1879.14 varas to a stake for the S. W. corner of this survey;

THENCE N 01° 44' 42" E 1904.01 varas to a stake, the S. E. corner of Survey 7, and the S. W. corner of Survey 8, this block, for the N. W. corner of this survey;

THENCE S 88° 02' 58" E 1886.66 varas ----------



---------- to the place of beginning, and containing 635.20 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ XXXXXX) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 274 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK
10/24/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 18
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 18, Blk. No. 92, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 28 miles N 43° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound near head of draw, (Parker's original southwest corner of Survey 7, Block 92, P.S.L. in the east line of Survey 29, Block 94, P.S.L.,) from which a 1" black iron pipe in stone mound on the northeast slope of hill bears N 06° 14' W 142.0 varas; for the northwest corner of this survey;

THENCE S 88° 02' 58" E 1905.24 varas to a stake, the southeast corner of Survey 7 and the southwest corner of Survey 8, this block, for the northeast corner of this survey;

THENCE S 01° 44' 42" W 1904.01 varas to a stake, the southwest corner of Survey 17, this block, for the southeast corner of this survey;

THENCE N 88° 01' 05" W 1888.43 varas to a stake in the east line of Survey 42, Block 94, P.S.L., for the southwest corner of this survey;

THENCE N 01° 14' 19" E 1903.12 varas ----------



---------- to the place of beginning, and containing 639.59 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ----------, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 275 of the County Surveyor's Records of Culberson County, Texas.

This ---------- day of ---------- , 19----.

County Surveyor
County Clerk

PLAT

acreage OK
10/2

THE STATE OF TEXAS)
Culberson County)

Survey No. 19
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 19, Blk. No. 92, P.S.L. (INSERT NAME OF SURVEY OR SECTION) survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 28 miles N 44° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound, (Parker's original northwest corner of Survey 6, Block 88, P.S.L., in the east line of Survey 1, Block 87, P.S.L.) from which the nearest conical peak bears S 70° 52' W, a notch in a small mountain bears S 68° 02' W, a 1" black iron pipe in stone mound in fence bears N 18° 03' W 141.9 varas; for the southwest corner of this survey;

THENCE N 01° 14' 19" E 1903.12 varas to a stake, the southwest corner of Survey 18, this block, in the east line of Survey 42, Block 94, P.S.L., for the northwest corner of this survey;

THENCE S 88° 01' 05" E 1888.43 varas to a stake, thesouthwest corner of Survey 17, the southeast corner of Survey 18, this block, for the northeast corner of this survey;

THENCE S 01° 44' 42" W 1904.01 varas to a stake, the northeast corner of Survey 6, Block 88, P.S.L., for the southeast corner of this survey;

THENCE N 87° 59' 29" W 1871.62 varas ----------



---------- to the place of beginning, and containing 633.93 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. YOung

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 276 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 20
Block No. 92, P.S.L.
Cert. No.
Tsp.

acreage ok
10/26/55 REL

CORRECTED FIELD NOTES of the

Survey No. 20, Blk. 92, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)

by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 28 miles N 46° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 17, 18, and 19, Block 92, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 01' 05" E 1879.14 varas to a stake, the SW corner of Survey 16, and the S. E. corner of Survey 17, this block, for the N. E. corner of this survey;

THENCE S 01° 58' 15" W 1904.96 varas to a stake, the N. E. corner of Survey 5, Block 88, P.S.L., for the S. E. Corner of this survey;

THENCE N 87° 59' 29" W 1871.62 varas to a stake, the common corner of Survey 19, Block 92, and Surveys 5 and 6, Block 88, P.S.L., for the S. W. corner of this survey;

THENCE N 01° 44' 42" E 1904.01 varas ----------.



---------- to the place of beginning, and containing 632.67 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 277 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

Acreage OK
10/26/55 BEL

THE STATE OF TEXAS)
Culberson County)

Survey No. 21
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of the Survey No. 21, Blk. 92, P.S.L. survey made for State of Texas
(INSERT NAME OF SURVEY OR SECTION) (INSERT NAME OF OWNER)
by virtue of (HIS, HER OR THEIR) ownership thereof, for the purpose of correcting the patent. Said land is situated in Culberson County, about 29 miles N 47° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 16, 17, and 20, Block 92, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 01' 05" E 1879.14 varas to a stake, the SW Corner of Survey 15, and the S. E. corner of Survey 16, this block, for the N. E. corner of this Survey;

THENCE S 02° 11' 49" W 1905.91 varas to a stake, the N. E. corner of Survey 4, Block 88, P.S.L., for the S. E. corner of this survey;

THENCE N 87° 59' 29" W 1871.62 varas to a stake, the common corner of Survey 20, Block 92, and Surveys 4 and 5, Block 88, P.S.L., for the S. W. corner of this survey;

THENCE N 01° 58' 15" E 1904.96 varas ----------



---------- to the place of beginning, and containing 632.98 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 278 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

CORRECT ON MAP FOR 630.75 ACRES
7-5-73 JEK
PATENTED 9/10/73
NO. 257 VOL. 40B
MAILED CO. CK 9/11/73
acreage OK
10/24/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 22
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 30 miles N 48° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 15, 16, and 21, Block 92, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 01' 45" E 1864.12 varas to a stake, the SW corner of Survey 14, and the S. E. corner of Survey 15, this block, for the N. E. corner of this survey;

THENCE S 01° 58' 18" W 1906.83 varas to a stake, the N. E. corner of Survey 3, Block 88, P.S.L., for the S. E. corner of this survey;

THENCE N 87° 59' 29" W 1871.62 varas to a stake, the common corner of Survey 21, Block 92, and surveys 3 and 4, Block 88, P.S.L., for the S. W. corner of this survey;

THENCE N 02° 11' 49" E 1905.91 varas ----------



---------- to the place of beginning, and containing 630.75 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 19 53

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 279 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

File 119360

CORRECT ON MAP FOR 631.06 ACRES
7-5-73 JEM

acreage OK
10/24/55 BEL

THE STATE OF TEXAS)
Culberson County)

PATENTED 9/10/73
NO. 242 Vol. 40B
MAILED CO. CLK. 9/17/73

Survey No. 23
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the common corner of Surveys 14, 15, and 22, Block 92, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 01' 05" E 1864.12 varas to a stake, the SW corner of Survey 13, and the S. E. corner of Survey 14, this block, for the N. E. corner of this Survey;

THENCE S 01° 44' 47" W 1907.74 varas to a stake, the N. E. Corner of Survey 2, Block 88, P.S.L. for the S. E. corner of this survey;

THENCE N 87° 59' 29" W 1871.62 varas to a stake, the common corner of Surveys 2 and 3, Block 88 and Survey 22, Block 92, P.S.L., for the S. W. corner of this survey;

THENCE N 01° 58' 18" E 1906.83 varas ----------



---------- to the place of beginning, and containing 631.06 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. - Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor.~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 280 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

119359

CORRECT ON MAP FOR 634.90 ACRES
7-5-73 JEM

PATENTED 241

NO. 241 v 40B

MAILED CO. CLK. 9/17/73

acreage OK
10/24/55 BEL

THE STATE OF TEXAS)
Culberson County)

Survey No. 24
Block No. 92, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 51° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at an old stone mound (Parker's original common corner of Survey 1, Block 88, P.S.L., Survey 6, Block 89, P.S.L., and Survey 19, Block 91, P.S.L.,) from which a 10" cedar marked X bears N 58° W 14.8 varas, ditto bears S 49° W 10.5 varas, El Capitan Mountain bears N 33° W, fence turn bears 1.2 varas East; for the southeast corner of this survey;

THENCE N 87° 59' 29" W 1871.62 varas to a stake, the common corner of Survey 23, this block, and Surveys 1 and 2, Block 88, P.S.L., for the southwest corner of this survey;

THENCE N 01° 44' 47" E 1907.74 varas to a stake, the common corner of Surveys 13, 14, and 23, this block, for the northwest corner of this survey;

THENCE S 88° 01' 05" E 1885.22 varas to a stake, the common corner of Survey 13, this block, and Surveys 18 and 19, Block 91, P.S.L., from which a 2" galvanized iron pipe bears S 56° 52' W 17.3 varas; for the northeast corner of this survey;

THENCE S 02° 09' 15" W 1908.66 varas ----------



---------- to the place of beginning, and containing 634.90 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb. -Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ XXXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed ~~State~~ Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 281 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

BLOCK 93

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 1
Block No. 93, P.S.L.
Cert. No.
Tsp.

650.34 Acres

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 38 miles N 51° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a 3/4 inch iron bar, notched on two sides, set in concrete and stone mound in shallow, wide branch, from which an old stone mound at an old fence corner bears S 81° 10' E 66.6 varas, an X on large rock outcrop 15 varas south of ranch road bears S 16° 11½' E 64.4 varas, a 3/8 inch iron rod on sharp hill bears S 51° 07' 23" E 555.3 varas, the southwest corner of Survey 43, T. & P. R.R. Co. Block 60, Township 5, in the north line of Survey 1, Block 91, P.S.L., for the southeast corner of this survey;

THENCE N 88° 05' 42" W 1115.05 varas to a stake in the north line of Survey 2, Block 91, P.S.L., for the southwest corner of this survey;

THENCE N 02° 09' 00" E 3293.48 varas to a stake in the south line of Survey 28, Block 96, P.S.L., for the northwest corner of this survey;

THENCE S 88° 00' 26" E 1115.05 varas to a 3/4" iron bar, notched on two sides, set in concrete and large stone mound on southeast slope of high hill about ½ way up, from which the east peak of Twin Peaks bears N 48° 38' E about one mile, U.S.C.&G.S. Sta. "Harral" bears S 52° 45' 44" W 5470.13 varas, set galvanized spike in concrete for reference S 65° 29' E 13 varas, the southeast corner of Survey 28, Block 96, P.S.L., in the west line of Survey 42, T.&P. R.R. Co. Block 60, Township 5, for the northeast corner of this survey;

THENCE S 02° 09' 00" W 3291.77 varas ----------

93763 34
CORRECT ON MAP FOR 650 ACRES
2/23/56 VES
Patented
3-1-56
Robuteau

---------- to the place of beginning, and containing 650.34 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~(Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 282 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 2
Block No. 93, P.S.L.
Cert. No.
Tsp.

650.7 Acres

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 38 miles N 51° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 1, Block 93, P.S.L., in the south line of Survey 28, Block 96, P.S.L., for the N.E. corner of this survey;

THENCE S 02° 09' 00" W 3293.48 varas to a stake, the S. W. corner of Survey 1, this block, in the North line of Survey 2, Block 91, P.S.L., for the S. E. corner of this survey;

THENCE N 88° 05' 42" W 1115.05 varas to a stake in the north line of Survey 2, Block 91, P.S.L. for the S. W. corner of this survey;

THENCE N 02° 09' 00" E 3295.19 varas to a stake in the south line of Survey 27, Block 96, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 00' 26" E 1115.05 varas---------

Patented 93761
7-6-62
Zull

CORRECT ON MAP FOR 650.7 ACRES
6-25-62 JHS+W

---------- to the place of beginning, and containing 650.7 ~~.68~~ acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~) of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 283 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 3
Block No. 93, P.S.L.
Cert. No.
Tsp.

651.01 Acres

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 38 miles N 50° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 2, Block 93, P.S.L., in the south line of Survey 27, Block 96, P.S.L., for the N.E. corner of this survey;

THENCE S 02° 09' 00" W 3295.19 varas to a stake, the S. W. corner of Survey 2, this block, in the North line of Survey 2, Block 91, P.S.L., for the S. E. corner of this survey;

THENCE N 88° 05' 42" W 1115.05 varas to a stake in the North line of Survey 3, Block 91, P.S.L. for the S. W. corner of this survey;

THENCE N 02° 09' 00" E 3296.90 varas to a stake in the South line of Survey 26, Block 96, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 00' 26" E 1115.05 varas----------

Patented 7-6-62 Zull

93760
CORRECT ON MAP FOR 651.01 ACRES
6-25-62 JSKW

---------- to the place of beginning, and containing 651.01 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 284 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 4
Block No. 93, P.S.L.
Cert. No. _____
Tsp. _____
651.35 Acres

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 37 miles N 50° E from C Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 3, Block 93, P.S.L., in the south line of Survey 26, Block 96, P.S.L., for the N. E. corner of this survey;

THENCE S 02° 09' 00" W 3296.90 varas to a stake, the S. W. corner of Survey 3, this block, in the North line of Survey 3, Block 91, P.S.L., for the S. E. Corner of this survey;

THENCE N 88° 05' 42 W 1115.05 varas to a stake in the North line of Survey 3, Block 91, P.S.L. for the S. W. corner of this survey;

THENCE N 02° 09' 00" E 3298.60 varas to a stake in the south line of Survey 26, Block 96, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 00' 26" E 1115.05 varas ---------- to the place of beginning, and containing 651.35 acres of land, ~~more or less~~.

Patented 7-6-62 Zull

93759 CORRECT ON MAP FOR 651.35 ACRES 6-25-62 J.H.H.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct. 53, 19__.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 285 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19__.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 5
Block No. 93, P.S.L.
Cert. No.
Tsp.

651.69 Acres

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 37 miles N 49° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 4, Block 93, P.S.L., in the south line of Survey 26, Block 96, P.S.L., for the N. E. corner of this survey;

THENCE S 02° 09' 00" W 3298.60 varas to a stake, the S. W. corner of Survey 4, this block, in the North line of Survey 3, Block 91, P.S.L., for the S. E. corner of this survey;

THENCE N 88° 05' 42 W 1115.05 varas to a stake in the North line of Survey 4, Block 91, P.S.L. for the S.W. corner of this survey;

THENCE N 02° 09' 00" E 3300.31 varas to a stake in the South line of Survey 25, Block 96, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 00' 26" E 1115.05 varas ------- ---------- to the place of beginning, and containing 651.69 acres of land, ~~more or less~~.

93758
CORRECT ON MAP FOR 651.69 ACRES
6-25-62 HSW

Patented
7-6-62
Zull

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 286 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 6
Block No. 93, P.S.L.
Cert. No.
Tsp.

652.03 Acres

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 37 miles N 48° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 5, Block 93, P.S.L., in the south line of Survey 25, Block 96, PSL, for the N. E. corner of this survey;

THENCE S 02° 09' 00" W 3300.31 varas to a stake, the S. W. corner of Survey 5, this block, in the North line of Survey 4, Block 91, P.S.L., for the S.E. corner of this survey;

THENCE N 88° 05' 42" W 1115.05 varas to a stake in the North line of Survey 4, Block 91, P.S.L. for the S. W. corner of this survey;

THENCE N 02° 09' 00" E 3302.02 varas to a stake in the South line of Survey 25, Block 96, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 00' 26" E 1115.05 varas -------

patented
7-6-62
Zull

93/44
CORRECT ON MAP FOR 652.03 ACRES
6-25-62 [illegible]

---------- to the place of beginning, and containing 652.03 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 287 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 7
Block No. 93, P.S.L.
Cert. No.
Tsp.

652.37 Acres

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 36 miles N 48° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 6, Block 93, P.S.L., in the south line of Survey 25, Block 96, P.S.L., for the N. E. corner of this survey;

THENCE S 02° 09' 00" W 3302.02 varas to a stake, the S. W. corner of Survey 6, this block, in the North line of Survey 4, Block 91, P.S.L., for the S. E. corner of this survey;

THENCE N 88° 05' 42" W 1115.05 varas to a stake in the north line of Survey 5, Block 91, P.S.L. for the S. W. corner of this survey;

THENCE N 02° 09' 00" E 3303.73 varas to a stake in the South line of Survey 24, Block 96, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 00' 26" E 1115.05 varas --------=------

Patented
7-6-62
Zull

93145
CORRECT ON MAP FOR 652.37 ACRES
6-25-62 HSH.

---------- to the place of beginning, and containing 652.37 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 288 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 8
Block No. 93, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 36 miles N 47° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 7, Block 93, P.S.L., in the south line of Survey 24, Block 96, P.S.L., for the N. E. corner of this survey;

THENCE S 02° 09' 00" W 3303.73 varas to a stake, the S. W. corner of Survey 7, this block, in the North line of Survey 5, Block 91, P.S.L., for the S. E. corner of this survey;

THENCE N 88° 05' 42" W 1115.05 varas to a stake in the North line of Survey 6, Block 91, P.S.L. for the S. W. corner of this survey;

THENCE N 02° 09' 00" E 3305.44 varas to a stake in the South line of Survey 23, Block 96, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 00' 26" E 1115.05 varas ----

Split
S 1/2 143607
S 3/4 of N 1/2 143606
N 1/8 143608

---------- to the place of beginning, and containing 652.70 acres of land, ~~more or less.~~
Courses are based on the Texas Coordinate Grid System.
Variation 12° 30' E
Bearings marked
Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ XXXXX of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 289 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 9
Block No. 93, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 35 miles N 47° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 8, Block 93, P.S.L., in the south line of Survey 23, Block 96, P.S.L., for the N. E. corner of this survey;

Thence S 02° 09' 00" W 3305.44 varas to a stake, the S. W. corner of Survey 8, this block, in the North line of Survey 6, Block 91, P.S.L., for the S. E. corner of this survey;

Thence N 88° 05' 42" W 1115.05 varas to a stake in the North line of Survey 6, Block 91, P.S.L. for the S. W. corner of this survey;

Thence N 02° 09' 00" E 3307.15 varas to a stake in the South line of Survey 23, Block 96, P.S.L., for the N. W. corner of this survey;

Thence S 88° 00' 26" E 1115.05 varas.....

Split
N 1/2 143609
N 3/8 of S 1/2 144201
S 1/8 143610

---------- to the place of beginning, and containing 653.04 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 290 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 10
Block No. 93, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 35 miles N 46° E from Van HOrn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 9, Block 93, P.S.L., in the south line of Survey 23, Block 96, P.S.L., for the northeast corner of this survey;

Thence S 02° 09' 00" W 3307.15 varas to a stake, the southwest corner of Survey 9, this block, in the north line of Survey 6, Block 91, P.S.L., for the southeast corner of this survey;

Thence N 88° 05' 42" W 698.49 varas to a ½" iron rod in small stone mound (by me) on ridge from which a dead 8" cedar marked X bears N 70° W 33.0 varas, Horse Well Hill bears S 63° W, El Capitan Mountain bears N 35½° W (Parker's original witnesses), a tin cap in a low 12" cedar bears S 02° W 10.5 varas, an old cedar stake in earth mound bears N 83° 30' E 73.3 varas, the original northwest corner of Survey 6, Block 91, and the northeast corner of Survey 1, Block 92, P.S.L.;

Thence N 87° 53' 13" W 416.56 varas to a stake in the north line of Survey 1, Block 92, P.S.L., for the southwest corner of this survey;

Thence N 02° 09' 00" E 3307.35 varas to a stake in the south line of Survey 22, Block 96, P.S.L., for the northwest corner of this survey;

Thence S 88° 00' 26" E 1115.05 varas----------



----------to the place of beginning, and containing 653.33 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12' 30° E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 291 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 11
Block No. 93, P.S.L.
Cert. No. _____
Tsp. _____

CORRECTED FIELD NOTES of a survey made for J. B. Foster (INSERT NAME OF OWNER) by virtue of his (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 34 miles N 45° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 10, Block 93, P.S.L., in the south line of Survey 22, Block 96, P.S.L., for the N. E. corner of this survey;

Thence S 02° 09' 00" W 3307.35 varas to a stake, the S. W. corner of Survey 10, this block, in the North line of Survey 1, Block 92, P.S.L., for the S. E. corner of this survey;

Thence N 87° 53' 13" W 1077.58 varas to a stake in the North line of Survey 1, Block 92, P.S.L. for the S. W. corner of this survey;

Thence N 02° 09' 00" E 3305.09 varas to a stake in the South line of Survey 22, Block 96, P.S.L., for the N. W. corner of this survey;

Thence S 88° 00' 26" E 1077.58 varas----

Splits
Spt. 86410
N1/2 of SW1/4 91908
N1/2, N1/2 of SE1/4 } 119361
and Npt. of S1/4

---------- to the place of beginning, and containing 631.09 acres of land, ~~more or less~~.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County~~ Surveyor

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 292 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 12
Block No. 93, P.S.L.
Cert. No.
Tsp.

acreage ok
10/26/55 REL

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 34 miles N 45° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 11, Block 93, P.S.L. in the south line of Survey 22, Block 96, P.S.L., for the northeast corner of this survey;

Thence S 02° 09' 00" W 3305.09 varas to a stake, the southwest corner of Survey 11, this block, in the north line of Survey 1, Block 92, P.S.L., for the southeast corner of this survey;

Thence N 87° 53' 13" W at 347.54 varas pass a stake, the N. W. corner of Survey 1, Block 92, P.S.L., from which a small stone mound bears N 84° 53' E 21.3 varas, from said stone mound a 14" cedar stump marked X bears S 18° E 14.8 varas, in all 1077.58 varas to a stake in the north line of Survey 2, Block 92, P.S.L., for the southwest corner of this survey;

Thence N 02° 09' 00" E 3302.83 varas to a stake in the south line of Survey 24, Block 97, P.S.L., for the northwest corner of this survey;

Thence S 88° 00' 26" E, at 713.08 varas pass a large old stone mound (Parker's original southwest corner of Survey 22, Block 96, P.S.L., and southeast corner of Survey 24, Block 97, P.S.L.) from which the top of a round hill bears S 79° W, and "X" in solid rock on top of a high round hill bears N 38° 08' E 173.6 varas, a fence turn bears N 77° 50' W 83.9 varas, continuing in all 1077.58 varas------

---------- to the place of beginning, and containing 630.65 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 293 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 13
Block No. 93, P.S.L.
Cert. No.
Tsp.

acreage OK
10/26/55 REL

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 34 miles N 45° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 12, Block 93, P.S.L., in the south line of Survey 24, Block 97, P.S.L., for the N. E. corner of this survey;

Thence S 02° 09' 00" W 3302.83 varas to a stake, the S. W. corner of Survey 12, this block, in the North line of Survey 2, Block 92, P.S.L., for the S. E. corner of this survey;

Thence N 87° 53' 13" W at 189 varas cross fence 61.0 varas south of corner, in all 1077.58 varas to a stake in the North line of Survey 2, Block 92, P.S.L. for the S. W. corner of this survey;

Thence N 02° 09' 00" E 3300.56 varas to a stake in the South line of Survey 24, Block 97, P.S.L., for the N. W. corner of this survey;

Thence S 88° 00' 26" E 1077.58 varas-------



---------- to the place of beginning, and containing 630.22 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 294 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK
10/26/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 14
Block No. 93, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 43° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 13, Block 93, P.S.L., in the south line of Survey 24, Block 97, P.S.L., for the N. E. corner of this survey;

Thence S 02° 09' 00" W 3300.56 varas to a stake, the S. W. corner of Survey 13, this block, in the North line of Survey 2, Block 92, P.S.L., for the S. E. corner of this survey;

Thence N 87° 53' 13" W 1077.58 varas to a stake in the North line of Survey 3, Block 92, P.S.L. for the S. W. corner of this survey;

Thence N 02° 09' 00" E 3298.30 varas to a stake in the South line of Survey 23, Block 97, P.S.L., for the N. W. corner of this survey;

Thence S 88° 00' 26" E 1077.58 varas----



---------- to the place of beginning, and containing 629.79 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct., 1953.

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 295 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

PLAT

acreage OK
10/26/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 15
Block No. 93, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 33 miles N 43° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 14, Block 93, P.S.L., in the south line of Survey 23, Block 97, P.S.L., for the northeast corner of this survey;

THENCE S 02° 09' 00" W 3298.30 varas to a stake, the southwest corner of Survey 14, this block, in the north line of Survey 3, Block 92, P.S.L., for the southeast corner of this survey;

THENCE N 87° 53' 13" W at 469.0 varas cross county road, continuing in all 798.16 varas to an old stone mound (Parker's original northwest corner of Survey 3, & the northeast corner of Survey 4, Block 92, P.S.L.,) from which another stone mound on small rocky hill bears N 89° 58' W 344.7 varas, an east-west fence bears North about 63 varas;

THENCE N 88° 08' 16" W279.42 varas to a stake in the north line of Survey 4, Block 92, P.S.L., for the southwest corner of this survey;

THENCE N 02° 09' 00" E 3297.26 varas to a stake in the south line of Survey 22, Block 97, P.S.L., for the northwest corner of this survey;

THENCE S 88° 00' 26" E 1077.58 varas ----------



---------- to the place of beginning, and containing 629.37 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953.

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 296 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____. 19____.

_____
County Surveyor
County Clerk

PLAT

acreage OK
10/26/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 16
Block No. 93, P.S.L.
Cert. No.
Tsp.

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 42° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 15, Block 93, P.S.L., in the south line of Survey 22, Block 97, P.S.L., for the N. E. corner of this survey;

THENCE S 02° 09' 00" W 3297.26 varas to a stake, the S. W. corner of Survey 15, this block, in the North line of Survey 4, Block 92, P.S.L., for the S. E. corner of this survey;

THENCE N 88° 08' 16" W 1111.70 varas to a stake in the North line of Survey 4, Block 92, P.S.L. for the S. W. corner of this survey;

THENCE N 02° 09' 00" E 3299.81 varas to a stake in the south line of Survey 22, Block 97, P.S.L., for the N. W. Corner of this survey;

THENCE S 88° 00' 26" E 1111.70 varas ----------



---------- to the place of beginning, and containing 649.55 acres of land, more or less.
Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb. -Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, ~~(Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 297 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

THE STATE OF TEXAS)
Culberson County)

Survey No. 17
Block No. 93, P.S.L.
Cert. No.
Tsp.

acreage ok
10/27/55 REL

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 41 E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 16, Block 93, P. S. L., in the south line of Survey 22, Block 97, P.S.L., for the N. E. corner of this survey;

THENCE S 02° 09' 00" W 3299.81 varas to a stake, the S. W. corner of Survey 16, this block, in the North line of Survey 4, Block 92, P.S.L., for the S. E. corner of this survey;

THENCE N 88° 08' 16" W 1111.70 varas to a stake in the North line of Survey 5, Block 92, P.S.L. for the S. W. corner of this survey;

THENCE N 02° 09' 00" E 3302.35 varas to a stake in the South line of Survey 21, Block 97, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 00' 26" E 1111.70 varas ----------



---------- to the place of beginning, and containing 650.05 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Chain Carriers O. Alsop
V. E. Young

Surveyed Feb.-Oct., 1953

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ----------, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 298 of the County Surveyor's Records of Culberson County, Texas.

This ---------- day of ---------- 19----.

County Surveyor
County Clerk

PLAT

acreage OK
10/27/55 REL

THE STATE OF TEXAS)
Culberson County)

Survey No. 18
Block No. 93, P.S.L.
Cert. No. _____
Tsp. _____

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of _____ (HIS, HER OR THEIR) ownership of Certificate No. _____ (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 40° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the N. W. corner of Survey 17, Block 93, P.S.L., in the south line of Survey 21, Block 97, P.S.L., for the N. E. corner of this survey;

THENCE S 02° 09' 00" W 3302.35 varas to a stake, the S. W. corner of Survey 17, this block, in the North line of Survey 5, Block 92, P.S.L., for the S. E. corner of this survey;

THENCE N 88° 08' 16" W 1111.70 varas to a stake in the North line of Survey 5, Block 92, P.S.L. for the S. W. corner of this survey;

THENCE N 02° 09' 00" E 3304.90 varas to a stake in the South line of Survey 21, Block 97, P.S.L., for the N. W. corner of this survey;

THENCE S 88° 00' 26" E 1111.70 varas ----------



---------- to the place of beginning, and containing 650.56 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked _____

Surveyed Feb.-Oct., 1953

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 299 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

_____
County Surveyor
County Clerk

PLAT

300

THE STATE OF TEXAS)
Culberson County)

Survey No. 19
Block No. 93, P.S.L.
Cert. No.
Tsp.

Acreage OK
10/27/55 REL

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 32 miles N 40° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 18, Block 93, P.S.L., in the south line of Survey 21, Block 97, P.S.L., for the northeast corner of this survey;

THENCE S 02° 09' 00" W 3304.90 varas to a stake, the southwest corner of Survey 18, this block, in the north line of Survey 5, Block 92, P.S.L., for the southeast corner of this survey;

THENCE N 88° 08' 16" W 188.78 varas to an old stone mound in center of an old trail, (Parker's original northwest corner of Survey 5, and northeast corner of Survey 6, Block 92, P.S.L.), from which another stone mound bears S 84° 37' E 27.3 varas, another stone mound bears N 01° 53' W 69.3 varas, an east-west fence bears N 1.8 varas;

THENCE N 88° 06' 13" W 922.92 varas to a stake in the north line of Survey 6, Block 92, P.S.L., for the southwest corner of this survey;

THENCE N 02° 09' 00" E 3306.89 varas to a stake in the south line of Survey 20, Block 97, P.S.L., for the northwest corner of this survey;

THENCE S 88° 00' 26 E 1111.70 varas ----------



---------- to the place of beginning, and containing 651.00 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct. 53, 19

Chain Carriers O. Alsop
V. E. Young

I, Clifford C. Cool (Licensed State Land Surveyor), ~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 19 54.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, ~~Surveyor~~ of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 300 of the County Surveyor's Records of Culberson County, Texas.

This ____ day of ____, 19____.

County Surveyor
County Clerk

PLAT

301

THE STATE OF TEXAS)
Culberson County)

Survey No. 20
Block No. 93, P.S.L.
Cert. No.
Tsp.

acreage OK
10/27/55 BEL

CORRECTED FIELD NOTES of a survey made for State of Texas (INSERT NAME OF OWNER) by virtue of (HIS, HER OR THEIR) ownership of Certificate No. (RECITE THE NUMBER AND DATE OF THE CERTIFICATE AND TO WHOM ORIGINALLY ISSUED). Said land is situated in Culberson County, about 31 miles N 39° E from Van Horn, the county seat, and is described by metes and bounds as follows, to-wit: BEGINNING at a stake, the northwest corner of Survey 19, Block 93, P.S.L., in the south line of Survey 20, Block 97, P.S.L., for the northeast corner of this survey;

THENCE S 02° 09' 00" W 3306.89 varas to a stake, the southwest corner of Survey 19, this block, in the north line of Survey 6, Block 92, P.S.L., for the southeast corner of this survey;

THENCE N 88° 06' 13" W, at 553.65 varas cross a fence, in all 982.45 varas to a one-half inch black iron pipe in old stone mound on high hill (Parker's original northwest corner of Section 6, Block 92, P.S.L. in the east line of Survey 15, Block 94, P.S.L.,) from which another stone mound bears N 61° 47' W 106.0 varas, another stone mound near floor of slope bears N 01° 51' E 304.1 varas; for the southwest corner of this survey;

THENCE N 01° 29' 26" E 3308.65 varas to a stake, the northeast corner of Survey 1, Block 94, P.S.L., in the south line of Survey 20, Block 97, P.S.L., for the northwest corner of this survey;

THENCE S 88° 00' 26" E 1020.37 varas ----------



---------- to the place of beginning, and containing 586.79 acres of land, more or less.

Courses are based on the Texas Coordinate Grid System.

Variation 12° 30' E

Bearings marked

Surveyed Feb.-Oct. ,1953.

Chain Carriers O. Alsop
V. E. Young

(Licensed State Land Surveyor)

I, Clifford C. Cool, (~~Surveyor~~ of Midland County, Texas) do hereby certify that the foregoing survey was made by me on the ground, according to law, on the date and with the chain carriers aforesaid, duly qualified, and that the limits, corners, and boundaries with the marks of the same, natural and artificial, are truly and correctly described and set forth in the foregoing Plat and Field Notes, just as I found them on the ground.

This 28th day of April, 1954.

Clifford C. Cool
Licensed State Land Surveyor
~~County Surveyor~~

I, _____, Surveyor of Culberson County, Texas do hereby certify that the foregoing Field Notes are recorded in Book X, Page 301 of the County Surveyor's Records of Culberson County, Texas.

This _____ day of _____, 19____.

County Surveyor
County Clerk

STATE OF TEXAS

COUNTY OF CULBERSON

I, Frances Walker, County Clerk of Culberson County, Texas, do hereby certify that the foregoing field notes appearing on Pages 1 through 301 are duly recorded in the book and pages of the County Surveyors records, Culberson County, Texas, shown as follows:

SURVEY	BLOCK	GRANTEE	BOOK	PAGE
1	60	P.S.L.	X	1
2	60	P.S.L.	X	2
3	60	P.S.L.	X	3
4	60	P.S.L.	X	4
E/2 of NE/4 & E/2 of SE/4 of 5	60	P.S.L.	X	5
W/2, & W/2 of NE/4 & W/2 of SE/4 of 5	60	P.S.L.	X	6
6	60	P.S.L.	X	7
7	60	P.S.L.	X	8
8	60	P.S.L.	X	9
9	60	P.S.L.	X	10
N/2 of 10	60	P.S.L.	X	11
S/2 of 10	60	P.S.L.	X	12
11	60	P.S.L.	X	13
12	60	P.S.L.	X	14
13	60	P.S.L.	X	15
14	60	P.S.L.	X	16
NE/4 of 15	60	P.S.L.	X	17
NW/4 & SW/4 & SE/4 of 15	60	P.S.L.	X	18
16	60	P.S.L.	X	19
17	60	P.S.L.	X	20
18	60	P.S.L.	X	21
19	60	P.S.L.	X	22
20	60	P.S.L.	X	23
21	60	P.S.L.	X	24
22	60	P.S.L.	X	25
23	60	P.S.L.	X	26
24	60	P.S.L.	X	27
25	60	P.S.L.	X	28
26	60	P.S.L.	X	29
27	60	P.S.L.	X	30
28	60	P.S.L.	X	31
29	60	P.S.L.	X	32
30	60	P.S.L.	X	33
31	60	P.S.L.	X	34
32	60	P.S.L.	X	35
33	60	P.S.L.	X	36
34	60	P.S.L.	X	37

SURVEY	BLOCK	GRANTEE	BOOK	PAGE
35	60	P.S.L.	X	38
36	60	P.S.L.	X	39
37	60	P.S.L.	X	40
38	60	P.S.L.	X	41
39	60	P.S.L.	X	42
40	60	P.S.L.	X	43
41	60	P.S.L.	X	44
42	60	P.S.L.	X	45
43	60	P.S.L.	X	46
44	60	P.S.L.	X	47
45	60	P.S.L.	X	48
46	60	P.S.L.	X	49
47	60	P.S.L.	X	50
48	60	P.S.L.	X	51
1	61	P.S.L.	X	52
2	61	P.S.L.	X	53
3	61	P.S.L.	X	54
4	61	P.S.L.	X	55
5	61	P.S.L.	X	56
6	61	P.S.L.	X	57
7	61	P.S.L.	X	58
8	61	P.S.L.	X	59
9	61	P.S.L.	X	60
10	61	P.S.L.	X	61
11	61	P.S.L.	X	62
12	61	P.S.L.	X	63
13	61	P.S.L.	X	64
14	61	P.S.L.	X	65
15	61	P.S.L.	X	66
16	61	P.S.L.	X	67
17	61	P.S.L.	X	68
18	61	P.S.L.	X	69
19	61	P.S.L.	X	70
20	61	P.S.L.	X	71
21	61	P.S.L.	X	72
22	61	P.S.L.	X	73
23	61	P.S.L.	X	74
W/2, and the W/2 and SE/4 of the SE/4 of 24	61	P.S.L.	X	75
NE/4, and the NE/4 of the SE/4 of 24	61	P.S.L.	X	76
25	61	P.S.L.	X	77
26	61	P.S.L.	X	78
27	61	P.S.L.	X	79
28	61	P.S.L.	X	80
29	61	P.S.L.	X	81
30	61	P.S.L.	X	82
31	61	P.S.L.	X	83
32	61	P.S.L.	X	84
33	61	P.S.L.	X	85
34	61	P.S.L.	X	86
35	61	P.S.L.	X	87
36	61	P.S.L.	X	88
37	61	P.S.L.	X	89
38	61	P.S.L.	X	90
39	61	P.S.L.	X	91
40	61	P.S.L.	X	92
41	61	P.S.L.	X	93
42	61	P.S.L.	X	94

RELEASED

SURVEY	BLOCK	GRANTEE	BOOK	PAGE
43	61	P.S.L.	X	95
44	61	P.S.L.	X	96
45	61	P.S.L.	X	97
46	61	P.S.L.	X	98
47	61	P.S.L.	X	99
48	61	P.S.L.	X	100
1	62	P.S.L.	X	101
2	62	P.S.L.	X	102
N/2 of 3	62	P.S.L.	X	103
S/2 of 3	62	P.S.L.	X	104
4	62	P.S.L.	X	105
5	62	P.S.L.	X	106
6	62	P.S.L.	X	107
7	62	P.S.L.	X	108
8	62	P.S.L.	X	109
9	62	P.S.L.	X	110
10	62	P.S.L.	X	111
11	62	P.S.L.	X	112
12	62	P.S.L.	X	113
E/2 of the NE/4 & E/2 of the SE/4 of 13	62	P.S.L.	X	114
W/2, W/2 of NE/4 & W/2 of SE/4 of 13	62	P.S.L.	X	115
14	62	P.S.L.	X	116
E/2 of 15	62	P.S.L.	X	117
W/2 of 15	62	P.S.L.	X	118
16	62	P.S.L.	X	119
17	62	P.S.L.	X	120
18	62	P.S.L.	X	121
19	62	P.S.L.	X	122
20	62	P.S.L.	X	123
21	62	P.S.L.	X	124
22	62	P.S.L.	X	125
23	62	P.S.L.	X	126
W/2 & W/2 of NE/4 & W/2 of SE/4 of 24	62	P.S.L.	X	127
E/2 of NE/4 and E/2 of SE/4 of 24	62	P.S.L.	X	128
25	62	P.S.L.	X	129
26	62	P.S.L.	X	130
27	62	P.S.L.	X	131
28	62	P.S.L.	X	132
29	62	P.S.L.	X	133
30	62	P.S.L.	X	134
31	62	P.S.L.	X	135
32	62	P.S.L.	X	136
33	62	P.S.L.	X	137
34	62	P.S.L.	X	138
35	62	P.S.L.	X	139
36	62	P.S.L.	X	140
37	62	P.S.L.	X	141
38	62	P.S.L.	X	142
39	62	P.S.L.	X	143
40	62	P.S.L.	X	144
41	62	P.S.L.	X	145
42	62	P.S.L.	X	146
43	62	P.S.L.	X	147

RECEIVED

SURVEY	BLOCK	GRANTEE	BOOK	PAGE
44	62	P.S.L.	X	148
45	62	P.S.L.	X	149
46	62	P.S.L.	X	150
47	62	P.S.L.	X	151
48	62	P.S.L.	X	152
1	83	P.S.L.	X	153
14	83	P.S.L.	X	154
15	83	P.S.L.	X	155
28	83	P.S.L.	X	156
1	84	P.S.L.	X	157
14	84	P.S.L.	X	158
15	84	P.S.L.	X	159
28	84	P.S.L.	X	160
1	85	P.S.L.	X	161
2	85	P.S.L.	X	162
3	85	P.S.L.	X	163
4	85	P.S.L.	X	164
5	85	P.S.L.	X	165
6	85	P.S.L.	X	166
7	85	P.S.L.	X	167
8	85	P.S.L.	X	168
9	85	P.S.L.	X	169
10	85	P.S.L.	X	170
11	85	P.S.L.	X	171
12	85	P.S.L.	X	172
13	85	P.S.L.	X	173
14	85	P.S.L.	X	174
15	85	P.S.L.	X	175
1	88	P.S.L.	X	176
2	88	P.S.L.	X	177
E/2 of 3	88	P.S.L.	X	178
W/2 of 3	88	P.S.L.	X	179
4	88	P.S.L.	X	180
5	88	P.S.L.	X	181
6	88	P.S.L.	X	182
7	88	P.S.L.	X	183
8	88	P.S.L.	X	184
9	88	P.S.L.	X	185
W/2 of 10	88	P.S.L.	X	186
E/2 of 10	88	P.S.L.	X	187
11	88	P.S.L.	X	188
12	88	P.S.L.	X	189
13	88	P.S.L.	X	190
14	88	P.S.L.	X	191
15	88	P.S.L.	X	192
16	88	P.S.L.	X	193
17	88	P.S.L.	X	194
18	88	P.S.L.	X	195
19	88	P.S.L.	X	196
20	88	P.S.L.	X	197
21	88	P.S.L.	X	198
22	88	P.S.L.	X	199
23	88	P.S.L.	X	200
24	88	P.S.L.	X	201

BEGINNED

SURVEY	BLOCK	GRANTEE	BOOK	PAGE
1	89	P.S.L.	X	202
2	89	P.S.L.	X	203
3	89	P.S.L.	X	204
4	89	P.S.L.	X	205
5	89	P.S.L.	X	206
6	89	P.S.L.	X	207
7	89	P.S.L.	X	208
8	89	P.S.L.	X	209
9	89	P.S.L.	X	210
10	89	P.S.L.	X	211
11	89	P.S.L.	X	212
12	89	P.S.L.	X	213
13	89	P.S.L.	X	214
14	89	P.S.L.	X	215
15	89	P.S.L.	X	216
16	89	P.S.L.	X	217
E/2 of 17	89	P.S.L.	X	218
W/2 of 17	89	P.S.L.	X	219
18	89	P.S.L.	X	220
19	89	P.S.L.	X	221
W/2 of 20	89	P.S.L.	X	222
E/2 of 20	89	P.S.L.	X	223
21	89	P.S.L.	X	224
22	89	P.S.L.	X	225
23	89	P.S.L.	X	226
24	89	P.S.L.	X	227
1	90	P.S.L.	X	228
2	90	P.S.L.	X	229
3	90	P.S.L.	X	230
4	90	P.S.L.	X	231
5	90	P.S.L.	X	232
South Part of North Part of 5	90	P.S.L.	X	232-a
1	91	P.S.L.	X	233
2	91	P.S.L.	X	234
3	91	P.S.L.	X	235
4	91	P.S.L.	X	236
5	91	P.S.L.	X	237
6	91	P.S.L.	X	238
7	91	P.S.L.	X	239
8	91	P.S.L.	X	240
9	91	P.S.L.	X	241
10	91	P.S.L.	X	242
11	91	P.S.L.	X	243
12	91	P.S.L.	X	244
13	91	P.S.L.	X	245
14	91	P.S.L.	X	246
15	91	P.S.L.	X	247
16	91	P.S.L.	X	248
17	91	P.S.L.	X	249
18	91	P.S.L.	X	250
19	91	P.S.L.	X	251
20	91	P.S.L.	X	252
21	91	P.S.L.	X	253
22	91	P.S.L.	X	254
23	91	P.S.L.	X	255
24	91	P.S.L.	X	256

RECEIVED

SURVEY	BLOCK	GRANTEE	BOOK	PAGE
1	92	P.S.L.	X	257
N/2 of N/2 of 2	92	P.S.L.	X	258
S/2, and S/2 of N/2 of 2	92	P.S.L.	X	259
3	92	P.S.L.	X	260
4	92	P.S.L.	X	261
5	92	P.S.L.	X	262
6	92	P.S.L.	X	263
7	92	P.S.L.	X	264
8	92	P.S.L.	X	265
9	92	P.S.L.	X	266
10	92	P.S.L.	X	267
11	92	P.S.L.	X	268
12	92	P.S.L.	X	269
13	92	P.S.L.	X	270
14	92	P.S.L.	X	271
15	92	P.S.L.	X	272
16	92	P.S.L.	X	273
17	92	P.S.L.	X	274
18	92	P.S.L.	X	275
19	92	P.S.L.	X	276
20	92	P.S.L.	X	277
21	92	P.S.L.	X	278
22	92	P.S.L.	X	279
23	92	P.S.L.	X	280
24	92	P.S.L.	X	281
1	93	P.S.L.	X	282
2	93	P.S.L.	X	283
3	93	P.S.L.	X	284
4	93	P.S.L.	X	285
5	93	P.S.L.	X	286
6	93	P.S.L.	X	287
7	93	P.S.L.	X	288
8	93	P.S.L.	X	289
9	93	P.S.L.	X	290
10	93	P.S.L.	X	291
11	93	P.S.L.	X	292
12	93	P.S.L.	X	293
13	93	P.S.L.	X	294
14	93	P.S.L.	X	295
15	93	P.S.L.	X	296
16	93	P.S.L.	X	297
17	93	P.S.L.	X	298
18	93	P.S.L.	X	299
19	93	P.S.L.	X	300
20	93	P.S.L.	X	301

This the 28th day of June, 1954.

Frances Walker
County Clerk
Culberson County, Texas
By: Ramona Jones, Deputy

PUBLIC SCHOOL LAND

BLOCK 101

PUBLIC SCHOOL LAND

BLOCK 97

PUBLIC SCHOOL LAND

BLOCK 96

T. & P. R.R. CO.

BLOCK 60

TSP. 5

P. S. L.

BLOCK 94

BLOCK 87

BLOCK 84

BLOCK 83

BLOCK 92

BLOCK 93

BLOCK 91

BLOCK 90

BLOCK 89

BLOCK 88

BLOCK 62

BLOCK 61

BLOCK 60

BLOCK 59

TSP. 6

TSP. 7

T. & P. R.R. CO.

BLOCK C-17

BLOCK 59

TSP. 6

SUR. 5

K. & M.

TEXAS & PACIFIC RAILROAD CO.

TOWNSHIP 8

FILED FOR RECORD IN MY OFFICE THIS 11 DAY OF June 1954 AT 1 O'CLOCK P.M. AND DULY RECORDED IN BOOK X PAGE 302 OF THE SURVEYORS RECORDS OF CULBERSON COUNTY, TEXAS.

County Surveyor - County Clerk

By: Ramona Jones, Deputy.

I, Clifford C. Cool, Licensed Land Surveyor of Texas, hereby certify that this sketch is true and correct according to a survey made by me on the ground. Surveyed February - October, 1953

Clifford C. Cool

LICENSED STATE LAND SURVEYOR

MIDLAND CO., TEXAS

LEGEND

ORIGINAL CORNERS

K - by Jacob Kuechler

M - by Paul McCombs

P - by A.H. Parker

MY CORNERS

C - by C.C. Cool

Note 1: All courses are based on Lambert Grid, Texas Central Zone. To obtain True Bearings, rotate Grid Bearings counter-clockwise by amount of Φ shown along the top and bottom of this plat.

All distances are shown in Varas.

PLAT SHOWING PUBLIC

SCHOOL LAND BLOCKS

CULBERSON CO., TEXAS

SCALE 1" = 4000 FEET

4000 0 4000 8000 12000 16000 FEET

VARAS

2000 0 2000 4000 6000 VARAS

GRID

TRUE