

ANDREWS
DAWSON
GAINES &
MARTIN
COUNTIES

SHELF 18

UNIVERSITY
LANDS


BOOK U. T.

VOL. 3

28

BLOCKS

1 - 10



RECEIVED AT

STANDARD TIME
INDICATED ON THIS MESSAGE

Postal Telegraph

THE INTERNATIONAL SYSTEM

Commercial
Cables



All America
Cables

Mackay

Radio

This is a full rate Telegram, Cablegram or Radiogram unless otherwise indicated by signal in the check or in the address.

DL	DAY LETTER
NL	NIGHT LETTER
NM	NIGHT MESSAGE
LCO	DEFERRED CABLE
NLT	NIGHT CABLE LETTER
WLT	WEEK END CABLE LETTER
	RADIOGRAM

Form
16

D25 14=SANANGELO TEX 18 920A

1169

1935 FEB 18 AM 9 35

HON J H WALKER=

COMMISSIONER GENERAL LAND OFFICE AUSTIN TEX=

ALL BOOKS UNIVERSITY FIELD NOTES ANDREWS SYSTEM HAVE BEEN
DEPOSITED IN RESPECTIVE COUNTY SITES=

FRANK P FRIEND.

*Above refers to Vol. 3 + 4, Book U.T.
Bks 11-14 and 1-10.*

*February 21st, 1935
C.F. Blucher*

RECEIVED

FEB 18 1937

REFERRED TO MAP

Telephone Your Telegrams to **Postal Telegraph**

81710

2/21/35

I, J. H. Walker, Commissioner of the General Land Office of the State of Texas, do hereby certify:

That this book, designated as "Book UT vol. 3" contains fieldnotes of all the sections in blocks 1,2, 3,4,5,6,7,8,9, and 10, University Land in Andrews, Martin, Dawson, and Gaines Counties, surveyed under an act approved March 29, 1929, by Frank F. Friend, Special Surveyor of University Lands, which fieldnotes, numbered from page 1 to page 341 inclusive, have been examined, approved and filed as of this date February 21st, 1935.

IN TESTIMONY WHEREOF, I hereunto set my hand and affix the seal of said office this the 21st day of February, A.D. 1935



J. H. Walker
Commissioner of the General Land Office


THIS VOL. 3 CONTAINS:

	Pages
Fieldnotes of University Land, Blocks 1 to 10 inclusive, Andrews, Martin, Dawson and Gaines Counties	1 to 341
Completed Map of Resurvey	342

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plan of Survey No.

The State of Texas } SURVEY NO. 1
ANDREWS COUNTY } BLOCK NO. 1



FIELD NOTES of a survey of

644.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 34' East.
True North as compared to a meridian passing through the ~~corner~~
of Survey No. ~~1~~, this Block, is 0° 03' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lakes ~~and~~, a ~~no~~ drainage ~~River~~ about
7½ miles S 50° E of Andrews, the county site.

Beginning at a concrete monument set for the NE corner of this section #1, situated at the SE point of an area of firm sandy soil, 8.2 varas westerly from a four-wire fence coursing about N 15°19' W - S 15°19' E, the brass plate in top of which having been marked as in the figure above, from which a windmill at a clump of large trees bears N 10°58' W about 1 mile; the left hand of two windmills bears S 2° 19' E about 1860 varas; a mesquite in a clump marked "≡" (three bars) bears S 42° W 16.4 varas; a 1 1/4-inch iron pipe marked "NE 1" in a stone mound of 12 small rocks bears S 19°23' E 88.9 varas. This monument is situated 5786.0 varas N 15°20' W and 3803.5 varas N 74°23' E from a rock 7" x 8" x 1" in thickness marked "P" wedged upright by two small iron pipes driven in ground, identified as the original NW corner of survey #12, Block #42, Twp 2 N, G & M M B & A, designated by Corwin as the beginning call in the fieldnotes of Block #1, University Land, Andrews County. In order to more fully describe the position of this monument and also to explain more fully the construction in this area the following facts on the ground are true: An iron pipe driven in the ground, identified as the NE, the SE, and the SW corner respectively of surveys #22, #12, and #13, Block A 54, P S L, and also called by Boone the NW corner of section #6, Block #73, bears S 74°23' W 57,761.1 varas, being 30 miles plus 737.1 varas, the line joining these points being made the north line of Blocks #73, P S L, and #11, #10, #9, and #1, University Lands. Also, the NE corner of section #1, Block #2, University Lands, bears N 74°23' E 5731.7 varas. Again, if, with a small deflection, a line be run from the NE corner of Block #2, University Lands, directly to a rock 7" x 8", marked "34", embedded-

(Fieldnotes of Section 1, Blk. 1, Andrews County, continued.)

(Fieldnotes of Sec. 1, Blk. 1, Andrews County, concluded.)

in soil in center of an east-west road, identified as the common corner of Blocks #39 and #40, Twp 3 N, and Blocks #39 and #40, Twp 2 N, G & M M B & A, the course and distance being N 74°44' E 17,192.2 varas, the same will intersect and form an angle of exactly 90° with a line projected through five identified original corners along the east line of Block #41, Twp 2 N, which north-south line when projected further north forms the boundary between Blocks #3 and #8, #4 and #5, University Lands, thus conforming in every particular to Gunter and Munson construction, to which all University Lands must harmonize.

Thence from the monument described at the NE corner of this section #1, Block #1, University Lands, S 74°23' W --- at 1448.1 varas cross pipe and telephone line --- at 1906.1 varas point for NW corner.

Thence S 15°19' E 1901.5varas to point for SW corner.

Thence N 74°45' E 1906.1 varas to a point for the SE corner.

Thence N 15°19' W --- at about 370 varas cross the same pipe and telephone line --- at about 1815 varas pass through a four-wire east-west fence --- at 1913.5 varas a concrete monument, the place of beginning.

Surveyed May 1st, 1931.

Norris B. Creath { Chain
Gibbons Poteet { Carriers.
J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 1 & 2 This 17th day of August, 1932


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Block of Survey No.~~

The State of Texas } SURVEY NO. 2
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
637.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the ~~000000~~
~~000000~~ Survey No. , this Block is 0° 02½' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~
~~waters of sand, dry lakes Creek, or tributary of~~ no drainage ~~River~~ about
7 miles S 45° E of Andrews, the county site.

Beginning at the NW corner of section #1, this Block.

Thence S 74° 23' W --- at 575.7 varas go through a four-wire
north-south fence, the SW corner of which is about 80 varas southerly,
while a northeast corner of same is northerly about 160 varas --- at
1897.4 varas strike a concrete monument set in firm sandy soil about
160 varas southerly from an east-west fence along the south edge of
a ploughed field, also about 160 varas east of a north-south fence,
the brass plate in top of which having been marked as in the figure
above, from which a windmill at a farm house bears N 42° 16' W about
800 varas; another windmill bears N 38° 12' W about four miles; a
mesquite tree four inches in diameter marked "X" bears N 30° 45' E
70.3 varas.

Thence S 15° 20' E 1889.4 varas to a point for the SW corner.

Thence N 74° 45' E 1897.2 varas to the SW corner of section #1,
this Block.

Thence N 15° 19' W --- at about 1816.5 varas pass through a four-
wire fence coursing about right angles to line --- at 1901.5 varas
to place of beginning.

Surveyed May 1, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 3 .


This 18 day of August , 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat seek sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 3
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
629.2 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 29' East.
True North as compared to a meridian passing through the
of Survey No. , this Block is 0° 02' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lakes Creek, a tributary of no drainage River about
6½ miles S 37° E of Andrews, the county city.

Beginning at a concrete monument set for the northwest corner
of section #2, this Block, situated in firm sandy soil about 160
varas south of an east-west fence along the south edge of a field,
being also about 160 varas east of a north-south fence, the brass
plate in top of which monument having been marked as in the figure
above, from which a windmill at a farm house bears N 42° 16' W about
800 varas; another windmill bears N 38° 12' W about four miles; a
mesquite four inches in diameter marked "X" bears N 30° 45' E 70.3
varas.

Thence S 74° 23' W --- at 159 varas pass through a four-wire
north-south fence which forms the east side of a lane --- at 259.2
varas pass through another four-wire fence which forms the west
side of a lane, the south end of said lane being southerly about
80 varas --- at 1884.9 varas point for the NW corner of this section
#3.

Thence S 15° 16' E 1877.4 varas to a point for the SW corner.

Thence N 74° 45' E 1887.2 varas to the SW corner of section #2,
this Block, having passed at about 1837 varas a north-south four-
wire fence.

Thence N 15° 20' W 1889.4 varas to the place of beginning.

Surveyed May 1, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 4.


This 18 day of August

19 32.
Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 4
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
630.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North (as compared to a meridian passing through the corner of Survey No. , this Block is 0° 01½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 6 miles S 28° E of Andrews, the county site.

Beginning at the NW corner of section #3, this Block.

Thence S 74° 23' W 1901.4 varas to a concrete monument set in firm sandy soil, the brass plate in top of which being marked as in the figure above, from which the highest peak of a red sand hill, being an abandoned tank and well site, bears S 11° 25' E about 1000 varas; a one-inch galvanized iron pipe marked "Univ. Blk. 1" bears S 0° 58' W 64.1 varas; a mesquite two inches in diameter marked "≡" (three bars) bears S 19° W 44.5 varas; a windmill at a clump of large trees bears N 67° 03' W about three-fourths mile; a concrete tank bears N 30° 46' W about one-half mile.

Thence S 15° 16' E --- at 61.7 varas pass through at right angles a four-wire east-west fence --- at about 1000 varas pass about 70 varas easterly, or opposite the red sand hill --- at 1865.2 varas point for the SW corner.

Thence N 74° 45' E 1901.4 varas to the SW corner of section #3.

Thence N 15° 16' W --- at about 1807 varas pass through at right angles a four-wire east-west fence --- at 1877.4 varas, the place of beginning.

Surveyed May 1, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 5.

This 18 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

000000000000000000000000

The State of Texas } SURVEY NO. 5
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
628.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.
True North ~~is 0° 01' to the left of~~ is 0° 01' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~
~~west~~ sand, dry lakes ~~with~~ no drainage ~~about~~
6 miles S 20° E of Andrews, the county site.

Beginning at a concrete monument set for the NW corner of
section #4, this Block, situated in firm sandy soil, the brass
plate in top of which having been marked as in the figure above,
from which the highest peak of a red sand hill, being an abandoned
tank and well site bears S 11° 25' E about 1000 varas; a one-inch
galvanized iron pipe marked "Univ. Blk. 1" bears S 0° 58' W 64.1
varas; a mesquite two inches in diameter marked "≡" (three bars)
bears S 19° W 44.5 varas; a windmill at a clump of large trees
bears N 67° 03' W about three-fourth mile; a concrete tank bears
N 30° 46' W about one-half mile.

Thence S 74° 23' W --- at 570.8 varas pass through four-wire
fence on east side of State Highway #137 --- at 582.0 varas in
center of State Highway #137 --- at 591.6 varas pass through a
four-wire fence on west side of State Highway #137 --- at 1907.0
varas point for the NW corner of this section #5.

Thence S 15° 16' E --- at 23.0 varas go through four-wire
fence 7 varas easterly from the north end of a short jog --- at
34.5 varas point 7 varas easterly and opposite the south end of
the short jog in fence --- at 1853.3 varas point near the bend in
the old Odessa-Andrews Highway, the SW corner of this section #5.

Thence N 74° 45' E --- at 1540.0 varas cross State Highway
#137 --- at 1907.0 varas point for the SW corner of section #4.

Thence N 15° 16' W --- at about 865 varas pass 70 varas east-
erly and opposite a red sand hill --- at 1803.6 varas pass through
at right angles a four-wire east-west fence --- at 1865.3 varas
a concrete monument, the place of beginning.

Surveyed May 1st, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 6 .
This 18th day of February, 19 34.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 6
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
627.4 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 23' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 00½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 6 miles S 10° E of Andrews, the county site.

Beginning at the NW corner of section #5, this Block.

Thence S 74° 23' W 1918.1 varas to a concrete monument set in firm sandy soil in low ground, the brass plate in top of which being marked as in the figure above, from which a fence corner, the north end of a sharp jog, bears S 80° 59' E 107.5 varas; a two-inch iron pipe marked "NE Blk. 9 NW Blk. 1" set in concrete bears S 13° 37' E 45.4 varas; a one and one-fourth inch iron pipe marked "NW 6 U B 1" bears S 5° 47' E 26.8 varas; the left hand of two windmills bears S 18° 48' 30" W about two miles; another windmill bears N 25° 40' W about three miles.

Thence S 15° 19' E --- at 117.1 varas pass through at right angles a four-wire fence about 100 varas westerly from the south end of a short jog --- at 870.6 varas pass a sixty-penny hub nail in a mound of rock in firm sandy soil --- at 1463.4 varas pass another hub nail and pile of rocks in firm sandy soil --- at 1841.2 varas point for the SW corner of this section #6.

Thence N 74° 45' E 1916.7 varas to a point near the bend of the Odessa-Andrews highway, the SW corner of section #5.

Thence N 15° 16' W --- at 1818.8 varas pass 7 varas easterly from the south end of a short jog in fence --- at 1830.3 varas pass through at right angles a four-wire fence seven varas easterly from the north end of a short jog --- at 1853.3 varas point the place of beginning.

Surveyed May 1, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 7.

This 18 day of August

1932.
Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
 Plat of Survey No. 0

The State of Texas } SURVEY NO. 7
 ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
 662.0 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 28' East.
 True North as compared to a meridian passing through the corner
 of Survey No. 0, this Block, is 0° 01' to the left of
 the North point used in the field notes of this survey.
 Said survey is situated in ANDREWS County, Texas, on the
 waters of sand, dry lakes Creek, a tributary of no drainage River about
 7 miles S 10° E of Andrews, the county site.
 Beginning at the SW corner of section #6, this Block, for the
 NW corner of this section #7.

Thence N 74° 45' E 1916.7 varas to a point near the bend of the
 Odessa-Andrews highway, the south west corner of section #5, this
 Block.

Thence S 15° 16' E following the east edge of the Odessa- Andrews
 highway 1949.8 varas to a point near the east edge of the highway for
 the SE corner.

Thence S 74° 42½' W 1915.3 varas to a concrete monument set in
 sandy soil on high ground, marked the brass plate in top of same as
 in the figure above, from which the left hand of two windmills bears
 S 9° 59' E about two miles; another windmill bears S 33° 23' W about
 six miles; the right hand of two windmills bears N 53° 38' W about
 one mile; an earth mound containing broken glass bears N 56° 30' E
 42 varas.

Thence N 15° 19' W --- at 49.7 varas pass a sixty-penny hub nail
 in a small mound of rock --- at 600 varas enter sand and shinnery
 --- at 745 varas about center of a small basin 30 varas in diameter
 in low ground --- at 1150 varas leave shinnery on south slope of
 slightly rising ground --- at 1602.9 varas pass a sixty-penny hub nail
 in a mound of rocks, from which the right hand of two windmills bears
 S 82° 01' W and the left hand of same bears S 80° 30' W --- at 1815.0
 varas cross a road --- at 1951.1 varas strike the SW corner of section
 #6, this Block, the place of beginning.

Surveyed May 2, 1931.

Norris B Creath } Chain
 Gibbons Poettet } Carriers.
 J A Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
 Surveyor of University Lands, do hereby certify that the foregoing
 survey was made by me in the field and according to law; that the
 limits, boundaries and corners, with the marks, natural and artificial
 are truly described in the foregoing plat and field notes, just as I
 found them on the ground; and that they are recorded in the Surveyor's
 Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 8 .

This 19 day of August, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

00000000000000000000

The State of Texas } SURVEY NO. 8
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
658.4 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 29' East.
True North ~~as compared to the true north~~ is 0° 01' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~
~~sand, dry lake~~ no drainage about
7 miles S 18° E of Andrews, the county site.

Beginning at a point near the bend of the old Odessa-Andrews
Highway, being the SE and the SW corner respectively of sections #6
and #5, this Block.

Thence N 74° 45' E --- at 1540.0 varas cross State Highway
#137 --- at 1907.0 varas point for the SW corner of section #4.

Thence S 15° 16' E 1948.5 varas to a concrete monument set
in low firm sandy ground, the brass plate in top of which having
been marked as in the figure above, from which a windmill bears
N 12° 35' E about one mile; the peak of a red sand hill bears
N 16° 34' W about 2800 varas; an earth mound containing broken
glass bears S 16° 30' W 50.0 varas.

Thence S 74° 42½' W --- at 75.9 varas cross State Highway
#137 --- at 1907.0 varas strike the SE corner of section #7,
situated near the east edge of the old Odessa-Andrews highway.

Thence N 15° 16' W 1949.8 varas to the place of beginning.

Surveyed May 2nd, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 9 .
This 13th day of February 19 34.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 9
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 656.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 30' East.
True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02' to the left of the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 7 miles S 25° E of Andrews, the county site.
Beginning at the common corner of this section and sections #4, #5, and #8, this Block.

Thence N 74° 45' E 1901.4 varas to the SW corner of section #3.

Thence S 15° 16' E 1947.2 varas to a point for the SE corner of this section #9.

Thence S 74° 42½' W 1901.4 varas strike the concrete monument set for the SE corner of section #8, situated in low firm sandy ground, the brass plate in top of which having been marked as in the figure above, from which a windmill bears N 12° 35' E about one mile; the peak of a red sand hill bears N 16° 34' W about 2800 varas; an earth mound containing broken glass bears S 16° 30' W 50.0 varas.

Thence N 15° 16' W 1948.5 varas to the place of beginning.

Surveyed May 2, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 10.
This 19 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For reports, balance sheets, etc., see Book U.T., Vol. 4)

Plat of Survey No.

The State of Texas } SURVEY NO. 10
 ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
 651.1 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 31' East.

True North as compared to a meridian passing through the corner of Survey No. 00000, Block 00000, is 0° 02' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water of sand, dry lake, Creek, a tributary of no drainage River about 7½ miles S 34° E of Andrews, the county site.

Beginning at the SW, the SE, and the NE corner respectively of sections #3, #4, and #9, this Block.

Thence N 74° 45' E --- at about 1837 varas pass through at right angles a four-wire fence --- at 1887.2 varas strike the SE corner of section #3.

Thence S 15° 20' E 1945.8 varas to a concrete monument set on a firm sandy ridge, the brass plate in top of which being marked as in the figure above, from which the right hand of two sets of double windmills and a single windmill bear respectively N 43° 23' E about two and one-half miles, S 13° 42' W also about two and one-half miles, and N 73° 05½' W about two miles; the peak of a red sand hill bears N 69° 01' W; an earth mound containing broken glass bears N 28° 30' E 50.0 varas.

Thence S 74° 42½' W --- at about 142 varas pass through at right angles a four-wire fence --- at 1889.5 varas strike the SE corner of section #9.

Thence N 15° 16' W 1947.2 varas to the place of beginning.

Surveyed May 2, 191. Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 11.

This 19 day of August, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
 Plat of Survey No.

The State of Texas } SURVEY NO. 11
 ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
 653.6 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 33' East.
 True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.
 Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 8 miles S 41° E of Andrews, the county site.
 Beginning at the NE corner of section #10 and the SW corner of section #2, this Block.

Thence N 74° 45' E 1897.2 varas strike the SW corner of section #1.

Thence S 15° 19' E 1944.5 varas to a point for the SE corner of this section #11.

Thence S 74° 42½' W 1897.0 varas strike the concrete monument set for the SE corner of section #10, situated on a ridge of firm sandy soil, the brass plate in top of which having been marked as in the figure above, from which the right hand of each of two sets of double windmills and a single windmill bear respectively N 43° 23' E about 2½ miles, S 13° 42' W also about 2½ miles, and N 73° 05½' W about 2 miles; the peak of a red sand hill bears N 69° 01' W; an earth mound containing broken glass bears N 28° 30' E 50.0 varas.

Thence N 15° 20' W 1945.8 varas to the place of beginning.

Surveyed May 2, 1931. Norris B. Creath Chain
 Gibbons Poteet Carriers.
 J. A. Conklin Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 12 .

This 19 day of August, 19 32.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 12
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
656.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of and, dry lakes Creek, a tributary of no drainage River about 8½ miles S 47° E of Andrews, the county site.

Beginning at the common corner of sections #1, #2, and #11.

Thence N 74° 45' E --- at about 1400 varas cross a sandy road leading northeasterly to double windmills --- at 1906.1 varas strike the SE corner of section #1, this Block.

Thence S 15° 19' E 1943.2 varas to a concrete monument set in a grassy sandy flat 300 varas west of the edge of deep sand and shinnery, the brass plate in top of which being marked as in the figure above, from which a windmill bears S 57° 35' E about 1½ miles; an earth mound containing broken glass bears N 25° 30' E 50.0 varas.

Thence S 74° 42½' W 1906.1 varas to the SE corner of section #11.

Thence N 15° 19' W 1944.5 varas to the place of beginning.

Surveyed May 2, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 13.

This 19 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.


The State of Texas

SURVEY NO. 13

ANDREWS

County

BLOCK NO. 1



FIELD NOTES of a survey of 659.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 36' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 03½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, caliche Creek, no drainage River about 9 miles S 43° E of Andrews, the county site.

Beginning at a concrete monument set in a level grass covered sandy flat for the SE corner of section #12, this Block, the brass plate top of which having been marked as in the figure above, from which a windmill bears S 57° 35' E about 1½ miles; an earth mound containing broken glass bears N 25° 30' E 50.0 varas; the edge of the sand and shinnery is easterly three hundred varas.

Thence S 15° 19' E --- at 1926.1 varas pass through at right angles a four-wire fence --- at 1953.1 varas strike a large wedge-shaped rock 18" long and projecting 10" above ground, with other small stones around it, being plainly marked on top with the letter "X". North of the stone and touching it is driven a 1½" galvanized pipe, appropriately marked. This stone is evidently the original NW corner of survey #44, Block #41, Twp. 2 N, and the NE corner of survey #5, Block #42, Twp. 2 N, G & M M B & A, becoming also the SE corner of this section #13, University Land, Block #1.

Thence S 74° 46½' W, 1906.1 varas, almost paralleling the aforementioned fence, strike a very old stone mound of 15 rocks, one of which 6" x 10" marked "O" was lying on top. A 1½" galvanized iron pipe appropriately marked has been driven in the mound. This is evidently the NW corner of section #5 and the NE corner of section #12, Block #42, Twp. 2 N, G & M M B & A, being also the SW corner of this section #13.

Thence N 15° 19' W --- at 17 varas cross at right angles the four-wire fence --- at 1950.7 varas strike the southerly common corner of sections #11 and #12.

Thence N 74° 42½' E 1906.1 varas to the place of beginning.

Surveyed May 4, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 14

This 19 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands


Block Survey No.

The State of Texas

SURVEY NO. 14

A N D R E W S County

BLOCK NO. 1



FIELD NOTES of a survey of 655.4 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, caliche Creek, no drainage River about 8½ miles S 38° E of Andrews, the county site.

Beginning at the common corner of sections #11, #12, and #13.

Thence S 15° 19' E 1950.7 varas to a very old stone mound of about 15 stones, one of which lying on top is marked "O", there having been driven in same a 1½" galvanized pipe appropriately marked. This mound is 17 varas southerly from an east-west four-wire fence and is evidently the common northerly corner of surveys #5 and #12, Block #42, Twp. 2 N, G & M M B & A, and is also the SE corner of this section #14.

Thence S 74° 42' ½" W, almost paralleling the fence, 1896.8 varas to a flat rock 7" x 8" x 1" thick marked "P" standing on edge between two iron pipes, identified as the rock and accepted as the position of the NW corner of survey #12, Block #42, Twp. 2 N, G & M M B & A, the point for which Block #1 University Land calls.

Thence N 15° 20' W --- at about 14 varas cross the four-wire fence --- at 1950.8 varas strike the concrete monument set for the SE corner of section #10, this Block, situated on a ridge of firm sandy soil, its brass plate in top having been marked as in the figure above, from which each right hand of two sets of double windmills and also a single windmill bear respectively N 43° 23' E about 2½ miles; S 13° 42' W also about 2½ miles, and N 73° 05½' W about 2 miles; the peak of a red sand hill bears N 69° 01' W; an earth mound containing broken glass bears N 28° 30' E 50.0 varas.

Thence N 74° 42½' E 1897.0 varas to the place of beginning.

Surveyed May 4, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 15

This 19 day of August 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Block of Survey No

The State of Texas } SURVEY NO. 15
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 653.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 34' East.

True North as compared to celestial meridian passing through the corner of Survey No. , this Block, is 0° 02½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, no drainage River about 8½ miles S 31° E of Andrews, the county site.

Beginning at a flat rock marked "P", 7" x 8" x 1" thick, standing on edge and supported between two iron pipes driven in the ground, same being identified as the original rock and its position accepted as the NW corner of survey #12, Block #42, Twp. 2 N, G & M M B & A, the point for which Block #1, University Land, calls. This point is the SW corner of section #14, this Block, being also the SE corner of this section #15.

Thence S 74° 45' W --- at 125 varas pass through at right angles a four-wire fence about 15 varas southerly from the junction of an east-west fence from the east --- at 1891.8 varas point for the SW corner of this section #15.

Thence N 15° 16' W 1949.2 varas strike the SW corner of section #10.

Thence N 74° 42½' E --- at about 1747.5 varas pass through at right angles a four-wire fence --- at 1889.5 varas strike the concrete monument set for the SE corner of section #10, situated on a ridge in firm sandy soil, the brass plate in top of which having been marked as in the figure above, from which the righthand of each in two sets of double windmills bear respectively N 43° 23' E and S 13° 42' W about 2½ miles; another single windmill bears N 73° 05½' W about 2 miles; the peak of a red sand hill bears N 69° 01' W; an earth mound containing broken glass bears N 28° 30' E 50.0 varas.

Thence S 15° 20' E --- at about 1936.8 varas pass through at about right angles a four-wire fence --- at 1950.8 varas strike the flat rock, the place of beginning.

Surveyed May 4, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 16.

This 22 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

00000000000000000000

The State of Texas } SURVEY NO. 16
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 656.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 34' East.
True North ~~is compared to the magnetic north~~ is 0° 02' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~ sand, dry lakes ~~no drainage~~ about 8 miles S 24° E of Andrews, the County site. Beginning at the common corner of sections #9, #10 and #15, this Block.

Thence S 15° 16' E 1949.2 varas to the SW corner of section #15.

Thence S 74° 45' W --- at 1685.9 varas cross State Highway #137 --- at 1901.4 varas point for the SW corner of this section #16.

Thence N 15° 16' W --- at 1440.5 varas cross State Highway #137 --- at 1947.7 varas a concrete monument set for the SE corner of section #8, this Block, the same being situated in low firm, but sandy ground, its brass plate in top having been marked as in the figure above, from which a windmill bears N 12° 35' E about 1 mile; the peak of a red sand hill (an old abandoned ranch site) bears N 16° 34' W about 2800 varas; an earth mound containing broken glass bears S 16° 30' W 50.0 varas.

Thence N 74° 42½' E 1901.4 varas to the place of beginning.

Surveyed May 4th, 1931.


Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 17. This 13th day of February, 1934.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

EDD000000000000000000000000

The State of Texas } SURVEY NO. 17
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 657.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to the true North is 0° 01½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes no drainage about 8 miles S 17½° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #8, this Block, being situated on low firm, but sandy soil, having a brass plate in its top which was marked as in the figure above, from which a windmill bears N 12° 35' E about 1 mile; the peak of a red sand hill, which was probably formed artificially by the retaining power upon drifting sand by water and Bermuda Grass, (being an old abandoned ranch site), bears N 16° 34' W about 2800 varas; an earth mound into which was thrown quantities of broken glass bears S 16° 30' W 50.0 varas.

Thence S 15° 16' E --- at 507.2 varas cross State Highway #137 --- at 1947.7 varas the SW corner of section #16, this Block.

Thence S 74° 45' W 1907.0 varas to a point for the SW corner of this section #17, near east side of the old Odessa-Andrews Highway.

Thence N 15° 16' W, following the east edge of the old Highway, 1946.1 varas to the SE corner of section #7, this Block.

Thence N 74° 42½' E --- at 1831.1 varas cross State Highway #137 --- at 1907.0 varas the place of beginning.

Surveyed May 4th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3, Page 18.


This 13th day of February, 1931.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 18
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
659.7 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corners of this Block, is 0° 01' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lake bed, no drainage about 8 miles S 12° E of Andrews, the county site.

Beginning at the common corner of sections #7, #8, and #17, being a point near the east edge of the Odessa-Andrews highway.

Thence S 15° 16' E, following near the east edge of said highway, 1946.1 varas to the SW corner of section #17.

Thence S 74° 45' W, crossing highway, 1913.9 varas to a point for the SW corner of this section #18, in sand and shinnery.

Thence N 15° 19' W --- at 460.1 varas pass a sixty-penny hub nail in a small mound of rocks --- at 1450. varas leave sand and shinnery, enter firmer ground --- at 1944.5 varas strike the SW corner of section #7, this Block, being a concrete monument set on high ground in firm sandy soil, the brass plate in top of which having been marked as in the figure above, from which the left hand of one group of two windmills and the right hand of another group of two windmills bear respectively S 9° 59' E about 2 miles and N 53° 38' W about 1 mile; a single windmill bears S 33° 23' W about 6 miles; an earth mound mixed with broken glass bears N 56° 30' E 42.0 varas;

Thence N 74° 42½' E 1915.3 varas to the place of beginning.

Surveyed May 4, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 19
This 22 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 19
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
652.8 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 9 miles S 12° E of Andrews, the county site.

Beginning at a point in sand and covered by low shin oak brush at the SW corner of section #18, this Block.

Thence N 74° 45' E 1913.9 varas strike the SW corner of section #17 near east edge of Odessa-Andrews highway.

Thence S 15° 16' E following east edge of said highway 1926.3 varas to a point for the SE corner of this section #19.

Thence S 74° 45' W 1912.6 varas to a point in sand sparsely covered with bear grass and mesquite, being rather high ground sloping toward the west, said point being marked by a concrete monument, its brass plate in top being marked as in the figure above, from which the windmill at the noted Clabber Hill ranch bears S 17° 01' E about 3 3/4 miles; the left hand windmill of a set of two and the right hand windmill of another set of two bear respectively S 8° 59' W about 1/2 mile and N 29° 11' W about 3 miles; a mesquite 3 1/2" in diameter marked "X" bears S 87° 30' W 62.0 varas; another mesquite 2" in diameter marked "≡" (three bars) bears N 60° 15' E 34.1 varas.

Thence N 15° 19' W --- at 89.5 varas pass a sixty-penny hub nail in a mound of small rocks on a sandy ridge --- at 1345.8 varas pass another hub nail in rock mound, from which two windmills bear N 33° 19' W and N 33° 25' W about 2 1/4 miles --- at 1850 varas enter sand and shinnery ---- at 1878.0 varas, a plunger rod coupling driven in ground bears N 74° 41' E 9.1 varas --- at 1926.4 varas, point in sand and shinnery, the place of beginning.

Surveyed May 5, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 20


This 23 day of August 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 20
 ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
 650.7 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 9 miles S 18° E of Andrews, the county site.

Beginning at the common corner of sections #17, #18, and #19, situated near the east edge of the Odessa-Andrews highway.

Thence N 74° 45' E 1907.0 varas to the SW corner of section #16, this Block.

Thence S 15° 16' E 1926.2 varas to a concrete monument set in firm ground in a low saddle between two ridges, its brass plate in top being marked as in the figure above, from which double windmills bear S 79° 56½' E and S 78° 24' E about ¼ mile; a mesquite in clump 2" in diameter marked "≡" (three bars) bears N 7° 15' W 64.3 varas.

Thence S 74° 45' W 1907.0 varas strike the SE corner of section #19 situated near the east edge of the Odessa-Andrews highway.

Thence N 15° 16' W 1926.3 varas to the place of beginning.

Surveyed May 5, 19 31
 Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 4 Page 21

This 23 day of August, 19 32.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

01200000050000000000.

The State of Texas } SURVEY NO. 21
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 648.8 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North ~~is 0° 02' to the left of~~ the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes no drainage about 9 miles S 24° E of Andrews, the county site.

Beginning at the SW, the SE, and the NE corner respectively of sections #16, #17 and #20, this Block.

Thence N 74° 45' E --- at 215.5 varas cross State Highway #137 --- at 1901.4 varas the SE corner of section #16.

Thence S 15° 16' E 1926.1 varas to a point for the SE corner of this section #21.

Thence S 74° 45' W --- at 1398.0 varas cross State Highway #137 --- at 1901.4 varas strike the concrete monument previously set for the SE corner of section #20, situated in low saddle between two ridges in firm sandy soil, its brass plate in top having been marked as in the figure above, from which double windmills bear S 79° 56½' E and S 78° 24' E about ¾ mile; a mesquite in a clump marked "≡" (three bars), said mesquite being 2" in diameter, bears N 7° 15' W 64.3 varas.

Thence N 15° 16' W 1926.2 varas to the place of beginning.

Surveyed May 5th, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 22.


This 13th day of February, 1934.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 22
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of

645.7 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 38' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, caliche Creek, a tributary of no drainage River about 9½ miles S 30° E of Andrews, the county site.

Beginning at the common corner of sections #15, #16, and #21, this Block.

Thence N 74° 45' E --- at 1766.8 varas pass through at right angles a four-wire fence, being about 15 varas southerly from the junction of another four-wire fence from the east --- at 1891.8 varas strike at the SW corner of section #14, this Block, a rock 7" x 8" x 1" thick marked "P" supported on edge by two iron pipes driven in the ground, same being identified as the rock and its position accepted as that called for by Wise in the original field-notes of survey #12, Block #42, Twp. 2 N, G & M M B & A at its NW corner, the point for which the beginning point of Block #1, University Land, calls.

Thence S 15° 19' E 1926.0 varas set a concrete monument 20 varas north of the north edge of a basin being in low caliche soil, marked the brass plate in top of same as in the figure above, from which two iron pipes in a small stone mound bear N 28° 45' W 7.4 varas; a mesquite marked "F", 3" in diameter, at north edge of dry basin bears S 60° 15' E 22.2 varas; another mesquite 4" in diameter marked "X" bears S 31° 45' W 19.6 varas; the center of the dry basin 200 varas in diameter bears S 15° 19' E 125 varas.

Thence S 74° 45' W --- at about 135 varas pass through at right angles the above mentioned four-wire fence --- at 1893.5 varas strike the SE corner of section #21, this Block.

Thence N 15° 16' W 1926.1 varas to the place of beginning.

Surveyed May 5, 1931

Norris B. Creath } Chain

Gibbons Poteet } Carriers.

J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 23.


This 23 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 23
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 641.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 42' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Caliche, lakes Creek, a tributary of no drainage River about 10½ miles S 28° E of Andrews, the county site.

Beginning at a concrete monument set in low caliche soil 20 varas north of the north edge of a dry basin for the SE corner of section #22, this Block, the brass plate in top of which having been marked as in the figure above, from which two small iron pipes in a stone mound bear N 28° 45' W 7.4 varas; a mesquite 3" in diameter marked "F" at the north edge of the dry basin bears S 60° 15' E 22.2 varas; another mesquite 4" in diameter marked "X" bears S 31° 45' W 19.6 varas.

Thence S 15° 19' E --- at 20 varas enter lake --- at 125 varas center of lake --- at about 210 varas leave lake --- at 1910.5 varas, point for the SE corner of this section #23.

Thence S 74° 45' W --- at about 135 varas pass through at right angles a four-wire fence --- at 1895.1 varas, point for the SW corner of this section #23.

Thence N 15° 16' W 1910.5 varas strike the common southerly corner of sections #21 and #22.

Thence N 74° 45' E 1893.5 varas to the place of beginning, passing through at right angles at about 1758.5 varas the four-wire fence.

Surveyed May 5, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 24


This 23 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 25
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 645.5 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes ~~and~~ no drainage ~~river~~ about 10 miles S 17½° E of Andrews, the county site.

Beginning at a concrete monument set in firm sandy soil in a low saddle between two ridges for the SE corner of section #20, this Block, the brass plate in top of which having been marked as in the figure above, from which double windmills bear S 79° 56½' E and S 78° 24' E about ¼ mile; a mesquite 2" in diameter marked "≡" (three bars) in a clump bears N 7° 15' W 64.3 varas.

Thence S 15° 16' E 1910.5 varas to the SW corner of section #24.

Thence S 74° 45' W 1907.0 varas to point for SW corner of this section #25, near east edge of Odessa-Andrews highway.

Thence N 15° 16' W 1910.5 varas to the SE corner of section #19.

Thence N 74° 45' E 1907.0 varas to the place of beginning.

Surveyed May 5, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 26


This 23 day of August 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat 000 Survey No.

The State of Texas } SURVEY NO. 26
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 647.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 10 miles S 12° E of Andrews, the county site.

Beginning at the common corner of section #19, #20, and #25, this Block, being a point near the east edge of the Odessa-Andrews highway.

Thence S 15° 16' E, following the east edge of said highway 1910.5 varas to the SW corner of section #25.

Thence S 74° 45' W 1911.2 varas to a point in firm ground, the SW corner of this section #26.

Thence N 15° 19' W --- at 530.2 varas go through at about right angles a five-wire fence --- at 1100 varas enter heavier sand covered with bear grass --- at 1173.2 varas pass over sixty-penny hub nail in a small mound of rocks on ridge --- at 1573 varas cross a road running northeast-southwest from double windmills to highway --- at 1883.6 varas a plunger-rod coupling driven in ground bears N 74° 41' E 7.4 varas --- at 1910.5 varas strike the concrete monument set for the SW corner of section #19, this Block, situated on slightly high ground sloping westerly, the brass plate in top of which having been marked as in the figure above, from which the windmill at the noted Clabber Hill ranch bears S 17° 01' E about 3 1/4 miles; the left hand and the right hand of two sets of double windmills bear respectively S 8° 59' W about 1/2 mile and N 29° 11' W about 3 miles; a mesquite 3 1/2" in diameter marked "X" bears S 87° 30' W 62.0 varas; another mesquite 2" in diameter marked "≡" (three bars) bears N 60° 15' E 34.1 varas.

Thence N 74° 45' E 1912.6 varas to the place of beginning.

Surveyed May 5,

19 31.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J/ A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 27


This 23 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat 0000 Survey No.

The State of Texas } SURVEY NO. 27
 ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
 647.4 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the corner of Survey No. 27, this Block, is 0° 01' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11 miles S 12° E of Andrews, the county site.

Beginning at a point in firm ground at the SW corner of section #26, this Block.

Thence N 74° 45' E 1911.2 varas to the SW corner of section #25 near the east edge of the Odessa-Andrews highway.

Thence S 15° 16' E, along the east edge of said highway, 1912.9 varas to a point for the SE corner of this section #27.

Thence S 74° 45' W 1909.8 varas to a concrete monument set in low ground being in north edge of deep sand and shinnery and in south edge of firm sandy soil, marked ghe brass plate in top as in the figure above, from which the windmill at the noted Clabber Hill ranch bears S 18° 58' E about 1 1/4 miles; the right hand of a set of double windmills bears N 24° 30' W about 2 miles; an earth mound containing broken glass bears N 16° 45' E 50.0 varas.

Thence N 15° 19' W --- at 79.8 varas pass a sixty-penny hub nail in a small mound of rocks, from which the right hand of double windmills bears N 24° 46' W, while the left hand of same bears N 25° 14' W, each about 1 1/2 miles --- at 800 varas enter red firm sand --- at 948.1 varas pass sixty-penny hub nail in a mound of small rocks --- at 1288.5 varas cross a road running southeast-northwest between double windmills and Clabber Hill ranch --- at 1895.5 varas a 1/4" bolt with nut on top driven in ground bears N 74° 41' E 5.9 varas --- at 1912.9 varas strike the place of beginning.

Surveyed May 5, 19 34

Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 28


This 23 day of August, 19 32.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 28
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 646.2 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 40' East.

True North as compared to a meridian passing through the corner of Survey No. 28, this Block, is 0° 02' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11 miles S 17° E of Andrews, the county site.

Beginning at a point near the east edge of the Odessa-Andrews highway, the common corner of sections #25, #26, and #27.

Thence N 74° 45' E 1907.0 varas to the SW corner of section #24.

Thence S 15° 16' E 1912.9 varas to a concrete monument set on the SE slope of a hill in deep sand covered with shin oak brush, the brass plate in top of which being marked as in the figure above, from which the left hand of a set of double windmills bears N 6° 47' 30" E about 2 miles; two other windmills, the first about 1 1/2 miles distant, the other about 4 miles distant bear respectively S 62° 11' E and S 8° 34' E; the windmill at the noted Clabber Hill ranch bears S 31° 37' W about 2 miles; an earth mound containing broken glass bears N 10° E 50.0 varas.

Thence S 74° 45' W 1907.0 varas strike the SE corner of section #27, being near the east edge of the Odessa-Andrews highway.

Thence N 15° 16' W 1912.9 varas to the place of beginning.

Surveyed May 5, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3, Page 29

This 23 day of August

1932
Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T. Vol. 4.)


Plat of Survey No.

The State of Texas

SURVEY NO. 30

ANDREWS County

BLOCK NO. 1



FIELD NOTES of a survey of 642.4 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 44' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of flat area Creek, a tributary of no drainage River about 11½ miles S 27½° E of Andrews, the county site.

Beginning at the SW, the SE, and the NE corner respectively of sections #23, #24, and #29.

Thence N 74° 45' E --- at about 1760 varas go through at right angles a four-wire fence --- at 1895.1 varas strike the SE corner of section #23, this Block, being also the SW corner of survey #13, the NW corner of survey #14, Block #42, Twp. 2 N., G & M M B & A.

Thence S 15° 19' E --- at about 1753 varas go through at right angles a four-wire fence about 135 varas easterly from its junction with a four-wire north-south fence --- at 1912.9 varas set a concrete monument for the SE corner of this section #30, being also the SW corner of survey #14 and the NW corner of survey #15, Block #42, Gunter and Munson. This monument is situated in low firm ground and its brass plate in top is marked as in the figure above, from which two windmills, each about 2 miles distant, bear N 46° 27' E and S 77° 42' E; the right hand of a set of double windmills bears N 53° 09' W about 2 miles; a mesquite 3" in diameter marked "X" bears N 48° 30' W 40.5 varas; two small pipes driven in the ground, one of which is marked "MFS NW 15 B 42", bears N 6° 15' W 5.0 varas.

Thence S 74° 45' W --- at 130 varas pass through at right angles a four-wire fence --- at 1896.8 varas strike the SE corner of section #29.

Thence N 15° 16' W 1912.9 varas to the place of beginning.

NOTE:- The sum of the E lines of this section #30 and that of section #31, next to be written, is made to equal the distance found between two identified original corners, one at the SE corner of survey #2, the other at the NE corner of survey #3, Block #41, Twp. 2 N, G & M M B & A, being 3825.7 varas.

Surveyed May 5,

19 31,

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 31.


This 23 day of August, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Bol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 31
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 643.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 48' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12 miles S 26° E of Andrews, the county site.

Beginning at a concrete monument set in low firm ground for the SE corner of section #30, this Block, being also the SW corner of survey #14 and the NW corner of survey #15, Block #42, Twp. 2 N, G & M M B & A. The brass plate in the top of this monument was marked as in the figure above, from which two windmills, each about 2 miles distant, bear N 46° 27' E and S 77° 42' E; the right hand of a set of double windmills bears N 53° 09' W about 2 miles; a mesquite 3" in diameter marked "X" bears N 48° 30' W 40.5 varas; 2 small pipes driven in ground, one of which being marked "MFS NW 15 B 42", bears N 6° 15' W 5.0 varas.

Thence S 15° 19' E 1912.8 varas to a point in the west line of Block #42, Twp. 2 N, G & M M B & A, being the SW corner of section #15 and the NW corner of section #16, also the SE corner of this section #31.

Thence S 74° 45' W --- at about 134 varas cross at right angles a four-wire fence. --- at about 1790 varas, point from which a windmill bears N 15° 15' W about 41 varas --- at 1898.4 varas point for the SW corner of this section #31.

Thence N 15° 16' W 1912.8 varas strike the southerly common corner of sections #29 and #30.

Thence N 74° 45' E --- at 1766.8 varas cross at right angles a four-wire fence --- at 1896.8 varas strike the concrete monument, the place of beginning.

NOTE:- The sum of the east line of this section #31 plus the east line of section #30, this Block, is made the same as the distance between two identified original corners found at the SE corner of survey #2 and the NE corner of survey #3, Block #41, Twp. 2N, G & M M B & A, being 3825.7 varas.

Surveyed May 6, 1931.


Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 32 .
This 25 day of August , 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

00000000000000000000

The State of Texas } SURVEY NO. 32
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 644.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 46' East.

True North ~~is~~ ~~0° 02 1/2'~~ ~~to the left~~ of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~ sand, dry lakes ~~no drainage~~ about 12 miles S 22° E of Andrews, the county site.

Beginning at the SE, the SW and the NW corner respectively of sections #29, #30 and #31.

Thence S 15° 16' E 1912.8 varas to the SW corner of said section #31.

Thence S 74° 45' W --- at 540.4 varas cross State Highway #137 --- at 1901.4 varas point for the SW corner of this section #32.

Thence N 15° 16' W 1912.8 varas to the concrete monument set for the SE corner of section #28, situated in deep sand and shin oak brush on the SE slope of a hill, the brass plate in top of which having been marked as in the figure above, from which three windmills, the first being the left hand of a set of two, bear N 6° 47 1/2' E about 2 miles, S 62° 11' E about 1 1/2 miles, and S 8° 34' E about 4 miles; the windmill at the noted Clabber Hill ranch bears S 31° 37' W about 2 miles; an earth mound containing broken glass bears N 10° E 50.0 varas.

Thence N 74° 45' E --- at 1075.1 varas cross State Highway #137 --- at 1901.4 varas the place of beginning.


Surveyed May 6th, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 33 . This 13th day of February, 19 34.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

The State of Texas } SURVEY NO. 33
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
646.2 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 44' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block is 0° 02' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lakes Creek, a tributary of no drainage River about
12 miles S 17½° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section
#28, being also the NW corner of section #32, this Block, situated in
deep sand and shinnery on the SE slope of a hill, the brass plate in
top of which having been marked as in the figure above, from which
four windmills, the first being the left hand of a set of 2, the last,
or fourth, being the noted Clabber Hill ranch windmill, bear N 6° 47½' E
about 2 miles, S 62° 11' E about 1½ miles, S 8° 34' E about 4 miles,
and S 31° 37' W about 2 miles; an earth mound containing broken glass
bears N 10° E 50.0 varas.

Thence S 15° 16' E 1912.8 varas to the SW corner of section #32.

Thence S 74° 45' W 1907.0 varas to a point near the east edge of
the Odessa-Andrews highway for the SW corner of this section #33.

Thence N 15° 16' W, paralleling the highway, 1912.8 varas strike
the SW corner of section #28.

Thence N 74° 45' E 1907.0 varas to the place of beginning.

Surveyed May 6, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 34 .

This 25 day of August, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 34
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 646.9 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 41' East.

True North as compared to meridian passing through the corner of Survey No. , this Block, is 0° 01½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12 miles S 12½° E of Andrews, the county site.

Beginning at the common corner of sections #27, #28, and #33, this Block, being a point near the E edge of the Odessa-Andrews highway.

Thence S 15° 16' E, paralleling the highway, 1912.8 varas to the SW corner of section #33.

Thence S 74° 45' W --- at about 1600 varas cross road leading toward Clabber Hill ranch --- 1908.4 varas, point for SW corner of this section #34.

Thence N 15° 19' W --- at 4.3 varas an angle iron, a piece of bed railing, driven in ground but projecting 2½' above the ground bears N 74° 41' E 1.8 varas --- at 95.4 varas pass a sixty-penny hub nail in a mound of small rocks on the crest of a ridge --- at 1000.4 varas pass through at about right angles a three-wire fence --- at 1140.3 varas pass another hub nail in a mound of small rocks --- at 1912.8 varas strike a concrete monument set in low ground in the line between firm sandy soil on the north and deep sand and shinnery on the south, its brass plate having been marked as in the figure above, from which the windmill at the noted Clabber Hill ranch bears S 18° 58' E 1¼ miles; the right hand of a set of double windmills bears N 24° 30' W about 2 miles; an earth mound containing broken glass bears N 16° 45' E 50.0 varas.

Thence N 74° 45' E 1909.8 varas to the place of beginning.

Surveyed May 6,

1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin


Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 35.

This 25 day of August, 1932

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

The State of Texas } SURVEY NO. 35
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
641.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 45' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the ~~waters of sand, dry lakes Creek, a tributary of~~ no drainage River about 13 miles S 13° E of Andrews, the county site.

Beginning at the SE corner of section #34, a point near the east edge of the Odessa-Andrews highway.

Thence S 15° 16' E almost paralleling the highway 1898.2 varas to a point near the east edge of the same highway, 33.1 varas north of an east-west four-wire fence.

Thence S 74° 49½' W --- at 23 varas cross the Odessa-Andrews highway --- at 1783.2 varas go through at right angles a barbed wire fence about 42 varas northerly from its junction with an east-west fence --- at 1906.0 varas strike a concrete monument having a brass plate in top marked as in the figure above --- at 1907.0 varas strike a rock set on end, 14" x 2" x 6", exposed above the ground, same being marked on the south side "11". On the north side is driven a 1½" galvanized iron pipe marked in accordance with the sections which corner here.

This rock was identified as that originally described at the NW corner of survey #41, Block #42, Twp. 1 N, and its position has been accepted in the resurvey of University Lands, being made identical with the SW corner of section #35, Block #1. From this rock the windmill at the noted Clabber Hill ranch bears N 11° 05' E about 480 varas; another windmill bears S 79° 31' W about 4 miles; a mesquite 3" in diameter marked "F" in a clump bears N 76° 30' W 63.8 varas; a concrete witness monument bears N 74° 49½' E 1.0 varas.

Thence N 15° 19' W --- at 300 varas in low ground --- at 491 varas pass through at about right angles a six-wire fence --- at 543 varas cross at right angles a road --- at 746.7 varas pass a hub nail (no rocks) on a sandy ridge --- at 923 varas a waggon load of rocks bears N 74° 41' E 26 varas --- at 1000 varas a pile of rubbish to the right 15 varas --- at 1025.5 varas cross a four-wire fence --- at 1282.1 varas pass a sixty-penny hub nail in a mound of rocks on sandy ridge --- at 1550 varas in low ground --- at 1895.7 varas strike the SW corner of section #34.

Thence N 74° 45' E --- at about 308 varas cross Clabber Hill ranch road --- at 1908.4 varas, point the place of beginning.

Surveyed May 6, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 36 .


This 25 day of August, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Flat of Survey No.

The State of Texas } SURVEY NO. 36
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 641.6 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 47' East.
True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02' to the left of the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the waters of flat sand Creek, a tributary of no drainage River about 13 miles S 17° E of Andrews, the county site.
Beginning at the NE corner of section #35, being a point near the east edge of the Odessa-Andrews highway.

Thence N 74° 45' E 1907.0 varas to the SE corner of section #33.

Thence S 15° 16' E 1900.7 varas strike a rock set in ground leaving 8" x 3" x 4" exposed, having a newly made cross on top but a very old figure (9) nine marked on the south side. A 1 1/2" galvanized iron pipe is driven in ground beside the rock. This rock was identified as that described in the call in the original fieldnotes of survey #40, Block #42, Twp. 1 N, G & M M B & A, at its NE corner, and this position was accepted for same in the resurvey of University Lands. From this rock a witness monument, having a brass plate in its top marked as in the figure above, bears N 74° 49' E 1 vara; a windmill bears S 10° 01' W about 1 mile; the windmill at the noted Clabber Hill ranch bears S 81° 39' W about 1 7/8 miles; a mesquite 1 1/2" in diameter marked "≡" (three bars) bears S 35° 30' W 19.6 varas.

Thence S 74° 49 1/2' W 1907.0 varas, being 25.7 varas north of a four-wire fence at the beginning, and 33.1 varas north of the same four-wire fence at the end of this run, striking the SE corner of section #35.

Thence N 15° 16' W almost paralleling the highway 1898.2 varas to the place of beginning.


Surveyed May 6, 19 31
Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 37 .
This 25 day of August , 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey

The State of Texas } SURVEY NO. 37
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of 640.5 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 48' East.

True North is 0° 02 1/2' to the left of

the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the

flat sand no drainage about 13 miles S 21° E of Andrews, the county site.

Beginning at the NE corner of section #36, this Block.

Thence N 74° 45' E --- at 1361.0 varas cross State Highway #137 --- at 1901.4 varas strike the SE corner of section #32.

Thence S 15° 16' E --- at about 1750 varas in low ground, being in a drain between two dry lakes --- at 1902.9 varas strike a rock marked "8" deeply embedded in soil near the center of a dry lake, identified as that described in the original fieldnotes of survey #25, Block #42, Twp. 1 N, G & M M B & A, at its northeast corner, and the position of this rock was accepted in the resurvey of Block #1, University Lands. A four-wire east-west fence passes 22.7 varas southerly from this corner.

Thence S 74° 49' W --- at 275.2 varas cross State Highway #137 --- at 1901.4 varas strike a rock 8" x 3" x 4" having a newly made cross marked on top and an old figure (9) nine marked on the south side. A 1-1/2-inch galvanized iron pipe with numerous markings is driven beside the rock, same being identified as the original, and its position accepted as the NW corner of survey #25, Block #42, Twp. 1 N, G & M M B & A. From this stone a windmill bears S 10° 01' W about 1 mile; another windmill at the noted Clabber Hill Ranch bears S 81° 39' W 1 7/8 miles; a mesquite 1 1/2 inches in diameter marked "≡" (three bars) bears S 35° 30' W 19.6 varas; a witness monument having a brass plate in top marked as in the figure above bears N 74° 49' E 1.0 vara.

Thence N 15° 16' W 1900.7 varas to the place of beginning.

Surveyed May 6th, 19 31


Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 38 . This 13th day of February, 1934.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
Plat of Survey No.

The State of Texas } SURVEY NO. 38
ANDREWS County } BLOCK NO. 1



FIELD NOTES of a survey of
640.5 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 50' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block is 0° 03' to the left of
the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lakes Creek, no drainage River about
13 miles S 25° E of Andrews, the county site.
Beginning at the NE corner of section #37, this Block.

Thence N 74° 45' E --- at 108.4 varas point from which a windmill
bears N 15° 15' W about 41 varas --- at about 1764.4 varas pass through
at right angles a four-wire fence --- at 1898.4 varas strike the SE
corner of section #31, same being also the SW corner of survey #15
and the NW corner of survey #16, Block #42, Twp. 2 N, G & M M B & A.

Thence S 15° 19' E 1904.7 varas to a concrete monument set in
firm sandy soil at the SW corner of said survey #16, being the same
as the northerly common corner of surveys #9 and #24, Block #42,
Twp. 1 N, G & M M B & A. The brass plate in the top of the mon-
ument is marked as in the figure above, from which a large rock mound,
one of the stones being marked "6", identified as the SE corner of
the above mentioned survey #16, bears N 74° 48' E 1900.2 varas; a
mesquite 4" in diameter marked "X" bears N 60° 15' E varas; a
windmill bears N 57° 58' W about 1 1/2 miles; the right hand of a set
of double windmills bears N 34° 51' W about 5 1/2 miles; a 1 1/2" iron pipe
marked "MFS NE 24 B 42 TIN" bears S 50° W 1.2 varas.

Thence S 74° 48' W --- at 137.7 varas pass through at about
right angles a four-wire fence, about 40 varas northerly of its
junction with an east-west fence --- at about 850 varas enter a dry
lake --- at about 1140 varas leave dry lake --- at about 1795 varas
enter another dry lake --- at 1900.1 varas strike a rock deeply
embedded in soil having two iron pipes driven by its side, being
situated near the center of a dry lake, the same being identified
as the original marker and its position accepted for the northerly
common corner of surveys #24 and #25, Block #42, Twp. 1 N, G & M M
B & A, the same being also the SE corner of section #37, University
Land.

Thence N 15° 16' W --- at about 152.9 varas point in low ground,
being a drain between two dry lakes --- at 1902.9 varas, point the
place of beginning.

Surveyed May 6, 1931
Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 39 .


This 25 day of August , 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 1
ANDREWS County } BLOCK NO. 2



FIELD NOTES of a survey of
658.5 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 39' East.

True North as compared to a meridian passing through the
Survey No. , Block is 0° 04½' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on
sand, dry lakes no drainage about
9½ miles S 66° E of Andrews, the county site.

Beginning at a concrete monument set in firm ground covered with
limestone pebbles, being 25.4 varas easterly from a north-south fence,
about 83 varas southerly from the junction of a four-wire fence from
the east, and about 123 varas northerly from the junction of a fence
running westerly, the brass plate in which monument being marked as
in the figure above, from which a windmill bears N 20° 11' W about
2 miles; a mesquite 3 inches in diameter marked "X" bears S 56° E
73.2 varas. A line from this monument running south 74° 23' W
directly to the original iron pipe corner at the NW corner of Block
#73, P. S. L., forms the north boundary line of this Block #2 and
Blocks #1, #9, #10, #11 and also said Block #73. The SW corner
of section #15, Block #3, University Land, bears N 15° 16' W 9550.5
varas, and the original rock marked "34" at the SE corner of Block
#40, Twp. 3 N, G & M M B & A, bears N 74° 44' E 17,192.2 varas.

Thence S 74° 23' W --- at 500.0 varas enter deep sand and shinnery
--- at 1904.0 varas go through at right angles a four-wire fence
about 110 varas north of its junction with an east-west fence --- at
1912.5 varas point for the NW corner of this section #1.

Thence S 15° 16' E 1937.8 varas to a point for the SW corner.

Thence N 74° 45' E 1912.5 varas to a point about 25 varas east
of a north-south fence for the SE corner of this section #1.

Thence N 15° 16' W --- at 1000 varas land in the east edge of a
dry lake in firm ground --- at 1949.9 varas, the place of beginning.

Surveyed May 6, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 40 .


This 7 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Block of Survey No.

The State of Texas } SURVEY NO. 2
ANDREWS County } BLOCK NO. 2



FIELD NOTES of a survey of
652.6 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the corner of survey No. , is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek no drainage River about 9 miles S 62° E of Andrews, the county site.

Beginning at the NW corner of section #1, this Block, being a point 8.5 varas west of a four-wire fence about 110 varas northerly from its junction with an east-west fence.

Thence S 74° 23' W --- at 600 varas enter low ground covered by large mesquite trees --- at 900 varas leave mesquite timber, enter sandy prairie --- at 1907.2 varas point for the NW corner of this section #2, being about 105 varas north of the east-west fence.

Thence S 15° 16' E --- at about 105 varas go through at right angles a four-wire fence --- at 1925.6 varas set a concrete monument in low firm sandy soil about 300 varas east of a ridge, marked the brass plate in top of same as in the figure above, from which a steel windmill at trees and a windmill in the north edge of a dry lake and another windmill bear respectively N 16° 29½' E about 3 miles, S 8° 53' E about 1¼ miles and N 26° 20' W about 4 miles; an earth mound containing broken glass bears S 25° 45' W 50 varas.

Thence N 74° 45' E 1907.2 varas to the SW corner of section #1, this Block.

Thence N 15° 16' W --- at about 1827.8 varas pass through a four-wire fence about 8.5 varas westerly from the junction by a north-south fence --- at 1937.8 varas strike the place of beginning.

Surveyed	May 6	1931.	Norris B. Creath	} Chain } Carriers. } Transitman.
			Gibbons Potteet	
			J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 41 .

This 7 day of September, 1932.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 3
 ANDREWS County } BLOCK NO. 2

		U	T
		3	2
1	3	4	5
B 1	B 2	B	2
U	T		
Fig. #1		Fig. #2	

FIELD NOTES of a survey of
 649.8 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 36' East.

True North as compared to a meridian passing through the
 of Andrews, , 0° 03½' to the left of
 the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
 water of sand, dry lakes Creek, a tributary of no drainage about
 8 miles S 57° E of Andrews, the county site.

Beginning at the NW corner of section #2, this Block, a point in a
 sandy prairie about 105 varas northerly from a four-wire east-west fence.

Thence S 74° 23' W --- at about 300 varas enter deep sand and
 shinnery --- at 1903.8 varas pass through at right angles a north-south
 fence --- at 1912.0 varas strike the concrete monument set for the NE
 corner of section #1, Block #1, University Land, situated at the SE
 corner of an area of firm sandy soil, the brass plate in top of which
 having been marked as in figure #1 above, from which a windmill at a
 clump of trees and the left hand of two windmills bear respectively
 N 10° 58' W about 1 mile and S 2° 19' E about 1 mile; a 1½" iron pipe
 marked "NE 1" driven in a stone mound of 12 rocks bears S 19° 23' E
 88.9 varas; a mesquite 1½" in diameter marked "≡" (three bars) bears
 S 42° W 16.4 varas.

Thence S 15° 19' E --- at about 98.5 varas pass through at right
 angles a four-wire fence about 8 varas westerly from a junction of a
 fence from the north --- at about 1543.5 varas cross a pipe and tele-
 phone line --- at 1913.5 varas strike the SE corner of said section #1,
 Block #1.

Thence N 74° 45' E, crossing the noted old Shafter's Trail --- at
 about 340 varas cross again the pipe and telephone line --- at about
 1610 varas on top of ridge --- at 1910.4 varas strike the concrete
 monument set for the SW corner of section #2, this Block, situated in
 low firm sandy soil, the brass plate in top of which having been marked
 as in figure #2 above, from which a steel windmill at a clump of trees
 and a windmill in the north edge of a dry lake and another windmill
 bear respectively N 16° 29½' E about 3 miles, S 8° 53' E about 1¼ miles
 and N 26° 20' W about 4 miles; an earth mound mixed with broken glass
 bears S 25° 45' W 50.0 varas.

Thence N 15° 16' W --- at 1820.6 varas go through at right angles
 a four-wire fence --- at 1925.6 varas, the place of beginning.

Surveyed May 6, 1931. Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
 Surveyor of University Lands, do hereby certify that the foregoing
 survey was made by me in the field and according to law; that the
 limits, boundaries and corners, with the marks, natural and artificial
 are truly described in the foregoing plat and field notes, just as I
 found them on the ground; and that they are recorded in the Surveyor's
 Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 42 .

This 7 day of September, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

~~PLAT OF SURVEY NO. 000~~

The State of Texas } SURVEY NO. 4
ANDREWS County } BLOCK NO. 2

B 1	B 2	U	T
12	4	3	2
13	9	4	5
U	T	B	2
Fig. #1		Fig. #2	

FIELD NOTES of a survey of
657.7 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North ~~as compared to a meridian passing through the~~ ~~of Survey No.~~ ~~of this Block~~ is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~ ~~waters of~~ sand, dry lakes ~~with no drainage~~ about 9 miles S 53° E of Andrews, the county site.

Beginning at the SE corner of section #1, Block #1, being also the NE corner of section #12, Block #1.

Thence S 15° 19' E 1943.2 varas to a concrete monument set for the SE corner of said section #12, situated in a level sandy flat, its brass plate in top having been marked as in figure #1 above, from which a windmill bears S 57° 35' E about 1½ miles; an earth mound containing broken glass bears N 25° 30' E 50.0 varas.

Thence N 74° 49' E --- at about 300 varas enter deep sand and shinnery --- at 1908.8 varas point for the SE corner of this section #4.

Thence N 15° 16' W --- at about 300 varas cross pipe and telephone line --- at 1945.4 varas strike the concrete monument set for the SW corner of section #2, this Block, situated in low firm sandy soil, its brass plate in top having been marked as in figure #2 above, from which a steel windmill at a clump of trees, a windmill in the north edge of a dry lake, and a third winmill bear respectively N 16° 29½' E about 3 miles, S 8° 53' E about 1½ miles, and N 26° 20' W about 4 miles; an earth mound containing broken glass bears S 25° 45' W 50.0 varas.

Thence S 74° 45' W --- at about 300 varas top of ridge --- at about 1570.0 varas recross the pipe and telephone line --- at 1910.4 varas, point the place of beginning.

Surveyed May 6, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 43.


This 7 day of September 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat No. Survey No.

The State of Texas } SURVEY NO. 5
ANDREWS County } BLOCK NO. 2



FIELD NOTES of a survey of
657.6 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 39' East.

True North as compared to meridian passing through the
of Survey No. , this Block is 0° 04' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on
waters of sand, dry lakes Creek, no drainage River about
9½ miles S 58° E of Andrews, the county site.

Beginning at a concrete monument set in low firm sandy soil about
300 varas easterly from the top of a ridge for the SW corner of section
#2, this Block, being also the NE corner of section #4, the brass
plate in top of which having been marked as in the figure above, from
which a steel windmill at a clump of trees, a windmill in the north
edge of a dry lake, and a third windmill bear respectively N 16° 29½' E
about 3 miles, S 8° 53' E about 1¼ miles, and N 26° 20' W about 4
miles; an earth mound containing broken glass bears S 25° 45' W
50.0 varas.

Thence S 15° 16' E --- at about 1645.4 varas cross a pipe and
telephone line --- at 1945.4 varas strike the SE corner of section
#4.

Thence N 74° 49' E --- at about 280 varas recross the pipe and
telephone line --- at 1907.2 varas point for the SE corner of this
section #5.

Thence N 15° 16' W 1947.6 varas to the SW corner of section #1,
this Block.

Thence S 74° 45' W 1907.2 varas to the place of beginning.

Surveyed May 7, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 44 .


This 8 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 6
ANDREWS County } BLOCK NO. 2



FIELD NOTES of a survey of
660.2 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 41' East.
True North as compared to a meridian passing through the corner
of Survey No. , this Block is 0° 05' to the left of
the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the
windsand, dry lakes Creek, a drainage about
10 miles S 62° E of Andrews, the county site.
Beginning at the common corner of sections #1, #2 and #5, this
Block.

Thence S 15° 16' E 1947.6 varas to the SE corner of said section
#5.

Thence N 74° 49' E --- at 1892.5 varas pass through at right
angles a four-wire fence --- at 1912.5 varas set a concrete monument
in deep sand and shinnery for the SE corner of this section #6, marked
the brass plate in its top as in the figure above, from which a
mesquite 1 1/2" in diameter marked three bars ("≡") bears N 50° 30' E
10.8 varas; a 2" galvanized pipe driven in the ground marked "MFS
NW 22 B 41 T 2 N" bears S 6° 15' E 37.9 varas. Lying by the
side of this pipe was found a flat rock 7" x 5" x 1" marked "J",
which rock is evidently the original called for in the fieldnotes
of surveys #23 and #22, Block #41, Twp. 2 N, G & M M B & A, but its
position as found may be doubtful.

Thence N 15° 16' W 1949.8 varas to the SE corner of section #1,
this Block, the same being also the SW corner of survey #24, Block
#41, Twp. 2 N, G & M M B & A.

Thence S 74° 45' W --- at about 22.7 varas pass through at right
angles a four-wire fence --- at 1912.5 varas, point, the place of
beginning.

Surveyed May 7, 19 31.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 45.

This 8 day of September, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Survey No.

The State of Texas } SURVEY NO. 7
ANDREWS County } BLOCK NO. 2

U T		U T	
6		B 2	
7		7	
B 2			
Fig. 1		Fig. 2	

FIELD NOTES of a survey of
657.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 43' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11 miles S 57° E of Andrews, the county site.

Beginning at a concrete monument set in deep sand covered with shin oakbrush for the SE corner of section #6, this Block, the brass plate in top of which having been marked as in figure 1 above, from which a mesquite 1½" in diameter marked "≡" (three bars) bears N 50° 30' E 10.8 varas; a 2" galvanized pipe driven in the ground marked "MFS NW 22 B 41 T 2 N" bears S 6° 15' E 37.9 varas. Lying by the side of this pipe was found a flat rock 7" x 5" x 1" marked "J", same being evidently the original called for in the fieldnotes of surveys #22 and #23, Block #41, Twp. 2 N, G & M M B & A, but its position as found is doubtful.

Thence S 74° 49' W --- at about 20 varas pass through at right angles a four-wire fence --- at 1912.5 varas strike the SE corner of section #5, this Block.

Thence S 15° 16' E --- at about 1721.5 varas cross a pipe and telephone line --- at 1916.5 varas pass through at right angles a four-wire fence --- at 1939.5 varas strike a large flat rock 10" x 16" x 2" , having on its top face the letter "L" plainly chiseled, identified as the common north corner of surveys #28 and #37, Block #41, Twp. 2 N, G & M M B & A.

Thence N 74° 52' E --- at about 215 varas recross the pipe and telephone line --- at 1912.5 varas set a concrete monument in firm rocky ground covered by thick mesquite brush, marked the brass plate in top of same as in figure 2 above, from which a mesquite marked "X" bears S 3° 45' W 5.7 varas; a mesquite 5" in diameter marked "F" bears N 86° 45' W 55.4 varas; a 2" galvanized iron pipe marked "MFS NE 28 B 41 T 2 N" driven in a stone mound of 14 rocks bears N 50° 15' W 5.2 varas; the intersection of three fences bears N 46° 15' W 35.6 varas.

Thence N 15° 16' W --- at 150 varas enter sandy ground --- at 1200 varas enter sand and shinnery --- at 1941.3 varas, concrete monument, the place of beginning.

Surveyed May 7, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 46 .


This 8 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T. Vol. 4.)

State of Texas

The State of Texas } SURVEY NO. 8
ANDREWS County } BLOCK NO. 2



FIELD NOTES of a survey of
656.4 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 41' East.

True North as compared to a meridian passing through the corner of Survey No. 000, Block 000, is 0° 04½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water of sand, dry lakes Creek, no drainage River about 10 miles S 54° E of Andrews, the county site.

Beginning at the common corner of sections #5, #6 and #7, this Block.

Thence S 74° 49' W --- at about 1627.2 varas cross a pipe and telephone line --- at 1907.2 varas strike the SW corner of section #5.

Thence S 15° 16' E --- at 1920.4 varas pass through at right angles a four-wire fence --- at 1946.3 varas set a concrete monument in sandy soil covered with catclaw brush, marked the brass plate in its top as in the figure above, from which a liveoak 8" in diameter, in a mott, bears N 46° 08' E about 800 varas; a mesquite 2½" in diameter marked "X" bears S 30° 19' E 67.5 varas; 3 windmills, the third in the north edge of a dry basin, bear S 20° 38' E about 2 miles, S 19° 04' W about 3 miles, and N 68° 57½' W about 600 varas; a small dry basin bears N 45° E 200 varas; two iron pipes, one black, the other galvanized, bear S 40° W 0.8 vara.

Thence N 74° 36½' E 1907.2 varas to a large flat rock marked "L", identified as the common north corner of surveys #28 and #37, Block #41, Twp. 2 N, G & M M B & A, also the SW corner of section #7, this Block.

Thence N 15° 16' W --- at 23 varas pass through at right angles a four-wire fence --- at about 218 varas re-cross the pipe and telephone line --- at 1939.5 varas, point, the place of beginning.

Surveyed May 7, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3, Page 47.

This 8 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

~~Plat of Survey No. 9~~

The State of Texas } SURVEY NO. 9

ANDREWS County } BLOCK NO. 2

B 1	B 2	U	T
12	4	B	2
13	9	9	8
U	T		
Fig. 1		Fig. 2	

FIELD NOTES of a survey of
658.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 38' East.

True North as compared to a meridian passing through the corner of Survey No. 9, Block 2, is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water of sand, dry lakes ~~cocks~~ ~~no drainage~~ ~~about~~ 9½ miles S 48° E of Andrews, the county site.

Beginning at the SE, SW, and NW corner respectively of sections #4, #5, and #8.

Thence S 74° 49' W --- at 1608 varas leave deep sand and shinnery, enter upon firmer ground --- at 1908.8 varas strike the concrete monument set for the SE corner of section #12, Block #1, University Land, situated in a level sandy flat, the brass plate in top of which having been marked as is represented in figure 1 above, from which a windmill bears S 57° 35' E about 1½ miles; an earth mound containing broken glass bears N 25° 30' E 50.0 varas.

Thence S 15° 19' E --- at 1926.1 varas pass through at right angles a four-wire fence --- at 1953.1 varas strike a large wedge shaped rock 18" long, projecting 10" above ground, with other small stones around it, being plainly marked on top "X". North of the stone and touching it is driven a 1½" galvanized pipe appropriately marked. This stone is evidently the original NW corner of survey #44, Block #41, Twp. 2 N, and the NE corner of survey #5, Block #42, Twp. 2 N, G & M M B & A, and is also the SE corner of section #13, Block #1, and the SW corner of this section #9, University Land.

Thence N 74° 36¼' E --- at 950 varas, opposite gate which is to left about 26 varas --- at 1235 varas, on west edge of dry basin --- at 1420 varas, near center of lake, from which point the fence makes a corner going toward windmill --- at 1620 varas, east edge of basin --- at about 1690 varas a fence corner is to the left about 26 varas, one string running toward windmill, the other running easterly parallel to survey line --- at 1907.1 varas strike the concrete monument set for the SW corner of section #8, this Block, situated in sandy soil covered with catclaw brush, the brass plate in top of which having been marked as in figure 2 above, from which a liveoak 8" in diameter in a mott bears N 46° 08' E about 800 varas; a mesquite 2½" in diameter marked "X" bears S 30° 19' E 67.5 varas; 3 windmills, the last one described being in the north edge of a dry basin, bear S 20° 38' E about 2 miles, S 19° 04' W about 3 miles, and N 68° 57½' W about 600 varas; a dry basin bears N 45° E 200 varas; two small iron pipes driven in ground bear S 40° W 0.8 vara.

Thence N 15° 16' W --- at 25.9 varas cross at right angles a four-wire fence --- at 1946.3 varas, point, the place of beginning.

Surveyed May 7, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 48. This 8 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 1
ANDREWS County } BLOCK NO. 3



FIELD NOTES of a survey of
639.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this block, is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~ ~~water~~ ~~of~~ ~~sand~~ ~~dry~~ ~~lakes~~ ~~of~~ ~~the~~ ~~area~~ ~~of~~ ~~the~~ ~~survey~~ ~~and~~ ~~no~~ ~~drainage~~ ~~is~~ ~~shown~~ about 10½ miles N 63° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of this section #1, Block #3, University Land, situated in firm gassy ground about 100 varas east of the east edge of an area of deep sand and shin oak brush, the brass plate in top of which monument being marked as in the figure above, from which a mesquite 2½" in diameter marked "X" bears S 4° 03' E 29.5 varas; double windmills bear S 44° 16½' W and S 44° 28' W about 1 mile. A line originating from the SE identified corner of Block #41, Twp. 2 N, G & M M B & A, and projected N 15° 16' W passes over at least four other original corners along the east line of said Block #41, and also strikes precisely the monument above described. The NE corner of section #1, Block #2, University Land, being a concrete monument, bears S 15° 16' E 13,352.1 varas and S 74° 44' W 5709.0 varas; the original rock marked "34" at the SE corner of Block #40, Twp. 3 N, G & M M B & A, bears S 15° 16' E 13,352.1 varas and N 74° 44' E 11,483.2 varas.

Thence N 15° 16' W 1900.8 varas to a point for the NE corner of section #1, being also the NE corner of Block #3, University Land.

Thence S 74° 44' W 1900.4 varas to a point for the NW corner.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner.

Thence N 74° 44' E 1900.4 varas to the place of beginning.

Surveyed May 7, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County, in Book "U T" Vol. 3 Page 49.

This 9 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 2
ANDREWS County } BLOCK NO. 3



FIELD NOTES of a survey of
641.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 24' East.

True North as compared to a meridian passing through the center of survey block, Andrews County, is 0° 04½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the western side of dry lakes Creek, a tributary of no drainage River about 9½ miles N 62° E of Andrews, the county site.

Beginning at the NW corner of section #1, this Block.

Thence S 74° 44' W 1906.4 varas to a point for the NW corner of this section #2.

Thence S 15° 16' E 1900.8 varas set a concrete monument in firm ground 13 varas westerly from the center of the Midland-Seminole highway, being 5 varas easterly from an eight-wire telephone line on thirty-foot creosoted posts paralleling the highway, marked the brass plate in top of same as represented in the figure above, from which three windmills, the first being the left hand of a double, bear S 74° 24½' E about 1 mile, S 19° 43' W about three-fourths mile, and N 31° 35' W about 3 miles; an earth mound containing broken glass bears S 34° 03' W 50.0 varas.

Thence N 74° 44' E, crossing the highway at 13 varas, and at 1906.4 varas strike the SW corner of section #1, this Block.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 7, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 50.

This 9 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
~~64000000~~ Survey No.

The State of Texas } SURVEY NO. 3
 A N D R E W S County } BLOCK NO. 3



FIELD NOTES of a survey of
 640.5 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 23' East.

True North as compared to a meridian passing through the corner of Survey No. ~~64000000~~, Block ~~3~~, is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in Andrews County, Texas, on the ~~64000000~~ sand, dry lakes ~~64000000~~ no drainage ~~64000000~~ about 8½ miles N 61° E of Andrews, the county site.

Beginning at the NW corner of section #2, this Block.

Thence S 74° 44' W --- at about 81 varas cross Midland-Seminole highway --- at 1902.2 varas point for the NW corner of this section #3.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner.

Thence N 74° 44' E 1902.2 varas to the concrete monument set for the SW corner of section #2, this Block, situated in firm ground, 13 varas westerly from the center of the Midland-Seminole highway and 5 varas easterly from an eight-wire telephone line mounted upon 30-foot creosoted poles, paralleling the highway, the brass plate in top of which having been marked as in the figure above, from which three windmills, the first one described being the left hand of a double, bear S 74° 24½' E about 1 mile, S 19° 43' W about three-fourths mile, and N 31° 35' W about 3 miles; an earth mound containing broken glass bears S 34° 03' W 50.0 varas.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 7, 1931.

Norrix B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 51.


This 9 day of September, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 4

The State of Texas } SURVEY NO. 4
ANDREWS County } BLOCK NO. 3



FIELD NOTES of a survey of
641.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 22' East.

True North as compared to a meridian passing through the corner of Survey No. 4, this Block is 0° 03½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage about 7½ miles N 58° E of Andrews, the county site.

Beginning at the NW corner of section #3, this Block.

Thence S 74° 44' W 1904.1 varas to a point for the NW corner of this section #4.

Thence S 15° 16' E 1900.8 varas set a concrete monument on a gradual slope in firm ground, marked the brass plate in the top as in the figure above, from which allthorn bushes bear N 46° 56' E 54.5 varas and N 50° 26' E 55.0 varas; a windmill at a clump of trees bears S 9° 35' W about 5 miles; a large sand bed void of any vegetation surrounded by firm ground bears S 14° 44' W about 500 varas; the right hand of two windmills bears S 66° 05½' W about 2½ miles.

Thence N 74° 44' E 1904.1 varas to the SW corner of section #3, this Block.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 7,

19 31

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 52.


This 9 day of September, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol.4.)

Block No. 3

The State of Texas } SURVEY NO. 5
ANDREWS County } BLOCK NO. 3



FIELD NOTES of a survey of 641.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 20' East.
True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 03' to the left of the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes Creek territory no drainage River about 6½ miles N 56° E of Andrews, the county site.

Beginning at a concrete monument set on the south gradual slope of an area of firm ground at the SW corner of section #4, this Block, the brass plate in top of which having been marked as in the figure above, from which an allthorn bush bears N 46° 56' E 54.5 varas; another bears N 50° 26' E 55.0 varas; a windmill at a clump of trees bears S 9° 35' W about 5 miles; a large sand bed void of vegetation surrounded by firm ground bears S 14° 44' W about 500 varas; the right hand of a set of double windmills bears S 66° 05½' W about 2¼ miles.

Thence N 15° 16' W 1900.8 varas to the NW corner of section #4.

Thence S 74° 44' W 1904.2 varas to a point for the NW corner of this section #5.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner.

Thence N 74° 44' E 1904.2 varas to the place of beginning.

Surveyed May 7, 1931 .

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 , Page 53 .

This 9 day of September , 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch on last page of this Vol.

The State of Texas

SECTION No. 6

ANDREWS County } BLOCK No. 3

FIELD NOTES of a survey of

646.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

	B 4
	U
	42
	6
	T
	B 3

Mag. Declination 11° 20' East.

True North is 0° 02½' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of sand, dry lakes, Creek, a tributary of no drainage, about 5½ miles N 54° E of Andrews, the county site.

Beginning at the NW corner of section #5, this Block.

Thence S 74° 44' W 1918.5 varas to a point for the NW corner of this section #6. From this point S 74° 44' W 81.8 varas set a concrete monument on a firm sandy ridge, marked the brass plate in top of same as in the figure above, from which double windmills bear S 4° 14' E and S 3° 23' E 1 1/2 miles; a windmill at a ranch house and a mott of trees bears S 80° 09' W about 5 miles; another windmill bears N 80° 31 1/2' W about 2 1/2 miles; an earth mound containing broken glass bears N 27° 23' E 50.0 varas. This monument is situated precisely on the line joining the original NE corner of Block #42, Twp. 1 S, T & P RR Co., said point being an old cedar stake marked "B 41, B 42 165 MCL" in a very old stone mound on the old center line of the T & P Eighty-mile Reservation, and for the north end of the line the identified NE corner of survey #1, Block A-19, made by W. D. Twichell, as shown on his certified sketch "M", dated September 1, 1902.

Thence S 15° 16' E, following the east line of said Block A-19 1900.8 varas to a point for the SW corner of this section #6, being about 117 varas east of the fence.

Thence N 74° 44' E 1918.5 varas strike the SW corner of section #5.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 7, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 54

This 26th day of June, 1934

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For report, balance sheets, etc., see Book U.T., Vol. 4.
For plat see General Sketch on last page of this Vol.)

For Plat see General Sketch

The State of Texas

SECTION No. 7

ANDREWS County } BLOCK No. 3

FIELD NOTES of a survey of

646.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

		B	3
		U	T
		7	

Mag. Declination 11° 21' East.

True North is 0° 02½' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of sand, dry lakes, ~~Creek~~ ~~no drainage~~ about 5½ miles N 63° E of Andrews, the county site.

Beginning at the SW corner of section #6, this Block, being a point in the east line of Block A-19, P. S. L., about 117 varas east of a four-wire fence.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #7. From this point, S 74° 44' W 82.6 varas set a concrete monument in firm sandy soil overgrown by catclaw brush, marked the brass plate in top as is represented in the figure above, from which an earth mound containing broken glass bears N 31° 11' E 50.0 varas; the left hand of two windmills, a single windmill, a windmill at a house and clump of trees, a windmill at another house and clump of trees, and the left hand of another set of double windmills bear respectively: S 51° 29' E about 5 miles, S 24° 12½' E about 3 miles, S 20° 28½' W about 2 miles, S 75° 46' W (no distance given), and N 39° 28' W about 2 miles. This monument is precisely on a straight line joining the NE corner of Block #42, Twp. 1-S, T & P RR Co., and the NE corner of survey #1, Block A-19, as shown by W. D. Twichell, State Surveyor, on his certified sketch "M", dated September 1, 1902.

Thence N 74° 44' E 1918.5 varas to a point for the SE corner of this section #7.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #5, this Block.

Thence S 74° 44' W 1918.5 varas to the place of beginning.

Surveyed May 7, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book UT Vol. 3 page 55

This 26th day of June, 1934.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

For Plat see General Sketch

The State of Texas

SECTION No. 8

ANDREWS County


BLOCK No. 3

FIELD NOTES of a survey of

641.1 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 22' East.

True North is 0° 03' to the left of the North point used in the Field notes of this survey.

Said survey is situated in Andrews County, Texas, on the drainage of sand, dry lakes, ~~crossed by~~ no drainage, about 6½ miles N 65° E of Andrews, the county site.

Beginning at the common corner of sections #5, #6, and #7, this Block.

Thence S 15° 16' E 1900.8 varas to the SE corner of section #7,

Thence N 74° 44' E 1904.2 varas set a concrete monument in low firm ground overgrown by mesquite and catclaw brush, marked the brass plate in top of same as in figure #1 above, from which the left hand of double windmills bears S 61° 16' E about 1 mile; a mesquite four inches in diameter marked "X" bears S 35° 28' E 94.5 varas; a rock, having no marks, 8" x 6" x 3" set on end bears S 16° 31' E 130.5 varas; a windmill at a clump of trees bears S 25° 10' W about 3 miles; the left hand of another set of double windmills bears S 89° 57½' W about 2½ miles.

Thence N 15° 16' W 1900.8 varas strike the concrete monument set for the SW corner of section #4, situated on the south slope of an area of firm ground, the brass plate in top of which having been marked as in figure #2 above, from which an allthorn bush bears N 46° 56' E 54.5 varas, another bears N 50° 26' E 55.0 varas; a windmill at a clump of trees bears S 9° 35' W about 5 miles; a large sand bed, void of vegetation, surrounded by firm ground bears S 14° 44' W about 500 varas; the right hand of double windmills bears S 66° 05½' W about 2¼ miles.

Thence S 74° 44' W 1904.2 varas to the place of beginning.

Surveyed May 8, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet } Transitman.
J. A. Conklin

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book UT Vol. 3 page 56

This 10 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Enclosed General Sketch

The State of Texas

SECTION No. 9

ANDREWS County

BLOCK No. 3

B	3	B	3	B	3
5	4	U	T	9	10
8	9				15
U	T				T
Fig. 1		Fig. 2		Fig. 3	

FIELD NOTES of a survey of
641.1 ACRES of land made for THE
UNIVERSITY OF TEXAS by virtue of an
ACT approved March 29, 1929.

Mag. Declination 11° 23' East.
True North is 0° 03½' to the left of the North point used in
the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas,
on the drainage of sand, dry lakes, ~~no drainage~~ no drainage,
about 7½ miles N 66° E of Andrews, the county site.

Beginning at the concrete monument set for the SW corner of section #4,
situated on firm ground sloping southerly, the brass plate in top of
which having been marked as in figure #1 above, from which different all-
thorn bushes bear N 46° 56' E 54.5 varas, and N 50° 26' E 55.0 varas;
two windmills, the first at a clump of trees, the second the right hand
of a double, bear respectively S 9° 35' W about 5 miles, and S 66° 05½' W
about 2 ¼ miles; a large sand bed void of vegetation, surrounded by firm
ground, bears S 14° 44' W about 500 varas.

Thence S 15° 16' E 1900.8 varas strike the concrete monument set in low
firm ground overgrown by mesquite and catclaw at the SE corner of
section #8, the brass plate in top of which having been marked as in
figure #2 above, from which three windmills, the first two being the
left hand each of two sets of doubles, the other at a clump of trees,
bear respectively S 61° 16' E about 1 mile, S 89° 57½' W about 2½ miles,
and S 25° 10' W about 3 miles; a mesquite four inches in diameter mark-
ed "X" bears S 35° 28' E 94.5 varas; a rock 8" x 6" x 3" (no marks) set
on end bears S 16° 31' E 130.5 varas.

Thence N 74° 44' E 1904.1 varas set a concrete monument in low firm
ground 55 varas easterly from a north-south fence, marked the brass plate
in its top as in figure #3 above, from which a windmill bears N 62° 55' E
about one-half mile; the right hand of double windmills bears S 1° 44' W
about 1 mile; a mesquite three inches in diameter marked "X" bears
S 38° 25' W 27.9 varas; a 1½" iron pipe bears S 13° 50' E 125.6 varas.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #3, this
Block.

Thence S 74° 44' W 1904.1 varas to the place of beginning.

Surveyed May 8, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University
Lands, do hereby certify that the foregoing survey was made by me in the field and according to law;
that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described
in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded
in the Surveyor's Records in Andrews, Andrews County in Book UT Vol. 3 page 57
This 10 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


For Plat see General Sketch

The State of Texas

SECTION No. 10

ANDREWS County

BLOCK No. 3



FIELD NOTES of a survey of 640.5 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 23' East.

True North is 0° 04' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of sand, dry lakes, Creek tributary of no drainage, about 8 1/2 miles N 67° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #9, this Block, situated in low firm ground 55 varas east of a north-south fence, the brass plate in the top of which having been marked as is represented in figure #1 above, from which a windmill bears N 62° 55' E about 1/2 mile; the right hand of double windmills bears S 1° 44' W about 1 mile; a mesquite 3" in diameter marked "X" bears S 38° 25' W 27.9 varas; a 1 1/2" iron pipe driven in ground bears S 13° 50' E 125.6 varas.

Thence N 74° 44' E 1902.2 varas to a point for the SE corner of this section #10.

Thence N 15° 16' W 1900.8 varas to the concrete monument set for the SW corner of section #2, this Block, being in firm ground 13 varas westerly from the center of the Midland-Seminole highway, and 5 varas easterly from an eight-wire telephone line on 30-foot creosoted poles, the brass plate in top of which having been marked as in figure #2 above, from which three windmills, the first mentioned being the left one of doubles, bear respectively S 74° 24 1/2' E about 1 mile, S 19° 43' W about 3/4 mile, and N 31° 35' W about 3 miles; an earth mound containing broken glass bears S 34° 03' W 50.0 varas.

Thence S 74° 44' W 1902.2 varas to the NE corner of section #9, this Block, being also the SE corner of section #4.

Thence S 15° 16' E 1900.8 varas to the place of beginning.

Surveyed May 8, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book UT Vol. 3 page 58


This 12 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, e tc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 11
ANDREWS County } BLOCK NO. 3



FIELD NOTES of a survey of 641.9 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to monument passing through the corner of Survey No. , this Block is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, no drainage River about 9½ miles N 68° E of Andrews, the county site.

Beginning at a concrete monument set for the SW corner of section #2, this Block, being in firm ground 13 varas westerly from the center of the Midland-Seminole highway and 5 varas easterly from an eight-wire telephone line mounted on 30-foot creosoted poles, the brass plate in top of which having been marked as in the figure above, from which three windmills, the first being the left hand of a double, bear S 74° 24½' E about 1 mile, S 19° 43' W about ¾ mile, and N 31° 35' W about 3 miles; an earth mound containing broken glass bears S 34° 03' W 50.0 varas.

Thence S 15° 16' E 1900.8 varas to the SE corner of section #10, this Block.

Thence N 74° 44' E --- at about 112 varas cross the Midland-Seminole highway --- at 1906.4 varas point for the SE corner of this section #11.

Thence N 15° 16' W --- at about 775 varas land about 10 varas easterly from a windmill --- then, passing through wire corrall, at 1900.8 varas strike the SW corner of section #1, this Block.

Thence S 74° 44' W 1906.4 varas to the place of beginning.

NOTE:- Within this section, almost centrally located, is a field containing between 40 and 60 Acres.

Surveyed May 8, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 59.

This 12 day of September, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 60

The State of Texas } SURVEY NO. 12
ANDREWS County } BLOCK NO. 3



FIELD NOTES of a survey of
639.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 26' East.
True North as compared to a meridian passing through the corner
of Survey No. 60, this Block, is 0° 05' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lakes ~~or~~ no drainage ~~Block~~ about
10½ miles N 69° E of Andrews, the county site.

Beginning at the common corner of sections #1, #2, and #11, this
Block.

Thence S 15° 16' E, and after passing through wire corrals, at
about 1126 varas land about 10 varas easterly from a windmill, and
at 1900.8 varas strike the SE corner of section #11.

Thence N 74° 44' E 1900.4 varas to a point for the SE corner of
this section #12.

Thence N 15° 16' W 1900.8 varas strike the concrete monument set
for the SE corner of section #1, situated on the southeast slope of
a grassy ridge about 100 varas easterly from an area of deep sand and
shin oak brush, the brass plate in top of which having been marked as
in the figure above, from which a mesquite 2½" in diameter marked "X"
bears S 4° 03' E 29.5 varas; double windmills bear S 44° 16½' W and
S 44° 28' W about 1 mile. A line originating from the SE identi-
fied corner of Block #41, Twp. 2 N, G & M M B & A, and projected
N 15° 16' W passes over at least four other original corners along
the east line of said Block #41, and also strikes precisely the monu-
ment above described. The NE corner of section #1, Block #2,
University Land, a concrete monument, bears S 15° 16' E 13,352.1 varas
and S 74° 44' W 5709.0 varas; the original rock marked "34" at the
SE corner of Block #40, Twp. 3 N, G & M M B & A, bears S 15° 16' E
13,352.1 varas and N 74° 44' E 11,483.2 varas.

Thence S 74° 44' W 1900.4 varas to the place of beginning.

Surveyed	May 8,	19 31	Norris B. Creath	} Chain Carriers.
			Gibbons Poteet	
			J. A. Conklin	Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 60 .

This 13 day of September, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 13

ANDREWS County } BLOCK NO. 3



FIELD NOTES of a survey of 639.9 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to the meridian passing through the corner of Survey No. , this Block, is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes, creeks, or tributaries of no drainage River about 10 1/2 miles N 75° E of Andrews, the county site.

Beginning at the common corner of sections #11, #12, and #14, this Block, being the NW corner of this section #13.

Thence N 74° 44' E 1900.4 varas to the SE corner of section #12.

Thence S 15° 16' E 1900.8 varas, set a concrete monument on a high rocky ridge in scattered mesquite 49.8 varas northerly from an east-west four-wire fence, being the NW corner of survey #44, Block #40, and the NE corner of survey #5, Block #41, Twp. 3 N, G & M M B & A. The brass plate in top of this monument was marked as in the figure above, from which different windmills bear N 72° 35' E about 2 3/4 miles, S 20° 53' E about 7/8 mile, N 51° 26' W about 2 1/2 miles, and N 50° 54' W about 2 1/2 miles; a windmill at a large tree, another at a farm house, and a third at a grove of trees, bear respectively S 66° 36' E about 1 mile, S 14° 37' E about 1 mile, and S 29° 06' W about 3 miles; the northwest corner of an old abandoned rock store building at Fasken bears S 39° 06' W about 2 miles; a mesquite 2" in diameter, marked "X", bears N 77° 05' W 83.4 varas. The NE corner of section #1, Block #2, University Land, a concrete monument, bears S 15° 16' E 9550.5 varas and S 74° 44' W 5709.0 varas; the original rock, marked "34", at the SE corner of Block #40, Twp. 3 N, G & M M B & A, bears S 15° 16' E 9550.5 varas and N 74° 44' E 11,483.2 varas. A line originating from the SE identified corner of Block #41, Twp. 2 N, G & M M B & A, and projected N 15° 16' W, passes over at least four other original corners along the east line of said Block #41, and also strikes the monument above described.

Thence S 74° 44' W --- at 1250 varas land in the north central part of a dry basin --- at 1900.4 varas point for the SW corner of this section #13, being the NE corner of survey #12, Block #41, Twp. 3 N, G & M M B & A.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 8, 1931 Norris B. Creath } Chain Gibbons Poteet } Carriers. J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 61 .


This 13 day of September, 1932.

Frank F. Friend Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 14

ANDREWS County } BLOCK NO. 3



FIELD NOTES of a survey of

641.9 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. 14, this Block, is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the corners of sand, dry lake Creek, a tributary of no drainage River about 9½ miles N 75° E of Andrews, the county site.

Beginning at the SE, the SW, and the NW corner respectively of sections #11, #12, and #13.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #13, being the NE corner of survey #12, Block #41, Twp. 3 N, G & M M B & A.

Thence S 74° 44' W --- at 1695 varas in center of Midland-Seminole highway --- at 1710 varas pass under a telephone line paralleling the highway --- at 1906.4 varas set a concrete monument in firm ground 67.1 varas northerly of an east-west fence, marked the brass plate in top of same as in the figure above, from which a windmill bears S 80° 27' E about 2¼ miles; a windmill at a house and trees, a windmill at a farm house, the right hand windmill of a set of doubles, and another single windmill, bear respectively S 40° 51' E, S 33° 28' W, S 86° 21½' W about 1½ miles, and N 46° 23' W about 1½ miles; a mesquite 2½" in diameter marked "X" bears N 13° 00' E 39.0 varas; the NW corner of an old abandoned rock store building at Fasken bears S 32° 16' E about 2340 varas.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #11, this Block.

Thence N 74° 44' E --- at about 112 varas cross the Midland-Seminole highway --- at 1906.4 varas, the place of beginning.

Surveyed May 8, 1931

Norris B. Creath } Chain

Gibbons Poteet } Carriers.

J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 62.

This 13 day of September, 1932.

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

For Place General Sketch

The State of Texas

B U 15	3 T 14	B U 15	3 T 15	B 9	3 U 10
Fig. 1		Fig. 2		Fig. 3	

ANDREWS

County

SECTION No. 15

BLOCK No. 3

FIELD NOTES of a survey of

640.5

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 24' East.

True North is 0° 04' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of sand, dry lakes, Creek, and drainage of no drainage, about 8 1/2 miles N 75° E of Andrews, the county site.

Beginning at the common corner of sections #10, #11, and #14, this Block.

Thence S 15° 16' E 1900.8 varas to a concrete monument set for the SW corner of section #14, being in firm ground 67.1 varas northerly of an east-west fence, the brass plate in top of which having been marked as in figure #1 above, from which a single windmill, a windmill at a house and trees, a windmill at a farm house, the right hand of double windmills, and another single windmill, bear respectively S 80° 27' E about 2 1/4 miles, S 40° 51' E, S 33° 28' W, S 86° 21 1/2' W about 1 1/2 miles, and N 46° 23' W about 1 1/2 miles; a mesquite 2 1/2" in diameter, marked "X", bears N 13° 00' E 39.0 varas; the northwest corner of an old abandoned rock store building at Fasken bears S 32° 16' E about 2340 varas.

Thence S 74° 44' W 1902.2 varas set a concrete monument in firm ground 61.1 varas easterly from a north-south fence and 82 varas northerly from an east-west fence, marked the brass plate in its top as in figure #2 above, from which a single windmill, a windmill at a clump of trees, and the left hand of double windmills, bear respectively N 2° 53' E about 1 1/2 miles, S 65° 37 1/2' E about 4 miles, and N 58° 25 1/2' W about 700 varas; the NW corner of an old abandoned rock store building at Fasken bears S 64° 25' E; a mesquite 3" in diameter, marked "X", bears N 36° 45' W 53.2 varas; another mesquite 4 1/2" in diameter, marked "F", bears N 22° 08' W 93 varas. The NE corner of section #1, Block #2, University Land, marked by a concrete monument, bears S 15° 16' E 9550.5 varas.

Thence N 15° 16' W 1900.8 varas strike the concrete monument set for the SE corner of section #9, this Block, situated in low ground 55 varas easterly from a north-south fence, its brass plate having been marked as in figure #3 above, from which a single windmill and the right hand of double windmills bear respectively N 62° 55' E about 1/2 mile and S 1° 44' W about 1 mile; a mesquite 3" in diameter, marked "X", bears S 38° 25' W 27.9 varas; a 1 1/2" iron pipe driven in ground bears S 13° 50' E 125.6 varas.

Thence N 74° 44' E 1902.2 varas to the place of beginning.

Surveyed May 8, 1931.

Norris B. Creath
Gibbons Poteet
J. A. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book UT Vol. 3 page 63

This 13 day of September, 1932.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 1
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 639.9 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 21' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 13 1/2 miles N 33° E of Andrews, the county site.

Beginning at a concrete monument set for the NE corner of this section #1, situated in deep sand covered with shin oak brush about 250 varas southerly from a large sand dune at the SE corner of an old field, marked the brass plate in top of same as in the figure above, from which two different windmills at farm houses, two different windmills at clumps of trees, and another windmill, bear respectively N 2° 07 1/2' E about 1 mile, N 61° 11' E also about 1 mile, S 21° 12' E about 1 1/4 miles, S 82° 04' W about 1 mile, and N 60° 28' W about 5 miles; an earth mound containing broken glass bears S 8° 06' W 50.0 varas. A straight line from this monument coursing S 15° 16' E passes over the two monuments set on the east line of Block #3, University Land, and when projected further passes over five original corners on the east line of Block #41, Twp. 2 N, G & M M B & A. The NE corner of section #1, Block #2, University Land, marked by a concrete monument, bears S 15° 16' E 28,558.5 varas and S 74° 44' W 5709.0 varas; the rock marked "34", identified as the SE corner of Block #40, Twp. 3 N, G & M M B & A, bears S 15° 16' E 28,558.5 varas and N 74° 44' E 11,483.2 varas .

Thence S 74° 44' W --- at 64.7 varas the 12" iron hemisphere, marked "X", described as the NE corner of this section #1 by W. D. Twichell on his map, dated September 1, 1902, (q. v.), bears S 15° 16' E 235.8 varas --- at 850 varas land in center of a dry basin --- at 1222.7 varas pass through at right angles a three-wire fence --- at 1900.4 varas point for the NW corner of this section #1.

Thence S 15° 16' E --- at about 235 varas pass through at right angles a three-wire fence --- at 1900.8 varas point for the SW corner of this section #1.

Thence N 74° 44' E 1900.4 varas to a point for the SE corner.

Thence N 15° 16' W --- at 1664.8 varas pass through at right angles a three-wire fence --- at 1665.0 varas the iron hemisphere above described bears S 74° 44' W 64.7 varas --- at 1900.8 varas, the place beginning.

Surveyed May 8, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

319.95
159.975


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 64 .

This 14 day of September , 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 2
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
641.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 19' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 03½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 13 miles N 31° E of Andrews, the county site.

Beginning at the NW corner of section #1, this Block.

Thence S 74° 44' W --- at 181.9 varas pass through at right angles an old fence line in deep sand --- at 385.3 varas cross at about right angles an old road through sand --- at 429.1 varas pass through at right angles a three-wire fence into a field, from which point the SE corner of the field bears S 15° 16' E about 235 varas --- at 1078.3 varas leave field --- at 1554 varas cross another old road through the sand --- at 1763.5 varas pass through at right angles a four-wire fence --- at 1800 varas enter firm, but sandy soil --- at 1906.4 varas set a concrete monument on the NE slope of a sandy ridge covered with shin oak and mesquite brush, marked the brass plate in the top of same as in the figure above, from which a windmill at a farm house, two different windmills at clumps of trees, and a windmill on a hill, bear respectively N 46° 59' E about ¾ mile, N 64° 47' E about 1 mile, S 79° 41' E about 2½ miles, and S 76° 49' W about 1 mile; an earth mound containing broken glass bears S 74° 35' E 50.0 varas; the school building (center) at Florey bears N 63° 23' W about 3 miles.

Thence S 15° 16' E --- at about 235 varas pass through at right angles a three-wire fence --- at 1900.8 varas point for the SW corner of this section #2.

Thence N 74° 44' E 1906.4 varas to the SW corner of section #1.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 8, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 65.

This 14 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 3
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
640.5 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 17' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 12 miles N 27° E of Andrews, the county site.

Beginning at a concrete monument set for the NW corner of section #2, this Block, situated on the NE slope of a sandy ridge covered with shin oak and mesquite brush, its brass plate in top having been marked as in the figure above, from which a windmill at a farm house, two different windmills at clumps of trees, and a windmill on a hill, bear respectively N 46° 59' E about 3/4 mile, N 64° 47' E about 1 mile, S 79° 41' E about 2 1/2 miles, and S 76° 49' W about 1 mile.

Thence S 74° 44' W --- at 140 varas on top of ridge --- at 770 varas land 25 varas southerly from the south edge of a dry basin --- at 984.7 varas go through at right angles a four-wire fence, from which the NE corner of an enclosure made by same bears N 15° 16' W about 53 varas --- at 1789.3 varas pass through a fence --- at 1902.2 varas a point near windmill and house for the NW corner of this section #3.

Thence S 15° 16' E --- at 210.2 varas, point from which the large pile of stones on a firm ridge, which Twitchell described as the NW corner of this section #3 on his certified sketch, dated September 1, 1902, bears S 74° 44' W 82.6 varas --- at 248.7 varas pass through at right angles a three-wire fence --- at 1900.8 varas, point near the NE edge of the Midland-Seminole highway for the SW corner of this section #3.

Thence N 74° 44' E 1902.2 varas to the SW corner of section #2.

Thence N 15° 16' W --- at about 1665.8 varas pass through at right angles a three-wire fence --- at 1900.8 varas, point, the place of beginning.

Surveyed May 8,	1931.	Norris B. Creath	} Chain Carriers.
		Gibbons Poteet	
		J. A. Conklin	Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 66 .

This 14 day of September, 1932 .


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 5
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
641.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 10' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block is 0° 02' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Monument Creek, a tributary of Colorado River about
11 miles N 20° E of Andrews, the county site.

Beginning at a concrete monument set in deep sand over-grown by
shin oak brush at the NW corner of section #4, this Block, the brass
plate in top of which having been marked as in the figure above, from
which a windmill on a hill at a ranch house bears N 72° 42½' E about
1940 varas; an earth mound containing clear broken glass bears
S 22° 26' W 50.0 varas.

Thence S 74° 44' W --- at 700 varas, top of sandy ridge --- at
1904.2 varas point for the NW corner of this section #5.

Thence S 15° 16' E --- at 252.8 varas point from which a pile
of rocks described by W. D. Twichell and designated by him as the
NW corner of this section #5, according to his certified sketch,
dated September 1, 1902, bears S 74° 44' W 93.2 varas --- at 263.2
pass through at right angles a three-wire fence --- at 1900.8 varas
point for the SW corner of this section #5.

Thence N 74° 44' E 1904.2 varas to the SW corner of section #4.

Thence N 15° 16' W --- at about 1645.8 varas pass through at right
angles a three-wire fence about 40 varas easterly from a junction of
a fence paralleling this survey line --- at 1900.8 varas strike the
concrete monument, the place of beginning.

Surveyed May 9, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 68 .

This 14 day of September , 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


For balance sheets, report, etc., see
Book U. T., Vol. 4.

For Plat see General Sketch on
last page of this Vol.

The State of Texas

SECTION No. 6

ANDREWS County } BLOCK No. 4



FIELD NOTES of a survey of

646.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 07' East.

True North is 0° 01½' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of Monument Creek, a tributary of Colorado River, about 10½ miles N 15° E of Andrews, the county site.

Beginning at the NW corner of section #5 for the NE corner of this section #6.

Thence S 74° 44' W --- at 93.2 varas, the pile of rocks represented by W. D. Twichell on his certified sketch, dated September 1, 1902, as the NE corner of this section #6, bears S 15° 16' E 252.8 varas --- at 1468.4 varas pass through at right angles a three-wire fence --- at 1918.5 varas point for the NW corner of this section #6. From this point S 74° 44' W 79.0 varas, set a concrete monument in deep sand over-grown by shin oak brush, marked the brass plate in top as in the figure above, from which a mesquite 6" in diameter, marked "X", bears S 68° 49' W 135 varas; a mott of shin oaks conspicuously taller than the average in a sand bed bears N 42° 16' W about 400 varas; an iron pipe with a brass cylinder over it, both driven unto the ground, identified as that which marks the NE corner of survey #1, Block A-35, P. S. L., bears S 84° 57' W 618.9 varas. The NE corner of survey #1, Block A-19, being also called, or represented by W. D. Twichell as the NW corner of this section #6, University Land, being now marked by a white wooden stake and a plunger-rod coupling, bears S 15° 15' 15" E 250 varas. This last described line running S 15° 15' 15" E, when projected strikes the original NE corner of Block #42, Twp. 1 S, T & P RR Co., which point lies in the center line of the Eighty-mile T & P Reservation.

Thence S 15° 16' E 1900.8 varas, point for the SW corner of this section #6.

Thence N 74° 44' E 1918.5 varas strike the SW corner of section #5.

Thence N 15° 16' W --- at 1637.6 varas pass through at right angles an old three-wire fence --- at 1900.8 varas, the place of beginning.

Surveyed May 9, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 69
This 26th day of June, 1934.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


For report, balance sheets, etc., see
Book U.T., Vol. 4.

For Plat see General Sketch on
last page of this Vol.

The State of Texas

SECTION No. 7

ANDREWS County } BLOCK No. 4



FIELD NOTES of a survey of

646.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 10' East.

True North is 0° 01½' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of Monument Creek, a tributary of Colorado River, about 9½ miles N 18° E of Andrews, the county site.

Beginning at the SW corner of section #6, this Block, said point being in the east boundary line of Block A-19, P. S. L.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #7. From this point, S 74° 44' W 79.8 varas set a concrete monument in deep sand covered by shin oak brush, marked the brass plate in top of same as in the figure above, from which a mesquite 2 1/2 inches in diameter, marked "X", bears S 85° 12' E 70.5 varas; a conspicuous sand dune bears S 70° 16' E 125 varas; a shin oak mott between two sand craters, 15 varas in diameter, bears S 84° 14' W 125 varas; a sand peak bears N 39° 41' W.

Thence N 74° 44' E 1918.5 varas to a point for the SE corner of this section #7.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #6.

Thence S 74° 44' W 1918.5 varas to the place of beginning.

Surveyed May 9, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 70

This 26th day of June, 1934.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 8
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 641.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 13' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 02' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 10 miles N 22° E of Andrews, the county site.

Beginning at the SW, the SE, and the NE corner respectively of sections #5, #6, and #7.

Thence S 15° 16' E 1900.8 varas to the SE corner of section #7.

Thence N 74° 44' E 1904.2 varas (having passed through at 1880.5 varas a four-wire fence) set a concrete monument in shin oak brush, sandy but firm soil, marked the brass plate in top of same as in the figure above, from which a mesquite 1½" in diameter, marked "≡" (three bars), bears N 3° 35' E 42.4 varas; a windmill in a drain, with only the wheel showing above horizon, bears N 82° 09' E about 1200 varas; two shin oaks with spreading branches standing near each other bear S 39° 51' W and S 40° 04' W about ½ mile; the right hand of two windmills in ravine (Monument Draw) bears N 71° 38½' W about 1 1/4 miles; a mesquite 5" in diameter, marked "X", on the south bank of Monument Draw bears N 40° 32' W 72.0 varas.

Thence N 15° 16' W --- at about 400 varas, in center of Monument Draw --- at 1900.8 varas strike the SE corner of section #5.

Thence S 74° 44' W 1904.2 varas to the place of beginning.

Surveyed May 9, 19 31

Norris B. Creath } Chain
Gibbons Potet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 71 .

This 16 day of September, 1932.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

PLAT OF SURVEY NO. 60

The State of Texas } SURVEY NO. 9
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
641.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 16' East.

True North as compared to the true north passing through the
North point used in the field notes of this survey. is 0° 02½' to the left of

Said survey is situated in ANDREWS County, Texas, on the
waters of Monument Creek, a tributary of Colorado River about
11 miles N 27° E of Andrews, the county site.

Beginning at the common corner of sections #4, #5, and #8, this
Block.

Thence S 15° 16' E --- at about 1500.8 varas, in center of
Monument Draw --- at 1900.8 varas strike the concrete monument set
in shin oak brush in firm but sandy soil, the brass plate in top of
which having been marked as in the figure above, from which a mesquite
1 1/2 inches in diameter, marked "≡" (three bars), bears N 3° 35' E
42.4 varas; a windmill in a ravine (Monument Draw), only the top of
the wheel visible above horizon, bears N 82° 09' E about 1200 varas;
two shin oak trees with spreading branches, standing near each other,
bear S 39° 51' W and S 40° 04' W about 1/2 mile; the right hand of
two windmills in Monument draw bears N 71° 38½' W about 1 1/4 miles;
a mesquite 5" in diameter, marked "X", on the south bank of Monument
Draw bears N 40° 32' W 72.0 varas.

Thence N 74° 44' E, crossing Monument Draw, 1904.1 varas to a
point for the SE corner of this section #9.

Thence N 15° 16' W --- at 1891.8 varas, in center of Midland-
Seminole highway --- at 1900.8 varas strike the SE corner of section
#4, being a point near the NE edge of the highway.

Thence S 74° 44' W 1904.1 varas to the place of beginning.


Surveyed	May 9,	19 31	Norris B. Creath	} Chain Carriers. Transitman.
			Gibbons Poteet	
			J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 72 .
This 16 day of September, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
~~Plat 0060 Survey No.~~

The State of Texas } SURVEY NO. 10
 ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
 640.5 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 19' East.

True North as compared to a meridian passing through the corner
~~of Survey No. , this Block,~~ is 0° 03' to the left of
 the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
 waters of Monument Creek, a tributary of Colorado River about
 11½ miles N 30° E of Andrews, the county site.

Beginning at a point near the NE edge of the Midland-Seminole high-
 way at the SW corner of section #3, this Block.

Thence S 15° 16' E --- at 9.0 varas pass center of highway --- at
 1900.8 varas strike the SE corner of section #9.

Thence N 74° 44' E, crossing again the highway, 1902.2 varas set
 a concrete monument on high ground between two prongs of Monument
 Draw about two miles northwest of their junction, being in deep sand
 and shinnery, marked the brass plate in top of same as in the figure
 above, from which a windmill at a ranch house bears N 41° 07' W
 about 2½ miles; a new steel windmill bears N 40° 43½' W about 1½ miles;
 an earth mound containing broken glass bears N 9° 19' E 50.0 varas;
 a windmill at a clump of trees bears N 49° 34' E about 2 1/4 miles.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #3.

Thence S 74° 44' W 1902.2 varas to the place of beginning.

Surveyed May 9, 1931.

Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
 Surveyor of University Lands, do hereby certify that the foregoing
 survey was made by me in the field and according to law; that the
 limits, boundaries and corners, with the marks, natural and artificial
 are truly described in the foregoing plat and field notes, just as I
 found them on the ground; and that they are recorded in the Surveyor's
 Records in Andrews, Andrews County in Book "U T" Vol. 3, Page 73.


This 16 day of September, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 11
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 641.9 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 21' East.

True North as compared to a meridian passing through the ~~000000~~ of Survey No. 000, this Block is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 12 miles N 34° E of Andrews, the county site.

Beginning at the NE corner of section #10, being also the SW corner of section #2, this Block.

Thence S 15° 16' E 1900.8 varas to a concrete monument set for the SE corner of section #10, being on high ground between two prongs of Monument Draw, in deep sand and shinnery (the two draws join southeasterly about 2 miles), the brass plate in top of which monument having been marked as in the figure above, from which a windmill on a hill at a ranch house bears N 41° 07' W about 2 1/2 miles; a new steel windmill bears N 40° 43 1/2' W about 1 1/2 miles; an earth mound containing broken glass bears N 9° 19' E 50.0 varas; a windmill at a clump of trees bears N 49° 34' E 2 1/4 miles.

Thence N 74° 44' E 1906.4 varas to a point for the SE corner of this section #11.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #2.

Thence S 74° 44' W 1906.4 varas to the place of beginning.

Surveyed May 9, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 74 .


This 16 day of September, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 13
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
639.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 04½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 12½ miles N 40° E of Andrews, the county site.

Beginning at a concrete monument set in the bottom of a grassy basin for the SE corner of section #12, the brass plate in top of which having been marked as in the figure above, from which a windmill at a clump of trees bears N 9° 12' W about 1 mile; an earth mound containing broken glass bears S 53° 59' E 50.0 varas.

Thence S 74° 44' W 1900.4 varas to the common corner of this and sections #11, #12, and #14.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #13.

Thence N 74° 44' E 1900.4 varas to a point near the junction of two prongs of Monument Draw for the SE corner of this section #13.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed My 9, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 76 .
This 16 day of September, 1932 .


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 14

ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of

641.9 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 23' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 11 1/2 miles N 38° E of Andrews, the county site.

Beginning at the NW corner of section #13, which is also the SE corner of section #11.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #13.

Thence S 74° 44' W 1906.4 varas to the SW corner of this section #14.

Thence N 15° 16' W 1900.8 varas strike the concrete monument set for the SE corner of section #10 situated on high sandy ground covered with shin oak brush between two prongs of Monument Draw about 2 miles NW from their junction, the brass plate in top of which having been marked as in the figure above, from which a windmill on a hill at a ranch house bears N 41° 07' W about 2 1/2 miles; a new steel windmill bears N 40° 43 1/2' W about 1 1/2 miles; an earth mound containing broken glass bears N 9° 19' E 50.0 varas; a windmill at a clump of trees bears N 49° 34' E about 2 1/4 miles.

Thence N 74° 44' E 1906.4 varas to the place of beginning.

Surveyed May 9,

19 31

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 77.

This 16 day of September, 19 32.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 15

ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 640.5 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 21' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 11 miles N 34° E of Andrews, the county site.

Beginning at a concrete monument set on high sandy ground covered with shin oak brush between two prongs of Monument Draw about 2 miles NW from their junction, being the SE corner of section #10 and the NW corner of section #14, this Block, the brass plate in top of which having been marked as in the figure above, from which a windmill on a hill at a ranch house bears N 41° 07' W about 2 1/2 miles; a new steel windmill bears N 40° 43 1/2' W about 1 1/2 miles; an earth mound containing broken glass bears N 9° 19' E 50.0 varas; a windmill at a clump of trees bears N 49° 34' E about 2 1/4 miles.

Thence S 74° 44' W, crossing the Midland-Seminole highway, 1902.2 varas to the SW corner of section #10.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #15.

Thence N 74° 44' E, crossing the same highway, 1902.2 varas to the SW corner of section #14.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 9, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 78 .

This 16 day of Spetember, 19 32.


Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 16

ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 641.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 18' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 10 miles N 31° E of Andrews, the county site.

Beginning at the common corner of sections #9, #10, and #15.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #15.

Thence S 74° 44' W 1904.1 varas to a point for the SW corner of this section #16.

Thence N 15° 16' W 1900.8 varas to the concrete monument set for the SE corner of section #8, being 23.7 varas east of a north-south fence and about 400 varas south of Monument Draw, in sandy soil covered with shin oak brush, the brass plate in top of which having been marked as in the figure above, from which a mesquite 1 1/2" in diameter, marked "≡" (three bars), bears N 3° 35' E 42.4 varas; a windmill in Monument draw, with only the top of the wheel visible above the horizon, bears N 82° 09' E about 1200 varas; two shin oak trees with spreading branches standing near each other bear S 39° 51' W and S 40° 04' W about 1/2 mile; the right hand of double windmills in Monument Draw bears N 71° 38 1/2' W about 1 1/4 miles; a mesquite 5" in diameter, marked "X", standing on the south bank of Monument Draw, bears N 40° 32' W 72.0 varas.

Thence N 74° 44' E, crossing Monument Draw, 1904.1 varas to the place of beginning.

Surveyed May 9, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 79 .


This 16 day of September , 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 17
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 641.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 15' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 9½ miles N 27° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #8, being 23.7 varas east of a north-south fence and about 400 varas south of Monument Draw, in sandy soil covered with shin oak brush, the brass plate in top of which having been marked as in the figure above, from which a mesquite 1½" in diameter, marked "≡" (three bars), bears N 3° 35' E 42.4 varas; a windmill in Monument Draw, with only the top of the wheel visible above the horizon, bears N 82° 09' E about 1200 varas; two shin oak trees with spreading branches standing near each other bear S 39° 51' W and S 40° 04' W about 1/2 mile; the right hand of double windmills in Monument Draw bears N 71° 38½' W about 1 1/4 miles; a mesquite 5" in diameter, marked "X", standing on the south bank of Monument Draw, bears N 40° 32' W 72.0 varas.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #16.

Thence S 74° 44' W --- at 37.5 varas pass through at about right angles a four-wire fence --- at 1904.2 varas point for the SW corner of this section #17.

Thence N 15° 16' W 1900.8 varas strike the SW corner of section #8.

Thence N 74° 44' E 1904.2 varas to the place of beginning.

Surveyed May 9, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3, Page 80 .

This 16 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For report, balance sheets, etc., see
Book U. T., Vol. 4.

For Plat see General Sketch on
last page of this Vol.

The State of Texas

	B 4	
	7	
	18	
	U T	

SECTION No. 18
 }
 A N D R E W S County } BLOCK No. 4

FIELD NOTES of a survey of
 646.0 ACRES of land made for THE
 UNIVERSITY OF TEXAS by virtue of an
 ACT approved March 29, 1929.

Mag. Declination 11° 13' East.
 True North is 0° 02' to the left of the North point used in
 the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas,
 on the drainage of Monument Creek, a tributary of Colorado River,
 about 9 miles N 22° E of Andrews, the county site.

Beginning at the common corner of sections #7, #8 and #17.

Thence S 74° 44' W 1918.5 varas to a point for the NW corner of
 this section #18, from which point S 74° 44' W 79.8 varas set a concrete
 monument in deep sand and shin oak brush, the brass plate in top of
 which having been marked as in the figure above, from which a mesquite
 2 1/2 inches in diameter, marked "X", bears S 85° 12' E 70.5 varas; a
 conspicuous sand dune bears S 70° 16' E 125.0 varas; a mott of shin
 oak trees between two sand craters, each 15 varas in diameter, bears
 S 84° 14' W 125.0 varas; a sand peak bears N 39° 41' W.

Thence S 15° 16' E 1900.8 varas to a point in the east boundary
 line of Block A-19 for the SW corner of this section #18.

Thence N 74° 44' E 1918.5 varas to the SW corner of section #17.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 11, 1931.

Norris B. Creath } Chainmen.
 Gibbons Poteet }
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University
 Lands, do hereby certify that the foregoing survey was made by me in the field and according to law;
 that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described
 in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded
 in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 81
 This 26th day of June, 1934.

Frank F. Friend

 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For report, balance sheets, etc., see
Book U. T., Vol. 4.

For Plat see General Sketch on
last page of this Vol.

The State of Texas

SECTION No. 19

ANDREWS County } BLOCK No. 4

		B 4	
		19	
		30	
		U T	

FIELD NOTES of a survey of

646.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 14' East.

True North is 0° 02' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of Monument Creek, a tributary of Colorado River, about 8 miles N 26° E of Andrews, the county site.

Beginning at a point in the east boundary line of Block A-19, P. S. L., at the SW corner of section #18.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #19, from which point S 74° 44' W 80.6 varas set a concrete monument in low firm ground covered with mesquite, marked the brass plate in top of same as in the figure above, from which a mesquite 3 inches in diameter, marked "X", bears S 57° 12' E 53.0 varas; a large allthorn 8 inches in diameter, marked "X", in a cluster of five others, each 3 inches in diameter, bears N 55° 49' W 117 varas.

Thence N 74° 44' E, crossing the Andrews-Florey road, 1918.5 varas to a point for the SE corner of this section #19.

Thence N 15° 16' W, re-crossing Andrews-Florey road, 1900.8 varas strike the SE corner of section #18.

Thence S 74° 44' W 1918.5 varas to the place of beginning.

Surveyed May 11, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 82


This 26th day of June, 1934.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 20
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
641.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 17' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block, is 0° 02½' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Monument Creek, a tributary of Colorado River about
8½ miles N 31° E of Andrews, the county site.

Beginning at the NE corner of section #19, which is identical with
the SW corner of section #17.

Thence S 15° 16' E, crossing the Andrews-Florey road, 1900.8 varas
to the SE corner of section #19.

Thence N 74° 44' E --- at 1852.9 varas pass through at about right
angles a four-wire fence --- at 1904.2 varas set a concrete monument
in low sandy soil, covered with shin oak brush, marked the brass plate
in same as in the figure above, from which an earth mound containing
broken glass bears S 63° 16' E 50.0 varas; a sand peak bears S 89° 44' W;
a small shin oak mott on a sand peak bears N 85° 46' W; a clump of
mesquite on a sand peak bears N 76° 31' W about 800 varas.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #17.

Thence S 74° 44' W --- at 37.5 varas pass through at about right
angles a four-wire fence --- at 1904.2 varas, point, the place of begin-
ning.

Surveyed	May 11,	19 31.	Norris B. Creath	} Chain Carriers.
			Gibbons Poteet	
			J. A. Conklin	Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 83 .


This 17 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 21
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
641.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 19' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 9½ miles N 35° E of Andrews, the county site.

Beginning at the common corner of sections #16, #17, and #20, this Block.

Thence S 15° 16' E 1900.8 varas to a concrete monument set for the SE corner of section #20, situated in low sandy ground covered with shin oak brush, the brass plate in top of which having been marked as in the figure above, from which an earth mound containing broken glass bears S 63° 16' E 50.0 varas; a sand peak bears S 89° 44' W; a small shin oak mott on a sand peak bears N 85° 46' W; a clump of mesquites on a sand peak bears N 76° 31' W about 800 varas.

Thence N 74° 44' E 1904.1 varas to a point for the SE corner of this section #21.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #16.

Thence S 74° 44' W 1904.1 varas to the place of beginning.

Surveyed May 11, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 84 .


This 17 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Block No. 4

The State of Texas } SURVEY NO. 22
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
640.5 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 22' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 10 miles N 38° E of Andrews, the county site.

Beginning at the NE corner of section #21, this Block.

Thence S 15° 16' E 1900.8 varas to the SE corner of section #21.

Thence N 74° 44' E --- at about 1532.2 varas cross the Midland-Seminole highway --- at 1902.2 varas set a concrete monument in deep sand covered with shin oak brush for the SE corner of this section #22, marked the brass plate in top of same as in the figure above, from which a windmill bears S 18° 31' W about 1½ miles; a windmill on a hill at a ranch house bears N 29° 00' W about 4 miles; an earth mound containing broken glass bears N 28° 18' E 50.0 varas.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #15.

Thence S 74° 44' W, re-crossing the highway, 1902.2 var as to the place of beginning.

Surveyed May 11, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 85 .

This 17 day of September, 19 32.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 23
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
641.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 24' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 11 miles N 41° E of Andrews, the county site.

Beginning at the SW, the SE, and the NE corner respectively of sections #14, #15, and #22.

Thence S 15° 16' E 1900.8 varas to a concrete monument set for the SE corner of section #22 in deep sand and shin oak brush, the brass plate in top of which having been marked as in the figure above, from which a windmill bears S 18° 31' W about 1½ miles; a windmill on a hill, near a ranch house, bears N 29° 00' W about 4 miles; an earth mound containing broken glass bears N 28° 18' E 50.0 varas.

Thence N 74° 44' E 1906.4 varas to a point for the SE corner of this section #23.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #14.

Thence S 74° 44' W 1906.4 varas to the place of beginning.

320.95
160.475

Surveyed May 11, 19 31, Norris B. Creath } Chain
Gibbons Potect } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 86.


This 17 day of September, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 24
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 639.9 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 12 miles N 45° E of Andrews, the county site.

Beginning at the NE corner of section #23 for the NW corner of this section #24.

Thence S 15° 16' E 1900.8 varas to the SW corner of this section #24, being also the SE corner of section #23.

Thence N 74° 44' E 1900.4 varas set a concrete monument for the SE corner of this section #24, being in very rough hummocky sand, about 500 varas northwesterly from a sandy basin, marked the brass plate in top of same as represented in the figure above, from which a windmill at a clump of trees bears N 13° 16' W about 3 miles; an earth mound containing broken glass bears S 37° 24' E 50.0 varas.

Thence N 15° 16' W 1900.8 varas to a point near the junction of two prongs of Monument Draw at the SE corner of section #13.

Thence S 74° 44' W 1900.4 varas to the place of beginning.

Surveyed May 11, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3, Page 87.


This 17 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 60

The State of Texas } SURVEY NO. 25
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
639.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. 60, this block, is 0° 04½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11½ miles N 48° E of Andrews, the county site.

Beginning at a concrete monument set in deep hummocky sand covered with shin oak brush, situated about 500 varas northwesterly from a sandy basin for the SE corner of section #24, its brass plate in top having been marked as in the figure above, from which a windmill at a clump of trees bears N 13° 16' W about 3 miles; an earth mound containing broken glass bears S 37° 24' E 50.0 varas.

Thence S 15° 16' E 1900.8 varas to a point for the SE corner of this section #25.

Thence S 74° 44' W 1900.4 varas, point for the SW corner of this section.

Thence N 15° 16' W 1900.8 varas strike the SW corner of section #24.

Thence N 74° 44' E 1900.4 varas to the place of beginning.

Surveyed May 11, 1931

Norris B. Creath } Chain
Gibbons Poetet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews, County in Book "U T" Vol. 3 Page 88 .
This 17 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


Plat of Survey No.

The State of Texas

SURVEY NO. 26

ANDREWS County

BLOCK NO. 4



FIELD NOTES of a survey of

641.9 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination

East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 10½ miles N 46° E of Andrews, the county site.

Beginning at the common corner of sections #23, #24 and #25.

Thence S 74° 44' W 1906.4 varas to the concrete monument set for the SE corner of section #22, being in deep sand over-grown by shin oak brush, the brass plate in top of which having been marked as in the figure above, from which a windmill bears S 18° 31' W about 1½ miles; another windmill on a hill near a ranch house bears N 29° 00' W about 4 miles; an earth mound containing broken glass bears N 28° 18' E 50.0 varas.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #26.

Thence N 74° 44' E 1906.4 varas strike the SW corner of section #25.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 11, 1931.

Norris B. Creath	} Chain Carriers. Transitman.
Gibbons Poteet	
J. A. Conklin	


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 89 .

This 17 day of September, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
 Plan of Survey No.

The State of Texas } SURVEY NO. 27
 ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
 640.5 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is $0^{\circ} 03\frac{1}{2}'$ to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes, creeks, or tributary of no drainage about $9\frac{1}{2}$ miles N 43° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #22, this Block, being in deep sand covered with shin oak brush, the brass plate in top of which having been marked as in the figure above, from which a windmill bears S $18^{\circ} 31'$ W about $1\frac{1}{2}$ miles; another windmill on a hill near a ranch house bears N $29^{\circ} 00'$ W about 4 miles; an earth mound containing broken glass bears N $28^{\circ} 18'$ E 50.0 varas.

Thence S $74^{\circ} 44'$ W 1902.2 varas to the SW corner of section #22 (having crossed the Midland-Seminole Highway at about 370 varas).

Thence S $15^{\circ} 16'$ E 1900.8 varas to a point for the SW corner of this section #27.

Thence N $74^{\circ} 44'$ E --- at about 1627.2 varas re-cross the Midland-Seminole highway --- at 1902.2 varas strike the SW corner of section #26.

Thence N $15^{\circ} 16'$ W 1900.8 varas to the place of beginning.

Surveyed May 11, 1931
 Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3, Page 90.

This 17 day of September, 1932.
 Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

Plat-of-Survey-No.

The State of Texas } SURVEY NO. 28
ANDREWS County } BLOCK NO. 4

B	4
20	21
29	28
U	T

FIELD NOTES of a survey of 641.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 20' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 9 miles N 40° E of Andrews, the county site.

Beginning at the NW corner of section #27, being also the SE corner of section #21, this Block.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #27.

Thence S 74° 44' W 1904.1 varas to a point for the SW corner of this section #28.

Thence N 15° 16' W 1900.8 varas to a concrete monument set for the SE corner of section #20, situated in low deep sand covered with shin oak brush, the brass plate in top of which having been marked as represented in the figure above, from which an earth mound containing broken glass bears S 63° 16' E 50.0 varas; a sand peak bears S 89° 44' W; a small shin oak mott on another sand peak bears N 85° 46' W; a clump of mesquites on a third sand peak bears N 76° 31' W about 800 varas.

Thence N 74° 44' E 1904.1 varas to the place of beginning.

Surveyed May 11, 1931.

Norris B. Creath } Chain
Gibbons Potet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 91 . This 28 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 29
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
641.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 17' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 02½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 8 miles N 36° E of Andrews, the county site.

Beginning at a concrete monument set in low ground, being deep sand covered with shin oak brush, at the SE corner of section #20, this Block, same being also the NW corner of section #28, the brass plate in top of which monument having been marked as in the figure above, from which an earth mound containing broken glass bears S 63° 16' E 50.0 varas; a sand peak bears S 89° 44' W; a small shin oak mott on another sand peak bears N 85° 46' W; a clump of mesquites on a third sand peak bears N 76° 31' W about 800 varas.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #28.

Thence S 74° 44' W --- at about 73 varas pass through at about right angles a four-wire fence just north of its junction with an east-west fence --- at 1904.2 varas, point for the SW corner of this section #29.

Thence N 15° 16' W 1900.8 varas strike the SW corner of section #20.

Thence N 74° 44' E --- at 1852.9 varas pass through at about right angles a four-wire fence --- at 1904.2 varas strike the concrete monument, the place of beginning.

Surveyed May 12,

19 31

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 92 .

This 28 day of September , 19 32.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For report, balance sheets, etc., see Book U. T., Vol. 4.

For Plat see General Sketch on last page of this Vol.

The State of Texas

SECTION No. 30

ANDREWS County } BLOCK No. 4

		B 4	
		19	
		30	
		U T	

FIELD NOTES of a survey of

646.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

True North is 0° 02' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of sand, dry lakes, Creek, tributary of no drainage, about 7 miles N 31° E of Andrews, the county site.

Beginning at the common corner of sections #19, #20 and #29, this Block, for the NE corner of this section #30.

Thence S 74° 44' W, crossing the Andrews-Florey road, 1918.5 varas to a point for the NW corner of this section #30, from which point S 74° 44' W 80.6 varas set a concrete monument in low firm mesquite covered ground, the brass plate in top of which having been marked as in the figure above, from which a mesquite 3 inches in diameter, marked "X", bears S 57° 12' E 53.0 varas; a large allthorn tree 8 inches in diameter, marked "X", in a cluster of five others, each 3 inches in diameter, bears N 55° 49' W 117 varas.

Thence S 15° 16' E 1900.8 varas to a point in the east boundary line of Block A-19, P. S. L., for the SW corner of this section #30.

Thence N 74° 44' E 1918.5 varas, strike the SW corner of section #29.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 93

This 26th day of June, 1934.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch on last page of this Vol.

The State of Texas

SECTION No. 31

ANDREWS County } BLOCK No. 4

FIELD NOTES of a survey of

646.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

		B 4	
		31	
		42	
		U T	

Mag. Declination 11° 17' East.

True North is 0° 02' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of sand, dry lakes, ~~Creek, a tributary of~~ no drainage, about 6½ miles N 37° E of Andrews, the county site.

Beginning at a point on the east boundary line of Block A-19, P. S. L., at the SW corner of section #30, this Block.

Thence S 15° 16' E --- at 341.4 varas a large pile of rocks dug from an old well bears S 74° 45' W 163.6 varas --- at 1900.8 varas point for the SW corner of this section #31, from which point S 74° 44' W 81.4 varas set a concrete monument in low firm ground, marked the brass plate in its top as in the figure above, from which a windmill bears S 66° 29' W about 2 miles; a forked mesquite 3 inches in diameter, marked "X", bears N 29° 34' W 88.5 varas.

Thence N 74° 44' E at 1918.5 varas point for the SE corner of this section #31.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #30.

Thence S 74° 44' W 1918.5 varas to the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath	} Chainmen.
Gibbons Poteet	
J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 94


This 26th day of June, 1934.

Frank F. Friend

 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol.
 For report, balance sheets, etc., see Book U T, Vol. 4.)
 Plat of Survey No.

The State of Texas } SURVEY NO. 32
 ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
 641.1 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 20' East.

True North as compared to a meridian passing through the corner
 of Survey No. , this Block, is 0° 03' to the left of
 the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
 waters of sand, dry lakes Creek, a tributary of no drainage River about
 7½ miles N 42° E of Andrews, the county site.

Beginning at the common corner of sections #29, #30, and #31, this
 Block, for the NW corner of this section #32.

Thence N 74° 44' E 1904.2 varas to the SW corner of section #28.

Thence S 15° 16' E 1900.8 varas to a concrete monument set in a
 brushless prairie of firm ground sloping northerly toward a dry basin
 in which are many large mesquites, the brass plate in top of which
 monument being marked as in the figure above, from which a mesquite
 3" in diameter, marked "F", in the basin bears N 6° 00' W 288.3 varas;
 another mesquite of similar description, marked "X", bears N 3° 35' W
 281.2 varas.

Thence S 74° 44' W --- at 200 varas enter sand and shinnery --- at
 1904.2 varas strike the SE corner of section #31.

Thence N 15° 16' W 1900.8 varas to the NE corner of section #31,
 the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
 Surveyor of University Lands, do hereby certify that the foregoing
 survey was made by me in the field and according to law; that the
 limits, boundaries and corners, with the marks, natural and artificial
 are truly described in the foregoing plat and field notes, just as I
 found them on the ground; and that they are recorded in the Surveyor's
 Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 95 .


This 29 day of September, 1932 .

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T, Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 33
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 641.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 20' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 8½ miles N 46° E of Andrews, the county site.

Beginning at the NE Corner of section #32, which is the same as the SW corner of section #28, this Block.

Thence N 74°44' E 1904.1 varas to the SW corner of section #27.

Thence S 15°16' E 1900.8 varas to a point for the SE corner of this section #33.

Thence S 74°44' W 1904.1 varas to the concrete monument set for the SE corner of section #32, situated in a brushless prairie of firm ground sloping northerly toward a dry basin in which are many large mesquite trees, the brass plate in top of which monument having been marked as in the figure above, from which a mesquite 3" in diameter, marked "F", in the basin, bears N 6° 00' W 288.3 varas; another mesquite of like description, marked "X", bears N 3°35' W 281.2 varas.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 12, 1931. Norris B. Creath Chain
Gibbons Poteet Carriers.
J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 96 .


This 29 day of September, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T, Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 34
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 640.5 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 22' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 9 miles N 48° E of Andrews, the county site.

Beginning at the NE corner of section #33, being also the SW corner of section #27, this Block, for the NW corner of this section #34.

Thence N 74°44' E --- at about 1627.2 varas cross the Midland-Seminole highway --- at 1902.2 varas strike the SE corner of section #27.

Thence S 15° 16' E 1900.8 varas to a concrete monument set for the SE corner of this Section #34, situated in a sandy prairie, the brass plate in top of which being marked as in the figure above, from which a steel windmill, a windmill at a large tree, the left hand of double windmills, and a fourth windmill, bear respectively S 81°02' E about 5 miles, S 47°51' E about 6 miles, S 36°13½' E about 3 miles, and N 61°28' W about 1 mile; an earth mound containing broken glass bears S 55°25' E 50.0 varas.

Thence S 74°44' W --- at about 185 varas cross the Midland-Seminole highway--- at 1902.2 varas strike the SE corner of section #33.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 97.


This 29 day of September, 19 32

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T, Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 35
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
641.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 10 miles N 51° E of Andrews, the county site.

Beginning at the SE corner of section #27, which is also the NE corner of section #34, for the NW corner of this section #35.

Thence N 74°44' E 1906.4 varas to the SE corner of section #26.

Thence S 15°16' E 1900.8 varas to a point for the SE corner of this section #35.

Thence S 74°44' W 1906.4 varas to the concrete monument set in a sandy prairie for the SE corner of section #34, its brass plate in top having been marked as represented in the figure above, from which a steel windmill, a windmill at a large tree, the left hand of double windmills, and a fourth windmill, bear respectively S 81°02' E about 5 miles, S 47°51' E about 6 miles, S 36°13½' E about 3 miles, and N 61°28' W about 1 mile; an earth mound containing broken glass bears S 55°25' E 50.0 varas.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 98 .


This 29 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T, Vol. 4.)

Plat of Survey No. 00

The State of Texas } SURVEY NO. 36
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 639.9 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 25' East.
True North as compared to a meridian passing through the corner of Survey No. 00, this Block, is 0° 05' to the left of the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11 miles N 53° E of Andrews, the county site.
Beginning at the SW corner of section #25, which is also the NE corner of section #35, this Block.

Thence N 74°44' E 1900.4 varas to the SE corner of section #25.

Thence S 15°16' E 1900.8 varas to a concrete monument set in a deep, sandy hollow, the brass plate in top of which having been marked as represented as in the figure above, from which a large sand mound containing broken glass bears N 42°51' W 34.3 varas.

Thence S 74°44' W 1900.4 varas to the SE corner of section #35.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 99.


This 29 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc, see Book U T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 37
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
639.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. 10, this Block, is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 10½ miles N 59° E of Andrews, the county site.

Beginning at the concrete monument set for the SE corner of section #36, this Block, situated in a deep, narrow, sandy hollow, the brass plate in top of which having been marked as in the figure above, from which a large sand mound containing broken glass bears N 42° 51' W 34.3 varas.

Thence S 15° 16' E 1900.8 varas strike the NE corner of section #1, Block #3, University Land.

Thence S 74° 44' W 1900.4 varas to the NW corner of section #1, Block #3, being also the NE corner of section #2.

Thence N 15° 16' W 1900.8 varas strike the SE corner of section #35, this Block.

Thence N 74° 44' E 1900.4 varas to the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 100 .


This 29 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 38
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
641.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of No drainage River about 9½ miles N 57° E of Andrews, the county site.

Beginning at the NW corner of section #37, this Block.

Thence S 15°16' E 1900.8 varas, strike the SW corner of section #37, this Block, being also the NW and the NE corner respectively of sections #1 and #2, Block #3, University Land.

Thence S 74°44' W 1906.4 varas to the northerly common corner of sections #2 and #3, Block #3.

Thence N 15°16' W 1900.8 varas, strike the concrete monument set for the SE corner of section #34, this Block, situated in a sandy prairie, the brass plate in top of same having been marked as represented as in the figure above, from which a steel windmill, a windmill at a large tree, the left hand of double windmills, and a fourth windmill bear respectively S 81°02' E about 5 miles, S 47°51' E about 6 miles, S 36°13½' E about 3 miles, and N 61°28' W about 1 mile; an earth mound containing broken glass bears S 55° 25' E 50.0 varas.

Thence N 74°44' E 1906.4 varas to the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 101 .

This 30 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc, see Book U T, Vol. 4.)
Plat of Survey No.

The State of Texas } SURVEY NO. 39
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
640.5 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 22' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 8½ miles N 54° E of Andrews, the county site.

Beginning at a concrete monument set in a sandy prairie for the SE corner of section #34, this Block, the brass plate in top of which having been marked as in the representative figure above, from which a steel windmill, a windmill at a large tree, the left hand of double windmills, and a fourth windmill bear respectively S 81° 02' E about 5 miles, S 47° 51' E about 6 miles, S 36° 13½' E about 3 miles, and N 61° 28' W about 1 mile; an earth mound containing broken glass bears S 55° 25' E 50.0 varas.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #38, this Block, being also the NW and the NE corner respectively of sections #2 and #3, Block #3, University Lands.

Thence S 74° 44' W --- at about 81 varas cross the Midland-Seminole highway --- at 1902.2 varas strike the northerly corner of sections #3 and #4, Block #3.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #33, this Block.

Thence N 74° 44' E --- at about 1717.2 varas re-cross the Midland-Seminole highway --- at 1902.2 varas, point the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 102 .


This 30 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T, Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 40
ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of 641.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 21' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 8 miles N 52° E of Andrews, the county site.

Beginning at the common corner of sections #33, #34, and #39, this Block.

Thence S 15°16' E 1900.8 varas to the common northerly corner of sections #3 and #4, Block #3, University Land, being also the SW corner of section #39, this Block.

Thence S 74°44' W 1904.1 varas to the common northerly corner of sections #4 and #5, Block #3.

Thence N 15°16' W 1900.8 varas to a concrete monument set for the SE corner of section #32, this Block, situated on a brushless prairie of firm ground sloping gradually toward a basin in which are growing many large mesquite trees, the brass plate in top of which having been marked as represented in the figure above, from which a mesquite 3" in diameter, marked "F", in the basin, bears N 6°00' W 288.3 varas; another mesquite 3" in diameter, marked "X", bears N 3°35' W 281.2 varas.

Thence N 74°44' E 1904.1 varas to the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 103 .


This 30 day of September, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T, Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 41
 ANDREWS County } BLOCK NO. 4



FIELD NOTES of a survey of
 641.1 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 20' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 03' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 7 miles N 48° E of Andrews, the county site.

Beginning at the concrete monument set for the SE corner of section #32, this Block, being in a brushless prairie of firm ground sloping gradually to the north toward a dry basin in which are many large mesquite trees, the brass plate in top of which having been marked as represented in the figure above, from which a mesquite 3" in diameter, marked "F", bears N 6°00' W 288.3 varas; another mesquite of like description, marked "X", bears N 3°35' W 281.2 varas. Both of these trees are standing in the dry basin.

Thence S 15°16' E 1900.8 varas to the common northerly corner of sections #4 and #5, Block #3, University Land, being also the SW corner of section #40, this Block.

Thence S 74°44' W 1904.2 varas to the NW corner and the NE corner respectively of sections #5 and #6, Block #3.

Thence N 15°16' W 1900.8 varas to the SE corner of section #31, this Block.

Thence N 74°44' W --- at about 1704.2 varas leave sand and shinnery, enter firmer ground --- at 1904.2 varas, point the place of beginning.

Surveyed May 12, 19 31
 Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 104 .

This 30 day of September, 19 32.


Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch on
last page of this Vol.

The State of Texas

SECTION No. 42

ANDREWS County } BLOCK No. 4



FIELD NOTES of a survey of

646.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 18' East.

True North is 0° 02' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of sand, dry lakes Creek, a tributary of no drainage, about 6 miles N 42° of Andrews, the County site.

Beginning at the common corner of sections #31, #32 and #41, this Block, for the NE corner of this section #42.

Thence S 15° 16' E 1900.8 varas to the northerly common corner of sections #5 and #6, Block #3, University Land, which is also the SW corner of section #41, this Block.

Thence S 74° 44' W 1918.5 varas to the NW corner of said section #6, from which point S 74° 44' W 81.8 varas was set a concrete monument on a firm sandy ridge, its brass plate in top having been marked as represented in figure #1 above, from which double windmills, a windmill at a house and clump of trees, and a fourth windmill bear respectively: S 4° 14' E and S 3° 23' E about 1 1/2 miles, S 80° 09' W about 5 miles, and N 80° 31 1/2' W about 2 1/2 miles; an earth mound containing broken glass bears N 27° 23' E 50.0 varas. This monument is situated precisely on a line joining the original NE corner of Block #42, Twp. 1 S, T & P RR Co., and the identified NE corner of survey #1, Block A-19, made by W. D. Twichell as shown on his certified sketch, dated September 1, 1902. The southerly end of this line is marked by an old cedar stake with the carvings "B 41, B 42 165 MCL" still legible, same being driven in an old stone mound on the center line of the T & P Eighty-mile Reservation.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #31, this Block, from which point S 74° 44' W 81.4 varas was set a concrete monument in low firm ground, the brass plate in its top having been marked as represented in figure #2 above, from which a windmill bears S 66° 29' W about 2 miles; a forked mesquite 3 inches in diameter, marked "X", bears N 29° 34' W 88.5 varas.

Thence N 74° 44' E 1918.5 varas to the place of beginning.

Surveyed May 12, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 105


This 26th day of June, 1934.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 1

ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of

647.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 07' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 18 1/2 miles N 46° E of Andrews, the county site.

Beginning at a concrete monument in Mustang Draw where same is wide and flat, being near and in the SW part of a cultivated field, its position being 11,534.4 varas N 74°44' E from the concrete monument set for the NE corner of section #1, Block #4, University Land; it is also 11 miles (20,908.8 varas) N 15°16' W of the original NE corner of survey #4, Block #40, Twp. 3 N, G & M M B & A, said latter point being identified as the rock 7" x 8", on edge, marked (old) "38". The brass plate in top of this monument is marked as represented in the figure above, from which an old windmill in draw bears N 81°49' E about 1/2 mile; double windmills bear N 32°26' W and N 31°43' W about 1 mile.

Thence S 74°44' W --- at 50 varas cross west line of field, enter firm ground--- at 116.0 varas the pile of stone which Twichell, on his sketch, dated September 1, 1902, described and represented to be the NW corner of section #7, Block #6, University Land, bears S 15°16' E 231.7 varas --- at 600 varas leave draw --- at 640 varas pass through at about right angles a three-wire fence --- at 741 varas cross a road --- at 790 varas pass into another field --- at 1516.3 varas pass through at right angles a five-wire fence, leaving field --- at 1922.4 varas, point for the NW corner of this section #1.

Thence S 15°16' E 1900.8 varas to a point for the SW corner.

Thence N 74°44' E, crossing Mustang Draw, 1922.4 varas to a point for the SE corner.

Thence N 15°16' W --- at 1669.1 varas pass through at right angles a four-wire fence --- at 1900.8 varas, the place of beginning.

323.65

Surveyed May 13, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 106 . This 30 day of September, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 000

The State of Texas } SURVEY NO. 2

ANDREWS County } BLOCK NO. 5

		3	2
		B	5
3	2	10	11
B 5	U T	U	T
Fig. 1		Fig. 2.	

FIELD NOTES of a survey of

647.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 06 1/2' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 18 miles N 44° E of Andrews, the county site.

Beginning at the NW corner of section #1, this Block.

Thence S 74°44' W --- at 420.7 varas cross an old fence line along west edge of sand dunes, enter old abandoned sandy field --- at 923.4 varas strike a gate in a ten-wire fence, leaving old field --- at 1492 varas cross a road --- at 1658.6 varas cross another ten-wire fence --- at 1708.8 varas on east edge of another field --- at 1922.4 varas set a concrete monument near the SE corner of a field, marked the brass plate in top of same as represented in the figure #1 above, from which a windmill at a farm house, a single windmill, a windmill at a n old abandoned house, the taller of double windmills, and the right hand of another set of double windmills bear respectively N 55°27' E about 1/2 mile, S 60°23' W about 4 1/2 miles, S 79°57 1/2' W (no distance given), N 83°52 1/2' W, and N 64°17' W.

Thence S 15°16' E --- at 226.8 varas cross four-wire fence, leaving field --- at 283. cross at about right angles a road --- at 850 varas enter firmer ground --- at 985 varas on north edge of large shallow basin --- at 1285 varas center of basin --- at 1900.8 varas set another concrete monument in a grassy, brushless, caliche and sand plain, marked the brass plate in top of same as represented in the figure #2 above, from which a windmill at a farm house, the taller of a set of doubles, a lone windmill, and the right hand of another set of doubles bear respectively N 2°58 1/2' E about 1 1/2 miles, N 64°26' W, N 81°54' W, and N 54°20' W.

Thence N 74°44' E --- at 70 varas cross a road --- at 74.8 varas cross a five-wire fence --- at 1922.4 varas strike the SW corner of section #1.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 13, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 107 .

This 3 day of October , 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 3
ANDREWS County } BLOCK NO. 5

		3	2
		B	5
3	2	10	11
B 5	U T	U	T
Fig. 1		Fig. 2	

FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 17 miles N 42° E of Andrews, the county site.

Beginning at a concrete monument set for the NW corner of section #2, this Block, being in and near the SE corner of a field, the brass plate in top of which having been marked as represented in figure #1 above, from which a windmill at a farm house, a single windmill, a windmill at an old abandoned house, and the taller of two windmills bear respectively N 55° 27' E about 1/2 mile, S 60° 23' W about 4 1/2 miles, S 79° 57 1/2' W, and N 83° 52 1/2' W.

Thence S 74° 44' W --- at 1312 varas leave field --- at 1579.9 varas pass through at right angles a four-wire fence --- at 1922.4 varas, point on west edge of a deep sandy road about 400 varas northwest of a dry basin for the NW corner of this section #3.

Thence S 15° 16' E --- at about 229 varas pass through at about right angles a three-wire fence --- at 1900.8 varas point for the SW corner of this section #3.

Thence N 74° 44' E 1922.4 varas to the concrete monument set in a grassy, brushless, caliche and sand plain for the SW corner of section #2, the brass plate in top of which having been marked as represented in figure #2 above, from which a windmill at a farm house, the taller of double windmills, a lone windmill, and the right hand of another set of double windmills bear respectively N 2° 58 1/2' E about 1 1/2 miles, N 64° 26' W, N 81° 54' W, and N 54° 20' W.

Thence N 15° 16' W --- 615.8 varas in center of basin --- at 915.8 varas on north rim of large shallow basin --- at 1050.8 varas leave firm ground, enter sand --- at 1617.8 varas cross at about right angles a road --- at 1674 varas pass through a four-wire fence --- at 1900.8 varas strike the concrete monument, the place of beginning.

Surveyed May 13, 1931.


Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 108.
This 3 day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 4
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 05½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 16 miles N 41° E of Andrews, the county site.

Beginning at a point on the west edge of a deep sandy road about 400 varas northwest of a dry basin, at the NW corner of section #3, this Block.

Thence S 74°44' W --- at 116.1 varas the pitman iron, marked "34 B 5 A-19", represented by W. D. Twichell on his certified sketch, dated September 1, 1902, as being the NE corner of this section #4, bears S 15°16' E 228.9 varas --- at 1922.4 varas set a concrete monument for the NW corner of this section #4, same being in sand covered by shin oaks, marked the brass plate in top of same as represented in the figure above, from which four windmills, the first at a farm house, the second at an old abandoned house, the third being the right hand of twin windmills, and the last being the taller of two windmills near each other bear respectively N 71°36' E, N 88°52' W, N 32°12' W, and N 21°34½' W; a brush covered gulch in bluff bears S 72°42' E about 4 miles; an earth mound containing broken glass bears N 63°30' E 4.5 varas.

Thence S 15°16' E --- at 233 varas pass through at right angles a three-wire fence --- at 1900.8 varas point for the SW corner of this section #4.

Thence N 74°44' E 1922.4 varas to the SW corner of section #3.

Thence N 15°16' W --- at 1671.8 varas pass through at right angles a three-wire fence --- at 1900.8 varas the place of beginning.

Surveyed May 13, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 109.


This 3 day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Plat 0600 Survey 000.~~

The State of Texas } SURVEY NO. 5
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North ~~as compared to a meridian passing through the~~ corner
~~of Survey No. 5~~, this block is 0° 05' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Mustang Creek, a tributary of Colorado River about
15 1/2 miles N 39° E of Andrews, the county site.

Beginning at a concrete monument set for the NW corner of section
#4, this Block, in sand and shinnery, the brass plate in top of which
having been marked as represented in the figure above, from which a
windmill at a farm house, a windmill at an old abandoned house, the
right hand of double windmills, and the taller of two windmills near
each other bear respectively: N 71° 36' E, N 88° 52' W, N 32° 12' W,
and N 21° 34 1/2' W; a brush covered gulch in bluff bears S 72° 42' E
about 4 miles; an earth mound containing broken glass bears
N 63° 30' E 4.5 varas.

Thence S 74° 44' W --- at 182.8 varas a 1 1/4 inch iron pipe
marked "SE 12 SW 13", and a large rock about 10" x 10" x 8" bears
S 15° 16' E 231.1 varas --- at 500 varas top of ridge --- at 1246
varas the junction of fences, one from the south tapping an east-west
fence, bears S 15° 16' E about 235 varas --- at 1853.5 varas cross
a dim, sandy road --- at 1912.0 varas pass through a three-wire
fence --- at 1922.4 varas point for the NW corner of this section #5.

Thence S 15° 16' E --- at about 234.8 varas pass through at
right angles a three-wire fence --- at 1900.8 varas point for the
SW corner of this section #5.

Thence N 74° 44' E 1922.4 varas strike the SW corner of section
#4.

Thence N 15° 16' W --- at 1667.8 varas pass through at right
angles a three-wire fence --- at 1900.8 varas the place of beginning.

Surveyed May 13, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 110 .
This 3rd day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T. Vol 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 6

ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 23' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 14 1/2 miles N 37° E of Andrews, the county site.

Beginning at the NW corner of section #5, this Block.

Thence S 74°44' W --- at 30 varas enter field --- at 701 varas cross three-wire fence between two fields -- at 1234.7 varas cross four-wire fence, leaving second field --- at 1528 varas cross a sandy road --- at 1922.4 varas strike the concrete monument set for the NE corner of section #1, Block #4, University Land, situated in deep sand covered with shin oak brush about 250 varas southerly from a large sand dune at the SE corner of an old field, the brass plate in top of which monument having been marked as represented in the figure above, from which two different windmills at farm houses, two different windmills at clumps of trees, and another windmill bear respectively N 2°07 1/2' E about 1 mile and N 61° 11' E also about 1 mile, S 21°12' E about 1 1/4 miles and S 82°04' W about 1 mile, and N 60°28' W about 5 miles; an earth mound containing broken glass bears S 8°06' W 50.0 varas. A straight line from this monument coursing S 15°16' E passes over the two monuments set on the east line of Block #3, University Land, and when projected further passes over five original corners found and identified on the east line of Block #41, Twp. 2 N, G & M M B & A. The NE corner of section #1, Block #2, University Land, marked by a concrete monument, bears S 15°16' E 28,558.5 varas and S 74°44' W 5709.0 varas; the rock marked "34", identified as the SE corner of Block #40, Twp. 3 N, G & M M B & A, bears S 15°16' E 28,558.5 varas and N 74°44' E 11,483.2 varas.

Thence S 15°16' E -- at 235.8 varas the 12" iron hemisphere, marked "X", represented by W. D. Twichell on his certified sketch, dated September, 1, 1902, as being the NE corner of section #1, Block #4, University Land, bears S 74°44' W 64.7 varas -- at 236.0 varas pass through at right angles a three-wire fence -- at 1900.8 varas strike the easterly common corner of sections #1 and #12, Block #4, University Land.

Thence N 74°44' E -- at about 190 varas pass about 10 varas northerly from a windmill -- at 1922.4 varas strike the SW corner of section #5.

Thence N 15°16' W -- at 1666.0 varas pass through at right angles a three-wire fence -- at 1900.8 varas, place of beginning.

Surveyed May 13,	1931.	Norris B. Creath	} Chain Carriers. Transitman.
		Gibbons Poteet	
		J. A. Conklin	

323.65

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3, Page 111.


This 3rd day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T, Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 7
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.
True North as compared to a meridian passing through the corner
of Survey No. , this Block, is 0° 05' to the left of
the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the
waters of Monument Creek, a tributary of Colorado River about
14 miles N 40° E of Andrews, the county site.
Beginning at the SW corner of section #6, this Block, being also
the SE corner of section #1 and the NE corner of section #12, Block
#4, University Land.

Thence S 15°16' E 1900.8 varas to the concrete monument set for
the SE corner of section #12, Block #4, University Land, situated
in a low, grassy basin bottom, being firm but sandy soil, the brass
plate in top of which having been marked as represented in the figure
above, from which a windmill at a clump of trees bears N 9°12' W
about 1 mile; an earth mound containing broken glass bears S 53°59'E
50.0 varas.

Thence N 74°44' E 1922.4 varas to a point for the SE corner of
this section #7.

Thence N 15°16' W 1900.8 varas to the SE corner of section #6.

Thence S 74°44' W --- at about 1732.4 varas a windmill bears
S 15°16' E about 10 varas --- at 1922.4 varas, point the place of
beginning.

Surveyed May 13, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 112 .
This 3rd day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this volume. For report, balance sheets, etc., see Book U. T. Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 8
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.
True North as compared to a meridian passing through the corner
of Survey No. , this Block, is 0° 05½' to the left of
the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the
waters of Monument Creek, a tributary of Colorado River about
15 miles N 42° E of Andrews, the county site.
Beginning at the common corner of sections #5, #6, and #7, this
Block.

Thence S 15°16' E 1900.8 varas to the SE corner of section #7.

Thence N 74°44' E 1922.4 varas set a concrete monument in deep
sand, covered with shin oak brush, for the SE corner of this section
#8, marked the brass plate in top of which as represented as in the
figure above, from which a windmill at a farm house bears N 33°05' E
about 3 1/2 miles; an earth mound containing broken glass bears
S 12°23' W 50.0 varas; a windmill at a clump of trees bears
N 77°58' W about 2 1/2 miles; a windmill at another farm house bears
N 37°09' W about 3 miles; the left hand of double windmills at a house
and trees bears N 17° 08' W about 3 miles.

Thence N 15°16' W --- at about 100 varas pass through a wire fence,
the westerly end of which runs about 1250 varas, then turns northerly,
the east end of which runs about 650 varas, then turns southerly
--- at 1900.8 varas strike the SE corner of section #5.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 13, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 113 .
This 3rd day of October , 1932 .

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 9
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 26' East.
True North as compared to a meridian passing through the corner
of Survey No. , this Block is 0° 06' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Monument Creek, a tributary of Colorado River about
1 1/2 miles N 44° E of Andrews, the county site.

Beginning at the NE corner of section #8, this Block, for the NW
corner of this section #9.

Thence S 15°16' E --- at about 1800.8 varas pass through a wire
fence which runs westerly about 1250 varas, then turns northerly, the
other portion of which runs easterly about 650 varas, then turns
southerly --- at 1900.8 varas strike the concrete monument set for
the SE corner of section #8, situated in deep sand covered by shin
oak brush, the brass plate in top of which having been marked as
represented in the figure above, from which two different windmills
at farm houses, a windmill at a clump of trees, and the left hand
of double windmills at house and trees bear respectively N 33°05' E
about 3 1/2 miles, and N 37° 09' W about 3 miles, N 77°58' W about
2 1/2 miles, and N 17°08' W about 3 miles; an earth mound containing
broken glass bears S 12°23' W 50.0 varas.

Thence N 74°44' E --- at about 650 varas pass through a wire
fence about 100 varas southerly from a corner --- at 1922.4 varas
point for the SE corner of this section #9.

Thence N 15°16' W 1900.8 varas to the SE corner of section #4.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 13, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 114 .

This 4th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 10
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 06½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 16½ miles N 46° E of Andrews, the county site.

Beginning at the NW corner of this section #10, being the common corner of sections #3, #4, and #9, this Block.

Thence S 15°16' E 1900.8 varas to the SE corner of section #9.

Thence N 74°44' E 1922.4 varas to a point for the SE corner of this section #10.

Thence N 15°16' W --- at 550.8 varas leave sand and shinnery, enter firmer ground --- at 1152.2 varas the SW corner of an angle bend in a fence bears N 74°44' E 15.5 varas --- at 1155.8 varas cross roads at fork --- at 1900.8 varas strike the concrete monument set for the SW corner of section #2, this Block, situated in a grassy, brushless plain of caliche and sand, the brass plate in top of which having been marked as in the figure above, from which a windmill at a farm house, the taller of double windmills, a lone windmill, and the right hand of double windmills bear respectively N 2°58½' E about 1 1/2 miles, N 64°26' W, N 81° 54' W, and N 54°20' W.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 13, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3, Page 115.


This 4th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T. Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 11
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of survey No. , Block, is 0° 07' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 17½ miles N 47° E of Andrews, the county site.

Beginning at a concrete monument set for the SW corner of section #2, this Block, being also the NE corner of section #10, same being situated in a grassy, brushless plain of caliche and sand, the brass plate in top of which having been marked as represented in the figure above, from which a windmill at a farm house, the taller of two windmills near each other, a single windmill, and the fight hand of double windmills bear respectively N 2° 58½' E about 1 1/2 miles, N 64° 25' W, N 81° 54' W, and N 54° 20' W.

Thence S 15° 16' E --- at 745.0 varas cross roads at fork, --- at 748.6 varas the post in the bend of a fence bears N 74° 44' E 15.5 varas --- at 1350 varas enter deep sand and shinnery --- at 1900.8 varas strike the SE corner of section #10.

Thence N 74° 44' E 1922.4 varas, passing near the center of the run precipitous dunes of drifting sand on the NW side of a deep depression at the lowest point of which is a salt lake, to a point in Mustang Creek for the SE corner of this section #11.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #2.

Thence S 74° 44' W --- at 1847.6 varas pass through, not at right angles, a five-wire fence --- at 1852.4 varas cross a road --- at 1922.4 varas strike the concrete monument, the place of beginning.

Surveyed May 13, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 116 .
This 4th day of October , 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T, Vol. 4.)

Plat of Survey No. 6.

The State of Texas } SURVEY NO. 12
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of section No. 1, this block, is 0° 07½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 18 miles N 49° E of Andrews, the county site.

Beginning at the NE corner of section #11, which is the SW corner of section #1, this Block.

Thence S 15°16' E 1900.8 varas to the SE corner of section #11.

Thence N 74°44' E 1922.4 varas, set a concrete monument in and near the NE corner of a field of about 40 acres, marked the brass plate in top as represented in the figure above, from which the NE corner post of the field bears N 19°26' E about 90 varas; the SE corner post of the field bears S 10°00' E about 400 varas; three windmills, the first a single, the second, the taller of two windmills near each other, and the third the right hand of two windmills bear respectively S 84°10' W about 6 miles, N 70°55' W, and N 62°41' W.

Thence N 15°16' W 1900.8 varas to the SE corner of section #1.

Thence S 74°44' W, crossing Mustang Creek, 1922.4 varas to the place of beginning.

Surveyed May 13, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 117.

This 5th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T. Vol. 4)

The State of Texas } SURVEY NO. 13
 A N D R E W S County } BLOCK NO. 5



FIELD NOTES of a survey of
 647.3 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 28' East.
 True North as compared to the meridian passing through the corner
 of Survey No. , this Block, is 0° 08' to the left of
 the North point used in the field notes of this survey.
 Said survey is situated in ANDREWS County, Texas, on the
 waters of Mustang Creek, a tributary of Colorado River about
 18 miles N 52° E of Andrews, the county site.

Beginning at a concrete monument set in and near the NE corner of
 a 40-acre field for the SE corner of section #12, this Block, the
 brass plate in top of which having been marked as represented in the
 figure above, from which the NE corner post of the field bears
 N 19°26' E about 90 varas; the SE corner post of the field bears
 S 10°00' E about 400 varas; a windmill bears S 84°10' W about 6 miles;
 the taller of two windmills and the right hand of two other windmills
 bear respectively N 70°55' W and N 62°41' W.

Thence S 74°44' W 1922.4 varas to the SW corner of section #12.

Thence S 15°16' E 1900.8 varas to a point for the SW corner of
 this section #13.

Thence N 74°44' E 1922.4 varas to a point for the SE corner.

Thence N 15°16' W 1900.8 varas to the place of beginning.


Surveyed May 14, 1931. Norris B. Creath Chain
 Gibbons Poteet Carriers.
 J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
 Surveyor of University Lands, do hereby certify that the foregoing
 survey was made by me in the field and according to law; that the
 limits, boundaries and corners, with the marks, natural and artificial
 are truly described in the foregoing plat and field notes, just as I
 found them on the ground; and that they are recorded in the Surveyor's
 Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 118 .
 This 5th day of October, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

Block of Survey No. 00

The State of Texas } SURVEY NO. 14
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 27' East.
True North as compared to meridian passing through the
Survey No. , this Block is 0° 07' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Mustang Creek, a tributary of Colorado River about
17 miles N 51° E of Andrews, the county site.

Beginning at the common corner of sections #11, #12, and #13, this
Block.

Thence S 15°16' E 1900.8 varas to the SW corner of section #13.

Thence S 74°44' W --- at about 650 varas in center of Mustang
Creek near bend where same flows westerly --- at about 1400 varas
near center of abandoned field --- at about 1872.4 varas pass through
fence on west side of field --- at 1922.4 varas set a concrete monu-
ment in another right angle bend of Mustang Creek where it turns and
flows southerly, marked the brass plate in top of same as represented
in the figure above, from which a rocky point on east bank of Mustang
Creek bears N 63°56' E about 1500 varas; a rocky ledge on the west
bank of Mustang Creek among dunes of drifting sand bears S 24°37' W
218 varas; a rocky point on east side of Mustang Creek bears
S 24°41' E about 1 mile; a clump of allthorn bushes bears N 40°15' W
15 varas.

Thence N 15°16' W --- at 185.8 varas mount north bank of Mustang
Creek --- at 962.8 varas cross a sandy road --- at 964.7 varas pass
through at about right angles a three-wire fence --- at 1293.8 varas
and at 1623.8 varas cross sandy roads --- at 1900.8 varas strike the
SW corner of section #11.

Thence N 74°44' E 1922.4 varas, passing on the run along its
central part precipitous dunes of drifting sand along the west bank
of Mustang Creek, at the lowest point in which is a salt lake, end-
ing at the SW corner of section #12, the place of beginning.

NOTE:- Near the center of this section #14 is situated the noted
Scharbauer Headquarter Ranch in a grove of luxuriant wild China
trees against the west bluff of Mustang Creek. The area immedia-
tely east of the houses and grove is the bottom of a basin and, during
rainy seasons is covered by water.

Surveyed	May 14,	1931	Norris B. Creath	} Chain } Carriers. } Transitman.
			Gibbons Poteet	
			J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 , Page 119.
This 5th day of October , 19 32


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4)

Survey No.

The State of Texas } SURVEY NO. 15
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 06½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 16 miles N 49° E of Andrews, the county site.

Beginning at the NW corner of section #14, this Block.

Thence S 15°16' E --- at 277 varas and at 607 varas cross old sandy roads --- at 936.1 varas pass through at right angles a three-wire fence --- at 938.0 varas cross another sandy road --- at 1715 varas on north bank of Mustang Creek --- at 1900.8 varas strike the concrete monument set for the SW corner of section #14, situated in the bend of Mustang Creek where it changes from a westerly to a southerly course, the brass plate in top of which monument having been marked as represented in the figure above, from which a rocky point on the east bank of Mustang Creek bears N 63°56' E about 1500 varas; a rocky ledge among dunes of drifting sand on the west bank of the creek bears S 24°37' W 218 varas; another rocky point on the east bank bears S 24°41' E about 1 mile; a clump of allthorn bushes bears N 40°15' W 15 varas.

Thence S 74°44' W --- at about 150 varas mount the west bank of Mustang Creek among dunes of drifting sand --- at 1922.4 varas point for the SW corner of this section #15.

Thence N 15°16' W 1900.8 varas to the SW corner of section #10.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 14,

1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 120 .

This 5th day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 16

ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of

647.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to meridian passing through the ~~center~~ of this Block, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 15 miles N 47° E of Andrews, the county site.

Beginning at the NW corner of section #15, the SE corner of section #9, for the NE corner of this section #16.

Thence S 15°16' E 1900.8 varas to the SW corner of section #15.

Thence S 74°44' W 1922.4 varas to a point for the SW corner of this section #16.

Thence N 15°16' W 1900.8 varas to the concrete monument set for the SE corner of section #8, situated in deep sand covered by shin oak brush, the brass plate in top of which having been marked as represented in the figure above, from which different windmills at different farm houses, a windmill at a clump of trees, and the left hand windmill of two near a house and trees bear respectively N 33°05' E about 3 1/2 miles and N 37°09' W about 3 miles, N 77°58' W about 2 1/2 miles, and N 17°08' W about 3 miles; an earth mound containing broken glass bears S 12°23' W 50.0 varas.

Thence N 74°44' E --- at about 650 varas pass through at right angles a fence about 100 varas southerly from where it corners and turns westerly --- at 1922.4 varas point the place of beginning.

Surveyed May 14, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 121. This 5th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 17
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to a meridian passing through the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 14 miles N 46° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #8, situated in deep sand covered with shin oak brush, having a brass plate in its top marked as represented in the figure above, from which a windmill at a farm house bears N 33°05' E about 3 1/2 miles; a windmill at another house bears N 37°09' W about 3 miles; a windmill at a clump of trees and the left hand windmill at a house and trees bear respectively N 77°58' W about 2 1/2 miles and N 17°08' W about 3 miles; an earth mound containing broken glass bears S 12°23' W 50.0 varas.

Thence S 15°16' E 1900.8 varas to the SW corner of section #16.

Thence S 74°44' W 1922.4 varas to a point at the SW corner of this section #17.

Thence N 15°16' W 1900.8 varas to the SW corner of section #8.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 14, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in ANDREWS, ANDREWS County in Book "U T" Vol. 3 Page 122.


This 5th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U T, Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 18
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of section 12, Block 4, is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 13 miles N 44° E of Andrews, the county site.

Beginning at the NW corner of section #17 for the NE corner of this section #18.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #17.

Thence S 74° 44' W 1922.4 varas to a point near the junction of two prongs of Monument Creek, being the NE corner of section #24 and the SE corner of section #13, Block #4, University Land.

Thence N 15° 16' W 1900.8 varas to the concrete monument set for the SE corner of section #12, Block #4, situated in the bottom of a grass covered dry basin, the brass plate in top of which having been marked as in the figure above, from which a windmill at a clump of trees bears N 9° 12' W about 1 mile; an earth mound containing broken glass bears S 53° 59' E 50.0 varas.

Thence N 74° 44' E 1922.4 varas to the place of beginning.

Surveyed May 14, 1931.

Norris B. Creath

Gibbons Poteet

J. A. Conklin

Chain

Carriers.

Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 123. This 6th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T., Vol. 4.)

Plan of Survey No.

The State of Texas } SURVEY NO. 19
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to a meridian passing through the corner of Survey No. , is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 13 miles N 47° E of Andrews, the county site.

Beginning at a point near the junction of two prongs of Monument Creek at the common corner of sections #13 and #24, Block #4, University Land, and section #18, this Block, for the NW corner of this section #19.

Thence S 15°16' E 1900.8 varas to a concrete monument set in rough hummocky sand for the SE corner of section #24, Block #4, the brass plate in top of which having been marked as represented in the figure above, from which a windmill at a clump of trees bears N 13°16' W about 3 miles; an earth mound containing broken glass bears S 37°24' E 50.0 varas.

Thence N 74°44' E 1922.4 varas to a point for the SE corner of this section #19.

Thence N 15°16' W, crossing Monument Creek, 1900.8 varas to the SE corner of section #18.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed	May 14,	1931.	Norris B. Creath	} Chain Carriers. Transitman.
			Gibbons Potet	
			J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 124 .


This 6th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 20

ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of

647.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to the meridian passing through the corner of section No. 20, this block, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 19½ miles N 49° E of Andrews, the county site.

Beginning at the NE corner of section #19, being also the SW corner of section #17, this Block, for the NW corner of this section #20.

Thence S 15°16' E, crossing Monument Creek, 1900.8 varas to the SE corner of section #19.

Thence N 74°44' E, crossing and re-crossing Monument Creek, 1922.4 varas to a concrete monument set on a NE slope of a chalky point which divides a horse-shoe bend of Monument Creek, marked the brass plate in top of the monument as represented in the figure above, from which a mesquite 2½" in diameter, marked "X", bears N 72°59' E 30.5 varas; another forked mesquite 3" in diameter, marked "X", bears S 56°44' E 44.6 varas.

Thence N 15°16' W, again crossing Monument Creek, 1900.8 varas to the SE corner of section #17.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 14, 1931.

Norris B. Creath } Chain

Gibbons Poteet } Carriers.

J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 125.

This 6th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 21
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 14½ miles N 51° E of Andrews, the county site.

Beginning at the NE corner of section #20, this Block, which is the SW corner of section #16.

Thence S 15°16' E, crossing Monument Creek, 1900.8 varas to the concrete monument set for the SE corner of section #20, situated on the NE end of a chalky point which divides a horse-shoe bend of said creek, the brass plate in top of which having been marked as represented in the figure above, from which a mesquite 2½" in diameter, marked "X", bears N 72°59' E 30.5 varas; another mesquite 3" in diameter, marked "X", forked, bears S 56°44' E 44.6 varas.

Thence N 74°44' E, crossing Monument Creek, 1922.4 varas to a point for the SE corner of this section #21.

Thence N 15°16' W 1900.8 varas to the SE corner of section #16.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 14,

19 31

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 126.


This 6th day of October, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

State of Texas

The State of Texas } SURVEY NO. 22
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the
of Survey No. , this Block, is 0° 07' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, in
the waters of Mon. and Must. Creeks a tributary of Colorado River about
1 1/2 miles N 53° E of Andrews, the county site.

Beginning at the NE corner of section #21, and the SE corner of
section #16 for the NW corner of this section #22.

Thence S 15°16' E 1900.8 varas to the SE corner of section #21.

Thence N 74°44' E --- at about 1750 varas on west side of Mustang
Creek --- at 1922.4 varas point in Mustang Creek for the SE corner
of this section #22.

Thence N 15°16' W following the general course of Mustang Creek
--- at about 1060.8 varas on a prominent sandy point jutting easterly
from west side of Mustang Creek --- at 1900.8 varas strike the con-
crete monument set for the SW corner of section #14, this Block, being
in a right angle bend of Mustang Creek where it turns to flow southerly,
the brass plate in top of which having been marked as represented in
the figure above, from which a rocky point on east side of Creek bears
N 63°56' E about 1500 varas; a rocky ledge among dunes of drifting
sand on west side of Mustang Creek bears S 24°37' W 218 varas; a third
rocky point, on the east side of Creek, bears S 24°41' E about 1 mile;
a clump of allthorn bushes bears N 40°15' W 15.0 varas.

Thence S 74°44' W --- at about 150 varas mount among sand dunes
the west bank of Mustang Creek --- at 1922.4 varas point, the place
of beginning.

Surveyed May 14, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 127 .

This 7th day of October, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

PLAT NO. SURVEY NO.

The State of Texas } SURVEY NO. 23
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to meridian passing through the corner of Survey No. 000000000, is 0° 07' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 19½ miles N 57° E of Andrews, the county site.

Beginning at a concrete monument set in the bend of Mustang Creek where it turns to flow southerly at the SW corner of section #14, this Block, being the NE corner of section #22, the brass plate in top of which monument having been marked as represented in the figure above, from which a rocky point on the east side of the Creek bears N 63° 56' E about 1500 varas; another rocky ledge among sand dunes on the west side of Creek bears S 24° 37' W 218 varas; a third rocky point, on the east side of Mustang Creek bears S 24° 41' E about 1 mile; a clump of allthorn bushes bears N 40° 15' W 15.0 varas.

Thence S 15° 16' E, following the general direction of flow of Mustang Creek --- at 840 varas on a prominent point covered with sand jutting easterly from the west side of Mustang Creek --- at 1900.8 varas point in Mustang Creek, the SE corner of section #22.

Thence N 74° 44' E --- at about 350 varas mount bluff on east side of Creek --- at 1922.4 varas point for the SE corner of this section #23.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #14.

Thence S 74° 44' W --- at about 650 varas in center of Mustang Creek where it turns and flows westerly --- at about 1400 varas near center of abandoned field --- at 1922.4 varas, concrete monument, the place of beginning.

Surveyed	May 14,	1931,	Norris B. Creath	} Chain } Carriers. } Transitman.
			Gibbons Poteet	
			J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 128.

This 7th day of October, 1932.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 24

ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the corner of Survey No. 111001000 is 0° 08' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 17 1/2 miles N 55° E of Andrews, the county site.

Beginning at the common corner of sections #13, #14, and #23, for the NW corner of this section #24.

Thence S 15°16' E 1900.8 varas to the SE corner of section #23.

Thence N 74°44' E 1922.4 varas set a concrete monument in sandy prairie covered by shin oak and bear grass, marked the brass plate in top of which as in the figure above, from which an earth mound containing quantities of broken vaccine bottles bears S 45°46' E 32.0 varas; a steel windmill, a windmill at large trees, and the right hand of double windmills bear respectively S 15°30' E about 2 1/4 miles, S 20°14' W about 8 miles, and S 57°54' W about 2 1/2 miles.

Thence N 15°16' W 1900.8 varas strike the SE corner of section #13.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 14, 1931.


Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 129 . This 7th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 000

The State of Texas } SURVEY NO. 25
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this block, is 0° 08' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 17 miles N 58° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #24, this Block, situated in a sandy prairie over-grown by shin oak bushes and bear grass, its brass plate in top having been marked as in the figure above, from which an earth mound containing quantities of broken vaccine bottles bears S 45° 46' E 32.0 varas; a steel windmill in Mustang Creek, a windmill at a large tree, and the right hand of double windmills bear respectively S 15° 30' E about 2 1/4 miles, S 20° 14' W about 8 miles, and S 57° 54' W about 2 1/2 miles.

Thence S 74° 44' W 1922.4 varas to the SW corner of section #24.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #25.

Thence N 74° 44' E 1922.4 varas to a point for the SE corner.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 14, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 130.

This 7th day of October, 1932

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
 Plat 0600 Survey No.

The State of Texas } SURVEY NO. 26
 ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
 647.3 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 07½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 26 miles N 57° E of Andrews, the county site.

Beginning at the NW corner of section #25, the SW corner of section #24, and the SE corner of section #23, this Block.

Thence S 74°44' W --- at 1572.4 varas descend over bluff into Mustang Creek --- at 1922.4 varas strike the SW corner of section #23, being a point in Mustang Creek.

Thence S 15°16' E --- at 330 varas enter deep loose red sand --- at 392 varas cross sandy road --- at 630 varas leave red sand --- at 640 varas cross another sandy road --- at 815 varas south bank of Mustang Creek --- at 1200 varas in center of high rocky point projecting westward immediately between an abrupt bend in the strange and irregular course of Mustang Creek --- at 1575 varas on north edge of Mustang Creek --- at 1706 varas cross west end of a rocky point projecting southwesterly --- at 1844.5 varas cross a road running southeasterly down Creek --- at 1880 varas enter sand --- at 1900.8 varas set a concrete monument in Mustang Creek, marked the brass plate as represented in the figure above, from which a chaparrel, 8 feet high, at the foot of a rocky creek bank bears N 4°12' W 132.7 varas; a mesquite 3" in diameter, on south side of creek bears S 71°05' E 39.3 varas; a black bush on north bank of creek bears N 59°22' W about 800 varas.

Thence N 74°44' E 1922.4 varas to the SW corner of section #25.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 15, 19 34
 Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 131 .
 This 7th day of October, 19 32.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 27
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.
True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 07' to the left of the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the waters of Mon. & Must. Creeks a tributary of Colorado River about 15 miles N 56° E of Andrews, the county site.
Beginning at a point in Mustang Creek at the NW corner of section #26, this Block.

Thence S 15°16' E --- at 330 varas enter deep, loose, red sand --- at 392 varas cross a sandy road --- at 630 varas leave deep, red sand, enter firmer soil --- at 640 varas cross another old road -- at 815 varas mount south bank of Mustang Creek --- at 1200 varas center of high rocky point projecting westward, dividing a sharp bend of the creek --- at 1575 varas re-enter Mustang Creek at north bank --- at 1706 varas on end of small rocky point projecting southwestward --- at 1844.5 varas cross road in firm, hard ground, being the lowest point in Mustang Creek --- at 1880 varas enter higher sandy area --- at 1900.8 varas strike the concrete monument set for the SW corner of section #26, its brass plate in top having been marked as represented in the figure above, from which a chaparral, 8 feet high, at the foot of the rocky NE bank of creek bears N 4°12' W 132.7 varas; a mesquite 3" in diameter, on the south side of Mustang Creek, bears S 71°05' E 39.3 varas; a black bush on north bank of creek bears N 59°22' W about 800 varas.

Thence S 74°44' W 1922.4 varas to a point for the SW corner of this section #27.

Thence N 15°16' W, crossing Monument Creek just above, or west of its junction with Mustang Creek, 1900.8 varas to the SW corner of section #22.

Thence N 74°44' E 1922.4 varas to the place of beginning.


Surveyed May 15, 1931. Norris B. Creath, Chain
Gibbons Poteet, Carriers.
J. A. Conklin, Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 132.
This 7th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 00

The State of Texas } SURVEY NO. 29
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
6473 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to a meridian passing through the corner of Survey No. 00, this Block, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 13 1/2 miles N 54° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #20, this Block, situated on the NE corner of a chalky ridge projecting northeasterly, dividing a horse-shoe bend of Monument Creek, the brass plate in top of which monument having been marked as represented in the figure above, from which a mesquite 2 1/2" in diameter, marked "X", bears N 72° 59' E 30.5 varas; another mesquite 3" in diameter, marked "X", bears S 56° 44' E 44.6 varas.

Thence S 15° 16' E --- at 32 varas cross a deep, washed road traversing the chalky point --- at 1900.8 varas strike the SW corner of section #28.

Thence S 74° 44' W 1922.4 varas to a point for the SW corner of this section #29.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #20.

Thence N 74° 44' E, crossing and re-crossing Monument Creek, 1922.4 varas to the place of beginning.

Surveyed May 15,

1931.

Norris B. Creath

Gibbons Poteet

J. A. Conklin

Chain

Carriers.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 134 .


This 10th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 30
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North ~~is compared to the meridian passing through the corner of survey No. 000~~, ~~the meridian~~ is 0° 05' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 12½ miles N 52° E of Andrews, the county site.

Beginning at the SW corner of section #20, being the SE corner of section #19, this Block.

Thence S 15°16' E 1900.8 varas to the SW corner of section #29.

Thence S 74°44' W 1922.4 varas to the NE corner of section #36, the SE corner of section #25, Block #4, University Land, for the SW corner of this section #30.

Thence N 15°16' W 1900.8 varas to the concrete monument set in deep, rough, hummocky sand about 500 varas NW from a dry sandy basin, said monument having been set for the SE corner of section #24, Block #4, the brass plate in top of which having been marked as represented in the figure above, from which a windmill at a clump of trees bears N 13°16' W about 3 miles; an earth mound containing broken glass bears S 37°24' E 50.0 varas.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 15, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 135.


This 10th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, blank sheets, etc., see Book U.T., Vol. 4.)

~~Block No. 5~~

The State of Texas } SURVEY NO. 31
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to a meridian passing through the corner of ~~Block No. 5~~, ~~Block No. 5~~ is 0° 05½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 12 miles N 56° E of Andrews, the county site.

Beginning at the common corner of sections #36 and #25, Block #4, University Land, and section #30, Block #5, for the NW corner of this section #31.

Thence S 15°16' E 1900.8 varas strike the concrete monument set for the SE corner of section #36, Block #4, situated in a deep, sandy hollow, the brass plate in top of which having been marked as represented in the figure above, from which a large earth mound containing broken glass bears N 42°51' W 34.3 varas.

Thence N 74°44' E 1922.4 varas to a point for the SE corner of this section #31.

Thence N 15°16' W 1900.8 varas to the SE corner of section #30.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 16, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 136 .
This 10th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Block of Survey No.

The State of Texas } SURVEY NO. 32

ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Monument Creek, a tributary of Colorado River about 13 miles N 58° E of Andrews, the county site.

Beginning at the NE corner of section #31, being the SW corner of section #29, this Block.

Thence S 15°16' E 1900.8 varas to the SE corner of section #31.

Thence N 74°44' E 1922.4 varas set a concrete monument in low firm ground covered by large mesquite trees, marked the brass plate in same as is represented in the figure above, from which an allthorn 3" in diameter, marked "X", bears N 37°19' W 19.4 varas; a mesquite 4" in diameter, marked "X", bears S 50°29' W 54.4 varas.

Thence N 15°16' W 1900.8 varas to the SE corner of section #29.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 16, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 137.

This 10th day of October, 1932.


Handwritten signature of Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book. U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 34
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block, is 0° 07' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Mustang Creek, a tributary of Colorado River about
15 miles N 60° E of Andrews, the county site.

Beginning at the NE corner of section #33, the SE corner of section
#28, also the SW corner of section #27, this Block.

Thence S 15°16' E 1900.8 varas to the SE corner of section #33.

Thence N 74°44' E 1922.4 varas to a point in low ground, deep
sand and shin oaks for the SE corner of this section #34.

Thence N 15°16' W 1900.8 varas to the concrete monument set for
the SW corner of section #26, same being in a sand bar on the SW side
of Mustang Creek, the brass plate in top of which having been marked
as represented in the figure above, from which a chaparrel, 8 feet
high, at the foot of the rocky NE bank of the creek, bears N 4°12' W
132.7 varas; a mesquite 3" in diameter on south side of creek bears
S 71°05' E 39.3 varas; a black bush on north bank of creek bears
N 59° 22' W about 800 varas.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 16, 1931.


Norris B. Creath } Chain
Gibbons Potteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 139 .

This 10th day of October, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

The State of Texas } SURVEY NO. 35
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 07½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 16 miles N 61° E of Andrews, the county site.

Beginning at a concrete monument set for the SW corner of section #26, this Block, becoming also the NE corner of section #34, situated in a sand bar on the SW side of Mustang Creek, the brass plate in top of which having been marked as represented in the figure above, from which a chaparral 8 feet high, at the foot of the rocky NE bank of the creek, bears N 4°12' W 132.7 varas; a mesquite 3" in diameter on the south side of the creek bears S 71°05' E 39.3 varas; a black bush on the north bank of the creek bears N 59°22' W about 800 varas.

Thence S 15°16' E 1900.8 varas to a point in low ground, deep sand and shin oak brush, the SE corner of section #34.

Thence N 74°44' E 1922.4 varas to a point for the SE corner of this section #35.

Thence N 15°16' W, crossing Mustang Creek, 1900.8 varas to the SE corner of section #26.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 16, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 140 .
This 10th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

ORDINANCE OF SURVEY NO. 60

The State of Texas } SURVEY NO. 36
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 08' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 17 miles N 61° E of Andrews, the county site.

Beginning at the common corner of sections #25, #26, and #35 this Block, for the NW corner of this section #36.

Thence S 15° 16' E, crossing Mustang Creek, 1900.8 varas to the SE corner of section #35.

Thence N 74° 44' E, re-crossing Mustang Creek, 1922.4 varas set a concrete monument in sandy soil covered with shin oaks and bear grass marked the brass plate in tis top as represented in the figure above, from which an earth mound containing ten broken vaccine bottles bears S 74° 31' E 27.5 varas; a windmill in Mustang Draw bears S 12° 45' E about 400 varas; a mesquite 2½" in diameter, and 7 feet high, bears N 22° 08' W 20.9 varas.

Thence N 15° 16' W 1900.8 varas to the SE corner of s ection #25.

Thence S 74° 44' W 1922.4 varas to the place of beginning.

Surveyed May 16, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3, Page 141.


This 10th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book. U. T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 37
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block, is 0° 08' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Mustang Creek, a tributary of Colorado River about
16½ miles N 65° E of Andrews, the county site.

Beginning at a concrete monument set in deep sand covered with
shin oaks and bear grass, at the SE corner of section #36, this Block,
the brass plate in top of which having been marked as represented in
the figure above, from which an earth mound containing ten broken
vaccine bottles bears S 74°31' E 27.5 varas; a windmill in Mustang
Creek bears S 12°45' E about 400 varas; a mesquite 2½" in diameter
and 7 feet high bears N 22°08' W 20.9 varas.

Thence S 15°16' E --- at about 400 varas pass 17.6 varas easterly
from a windmill --- at 1900.8 varas point for the SE corner of this
section #37.

Thence S 74°44' W 1922.4 varas to a point for the SW corner of
this section.

Thence N 15°16' W 1900.8 varas to the SW corner of section #36.

Thence N 74°44' E, crossing Mustang Creek, 1922.4 varas to the
place of beginning.

Surveyed May 16,	19 31	Norris B. Creath	} Chain Carriers. Transitman.
		Gibbons Poteet	
		J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 142 .

This 10th day of October , 192 .


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 38

ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 08' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 1 1/2 miles N 64° E of Andrews, the county site.

Beginning at the common corner of sections #35, #36, and #37, this Block.

Thence S 74°44' W 1922.4 varas to a point in low ground, deep sand and shin oak brush, the SE corner of section #34.

Thence S 15°16' E --- at 1600 varas in low ground, sand and shinery --- 1900.8 varas set a concrete monument on the north slope of a sandy hill, marked its brass plate in top as represented in the figure above, from which a sand dune covered with shin oak bears N 49°40' W; a mott of shin oaks bears N 39°19' E; the center of a very large shin oak mott bears S 55°16' E.

Thence N 74°44' E 1922.4 varas to the SW corner of section #37.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 16, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 143 .


This 10th day of October

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 39
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 07' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 14½ miles N 63° E of Andrews, the county site.

Beginning at a point in low ground, deep sand and shin oak, at the NW corner of section #38, this Block.

Thence S 74°44' W 1922.4 varas to the SW corner of section #34.

Thence S 15°16' E 1900.8 varas to a point for the SW corner of this section #39.

Thence N 74°44' E 1922.4 varas strike the concrete monument set on the north slope of a sandy hill for the SW corner of section #38, the brass plate in top of which having been marked as represented in the figure above, from which a sand dune covered with shin oaks bears N 49°40' W; a shin oak mott bears N 39°19' E; the center of another large shin oak mott bears S 55°16' E.

Thence N 15°16' W --- at 300.8 varas point in low ground, sand and shinnery --- at 1900.8 varas, point, the place of beginning.

Surveyed May 16,

1931

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 144 .


This 11th day of October , 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 0

The State of Texas } SURVEY NO. 40
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the corner of Survey No. 0, this Block, is 0° 07' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 13½ miles N 62° E of Andrews, the county site.

Beginning at the common corner of sections #33, #34, and #39, this Block.

Thence S 74°44' W --- at 1722.4 varas in center of surface tank --- at 1922.4 varas strike the concrete monument set for the SE corner of section #32, set in low firm ground covered by many large mesquite, the brass plate in top of which having been marked as represented in the figure above, from which an allthron 3" in diameter, marked "X", bears N 37°19' W 19.4 varas; a mesquite 4" in diameter, marked "X", bears S50°29' W 54.4 varas.

Thence S 15°16' E 1900.8 varas to a point for the SW corner of this section #40.

Thence N 74°44' E 1922.4 varas to the SW corner of section #39.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 16, 1931.

Norris B. Creath } Chain
Gibbons Potet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 145.

This 11th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Flat 000 Survey No 0

The State of Texas } SURVEY NO. 41
ANDREWS County } BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No 0, this Block, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12½ miles N 61° E of Andrews, the county site.

Beginning at a concrete monument set in low firm ground covered by many large mesquite trees, for the SE corner of section #32, this Block, the brass plate in top of which having been marked as represented in the figure above, from which an allthorn 3" in diameter, marked "X", bears N 37° 19' W 19.4 varas; a mesquite 4" in diameter, marked "X", bears S 50° 29' W 54.4 varas.

Thence S 74° 44' W 1922.4 varas to the SW corner of section #32.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #41.

Thence N 74° 44' E 1922.4 varas to the SW corner of section #40.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 16,

19 31.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 146 .

This 11th day of October, 19 32

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


Original Survey No.

The State of Texas

ANDREWS County

SURVEY NO. 42

BLOCK NO. 5



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 05½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 1½ miles N 61° E of Andrews, the county site.

Beginning at the common corner of sections #31, #32, and #41, this Block.

Thence S 74°44' W 1922.4 varas to the concrete monument set for the SE corner of section #36, Block #4, University Land, situated in a narrow, deep hollow of sand, the brass plate in top of which having been marked as represented in the figure above, from which an earth mound containing broken glass bears N 42°51' W 34.3 varas.

Thence S 15°16' E 1900.8 varas to the SE corner of section #37, Block #4, University Land.

Thence N 74°44' E 1922.4 varas to the SW corner of section #41, this Block.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 16, 1931.

Norris B. Creath	} Chain Carriers. Transitman.
Gibbons Poteet	
J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews, Andrews County in Book "U T" Vol. 3 Page 147.


This 11th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No. 6.

The State of Texas } SURVEY NO. 2

GAINES County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. 6, this Block, is 0° 10 1/2' to the left of the North point used in the field notes of this survey.

Said survey is situated in GAINES County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 27 miles S 63° E of Seminole, the county site.

Beginning at a concrete monument set for the NW corner of section #1, this Block, for the NE corner of this section #2, same being situated on the SE slope of a sandy ridge covered with shin oak, mesquite and bear grass, the brass plate in top of which having been marked as represented in the figure above, from which a windmill at an old ranch house bears N 62° 37' E about 1 1/4 miles; the wheel of another windmill, visible just above the horizon, bears N 80° 25' E; an earth mound containing broken clear glass bears S 69° 16' E 50.0 varas; a third windmill and another at a farm house bear respectively S 87° 10' E and S 67° 01' E.

Thence S 15° 16' E 1900.8 varas to the SE corner of section #1.

Thence S 74° 44' W 1900.8 varas to a point for the SW corner of this section #2.

Thence N 15° 16' W 1900.8 varas, passing at about right angles through a wire fence at 1661.2 varas, to a point for the NW corner.

Thence N 74° 44' E --- at 1050 varas the center of a basin bears S 15° 16' E 350 varas --- at 1900.8 varas, point, the place of beginning.

Surveyed May 16, 19 31 Norris B. Creath Chain Gibbons Poteet Carriers. J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in ANDREWS County in Book "U T" Vol. 3 Page 149. This 17th day of October 19 32.

R/c'd in Bk UT Vol 3-B, p 2, Gaines Co. Frank F. Friend Licensed Land Surveyor of Texas, and Special Surveyor of University Lands


For Plat see General Sketch

The State of Texas

SECTION No. 3

GAINES & ANDREWS County

BLOCK No. 6



FIELD NOTES of a survey of

640.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 29' East.

True North is 0° 10' to the left of the North point used in the Field notes of this survey.

Said survey is situated in GAINES AND ANDREWS County, Texas, on the ~~boundary of~~ sand and dry lakes, ~~and~~ ~~no drainage~~, about 26 miles S 61° E of Seminole and 23 miles N 52° E of Andrews.

Beginning at the NW corner of section 2, this Block.

Thence S 15°16' E --- at 239.6 varas cross at right angles a fence --- at 1900.8 varas strike the SW corner of section 2, this Block.

Thence S 74°44' W --- at 302.8 varas cross the Andrews-Gaines County line, recently run by R. E. Estes, --- at 1900.8 varas point for the SW corner of this section 3.

Thence N 15°16' W --- at 432.0 varas re-cross the Gaines-Andrews County line --- at 1663.0 varas re-cross the wire fence --- at 1900.8 varas set a concrete monument on the east slope of a sandy ridge covered with shin oak, sage brush, and bear grass, marked the brass plate in its top as represented in the figure above, from which the right hand of three windmills, 2 different windmills at farm houses, and a fourth windmill about 6 miles distant bear respectively: N 22°16' E, N 70°20½' E, N 86°17' E, and N 43°17' E; an earth mound containing broken clear glass bears S 12°54' W 50.0 varas.

Thence N 74°44' E --- at 1100 varas leave sand, enter firm ground --- at 1450 varas the center of a dry basin, covered by large mesquites, bears N 15°16' W about 250 varas --- at 1550 varas another dry basin bears S 15°16' E about 250 varas --- at 1900.8 varas, the place of beginning.

NOTE:

Of this survey there are: 578.9 Ac. in Gaines County, 61.1 Ac. in Andrews County.

Surveyed May 16, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 150 This 11th day of January, 1934.

R'c'd in Book U.T., Vol 3-B, p 3, Gaines Co.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


For Plat see General Sketch

The State of Texas

SECTION No. 4

GAINES & ANDREWS County

BLOCK No. 6



FIELD NOTES of a survey of

640.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 28' East.

True North is 0° 09½' to the left of the North point used in the Field notes of this survey.

Said survey is situated in GAINES AND ANDREWS County, Texas, on ~~the drainage~~ sand and dry lakes, ~~with~~ no drainage, about 25½ miles S 60° E of Seminole and 22½ miles N 51° E of Andrews.

Beginning at a concrete monument set on the east slope of a sandy ridge, covered by shin oak, sage brush, and bear grass, for the NW corner of section 3, this Block, the brass plate in top of which having been marked as represented in the figure above, from which the right hand of three windmills, two different windmills at farm houses, and a fourth windmill bear respectively: N 22°16' E, N 70°20½' E, N 86°17' E, and N 43°17' E about 6 miles; an earth mound containing broken clear glass bears S 12°54' W 50.0 varas.

Thence S 15°16' E --- at 237.8 varas pass through at about right angles a wire fence --- at 1468.8 varas cross the Gaines-Andrews County line --- at 1900.8 varas strike the SW corner of section 3.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section 4.

Thence N 15°16' W --- at 945.8 varas re-cross the Gaines-Andrews County line --- at 1664.8 varas pass through at about right angles a wire fence --- at 1900.8 varas point for the NW corner of this section 4.

Thence N 74°44' E --- at 1031.0 varas pass through at about right angles a three-wire fence --- at 1186 varas in center of a shin oak mott --- at 1345 varas enter dry basin on NW edge --- at 1665 varas leave dry basin on the NE side --- at 1900.8 varas, point, the place of beginning.

NOTE:

Of this survey there are: 408.0 Ac. in Gaines County, 232.0 Ac. in Andrews County.

Surveyed May 18, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 151

This 11th day of January, 1934.

R'c'd in Book U.T., Vol 3-B, p 4, Gaines Co.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

For Plat see General Sketch

The State of Texas

SECTION No. 5



ANDREWS AND
GAINES

County } BLOCK No. 6

FIELD NOTES of a survey of

640.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 28' East.

True North is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS AND GAINES County, Texas, on the drainage of sand and dry lakes, ~~about 25 miles S 58° E of Seminole and 21 1/2 miles N 50° E of Andrews.~~ no drainage, about 25 miles S 58° E of Seminole and 21 1/2 miles N 50° E of Andrews.

Beginning at the NW corner of section 4, this Block.

Thence S 15°16' E --- at 236.0 varas pass through at right angles a wire fence --- at 955.0 varas cross the Gaines-Andrews County line --- at 1900.8 varas strike the SW corner of section 4.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section 5.

Thence N 15°16' W --- at 1459.6 varas re-cross the Gaines-Andrews County line --- at 1666.6 varas pass through at right angles a fence --- at 1900.8 varas set a concrete monument on a sandy ridge, covered with shinnery, sage brush, and bear grass, among high, rolling sand hills, marked the brass plate in top of same as represented in the figure above, from which an earth mound containing clear and brown broken glass, on a round, bare sand dune, bears S 71°11' E 310.5 varas; a white windmill and two windmills directly in a line from the monument bear respectively S 76°45' W and S 82°24' W.

Thence N 74°44' E 1900.8 varas to the place of beginning.

NOTE:

Of this survey there are: 404.9 Ac. in Andrews County, 235.1 Ac. in Gaines County.

Surveyed May 18, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 152 This 11th day of January, 1934.

R'c'd in Book UT, Vol 3-B, p 5, Gaines Co.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


For Please General Sketch

The State of Texas

SECTION No. 6

ANDREWS & GAINES County

BLOCK No. 6



FIELD NOTES of a survey of
640.0 ACRES of land made for THE
UNIVERSITY OF TEXAS by virtue of an
ACT approved March 29, 1929.

Mag. Declination 11° 27' East.

True North is 0° 08½' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS AND GAINES County, Texas, on ~~the drainage of~~ sand, dry lakes, ~~and no drainage,~~ about 24 miles S 56° E of Seminole and 20½ miles N 49° E of Andrews.

Beginning at a concrete monument set for the NW corner of section 5, on a sandy ridge covered with shin oak, sage brush and bear grass, among high, rolling sand hills, whose brass plate in top was marked as represented in the figure above, from which an earth mound containing clear and brown broken glass, on a round, bare sand dune, bears S 71°11' E 310.5 varas; a white windmill and two windmills directly in a line from the monument bear respectively: S 76°45' W and S 82°24' W.

Thence S 15°16' E --- at 234.2 varas pass through at about right angles a wire fence --- at 441.2 varas cross the Andrews-Gaines County line --- at 1900.8 varas strike the SW corner of section 5, this Block.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section 6.

Thence N 15°16' W --- at 1668.3 varas pass through at right angles a wire fence --- at 1900.8 varas point for the NW corner.

Thence N 74°44' E --- at 268.5 varas cross again the Gaines-Andrews County line --- at 1200 varas enter high, rolling sand hills --- at 1900.8 varas, the place of beginning.

NOTE:
Of this survey there are: 576.2 Ac. in Andrews County,
63.8 Ac. in Gaines County.

Surveyed May 18, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 153
This 11th day of January, 1934.


R'c'd in Bk UT, Vol 3-B, p 6, Gaines Co.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 7

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a monument passing through the corner of Survey No. , this Block, is 0° 08' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 1 1/2 miles N 47° E of Andrews, the county site.

Beginning at the NW corner of section #6, this Block.

Thence S 15°16' E --- at 232.5 varas pass through at right angles a wire fence --- at 1900.8 varas strike the SW corner of section #6.

Thence S 74°44' W 1900.8 varas to the common easterly corner of sections #1 and #12, Block #5, University Land.

Thence N 15°16' W --- at 1669.1 varas pass through at right angles a four-wire fence --- at 1900.8 varas strike the concrete monument set for the NE corner of section #1, Block #5, University Land, situated in Mustang Creek, where same is wide and flat, being near and inside of the SW quarter of a field, its position being 11,534.4 varas N 74°44' E from the concrete monument set for the NE corner of section #1, Block #4 University Land; it is also 11 miles (20,908.8 varas) N 15°16' W of the original NE corner of survey #4, Block #40, Twp. 3 N, G & M M B & A, said latter point being identified as a rock 7"x8", on edge, marked (old) "38". The brass plate in top of this monument was marked as represented in the figure above, from which an old windmill in Mustang Creek bears N 81°49' E about 1/2 mile; double windmills bear N 32°26' W and N 31°43' W about 1 mile.

Thence N 74°44' E --- at 727.4 varas cross a four-wire fence at about right angles, from which the SW corner of the enclosure is to the right about 100 varas and the NW corner of same is to the left about 35 varas --- at 810.4 varas cross the east line of the enclosure, a three-wire fence, from which an old windmill in the SE corner is to the right about 100 varas --- at 842 varas cross a road --- at 860 varas pass between two large clumps of bushes --- at 1020 varas cross a small drain running northwesterly --- at 1250 varas an old house is to the right about 175 varas --- at 1318.7 varas cross old fence from which the NE corner is to the left 37 varas --- at 1323 varas cross an old road --- at 1745.8 varas a stone mound of about 1 bushel of rocks embedded in soil on top of a rocky hill, having a rock in center, marked "X", bears S 15°16' E 229.8 varas. This mound is identified as that which W.D. Twichell, on his certified sketch, dated September 1, 1902, represents as being the NE corner of this section #7 --- at 1900.8 varas, point, the place of beginning.

Surveyed May 18, 1931.


Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 154 . This 17th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 8

The State of Texas } SURVEY NO. 8
ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 27' East.
True North as compared to a meridian passing through the corner
of Survey No. 8, this Block, is 0° 08' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Mustang Creek, a tributary of Colorado River about
9 miles N 50° E of Andrews, the county site.

Beginning at the common corner of sections #1 and #12, Block #5,
and section #7, Block #6, University Land, for the NW corner of this
section #8.

Thence S 15°16' E 1900.8 varas to a concrete monument set for the
SE corner of section #12, Block #5, being in and near the NE corner
of a field of about 40 acres, the brass plate in top of which having
been marked as represented in the figure above, from which the NE
corner post of the field bears N 19°26' E about 90 varas; the SE cor-
ner post of the field bears S 10°00' E about 400 varas; three windmills,
the first a single, the second the taller of two near each other, and
the third the right hand of two windmills bear respectively S 84°10'W
about 6 miles, N 70°55' W, and N62°41' W.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of this
section #8.

Thence N 15°16' W 1900.8 varas to the SE corner of section #7, this
Block.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 18, 1931
Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3, Page 155.
This 17th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 9

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 08 1/2' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 20 miles N 52° E of Andrews, the county site.

Beginning at the NE corner of section #8, being the SW corner of section #6, this Block.

Thence S 15°16' E 1900.8 varas to the SE corner of section #8.

Thence N 74°44' E 1900.8 varas, set a concrete monument on the south side of a high sand ridge extending east and west, being in deep sand covered by shin oaks, marked the brass plate in same as represented in the figure above, from which a single windmill, a windmill at a tree and farm house, and the windmill at the H. A. Moore farm house bear respectively N 65°31' E, S 89° 01' E about 10 miles, and S 26°40' E about 12 miles; an earth mound containing broken glass (clear) bears N 60°16' W 50.0 varas.

Thence N 15°16' W 1900.8 varas to the SE corner of section #6.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 18, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 156 .


This 17th day of October, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 10

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 21 miles N 53° E of Andrews, the county site.

Beginning at the NE corner of section #9, this Block, for the NW corner of this section #10.

Thence S 15°16' E 1900.8 varas to a concrete monument set for the SE corner of section #9, being in deep sand, covered by shin oak, on the south slope of a high sand ridge extending east and west, the brass plate in top of which monument having been marked as represented in the figure above, from which a single windmill, a windmill at a tree and farm house, and the H. A. Moore farm house windmill bear respectively N 65°31' E, S 89°01' E about 10 miles, and S 26°40' E about 12 miles; an earth mound containing broken clear glass bears N60°16'W 50.0 varas.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of this section #10.

Thence N 15°16' W 1900.8 varas to the SE corner of section #5.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 16, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 157. This 18th day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 11

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 22 miles N 54° E of Andrews, the county site.

Beginning at the common corner of sections #4, #5, and #10, this Block, for the NW corner of this section #11.

Thence N 74°44' E 1900.8 varas to the SE corner of section #4.

Thence S 15°16' E 1900.8 varas set a concrete monument on low ground, in deep sand, overgrown by shin oaks and sage brush, marked the brass plate in top of same as represented in the figure above, from which an earth mound containing broken clear glass bears N 3°34' E 50.0 varas.

Thence S 74°44' W 1900.8 varas strike the SE corner of section #10.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 18, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 158.

This 18th day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

For Plat see General Sketch

The State of Texas

SECTION No. 12



ANDREWS & GAINES County

BLOCK No. 6

FIELD NOTES of a survey of

640.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 30' East.

True North is 0° 10' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS AND GAINES County, Texas, on ~~the drainage of~~ sand, dry lakes, ~~and~~ no drainage, about 23 miles N 55° E of Andrews & 27 miles S 60° E of Seminole.

Beginning at the NE corner of section 11, which is the same as the SW corner of section 3, this Block, for the NW corner of this section 12.

Thence S 15°16' E 1900.8 varas to a concrete monument set for the SE corner of section 11, on low ground, in deep sand, covered by shin oaks and sage brush, its brass plate in top having been marked as represented in the figure above, from which an earth mound containing clear broken glass bears N 3°34' E 50.0 varas.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of this section 12.

Thence N 15°16' W --- at 1818.9 varas cross the Andrews-Gaines County line as recently run by R. E. Estes --- at 1900.8 varas strike the SE corner of section 3.

Thence S 74°44' W --- at 302.8 varas re-cross the Andrews-Gaines County line --- at 1900.8 varas the place of beginning.

NOTE:

Of this survey there are: 637.8 Ac. in Andrews County, 2.2 Ac. in Gaines County.

Surveyed May 18, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 159 This 11th day of January, 1934.

R'c'd in Book UT, Vol 3-B, p 7, Gaines Co.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 0

The State of Texas } SURVEY NO. 13
& }
ANDREWS, GAINES County } BLOCK NO. 6
& }
MARTIN



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 30' East.
True North as compared to a meridian passing through the corner
of Survey No. , this Block, is 0° 11' to the left of
the North point used in the field notes of this survey.

Said survey is situated in Andrews, Gaines, Martin County, Texas, on the
waters of sand, dry lakes Creek, a tributary of no drainage River about
24 miles N 55° E of Andrews, 27 1/2 miles S. 62° E of Seminole, and
Beginning at 36 miles N 42° W of Stanton.
Beginning at the NE corner of section #12, the SW corner of section
#2, this Block, for the NW corner of this section #13.

Thence S 15° 16' E --- at 81.9 varas cross the Gaines-Andrews
County Line --- at 1900.8 varas strike the SE corner of section #12.

Thence N 74° 44' E --- at 1873.2 varas cross the Hawkins Andrews-
Martin County Line --- at 1900.8 varas set a concrete monument on top
of a high ridge extending north and south, among shin oak brush, bear
grass, and small mesquite, marked the brass plate in top as represented
in the figure above, from which a windmill at an old farm house, a
windmill in the sky line, immediately over and in line with the SE
corner of a school building, a windmill at another farm house, the
right hand of two windmills, and the windmill at the H. A. Moore Farm
House, bear respectively: N 11° 05' E about 2 1/2 miles, N 45° 26' E,
S 54° 14' E, S 47° 09' E, and S 8° 54' E; an earth mound containing
clear broken glass bears N 48° 16' W 50.0 varas.

Thence N 15° 16' W --- at 102.6 varas recross the Hawkins Andrews-
Martin County Line --- at 1305.1 varas recross the Andrews-Gaines
County Line --- at 1900.8 varas strike the SE corner of section #2.

Thence S 74° 44' W 1900.8 varas to the place of beginning.

NOTE:
Of this survey there are: 525.7 Ac. in Andrews County
114.1 Ac. in Gaines County
.2 Ac. in Martin County

Surveyed May 18th, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U-T" Vol. 3 Page 160.
This 24th day of November, 1933.


R'c'd in Bk UT Vol 3-B-p 8, Gaines Co.
" " " " 3-A-p 1, Martin Co.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch

The State of Texas

SECTION No. 14



MARTIN-GAINES-
DAWSON & ANDREWS

County } BLOCK No. 6

FIELD NOTES of a survey of

640.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 31' East.

True North is 0° 11' to the left of the North point used in the Field notes of this survey.

Said survey is situated in Martin, Gaines, Dawson & Andrews County, Texas, on the drainage of sand, dry lakes, Creek, a tributary of no drainage, about 35 1/2 miles N 41° W of Stanton, 28 1/2 miles S 65° E of Seminole, 22 miles S 49° W of Lamesa, and 25 miles N 56° E of Andrews.

Beginning at the NE corner of section #13, being also the SW corner of section #1.

Thence N 74° 44' E --- at 1468.7 varas cross the Dawson-Gaines county line, from which the SW corner of Dawson County, known as the Standifer Corner, bears S 0° 08' 25" E 957.3 varas --- at 1900.8 varas strike the SE corner of section #1.

Thence S 15° 16' E --- at 450 varas top of a sandy ridge extending east and west --- at 700 varas enter open ground --- at 1108.5 varas cross the Dawson-Martin county line, in the south edge of open ground from which the Standifer Corner bears S 89° 51' 34" W 706.3 varas --- at 1900.8 varas set a concrete monument for the SE corner of this section #14, in sandy ground among shin oaks, scattering mesquite, and bear grass, marked the brass plate in top of same as represented in figure #1 above, from which windmills at farm houses bear N 12° 29' W, N 42° 44' E and N 63° 36' E; an earth mound containing broken clear and brown glass bottles bears N 69° 26' W 50.0 varas.

Thence S 74° 44' W 1900.8 varas strike the concrete monument set at the SE corner of section #13, set on a sandy ridge extending north and south, covered by shin oaks, bear grass, and mesquite, its brass plate in top having been marked as in figure #2 above, from which a windmill at an old house, and one in the sky line, just over and in line with the SE corner of a school building, another at another farm house, the right hand of two windmills, and the windmill at the H. A. Moore farm house bear respectively: N 11° 05' E about 2 1/2 miles, N 45° 26' E, S 54° 14' E, S 47° 09' E and S 8° 54' E; an earth mound containing broken clear glass bears N 48° 16' W 50.0 varas.

Thence N 15° 16' W --- at 102.6 varas cross the Hawkins Martin-Andrews county line --- at 1305.1 varas cross the Andrews-Gaines county line, from which the Hawkins NE corner of Andrews County bears N 89° 51' 34" E 312.2 varas --- at 1900.8 varas, the place of beginning.

NOTE:

Of this survey there are: 321.0 Ac. in Martin County,
184.6 Ac. in Gaines County,
102.3 Ac. in Dawson County,
32.1 Ac. in Andrews County.

Surveyed May 18, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 161


This 24th day of November, 1933.

Rec'd in Bk UT, Vol 3-A, p 2, Martin Co.
" " " " " 3-B, p 9, Gaines Co.
" " " " " 3-C, p 2, Dawson Co.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

PLAT OF SURVEY NO. 000

The State of Texas } SURVEY NO. 15
MARTIN County } BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 31' East.

True North ~~as compared to the meridian passing through the corner~~
~~of section 14~~, ~~is~~ 0° 11½' to the left of
the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the
~~corner of~~ sand, dry lakes ~~with no drainage~~ ~~about~~
34½ miles N 42° W of Stanton, the county site.

Beginning at a concrete monument set in sandy ground overgrown by
shin oaks, mesquite and bear grass, for the SE corner of section #14,
its brass plate having been marked as represented in figure #1 above,
from which windmills at farm houses bear N 12° 29' W, N 42° 44' E and
N 63° 36' E; an earth mound containing broken glass (clear and brown
glass bottles) bears N 69° 26' W 50.0 varas.

Thence S 15° 16' E --- at 245.8 varas pass through at right
angles a three-wire fence --- at 475 varas land on top of a sandy
ridge --- at 1110 varas cross a road --- at 1550 varas enter deep,
red sand --- at 1900.8 varas point for the SE corner of this section
#15.

Thence S 74° 44' W --- at about 160 varas pass through at almost
right angles a wire fence, which strikes, at 43.2 varas to the left,
the NW corner of a field --- at 1900.8 varas point for the SW corner
of this section #15.

Thence N 15° 16' W 1900.8 varas to the concrete monument set for
the SE corner of section #13, on a sandy ridge extending north and
south, covered by shin oak, mesquite and bear grass, its brass plate
in top having been marked as represented in figure #2 above, from
which a windmill at an old house about 2 1/2 miles distant, a wind-
mill in the sky line just over and in line with the SE corner of a
school building, a windmill at a farm house, the right hand of double
windmills and the windmill at the H. A. Moore farm house bear
respectively: N 11° 05' E, N 45° 26' E, S 54° 14' E, S 47° 09' E, and
S 8° 54' E; an earth mound containing broken clear glass bears
N 48° 16' W 50.0 varas.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 18, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 162 .
This 19th day of October, 1932 .

R'e'd in Book UT Vol 3-A, p 3, Martin Co.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

For Plat see General Sketch

The State of Texas

SECTION No. 16

ANDREWS & MARTIN County } BLOCK No. 6



FIELD NOTES of a survey of

640.0 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 30' East.

True North is 0° 11' to the left of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS & MARTIN County, Texas, on the drainage of sand, dry lakes, Creeks tributary of no drainage, about 23 1/2 miles N 57° E of Andrews, and 35 miles N 44° W of Stanton.

Beginning at a concrete monument set for the SE corner of section #13, this Block, situated on a sandy ridge extending north and south and overgrown by shin oak, mesquite and bear grass, its brass plate in top having been marked as in the figure above, from which a windmill at an old house about 2 1/2 miles distant, a windmill visible in the sky line just over and in line with the SE corner of a school building, a windmill at a farm house, the right hand of double windmills, and the windmill at the H. A. Moore farm house bear respectively N 11° 05' E, N 45° 26' E, S 54° 14' E, S 47° 09' E, and S 8° 54' E; an earth mound containing broken clear glass bears N 48° 16' W 50.0 varas.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #15.

Thence S 74° 44' W --- at ^{538.6} 1362.2 varas cross the Hawkins Andrews-Martin County Line --- at 1900.8 varas point for the SW corner of this section #16.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #13.

Thence N 74° 44' E --- at 1873.2 varas recross the same County Line --- at 1900.8 varas the place of beginning.

NOTE:

Of this survey there are: 544.7 Acres in Andrews County, 95.3 Acres in Martin County.

Surveyed May 18th, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book UT Vol. 3 page 163

This 24th day of November, 1933.

Also recorded in Book U. T., Vol. 3-A, p 4, Martin County.


Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 17
ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. 0000, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a drainage River about 22 1/2 miles N 57° E of Andrews, the county site.

Beginning at the NW corner of section 16, this Block.

Thence S 15°16' E 1900.8 varas to the SW corner of said section 16.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section 17.

Thence N 15°16' W 1900.8 varas to the concrete monument set for the SE corner of section 11, this Block, being in a low hollow in deep sand covered with shin oak and sage, the brass plate in top of which having been marked as represented in the figure above, from which an earth mound containing broken clear glass bears N 3°34' E 50.0 varas.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 18, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 164. This 2nd day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 18
BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 2 1/2 miles N 56° E of Andrews, the county site.

Beginning at the NW corner of section #17, being a concrete monument set in a low hollow in deep sand covered with shin oak and sage, for the SE corner of section #11, this Block, the brass plate in top of which having been marked as represented in the figure above, from which an earth mound containing clear broken glass bears N 3° 34' E 50.0 varas.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #17.

Thence S 74° 44' W 1900.8 varas to a point for the SW corner of this section #18.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #11.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 19, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 165 .


This 19th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 19

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 20 1/2 miles N 55° E of Andrews, the county site.

Beginning at the NW corner of section #18, this Block, being the same as the SE corner of section #10.

Thence S 15°16' E 1900.8 varas to the SW corner of section #18.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section #19.

Thence N 15°16' W 1900.8 varas to a concrete monument set for the SE corner of section #9, in deep sand on the south slope of a high ridge running east and west, the brass plate in top of which having been marked as represented in the figure above, from which a single windmill, a windmill at a tree and farm house, and the windmill at the H.A. Moore farm house bear respectively: N 65°31' E, S 89°01' E about 10 miles, and S 26°40' E about 12 miles; an earth mound containing clear broken glass bears N 60°16' W 50.0 varas.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 19, 1931


Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 166. This 19th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

The State of Texas } SURVEY NO. 20

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block, is 0° 09' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lakes Creek, a tributary of no drainage River about
19 miles N 54° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #9,
being the NW corner of section #19, this Block, situated in deep sand
on the south slope of a high ridge extending east and west, the brass
plate in its top having been marked as represented in the figure above,
from which three windmills, the first a single, the second at a tree
and farm house, and the third at the H.A. Moore farm house, bear respect-
ively: N 65° 31' E, S 89° 01' E about 10 miles, and S 26° 40' E about 12
miles; an earth mound containing clear broken glass bears N 60° 16' W
50.0 varas.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #19.

Thence S 74° 44' W 1900.8 varas to a point for the SW corner of this
section #20.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #9.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 19, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 167.


This 19th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 21

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 08' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creel, a tributary of no drainage River about 18 1/2 miles N 53° E of Andrews, the county site.

Beginning at the NW corner of section #20, this Block, being the SE corner of section #8.

Thence S 15°16' E 1900.8 varas to the SW corner of section #20.

Thence S 74°44' W 1900.8 varas strike the common easterly corner of sections #13 and #24, Block #5, University Land, being the SW corner of this section #21.

Thence N 15°16' W 1900.8 varas to a concrete monument set in the NE corner of a field for the SE corner of section #12, Block #5, University Land, the brass plate in top of which having been marked as represented in the figure above, from which the NE corner post of the field bears N 19°26' E about 90 varas; the SE corner post of the field bears S 10°00' E about 400 varas; a single windmill, the taller of double windmills, and the right hand of double windmills, bear respectively: S 84°10' W about 6 miles, N 70°55' W, N 62°41' W;

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 19, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 168.

This 19th day of October 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 22
ANDREWS County } BLOCK NO. 6

B	B
24	22
25	35
5	6
U	T

FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 08½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 18½ miles N 56° E of Andrews, the county site.

Beginning at the SW corner of section #21, this Block, being the easterly common corner of sections #13 and #24, Block #5, University Land, for the NW corner of this section #22.

Thence S 15°16' E 1900.8 varas to a concrete monument set in sandy soil overgrown by shin oak and bear grass, same being set for the SE corner of section #24, Block #5, University Land, the brass plate in top of which having been marked as represented in the figure above, from which an earth mound containing broken clear glass vaccine bottles bears S 45°46' E 32.0 varas; a steel windmill, the windmill at a large tree, and the right hand of double windmills bear respectively: S 15°30' E about 2 1/4 miles, S 20°14' W about 8 miles, and S 57°54' W about 2 1/2 miles.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of this section #22.

Thence N 15°16' W 1900.8 varas to the SE corner of section #21.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 19, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 169 .
This 19th day of October , 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 23

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 19 1/2 miles N 57° E of Andrews, the county site.

Beginning at the NE corner of section #22, being the SW corner of section #20, this Block, for the NW corner of this section #23.

Thence S 15°16' E 1900.8 varas to the SE corner of section #22.

Thence N 74°44' E 1900.8 varas set a concrete monument on the west slope of a ridge of firm ground near the east edge of a drain, marked the brass plate in top as represented in the figure above, from which a mesquite 3" in diameter, marked "X", bears S 81°46' E 32.5 varas; an earth mound containing broken glass bears S 36°01' E 32.5 varas; an allthorn bears S 29°44' W 26.0 varas; the center of a large surface tank in the drain bears N 43°16' W 215 varas.

Thence N 15°16' W 1900.8 varas to the SE corner of section #20.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 19, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 170. This 19th day of October, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 24

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 20½ miles N 58° E of Andrews, the county site.

Beginning at the common corner of sections #19, #20, and #23, this Block.

Thence S 15°16' E 1900.8 varas to the concrete monument set for the SE corner of section #23, situated on the west slope of a ridge of firm ground on the east side of a drain, its brass plate in top having been marked as represented in the figure above, from which a mesquite 3" in diameter, marked "X", bears S 81°46' E 32.5 varas; an earth mound containing broken glass bears S 36°01' E 32.5 varas; an allthorn bears S 29°44' W 26.0 varas; the center of a large surface tank in the drain bears N 43°16' W 215 varas.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of this section #24.

Thence N 15°16' W 1900.8 varas to the SE corner of section #19.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 19, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 171. This 19th day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plan of Survey No. 60

The State of Texas

ANDREWS County SURVEY NO. 25
BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. 60, this Block is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage about 2 1/2 miles N 59° E of Andrews, the county site.

Beginning at the NE corner of section 24, the SE corner of section 19, and the SW corner of section 18, this Block, for the NW corner of this section 25.

Thence S 15°16' E 1900.8 varas to the SE corner of section 24.

Thence N 74°44' E 1900.8 varas set a concrete monument in low ground in deep sand covered by shin oak brush, marked the brass plate in top as represented in the figure above, from which a large rat's nest around a mesquite 6 feet high bears S 52°14' W 28 varas; an earth mound containing broken clear glass bears N 59°36' W 50.0 varas.

Thence N 15°16' W 1900.8 varas strike the SE corner of section 18.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 19, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 172 .
This 2nd day of September, 1933.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 26
ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on sand, dry lakes Creek no drainage about 22 miles N 59° E of Andrews, the county site.

Beginning at the common corner of sections 25, 17 and 18.

Thence S 15°16' E 1900.8 varas strike the concrete monument set for the SE corner of section 25, situated in low ground in deep sand covered with shin oak brush, brass plate in top of which having been marked as represented in the figure above, from which a rat's nest around a mesquite 6 feet high bears S 52°14' W 28 varas; an earth mound containing broken clear glass bears N 59°36' W 50.0 varas.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of this section 26.

Thence N 15°16' W 1900.8 varas to the SE corner of section 17.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 19, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 173. This 2nd day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


Plat of Survey No.

The State of Texas

SURVEY NO. 27

ANDREWS & MARTIN County

BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

372.6 Ac. in Andrews County.

267.4 Ac. in Martin County.

Magnetic Declination 11° 31' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Andrews & Martin County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 23 miles N 60° E of Andrews, and 34 miles N 44° W of Stanton.

Beginning at the NE corner of section #26, being the SW corner of section #16, this Block, for the NW corner of this section #27.

Thence S 15° 16' E 1900.8 varas to the SE corner of section #26.

Thence N 74° 44' E --- at 851.1 varas cross the Hawkins Andrews-Martin County Line --- at 1900.8 varas set a concrete monument for the SE corner, in firm ground overgrown by mesquite and catclaw, marked the brass plate in top as is represented in the figure above, from which the left hand of double windmills, a windmill at a farm house, a windmill at a clump of trees, and the right hand of triple windmills bear respectively: N 31° 36½' E, N 49° 17' E, S 83° 16' E, and S 49° 38' E; a mesquite 3 inches in diameter, marked "X", bears S 52° 34' E 28.2 varas; an allthorn 3 inches in diameter bears N 26° 29' W 77.9 varas.

Thence N 15° 16' W 1900.8 varas strike the SE corner of section #16.

Thence S 74° 44' W --- at 538.6 varas recross the same County Line --- at 1900.8 varas the place of beginning.

Surveyed May 19th, 19 31

Norris B. Creath	} Chain
Gibbons Poteet	
J. A. Conklin	Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 174 . This 24th day of November , 19 33.

Also recorded in Book U.T., Vol. 3-A, page 5, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 28

MARTIN County } BLOCK NO. 6

B 6		B	6
28		27	28
29		30	29
U T		U	T
Fig. 1		Fig. 2	

FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11½' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 34 miles N 43° W of Stanton, the county site.

Beginning at the common corner of sections #15, #16, and #27, for the NW corner of this section #28.

Thence N 74°44' E --- at 1740.8 varas pass through a wire fence, from which the NW corner of a field is to the right 43.2 varas --- at 1900.8 varas strike the SE corner of section #15.

Thence S 15°16' E --- at 43.2 varas cross four-wire fence into field --- at 778.1 varas pass through fence, six-wire, leaving field, entering firm ground --- at 1031.5 varas and 1110 varas cross roads --- at 1900.8 varas set a concrete monument in a brushless level plain about 250 varas west of a field, marked the brass plate in its top as represented in figure #1 above, from which a windmill at a farm house, a windmill on a low hill, a windmill at a clump of trees, and the right hand of double windmills bear respectively: N 1°36' E, S 49°46' E, S 17°21' E, and N 30°10' W; a mesquite 4" in diameter, marked "X", in a group of four, on the SE side of a rubbish heap, bears S 80°44' W 90.0 varas.

Thence S 74°44' W --- at 157.6 varas pass through at about right angles a wire fence --- at 1900.8 varas strike the concrete monument set for the SE corner of section #27, situated in firm level ground among mesquites and calclaw, the brass plate in top of which having been marked as in figure #2 above, from which the left hand of double windmills, a windmill at a farm house, a windmill at a clump of trees, and the right hand of triple windmills bear respectively: N 31°36½' E, N 49°17' E, S 83°16' E, and S 49°38' E; a mesquite 3" in diameter, marked "X", bears S 52°34' E 28.2 varas; an allthorn 3" in diameter bears N 26°29' W 77.9 varas.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 19, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 175 .

This 21st day of October, 1932.

R'c'd in Book UT. Vol 3-A, p 6, Martin Co. *Frank F. Friend*
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 00

The State of Texas } SURVEY NO. 29
MARTIN County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 12' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 33 miles N 44° W of Stanton, the county site.

Beginning at the concrete monument set at the SE corner of section #28, this Block, same being situated in a brushless level plain about 250 varas west of a field, the brass plate in top having been marked as in figure #1 above, from which, a windmill at a farm house, a windmill on a low hill, a windmill at a clump of trees, and the right hand of double windmills bear respectively: N 1°36' E, S 49°46' E, S 17°21' E, and N 30 °10' W; a mesquite 4" in diameter, marked "X", on the southeast side of a rubbish heap bears S 80°44' W 90.0 varas;

Thence S 15°16' E --- at 767.4 varas cross a four-wire fence -- at 782.4 varas a windmill bears N 74°44' E 29 varas --- at 820 varas top of ridge --- at 864 varas cross a road --- at 1005 varas enter another field ---at 1900.8 varas point in field for the SE corner of this section #29.

Thence S 74°44' W, crossing Andrews-Lamesa road, 1900.8 varas to a point for the SW corner of this section #29.

Thence N 15°16' W 1900.8 varas strike the concrete monument set for the SE corner of section #27, in firm level ground among mesquite and catclaw, the brass plate in top of which having been marked as represented in figure #2 above, from which the left hand of double windmills, a windmill at a farm house, a windmill at a clump of trees, and the right hand of triple windmills bear respectively: N 31°36½' E, N 49°17' E, S 83° °16' E, and S 49°38' E; a mesquite 3" in diameter, marked "X", bears S 52°34' E 28.2 varas; an allthorn 3" in diameter bears N 26°29' W 77.9 varas.

Thence N 74°44' E --- at 1743.2 varas pass through at right angles a wire fence --- at 1900.8 varas point the place of beginning.

Surveyed May 19, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A/ Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 176. This 21st day of October, 1932.

R'c'd in Book UT Vol 3-A, p 72, Martin Co. *Frank F. Friend*
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

177

Plat of Survey No.

The State of Texas } SURVEY NO. 30

MARTIN & ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

439.5 Ac. in Martin County.

200.5 Ac. in Andrews County.

Magnetic Declination 11° 31' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Martin & Andrews County, Texas, on the waters of sand, dry Lakes Creek, a tributary of no drainage River about 33 1/2 miles N 46° W of Statton, and 23 miles N 62° E of Andrews.

Beginning at a concrete monument set in firm ground among mesquite and catclaw for the SE corner of section #27, this Block, its brass plate in top having been marked as represented in the figure above, from which the left hand of double windmills, a windmill at a farm house, a windmill at a clump of trees, and the right hand of triple windmills bear respectively: N 31° 36 1/2' E, N 49° 17' E, S 83° 16' E, and S 49° 38' E; a mesquite 3 inches in diameter, marked "X", bears S 52° 34' E 28.2 varas; an allthorn 3 inches in diameter bears N 26° 29' W 77.9 varas.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #29.

Thence S 74° 44' W --- at 1560.7 varas cross the Hawkins Martin-Andrews County line --- at 1900.8 varas point for the SW corner of this section #30.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #27.

Thence N 74° 44' E --- at 851.1 varas recross the same County line --- at 1900.8 varas the place of beginning.

Surveyed May 19th, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 177 .

This 24th day of November, 1933.


Also recorded in Book U.T., Vol. 3-A, page 8, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 31

The State of Texas } SURVEY NO. 31
ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 31' East.

True North ~~as compared to the true north passing through the~~
~~of Andrews~~, ~~the block~~ is 0° 10½' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~
~~water~~ sand, dry lakes ~~and~~ no drainage ~~about~~
22 miles N 62° E of Andrews, the county site.

Beginning at the common corner of sections #26, #27 and #30, for
the NE corner of this section #31.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #30.

Thence S 74° 44' W 1900.8 varas to a point for the SW corner of
this section #31.

Thence N 15° 16' W 1900.8 varas strike the concrete monument set
for the SE corner of section #25, situated in a low hollow of sand
among shin oak brush, its brass plate in top having been marked as
represented in the figure above, from which a rat's nest built around
a mesquite 6 feet high bears S 52° 14' W 28 varas; an earth mound
containing broken clear glass bears N 59° 36' W 50.0 varas.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 20th, 1931.

Norris B. Creath } Chain
Gibbons Pottet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 178.
This 25th day of January, 1934.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T., Vol. 4.)


Plat of Survey No.

The State of Texas

SURVEY NO. 32

ANDREWS County

BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of section 25, this block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 21 miles N 61° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section 25, this Block, situated in a low sand hollow among shin oak brush, its brass plate in top having been marked as represented in the figure above, from which a rat's nest built around a mesquite 6 feet high bears S 52°14' W 28 varas; an earth mound containing clear broken glass bears N 59°36' W 50.0 varas.

Thence S 15°16' E 1900.8 varas to the SW corner of section 31.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section 32.

Thence N 15°16' W 1900.8 varas to the SW corner of section 25.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 20,

1931.

Norris B. Creath

Gibbons Potteet

J. A. Conklin

Chain

Carriers.


Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 179. This 2nd day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 00

The State of Texas } SURVEY NO. 33
ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lake Creek, a tributary of no drainage River about 20 miles N 61° E of Andrews, the county site.

Beginning at the NW corner of section #32, being also the SE corner of section #24, this Block.

Thence S 15°16' E 1900.8 varas to the SW corner of section #32.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section #33.

Thence N 15°16' W 1900.8 varas to a concrete monument set for the SE corner of section #23, situated on the west side of a slope near the east edge of a drain, its brass plate in top having been marked as represented in the figure above, from which a mesquite 3" in diameter, marked "X", bears S 81°46' E 32.5 varas; an earth mound containing broken glass bears S 36°01' E 32.5 varas; an allthorn bear s S 29°44' W 26.0 varas; the center of a large surface tank in the drain bears N 43°16' W 215 varas.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 20, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 180. This 24th day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book UT, Vol. 4.)

Plat of Survey No. 0

The State of Texas } SURVEY NO. 34

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. 0, this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 19 miles N 60° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #23, situated on the west slope of firm ground on the east side of a drain, the brass plate in top of which having been marked as represented in the figure above, from which a mesquite 3" in diameter, marked "X", bears S 81°46' E 32.5 varas; an earth mound containing broken glass bears S 36°01' E 32.5 varas; an allthorn bears S 29°44' W 26.0 varas; the center of a large surface tank in the drain bears N43°16'W 215 varas.

Thence S 15°16' E 1900.8 varas to the SW corner of section #33.

Thence S 74°44' W 1900.8 varas to a point for a SW corner of this section #34.

Thence N 15°16' W 1900.8 varas strike the SW corner of section #23.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 20, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 181. This 25th day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 00

The State of Texas

ANDREWS County } SURVEY NO. 35
BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the corner of Survey No. 00, this Block, is 0° 08½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 18 miles N 59° E of Andrews, the county site.

Beginning at the NW corner of section #34, being the same point as the SE corner of section #22, this Block.

Thence S 15°16' E 1900.8 varas to the SW corner of section #34.

Thence S 74°44' W 1900.8 varas to the common easterly corner of sections #25 and #36, Block #5, University Land, for the SW corner of this section #35.

Thence N 15°16' W 1900.8 varas strike the concrete monument set for the SE corner of section #24, Block #5, being in sandy soil covered by shin oak and bear grass, the brass plate in top of which having been marked as represented in the figure above, from which an earth mound containing clear broken vaccine bottles bears S 45°46' E 32.0 varas; a steel windmill, a windmill at a large tree, and the right hand of double windmills bear respectively: S 15°30' E about 2 1/4 miles, S 20°14' W about 8 miles, and S 57°54' W about 2 1/2 miles.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 20,	1931.	Norris B. Creath	} Chain Carriers. Transitman.
		Gibbons Poteet	
		J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 182. This 25th day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book UT, Vol. 4.)

Plat of Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 36
BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 18 miles N 62° E of Andrews, the county site.

Beginning at the common easterly corner of sections #25 and #36, Block #5, University Land, being also the SW corner of section #35, this Block.

Thence S 15°16' E 1900.8 varas strike the concrete monument for the SE corner of section #36, Block #5, situated in sandy soil among shin oak and bear grass, the brass plate in top of which having been marked as represented in the figure above, from which a mesquite 2½" in diameter and 7 feet high bears N 22°08' W 20.9 varas; an earth mound containing 10 broken vaccine bottles bears S 74°31' E 27.5 varas; a windmill in Mustang Creek bears S 12°45' E about 400 varas.

Thence N 74°44' E --- at about 60 varas pass through at right angles a wire fence ---- at 1900.8 varas point for the SE corner of this section #36.

Thence N 15°16' W 1900.8 varas to the SE corner of section #35.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 20,

19 31.

Norris B. Creath } Chain

Gibbons Poteet } Carriers.

J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 183 . This 25th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 37
BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 19 miles N 63° E of Andrews, the county site.

Beginning at the NE corner of section #36, being the SW corner of section #34, this Block, for the NW corner of this section #37.

Thence S 15°16' E 1900.8 varas to the SE corner of section #36.

Thence N 74°44' E 1900.8 varas set a concrete monument on the south side of a long sloping ridge of deep sand covered with shin oak and bear grass, marked the brass plate in its top as represented in the figure above, from which an earth mound containing broken clear glass bears N 36°27' E 50.0 varas; a mesquite 2" in diameter, marked "X", bears S 71°01' E 52.4 varas; a windmill bears S 60°09' E about 2 miles; double windmills bear S 16°53' E and S 15°39' E about 3/4 mile.

Thence N 15°16' W 1900.8 varas to the SE corner of section #34.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 20, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 184 .
This 25th day of October 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 000

The State of Texas } SURVEY NO. 38

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 19 1/2 miles N 63° E of Andrews, the county site.

Beginning at the common corner of sections #33, #34, and #37, this Block.

Thence N 74° 44' E 1900.8 varas to the SE corner of section #33.

Thence S 15° 16' E 1900.8 varas to a point for the SE corner of this section #38.

Thence S 74° 44' W 1900.8 varas strike the concrete monument set for the SE corner of section #37, this Block, situated on the south side of a long ridge of deep sand among shin oaks and bear grass, the brass plate in top of which having been marked as represented in the figure above, from which an earth mound containing clear broken glass bears N 36° 27' E 50.0 varas; a mesquite 2" in diameter, marked "X", bears S 71° 01' E 52.4 varas; a windmill bears S 60° 09' E about 2 miles; double windmills in Mustang Creek bear S 16° 53' E and S 15° 39' E about 3/4 mile.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 20, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 185. This 25th day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T., Vol. 4.)

Plat of Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 39
BLOCK NO. 6



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 31' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the ~~water~~ ^{water} of sand, dry lakes ~~and no drainage~~ ^{and no drainage} ~~river~~ about 20 1/2 miles N 64° E of Andrews, the county-site.

Beginning at the NE corner of section 38, this Block, being the SW corner of section 32.

Thence S 15°16' E 1900.8 varas to the SE corner of section 38.

Thence N 74°44' E --- at 1150 varas in center of a deep dry basin --- at 1900.8 varas set a concrete monument on the east slope of a sandy ridge among shin oak and bear grass, marked the brass plate in top as represented in the figure above, from which a mesquite in low ground marked "X" bears S 69°08' E 154.2 varas.

Thence N 15°16' W 1900.8 varas to the SE corner of section 32.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 20, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 186. This 2nd day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


Plat of Survey No.

The State of Texas

SURVEY NO. 40

ANDREWS & MARTIN County

BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

630.4 Ac. In Andrews County.

9.6 Ac. In Martin County.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Andrews & Martin County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 21 1/2 miles N 64° E of Andrews, and 33 miles N 48° W of Stanton.

Beginning at the NE corner of section #39, being the SW corner of section #31, this Block, for the NW corner of this section #40.

Thence N 74° 44' E 1900.8 varas to the SE corner of section #31.

Thence S 15° 16' E --- at 1265.0 varas cross the Hawkins Andrews-Martin County Line --- at 1900.8 varas point for the SE corner of this section #40.

Thence S 74° 44' W --- at 171.0 varas recross the same County Line --- at 1900.8 varas strike the concrete monument set for the SE corner of section #39, situated on the east slope of a sandy ridge among shin oak, mesquite, and bear grass, the brass plate in top having been marked as represented in the figure above, from which a mesquite, marked "X", in low ground bears S 69° 08' E 154.2 varas.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 20th, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 187. This 24th day of November, 1933.

Also recorded in Book U.T., Vol. 3-A, page 9, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T., Vol. 4.)


Plat of Survey No. 000

The State of Texas

SURVEY NO. 41

MARTIN & ANDREWS County

BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

601.9 Ac. in Martin County.

38.1 Ac. in Andrews County.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Martin & Andrews County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 32½ miles N 46° W of Stanton, and 22½ miles N 65° E of Andrews.

Beginning at the common corner of sections #30, #31, and #40.

Thence S 15° 16' E --- at 1265.0 varas cross the Hawkins Martin-Andrews County Line --- at 1900.8 varas the SE corner of section #40.

Thence N 74° 44' E 1900.8 varas set a concrete monument in a flat prairie among scattering mesquites in firm ground, marked the brass plate in top of same as represented in the figure above, from which a windmill at a farm house, a windmill at a clump of trees, and a windmill at the Kelton Ranch bear respectively: N 9° 18½' E, N 17° 18' E, and S 36° 02' E; a mesquite 3 inches in diameter and another 4 inches in diameter, each marked "X", bear respectively: N 11° 36' E 65.2 varas and N 85° 16' E 9.8 varas.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #30.

Thence S 74° 44' W --- at 1560.7 varas recross the same County Line --- at 1900.8 varas the place of beginning.

Surveyed May 20th, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 188. This 24th day of November, 1933.

Also recorded in Book U.T., Vol. 3-A, page 10, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Block of Survey No.

The State of Texas } SURVEY NO. 42

MARTIN County } BLOCK NO. 6

B 6		B	6
42		41	42
43		44	43
U T		U	T
Fig. 1		Fig. 2	

FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North (as compared to a meridian passing through the corner of Survey No. , this Block) is 0° 12' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 32 miles N 45° W of Stanton, the county site.

Beginning at the NE corner of section #41, being the SW corner of section #29, this Block, for the NW corner of this section #42.

Thence N 74°44' E --- at about 1756.9 varas pass through a four-wire fence, entering field --- at 1900.8 varas strike the SE corner of section #29, being a point in a field.

Thence S 15°16' E --- at 1322.5 varas pass through a four-wire fence between two fields --- at 1900.8 varas set a concrete monument in a field, marked the brass plate in top as represented in the figure #1 above, from which a windmill at a clump of trees, a windmill on a low hill, the right hand of three windmills, the windmill at the Kelton Ranch, and the right hand of double windmills bear respectively: N 14°42' W, N 62°08' E, S 57°45' E, S 6°24' W, and N 19°22' W; 3 other windmills bear S 46°45' E, S 33°09' E about 1 1/2 miles, and S 19°37' E about 1 3/4 miles.

Thence S 74°44' W --- at 130.3 varas pass through a wire fence, leaving field --- at 1900.8 varas strike the concrete monument set for the SE corner of section #41, being in a prairie among scattering mesquites in firm ground, the brass plate in top of which having been marked as represented in the figure #2 above, from which a windmill at a farm house, a windmill at a clump of trees, and a windmill at the Kelton Ranch bear respectively: N 9°18 1/2' E, N 17°18' E, and S 36°02' E; a mesquite 3" in diameter and another 4" in diameter, each marked "X", bear respectively: N 11°36' E 65.2 varas and N 85°16' E 9.8 varas.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 20, 1931, Norris B. Creath Chain, Gibbons Poteet Carriers, J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 189.

This 25th day of October, 1932. Also recorded in Book UT, Vol. 3-A, page 11, Martin County.

Frank F. Friend Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 0


The State of Texas

SURVEY NO. 43

MARTIN

County

BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 12' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 31 miles N 45° W of Stanton, the county site.

Beginning at a concrete monument set in a field for the SE corner of section #42, this Block, being the NE corner of this section #43, its brass plate in top having been marked as represented in figure #1 above, from which a windmill at a clump of trees, a windmill on a low hill, the right hand of three windmills, the windmill at the Kelton Ranch, and the right hand of double windmills bear respectively: N 14°42' W, N 62°08' E, S 57°45' E, S 6°24' W, and N 19°22' W; 3 other windmills bear S 46°45' E, S 33°09' E about 1 1/2 miles, and S 19°37' E about 1 3/4 miles.

Thence S 15°16' E 1900.8 varas set a concrete monument in same field, marked the brass plate as is represented in figure #2 above, from which a windmill at a clump of trees, a windmill on a low hill, the right hand of triple windmills, a windmill on the north bank of Mustang Creek, and the windmill at the Kelton Ranch bear respectively: N 14°57' W, N 27°58' E, S 83°36' E, S 26°08' E, and S 45°18' W about 1/2 mile; 2 other windmills bear S 79°02' E and S 59°14' E, the latter about 3/4 mile; a corner post in fence bears S 74°05' W 117.6 varas; the NE corner of survey #4, Block #40, Twp 3 N, G & M M B & A, same being a rock 7" x 8", on edge, marked (old) "38", bears S 74°44' W 7 miles and S 15°16' E 4 miles.

Thence S 74°44' W --- at 117.6 varas pass through a fence --- at 1900.8 varas point for the SW corner of this section #43.

Thence N 15°16' W 1900.8 varas strike the concrete monument set for the SE corner of section #41, being in firm, level prairie among scattering mesquite, the brass plate in top of which having been marked as represented in figure #3 above, from which a windmill at a farm house, a windmill at a clump of trees, and a windmill at the Kelton Ranch bear respectively: N 9°18 1/2' E, N 17°18' E, and S 36°02' E; a mesquite 3" in diameter and another 4" in diameter, each marked "X", bear respectively: N 11°36' E 65.2 varas and N 85°16' E 9.8 varas, being the NW corner of this section #43.

Thence N 74°44' E --- at 1770.5 varas pass through at about right angles a wire fence --- at 1900.8 varas the place of beginning.

Surveyed May 20, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 190 .


This 25th day of October, 1932 .

Also recorded in Book UT, Vol. 3-A, page 12, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 44
MARTIN County } BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11½' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 3 ½ miles N 47° E of Stanton, the county site.

Beginning at a concrete monument set for the SE corner of section #41, this Block, being the NW corner of section #43, said monument being situated in a firm, level prairie among scattering mesquite, its brass plate in top having been marked as represented in the figure above, from which a windmill at a farm house, a windmill at a clump of trees, and the windmill at the Kelton Ranch bear respectively: N 9° 18½' E, N 17° 18' E, and S 36° 02' E; a mesquite 3" in diameter and another 4" in diameter, each marked "X", bear respectively: N 11° 36' E 65.2 varas and N 85° 16' E 9.8 varas.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #43.

Thence S 74° 44' W 1900.8 varas to a point for the SW corner of this section #44.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #41.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 21, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklyn

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 191.

This 25th day of October, 1932.

Also recorded in Book U.T., Vol. 3-A, page 13, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T., Vol. 4.)


Plat of Survey No. 0

The State of Texas

SURVEY NO. 45

MARTIN & ANDREWS County

BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

496.4 Ac. in Andrews County

143.6 Ac. in Martin County

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Andrews & Martin County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 21½ miles N 67° E of Andrews, and 32 miles N 49° W of Stanton.

Beginning at the NW corner of section #44, same point being also the SE corner of section 40, this Block.

Thence S 74° 44' W --- at 171.0 varas cross the Hawkins Andrews-Martin County Line --- at 1900.8 varas the concrete monument set for the SE corner of section #39, situated on the east slope of a sandy ridge among shin oaks and bear grass, its brass plate in top having been marked as is represented in the figure above, from which a mesquite, marked "X", in low ground bears S 69° 08' E 154.2 varas.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #45.

Thence N 74° 44' E --- at 1218.8 varas recross the same County Line --- at 1900.8 varas strike the SW corner of section #44.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 21st, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 192. This 24th day of November, 1933.

Also recorded in Book U.T., Vol. 3-A, page 14, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T., Vol. 4.)

Plat of Survey No.

The State of Texas

ANDREWS County

SURVEY NO. 46
BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 10½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 20½ miles N 67° E of Andrews, the county site.

Beginning at a concrete monument set on the east slope of a sandy ridge among shin oaks and bear ~~bear~~ grass, for the SE corner of section 39, this Block, its brass plate having been marked as represented in the figure above, from which a mesquite, marked "X", in low ground, bears S 69°08' E 154.2 varas.

Thence S 15°16' E 1900.8 varas to the SW corner of section 45.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section 46.

Thence N 15°16' W 1900.8 varas to the SW corner of section 39.

Thence N 74°44' E --- at 1150 varas in center of a deep dry basin --- at 1900.8 varas, point, the place of beginning.

Surveyed May 21, 1931.

Norris B. Creath

Gibbons Poteet

J. A. Conklin


Chain
Carriers.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 193. This 2nd day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 47
ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 31' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block, is 0° 10' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Mustang Creek, a tributary of Colorado River about
19½ miles N 66° E of Andrews, the county site.

Beginning at the NW corner of section #46, being also the SE cor-
ner of section #38, this Block, for the NE corner of this section #47.

Thence S 74°44' W 1900.8 varas to a concrete monument set for the
SE corner of section #37, situated on the south side of a long ridge
of deep sand covered with shin oaks and bear grass, its brass plate in
top having been marked as represented in the figure above, from which
an earth mound containing clear broken glass bears N 36°27' E 50.0
varas; a mesquite 2" in diameter, marked "X", bears S 71°01' E 52.4
varas; a windmill bears S 60°09' E about 2 miles; double windmills
bear S 16°53' E and S 15°39' E about ¾ mile.

Thence S 15°16' E, pass near the center part of Mustang Creek,
about 10 varas westerly from a windmill, 1900.8 varas to a point for
the SW corner of this section #47.

Thence N 74°44' E 1900.8 varas to the SW corner of section #46.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 21, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 194 .
This 25th day of October, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 48

ANDREWS County } BLOCK NO. 6



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 18 1/2 miles N 66° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #37, being the NW corner of section #47, same being situated on the south side of a long ridge of deep sand covered with shin oaks and bear grass, its brass plate in top having been marked as represented in the figure above, from which an earth mound containing clear broken glass bears N 36° 27' E 50.0 varas; a mesquite 2" in diameter, marked "X", bears S 71° 01' E 52.4 varas; a windmill bears S 60° 09' E about 2 miles; double windmills in Mustang Creek bear S 16° 53' E and S 15° 39' E about 3/4 mile.

Thence S 15° 16' E, passing, near the center of Mustang Creek, about 10 varas westerly from a windmill, 1900.8 varas to the SW corner of section #47.

Thence S 74° 44' W 1900.8 varas to a point for the SW corner of this section #48.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #37.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 21, 19 31

Norris B. Greath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 195 . This 25th day of October, 19 32.


Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 49
BLOCK NO. 6



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 17½ miles N 65° E of Andrews, the county site.

Beginning at the NW corner of section #48, being the SE corner of section #36, this Block, for the NE corner of this section #49.

Thence S 74°44' W --- at about 1840.8 varas pass through a wire fence --- at 1900.8 varas strike the concrete monument set for the SE corner of section #36, Block #5, University Land, situated in sandy soil overgrown by shin oaks and bear grass, the brass plate in top of which having been marked as represented in the figure above, from which an earth mound containing 10 broken vaccine bottles bears S 74°31' E 27.5 varas; a windmill in Mustang Creek bears S 12°45' E about 400 varas; a mesquite 2½" in diameter and 7 feet high bears N 22°08' W 20.9 varas.

Thence S 15°16' E --- at about 400 varas pass 17.6 varas easterly of a windmill in Mustang Creek --- at 1900.8 varas strike a point which is the SE corner of section #37, and is the SE corner of Block #5, University Land.

Thence N 74°44' E 1900.8 varas to the SW corner of section #48, this Block.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 21, 1931

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 196 .
This 25th day of October, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

MARTIN County

SURVEY NO. 1
BLOCK NO. 7



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 34' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 12' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 30 miles N 46° W of Stanton, The county site.

Beginning at a concrete monument set in a field for the SE corner of section #43, Block #6, University Land, having a brass plate in its top marked as represented in figure #1 above, from which a windmill at a clump of trees, a windmill on a low hill, the right hand of triple windmills, a windmill on north bank of Mustang Creek, and a windmill at the Kelton Ranch bear respectively: N 14°57' W, N 27°58' E, S 83°36' E, S 26°08' E, and S 45°18' W; 2 other windmills bear S 79°02' E and S 59°14' E, the latter being about 3/4 mile. The NE corner of survey #4, Block #40, Twp 3 N, G & M M B & A, being identified as a rock 7" x 8" set on edge and marked (old) "38", bears S 74°44' W 7 miles and S 15°16' E 4 miles. Corner post in fence bears S 74°05' W 117.6 Vs

Thence S 15°16' E --- at 745 varas pass south edge of field, enter sandy area --- at 1175 varas pass through a four-wire fence in a short jog about 10 varas west of a corner --- at 1835.1 varas cross another fence coursing northwesterly --- at 1900.8 varas set another concrete monument in the lowest point in the bottom of Mustang Creek 7 varas west of a north-south fence, marked the brass plate in top of same as is represented in figure #2 above, from which a windmill on the north bank of Mustang Creek bears N 5°48' E about 700 varas; another windmill at a farm house bears N 29°10' E about 3/4 miles; a mesquite 3" in diameter, marked "X", bears S 13°19' W 24.1 varas; a forked mesquite 4" in diameter, marked "X", bears N 75°31' W 79.6 varas.

Thence S 74°44' W --- at about 700 varas re-cross Mustang Creek --- at 1900.8 varas set a second concrete monument on the south side of Mustang Creek, marked the brass plate in top as represented in figure #3 above, from which 3 mesquites, each 3" in diameter, the first 2 marked "X", the third marked "F", bear respectively: N 12°30' E 43.6 varas, N 40°04' E 18.4 varas, and S 73°53' E 55.0 varas.

Thence N 15°16' W --- at about 400 varas pass north bank of Mustang Creek --- at 1900.8 Varas strike the SW corner of section #43, Block #6, University Land.

Thence N 74°44' E --- at 1783.2 varas pass through at about right angles a four-wire fence --- at 1900.8 varas, the place of beginning.

Surveyed	May 21,	1931.	Norris B Creath	} Chain Carriers. Transitman.
			Gibbons Poteet	
			J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 197.

This 26th day of October, 1932.

Also recorded in Book UT, Vol. 3-A, page 15, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


Plat of Survey No.

The State of Texas

SURVEY NO. 2

MARTIN County

BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 34' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11½' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 31 miles N 48° W of Stanton, the county site.

Beginning at the southerly common corner of sections #43 and #44, Block #6, University Land, being the NW corner of section #1, this Block.

Thence S 15°16' E --- at 1500.8 varas pass north bank of Mustang Creek --- at 1900.8 varas strike the concrete monument set for the SW corner of section #1, being on the south side of Mustang Creek, its brass plate in top having been marked as represented in the figure above, from which three mesquites, each 3" in diameter, the first two marked "X", the third marked "F", bear respectively: N 12°30' E 43.6 varas, N 40°04' E 18.4 varas, and S 73°53' E 55.0 varas.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section #2.

Thence N 15°16' W 1900.8 varas to the SE corner of section #45, Block #6, University Land, for the NW corner of this section #2.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 21, 1931.

Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 198 .

This 27th day of October, 1932 .


Also recorded in Book UT, Vol., 3-A, page 16, Martin County.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

Plat of Survey No. 000

The State of Texas } SURVEY NO. 3

ANDREWS & MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929. 324.3 Ac. in Andrews County. 315.7 Ac. in Martin County.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Andrews & Martin County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 2 1/2 miles N 70° E of Andrews, and 3 1/2 miles N 49° W of Stanton.

Beginning at the common corner of sections #44 and #45, Block #6, and section #2, this Block, for the NE corner of this section #3.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #2.

Thence S 74° 44' W --- at 1193.0 varas cross the Hawkins Andrews-Martin County Line --- at 1900.8 varas set a concrete monument on the extreme south edge of the north bank of Mustang Creek, immediately at the turn where the north bank changes from a southeasterly to a northeasterly direction, marked the brass plate in top of same as is represented in the figure above, from which two mesquites, each 2 inches in diameter, the one marked "X", the other marked "T", bear respectively: N 22° 41' E 24.8 varas and S 37° 43' E 52.3 varas; a windmill in the creek bears N 62° 21' W about 400 varas.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #45, Block #6.

Thence N 74° 44' E --- at 1218.8 varas recross the same County Line --- at 1900.8 varas the place of beginning.

Surveyed May 21st, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 199.

This 24th day of November, 1933.

Also recorded in Book U.T., Vol. 3-A, page 17, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.


The State of Texas

SURVEY NO. 4

ANDREWS

County

BLOCK NO. 7



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 10½' to the left of the North point used in the field notes of this survey.

Said survey is situated in Andrews County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 20½ miles N 69° E of Andrews, the county-site.

Beginning at the southerly common corner of sections 45 and 46, being a part of Block 6, University Land, said point being also the NW corner of section 3, this Block.

Thence S 15°16' E 1900.8 varas to the concrete monument set for the SW corner of section 3, situated on the north bank of Mustang Creek immediately in the turn where the north bank changes from a southeasterly to a northeasterly direction, the brass plate in top of which having been marked as represented in the figure above, from which two mesquites, each 2" in diameter, the one marked "X", the other marked "T", bear respectively: N 22°41' E 24.8 varas and S 37°43' E 52.3 varas; a windmill in the creek bears N 62°21' W about 400 varas.

Thence S 74°44' W --- at about 200 varas pass center of creek bed where same courses southeasterly --- at 1900.8 varas point for the SW corner of this section 4.

Thence N 15°16' W --- at about 1500 varas re-cross Mustang Creek --- at 1900.8 varas strike the SW corner of section 46, Block 6, University Land.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 21, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 200. This 4th day of September, 1933.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat 00000 Survey No.


The State of Texas

SURVEY NO. 5

ANDREWS

County

BLOCK NO. 7



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. 0000, this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 19½ miles N 69° E of Andrews, the county site.

Beginning at the NW corner of section 4, this Block, being the most southerly common corner of sections 46 and 47, Block 6.

Thence S 15° 16' E --- at about 400.8 varas cross Mustang Creek --- at 1900.8 varas strike the SW corner of section 4.

Thence S 74° 44' W 1900.8 varas set a concrete monument for the SW corner of this section 5, being in deep sand in the bottom of a depression, marked the brass plate in its top as represented in the figure above, from which a mesquite 2½" in diameter, marked "X", bears S 84° 01' E 80.1 varas; an earth mound containing clear broken glass bears N 66° 49' W 50.0 varas.

Thence N 15° 16' W 1900.8 varas to the SW corner of section 47, Block 6.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 21, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 201.


This 4th day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 6

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 18½ miles N 69° E of Andrews, the county site.

Beginning at the southerly common corner of sections #47 and #48, Block #6, which point is the same as the NW corner of section #5, this Block.

Thence S 74°44' W 1900.8 varas to the SW corner of section #48, Block #6.

Thence S 15°16' E 1900.8 varas to a point for the SW corner of this section #6.

Thence N 74°44' E 1900.8 varas to the concrete monument set in deep sand in a depression among sand hills for the SW corner of section #5, the brass plate in its top having been marked as represented in the figure above, from which a mesquite 2 1/2 inches in diameter, marked "X", bears S 84°01' E 80.1 varas; an earth mound containing clear broken glass bears N 66°49' W 50.0 varas.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 21, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 202. This 28th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 7

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 31' East.

True North as compared to a meridian passing through the corner of Survey No. 00, this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 17 1/2 miles N 68° E of Andrews, the county site.

Beginning at the SE corner of section #49, Block #6, University Land, being the NW corner of section #6, this Block, for the NE corner of this section #7.

Thence S 74° 44' W --- at about 1855 varas pass through at almost right angles a wire fence --- at 1900.8 varas strike the SW corner of section #49, Block #6, being also the SE corner of section #37, Block #5, University Land.

Thence S 15° 16' E 1900.8 varas set a concrete monument in sandy soil among shin oaks and bear grass, marked the brass plate in top as is represented in the figure above, from which a steel windmill in a depression bears S 20° 01' E about 400 varas; an earth mound containing twelve clear vaccine bottles, broken, bears N 46° 16' W 50.0 varas.

Thence N 74° 44' E --- at 30.7 varas pass through at about right angles a wire fence --- at 1900.8 varas strike the SW corner of section #6.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 21, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 203. This 28th day of October, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

ANDREWS County SURVEY NO. 8
BLOCK NO. 7



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 17½ miles N 72° E of Andrews, the county site.

Beginning at a concrete monument set for the SW corner of section #7, this Block, situated in sandy soil among shin oaks and bear grass, the brass plate in top of which having been marked as represented in the figure above, from which a steel windmill in a depression bears S 20° 01' E about 400 varas; an earth mound containing twelve broken clear vaccine bottles bears N 46° 16' W 50.0 varas.

Thence S 15° 16' E 1900.8 varas to a point for the SW corner of this section #8.

Thence N 74° 44' E 1900.8 varas to a point for the SE corner.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #7.

Thence S 74° 44' W --- at 1870.1 varas pass through at about right angles a wire fence --- at 1900.8 varas the place of beginning.

Surveyed May 22,

19 31

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 204 .

This 28th day of October , 19 32.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 9
BLOCK NO. 7



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block, is 0° 09½' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lake Creek, a tributary of no drainage River about
18½ miles N 72° E of Andrews, the county site.

Beginning at the common corner of sections #7, #6, and #8.

Thence S 15°16' E 1900.8 varas to the SE corner of section #8.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of
this section #9.

Thence N 15°16' W 1900.8 varas to the concrete monument set for
the SW corner of section #5, situated in deep sand in a depression
among sand hills, the brass plate in top of which having been
marked as represented in the figure above, from which a mesquite 2½"
in diameter, marked "X", bears S 84°01' E 80.1 var as; an earth
mound containing clear broken glass bears N 66°49' W 50.0 varas.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 22, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 205 .

This 28th day of October, 1932.

Frank F. Friend


Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Block No. Survey No.~~

The State of Texas

ANDREWS County } SURVEY NO. 10
BLOCK NO. 7



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 34' East.

True North as compared to a meridian passing through the corner of this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 19 1/2 miles N 72° E of Andrews, the county site.

Beginning at a concrete monument set for the SW corner of section 5, this Block, being also the NE corner of section 9, situated in deep sand in a depression among sand hills, the brass plate in top of which having been marked as represented in the figure above, from which a mesquite 2 1/2 inches in diameter, marked "X", bears S 84° 01' E 80.1 varas; an earth mound containing clear broken glass bears N 66° 49' W 50.0 varas.

Thence N 74° 44' E 1900.8 varas strike the SE corner of section 5.

Thence S 15° 16' E 1900.8 varas to a point for the SE corner of this section 10.

Thence S 74° 44' W 1900.8 varas strike the SE corner of section 9.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 22, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 206.

This 4th day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Block of Survey No.

The State of Texas } SURVEY NO. 11
ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 34' East.

True North ~~as compared to the meridian passing through the~~ ~~Survey No.~~ is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 20½ miles N 73° E of Andrews, the county site.

Beginning at the NE corner of section #10, the SE corner of section #5, and the SW corner of section #4, this Block, for the NW corner of this section #11.

Thence N 74° 44' E --- at about 1700.8 varas cross Mustang Creek, which courses southeasterly --- at 1900.8 varas strike the concrete monument set for the SW corner of section #3, situated on the north bank of Mustang Creek, immediately on the bend where the bank changes from a southeasterly to a northeasterly direction, the brass plate in top of which monument having been marked as represented in the figure above, from which two mesquites, each two inches in diameter, the one marked "X", the other marked "T", bear respectively: N 22° 41' E 24.8 varas and S 37° 43' E 52.3 varas; a windmill in the bed of Mustang Creek bears N 62° 21' W about 400 varas.

Thence S 15° 16' E --- at about 150 varas re-cross Mustang Creek where it flows northeasterly --- at 1900.8 varas point for the SE corner of this section #11.

Thence S 74° 44' W 1900.8 varas to the SE corner of section #10.

Thence N 15° 16' W 1900.8 varas to the place of beginning.

Surveyed May 22nd, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 207 .
This 25th day of January, 1934.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 6

The State of Texas } SURVEY NO. 12

MARTIN & ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.
487.7 Ac. in Martin County.
152.3 Ac. in Andrews County.

Magnetic Declination 11° 34' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Martin & Andrews County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 30 1/2 miles N 50° W of Stanton, and 21 1/2 miles N 73° E of Andrews.

Beginning at a concrete monument set for the SW corner of section #3, being on the north bank of Mustang Creek at the angle bend where the bank changes from a southeasterly to a northeasterly direction, the brass plate in top of which having been marked as represented in the figure above, from which two mesquites, each 2 inches in diameter, the one marked "X", the other marked "T", bear respectively: N 22° 41' E 24.8 varas and S 37° 43' E 52.3 varas; a windmill in the bed of Mustang Creek bears N 62° 21' W about 400 varas.

Thence N 74° 44' E --- at 707.8 varas cross the Hawkins Martin-Andrews County Line --- at 1900.8 varas strike the SE corner of section #3.

Thence S 15° 16' E 1900.8 varas to a point for the SE corner of this section #12.

Thence S 74° 44' W --- at 1704.0 varas recross the same County Line --- at 1900.8 varas the SE corner of section #11.

Thence N 15° 16' W --- at about 1750.8 varas cross Mustang Creek where it flows northeasterly --- at 1900.8 varas the place of beginning.

Surveyed May 22nd, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 208 .

This 24th day of November , 1933.

Also recorded in Book U.T., Vol. 3-A, page 18, Martin County.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 00

The State of Texas } SURVEY NO. 13

MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. 00, this Block, is 0° 12' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 30 miles N 43° W of Stanton, the county site.

Beginning at the common corner of sections #2, #3, and #12, this Block.

Thence N 74°44' E 1900.8 varas to the concrete monument set for the SW corner of section #1, situated on the south side of Mustang Creek, the brass plate in top of which having been marked as represented in the figure above, from which three mesquites, each 3 inches in diameter, the first two marked "X", the third marked "F", bear respectively N 12°30' E 43.6 varas, N 40° 04' E 18.4 varas, and S 73°53' E 55.0 varas.

Thence S 15°16' E --- at about 75 varas pass south bank of Mustang Creek --- at 1900.8 varas point for the SE corner of this section #13.

Thence S 74°44' W 1900.8 varas to the SE corner of section #12.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 22, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 209.

This 29th day of October, 1932. Also recorded in Book U.T., Vol. 3-A, page 19, Martin County.

Handwritten signature of Frank F. Friend, Licensed Land Surveyor of Texas, and Special Surveyor of University Lands.

Flat of Survey No.


The State of Texas

SURVEY NO. 14

MARTIN

County

BLOCK NO. 7



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 12' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of Mustang Creek, a tributary of Colorado River about 29 1/2 miles N 47° W of Stanton, the county site.

Beginning at a concrete monument on the south side of Mustang Creek set for the SW corner of section #1, this Block, the brass plate in top of which having been marked as represented in the figure #1 above, from which three mesquites, each 3 inches in diameter, the first two marked "X", the third marked "F", bear respectively: N 12° 30' E 43.6 varas, N 40° 04' E 18.4 varas, and S 73° 53' E 55.0 varas.

Thence N 74° 44' E --- at about 1200.8 varas cross Mustang Creek --- at 1900.8 varas strike the concrete monument set for the SE corner of section #1, being at the lowest point in the bed of Mustang Creek 7 varas west of a north-south fence, the brass plate in top of which having been marked as represented in the figure #2 above, from which a windmill on the north bank of the creek and a windmill at a farm house bear respectively: N 5° 48' E about 700 varas and N 29° 10' E about 3/4 mile; two mesquites, the first 3 inches in diameter, the second 4 inches in diameter, forked, each marked "X", bear respectively: S 13° 19' W 24.1 varas and N 75° 31' W 79.6 varas.

Thence S 15° 16' E 1900.8 varas to a point about 25 varas west of a field fence for the SE corner of this section #14.

Thence S 74° 44' W 1900.8 varas to the SE corner of section #13.

Thence N 15° 16' W --- at about 1825.8 varas pass the south bank of Mustang Creek --- at 1900.8 varas the place of beginning.

Surveyed May 22, 1931

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 210 .


This 29th day of October, 1932. Also recorded in Book U.T., Vol. 3-A, page 20, Martin County.

Frank F. Friend Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 15

MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 12½' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 28½ miles N 48° W of Stanton, the county site.

Beginning at the SE corner of section #14, this Block, being the point about 25 varas west of a field fence.

Thence S 15°16' E --- at 1581 varas cross a road --- at 1900.8 varas set a concrete monument, situated in a depressed portion of a ridge extending NE-SW, being firm, sandy soil, marked the brass plate in its top as represented in figure #1 above, from which a windmill on the north bank of Mustang Creek, another at the J.W. Small farm house, and the windmill at the Kelton Ranch bear respectively: N 12°08' W, N 8°31' W, and N 25°57' W; another windmill bears N 4°15½' W; a mesquite, marked "X", bears S 85°18' W 107.2 varas.

Thence S 74°44' W 1900.8 varas set another concrete monument on low sandy ground for the SW corner of this section #15, marked the brass plate in its top as represented in figure #2 above, from which a mesquite 8 inches in diameter, marked "X", bears S 52°51' E 178.3 varas; another mesquite 2 1/2 inches in diameter, marked "F", bears S 23°28' E 63.7 varas.

Thence N 15°16' W, crossing at about 1/2 mile a north-south fence, 1900.8 varas to the SW corner of section #14.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 22, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 211.

This 31st day of October, 1932.
Also recorded in Book U.T., Vol. 3-A, page 21, Martin County.


Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book.U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 16

MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 36' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 12' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 19 miles N 50° W of Stanton, the county site.

Beginning at the common corner of section #13, #14, and #15, this Block.

Thence S 15°16' E --- ag about 1/2 mile cross a wire fence running north and south --- at 1900.8 varas strike the concrete monument set for the SW corner of section #15, situated in low sandy soil, having its brass plate in top marked as represented in the figure above, from which a mesquite 8 inches in diameter, marked "X", bears S 52°51' E 178.3 varas; another mesquite 2 1/2 inches in diameter, marked "F", bears S 23°28' E 63.7 varas.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section #16.

Thence N 15°16' W 1900.8 varas to the SW corner of section #13.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 22, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 212 .

This 31st day of October 19 32.
Also recorded in Book U.T., Vol. 3-A, page 22, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T., Vol. 4.)


Plat of Survey No.

The State of Texas

SURVEY NO. 17

MARTIN & ANDREWS County

BLOCK NO. 7



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

627.3 Ac. in Martin County.

12.7 Ac. in Andrews County.

Magnetic Declination $11^{\circ} 35'$ East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is $0^{\circ} 11\frac{1}{2}'$ to the left of the North point used in the field notes of this survey.

Said survey is situated in Martin & Andrews County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about $29\frac{1}{2}$ miles N 52° W of Stanton, and $21\frac{1}{2}$ miles N 75° E of Andrews.

Beginning at the NW corner of section #16, for the NE corner of this section #17.

Thence S $15^{\circ} 16'$ E 1900.8 varas to the SW corner of section #16.

Thence S $74^{\circ} 44'$ W 1900.8 varas set a concrete monument in the NW edge of a dry basin, in the bottom of which are many large mesquites, marked the brass plate in top as represented in the figure above, from which a mesquite 3 inches in diameter, marked "T", and another 5 inches in diameter, marked "X", bear respectively: S $29^{\circ} 52'$ E 22.3 varas and S $39^{\circ} 43'$ W 19.9 varas.

Thence N $15^{\circ} 16'$ W --- at 1169.0 varas cross the Hawkins Martin-Andrews County Line --- at 1900.8 varas point for the SW corner of section #12.

Thence N $74^{\circ} 44'$ E --- at 196.7 varas recross the same County Line --- at 1900.8 varas the place of beginning.

Surveyed May 22nd, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 213 .

This 24th day of November, 1933.

Also recorded in Book U.T., Vol. 3-A, page 23, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc, see Book U. T., Vol. 4.)


Plat of Survey No.

The State of Texas

SURVEY NO. 18

ANDREWS & MARTIN County

BLOCK NO. 7



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

607.5 Ac. in Andrews County.

32.5 Ac. in Martin County.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Andrews & Martin County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 20 1/2 miles N 75° E of Andrews, and 30 miles N 53° W of Stanton.

Beginning at the NW corner of section #17, being the SE corner of section #11, this Block, for the NE corner of this section #18.

Thence S 15° 16' E --- at 731.8 varas cross the Andrews-Martin County Line --- at 1900.8 varas strike the concrete monument set for the SW corner of section #17, situated in the NW edge of a dry basin, the bottom of which being covered by many large mesquite trees, the brass plate in top of which having been marked as represented in the figure above, from which two mesquites, the one 3 inches in diameter, marked "T", and the other 5 inches in diameter, marked "X", bear respectively: S 29° 52' E 22.3 varas and S 39° 43' W 19.9 varas.

Thence S 74° 44' W --- at 314.3 varas recross the same County Line --- at 1900.8 varas point for the SW corner of this section #18.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #11.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 22nd, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 214.


This 24th day of November 1933.

Also recorded in Book U.T., Vol. 3-A, page 24, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(Pro plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
Plat of Survey No.

The State of Texas } SURVEY NO. 19
ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 19 1/2 miles N 75° E of Andrews, the county site.

Beginning at the NW corner of section 18, being the SE corner of section 10, this Block, for the NE corner of this section 19.

Thence S 15°16' E 1900.8 varas to the SW corner of section 18.

Thence S 74°44' W 1900.8 varas set a concrete monument for the SW corner, situated on a high sandy area among shin oak brush, marked the brass plate in top of same as represented in the figure above, from which an earth mound containing broken glass bears N 36°19' E 50.0 varas; the windmill near the H.A. Moore farm house, the right hand of two windmills, a windmill at a large surface tank, and a single windmill bear respectively: S 41°03' E, S 19°22' E, S 5°25' W about 4 miles, and S 39°53' W.

Thence N 15°16' W 1900.8 varas to the SW corner of section 10.

Thence N 74°44' E 1900.8 varas to the place of beginning.


Surveyed May 22, 1931
Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 215 .
This 5th day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Flat of Survey No.

The State of Texas } SURVEY NO. 20
ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 34' East.

True North as compared to a meridian passing through the corner
of Survey No. , this Block is 0° 10' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lakes Creek, a tributary of no drainage River about
18½ miles N 75° E of Andrews, the county site.

Beginning at the NW corner of section #19, being identical with
the SE corner of section #9, for the NE corner of this section #20.

Thence S 15° 16' E 1900.8 varas to the concrete monument set for
the SW corner of section #19, situated near the east side of a high
sandy plateau among shin oak brush, the brass plate in top of which
having been marked as represented in the figure above, from which
an earth mound containing broken glass bears N 36° 19' E 50.0 varas;
a windmill near the H.A. Moore farm house, the right hand of double
windmills, a windmill at a large surface tank, and a fourth windmill
bear respectively: S 41° 03' E, S 19° 22' E, S 5° 25' W about 4 miles,
and S 39° 53' W.

Thence S 74° 44' W 1900.8 varas to a point for the SW corner of
this section #20.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #9.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

Surveyed May 23, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 216 .
This 31st day of October, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 21

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 17 1/2 miles N 75° E of Andrews, the county site.

Beginning at the common corner of sections #8, #9, and #20, being the NE corner of this section #21.

Thence S 15°16' E 1900.8 varas to the SW corner of section #20.

Thence S 74°44' W 1900.8 varas set a concrete monument in firm sandy soil in mesquite prairie, from which the corner post in an east-west fence where a four-wire fence joins it from the south bears N 44°34' E 18.5 varas; a cattle guard in a north-south fence bears S 41°01' E 36 varas; a mesquite 3 inches in diameter, marked "X", bears S 6°29' W 94.3 varas; an old windmill bears N 69°19' W about 3/4 mile; the junction post in an east-west fence by a four-wire fence from the north bears N 30°46' W 10.7 varas. The brass plate in the top of this monument is marked as represented in the figure above. The NE corner of survey #4, Block #40, Twp 3 N, G & M M B & A, described and identified as a rock 7" x 8", standing on edge, marked (old) "38", bears S 15°16' E 1900.8 varas. This point marks also the NE corner of survey #5, Block #40, Twp 3 N, G & M M B & A.

Thence N 15°16' W 1900.8 varas to the SW corner of section #8.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 23, 19 31,

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 217 . This 31st day of October, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 22

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 34' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 17½ miles N 78° E of Andrews, the county site.

Beginning at a concrete monument set for the SW corner of section #21, this Block, being also the NE corner of survey #5, Block #40, Twp 3 N, G & M M B & A, situated in a firm sandy prairie over-grown by mesquite, the brass plate in top of which having been marked as represented in the figure above, from which a corner post at the junction in an east-west fence by a four-wire fence from the south bears N 44° 34' E 18.5 varas; a cattle guard in a north-south fence bears S 41° 01' E 36.0 varas; a mesquite 3 inches in diameter, marked "X", bears S 6° 29' W 94.3 varas; an old windmill bears N 69° 19' W about ¾ mile; another corner post at the junction in an east-west fence by a four-wire fence from the north bears N 30° 46' W 10.7 varas.

Thence S 15° 16' E 1900.8 varas to a flat rock 7" x 8", set on edge, marked (old) "38", 3 varas west of a four-wire fence running north-south, there being driven by its side an 1 1/2 inch galvanized iron pipe, marked "MFS NE4 B40 T3N", from which rock a concrete monument set with its top flush with the ground, having in its top a brass plate, marked with a steel die "WITNESS", bears N 74° 44' E 1.0 vara; an allthorn bush bears S 83° 46' E 23.5 varas; windmills bear S 66° 24' E about 1 3/4 miles, S 27° 05½' W about 2 1/2 miles, and S 39° 49' W about 3 1/2 miles; another allthorn bears S 35° 29' W 81.0 varas.

Thence N 74° 44' E 1900.8 varas to a point for the SE corner of this section #22.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #21.

Thence S 74° 44' W 1900.8 varas to the place of beginning.

Surveyed May 23,	1931.	Norris B. Creath	} Chain Carriers. Transitman.
		Gibbons Poteet	
		J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 218 . This 31st day of October , 1932 .


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 23

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 18 1/2 miles N 78° E of Andrews, the county site.

Beginning at the NE corner of section #22, being also the SW corner of section #20, for the NW corner of this section #23.

Thence S 15°16' E 1900.8 varas to the SE corner of section #22.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of this section #23.

Thence N 15°16' W --- at 1872.0 varas pass through at about right angles a wire fence --- at 1900.8 varas strike the concrete monument set for the SW corner of section #19, on a high sandy plateau covered by shin oak brush, the brass plate in tis top having been marked as represented in the figure above, from which an earth mound containing broken glass bears N 36°19' E 50.0 varas; a windmill near H.A. Moore's farm house, the right hand of double windmills, a windmill at a large surface tank, and a single windmill bear respectively: S 41°03' E, S 19°22' E, S 5°25' W about 4 miles, and S 39°53' W.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 23, 1931.

Norris B. Creath Chain
Gibbons Poteet Carriers.
J. A. Conklin Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 219 .

This 31st day of October, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 6.

The State of Texas } SURVEY NO. 24
ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 36' East.

True North as compared to a meridian passing through the corner of Survey No. 6, Block, is 0° 10 1/2' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the corner of sand, dry lakes Creek, no drainage River about 1 1/2 miles N 78° E of Andrews, the county site.

Beginning at a concrete monument set for the SW corner of section 19, this Block, situated on a high sandy plateau covered with shin oak brush, its brass plate in top having been marked as represented in the figure above, from which an earth mound containing broken glass bears N 36° 19' E 50.0 varas; a windmill at the H.A. Moore farm house, the right hand of two windmills, and a windmill at a large surface tank bear respectively: S 41° 03' E, S 19° 22' E, and S 5° 25' W about 4 miles; another windmill bears S 39° 53' W.

Thence S 15° 16' E 1900.8 varas (passing through at 28.8 varas a wire fence) to the SE corner of section 23.

Thence N 74° 44' E 1900.8 varas to a point for the SE corner of this section 24.

Thence N 15° 16' W 1900.8 varas to the SE corner of section 19.

Thence S 74° 44' W 1900.8 varas to the place of beginning.

Surveyed May 23, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 220 .
This 5th day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


Plat of Survey No. 0

The State of Texas

SURVEY NO. 25

ANDREWS & MARTIN County

BLOCK NO. 7



FIELD NOTES of a survey of

640.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

448.1 Ac. in Andrews County.

191.9 Ac. in Martin County.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the corner of Survey No. 0, this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Andrews & Martin County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 20 1/2 miles N 78° E of Andrews, and 29 1/2 Miles N 54° W of Stanton.

Beginning at the NE corner of section #24, this Block, for the NW corner of this section #25.

Thence S 15° 16' E 1900.8 varas to the SE corner of section #24.

Thence N 74° 44' E --- at 1075.5 varas cross the Hawkins Andrews-Martin County Line --- at 1900.8 varas point for the SE corner of this section #25.

Thence N 15° 16' W --- at 1840.8 varas pass through at about right angles a wire fence --- at 1900.8 varas strike the concrete monument set for the SW corner of section #17, situated on the NW edge of a dry basin in which there are growing many mesquites, its brass plate in top having been marked as represented in the figure above, from which two mesquites, the one 3 inches in diameter, marked "T", and the other 5 inches in diameter, marked "X", bear respectively: S 29° 52' E 22.3 varas and S 39° 43' W 19.9 varas.

Thence S 74° 44' W --- at 314.3 varas recross the same County Line --- at 1900.8 varas the place of beginning.

Surveyed May 23rd, 19 31.

Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 221.

This 24th day of November, 19 33.


Also recorded in Book U.T., Vol. 3-A, page 25, Martin County.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 26
MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11½' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 29 miles N 53° W of Stanton, the county site.

Beginning at a concrete monument set for the SW corner of section #17, being the NE corner of section #25, situated on the NW side of a basin, the bottom of which being covered by many large mesquites, the brass plate in top of which having been marked as represented in the figure above, from which two mesquites, the one 3 inches in diameter marked "T", the other 5 inches in diameter, marked "X", bear respectively S 29° 52' E 22.3 varas, and S 39° 43' W 19.9 varas.

Thence N 74° 44' E 1900.8 varas to the SE corner of section #17.

Thence S 15° 16' E 1900.8 varas to a point for the SE corner of this section #26.

Thence S 74° 44' W 1900.8 varas to the SE corner of section #25.

Thence N 15° 16' W --- at 1840.8 varas pass through at about right angles a wire fence --- at 1900.8 varas the place of beginning.

Surveyed May 23, 1931.

Norris B. Creath } Chain
Gibbons Postett } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 222 .

This 1st day of November, 1932.


Also recorded in Book U.T., Vol. 3-A, page 26, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 27
MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of
640.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 38' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 12' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 28 miles N 51° W of Stanton, the county site.

Beginning at the common corner of sections #16, #17, and #26, this Block, for the NW corner of this section #27.

Thence N 74°44' E 1900.8 varas to the concrete monument set for the SW corner of section #15, situated in low sandy ground, the brass plate in top of which having been marked as in the figure above, from which two mesquites, the one 8 inches in diameter marked "X", the other 2 1/2 inches in diameter marked "F", bear respectively: S 52°51' E 178.3 varas and S 23°28' E 63.7 varas.

Thence S 15°16' E 1900.8 varas to a point for the SE corner of this section #27.

Thence S 74°44' W 1900.8 varas to the SE corner of section #26.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 23, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Adrews County in Book "U T" Vol. 3 Page 223 .

This 1st day of November, 1932 .


Also recorded in Book U.T., Vol. 3-A, page 27, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 28

MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of 640.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 39' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 12 1/2' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 28 miles N 49° W of Stanton, the county site.

Beginning at the NE corner of section #27, this Block, being a concrete monument set for the SW corner of section #15, situated in low sandy soil, its brass plate in top having been marked as represented in figure #1 above, from which a mesquite 8 inches in diameter marked "X" and another mesquite 2 1/2 inches in diameter marked "F" bear respectively: S 52°51' E 178.3 varas and S 23°28' E 63.7 varas.

Thence S 15°16' E 1900.8 varas to the SE corner of section #27.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of this section #28.

Thence N 15°16' W --- at 566.8 varas cross a road --- at 1775.6 varas pass through at about right angles a wire fence, 42.1 varas westerly from the point at which it joins at right angles a north-south fence --- at 1900.8 varas strike the concrete monument set for the SE corner of section #15, its brass plate having been marked as represented in figure #2 above, from which a windmill on the north bank of Mustang Creek, the windmill at the J.W. Small farm house, the windmill at the Kelton Ranch, and a fourth windmill bear respectively: N 12°08' W, N 8°31' W, N 25°57' W and N 4°15 1/2' W; a mesquite marked "X" bears S 85°18' W 107.2 varas. This monument is situated in a depressed portion of a high ridge extending NE-SW, being in firm sandy soil.

Thence S 74°44' W 1900.8 varas to the place of beginning.

Surveyed May 23, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 224.

This 1st day of November, 1932.

Also recorded in Book U.T., Vol. 3-A, page 28, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 29
 MARTIN County } BLOCK NO. 7

B 7		B 7	
U T		U T	
29		30 29	
Fig. 1		Fig. 2	

FIELD NOTES of a survey of
 643.7 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 40' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 13' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 27 miles N 50° W of Stanton, the county site.

Beginning at the SE corner of section #28, this Block, for the NE corner of this section #29.

Thence S 15°16' E --- at 270 varas point from which the center of a basin bears N 74°44' E about 150 varas --- at 1592.4 varas pass the north corner of section #5, Block H.A., from which a 3-inch iron pipe on a slope to the north, now recognized and used as the north corner of the Parmer County School Land league #318, bears N 74°56' E 1006.4 varas and S 15°04' E 828.0 varas --- at 1911.7 varas set a concrete monument in the NE edge of a large dry basin, being in a smooth prairie of firm ground, being also about 1.7 varas from the center and on the southerly side of a road running northeasterly, marked the brass plate in top of same as is represented in figure #1 above, from which the south gate post 10 feet high in a fence running north-westerly-southeasterly bears N 40°05' E 25.6 varas; a 1 1/2-inch iron pipe driven in a stone mound of three rocks, each 8" x 5" x 2", under a three-wire fence bears S 24°56' E 119.8 varas; a windmill bears S 40°11' W 1990 varas.

Thence S 74°44' W 1900.8 varas set another concrete monument in a flat prairie and firm ground, covered with mesquite and catclaw, marked the brass plate in top of same as is represented in figure #2 above, from which windmills bear S 30°01' E, S 28°29' E about 1/2 mile, and S 18°07 1/2' W; the windmill at the H.A. Moore farm house bears S 12°02 1/2' W; a mesquite 2 inches in diameter marked "X", bears N 46°37' W 28.7 varas.

Thence N 15°16' W 1911.7 varas strike the SW corner of section #28.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 23rd, 1931.

Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 225.

This 1st day of November, 1932.


Also recorded in Book U.T., Vol. 3-A, page 29, Martin County.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 30
MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of
643.7 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 40' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 12' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 27½ miles N 52° W of Stanton, the county site.

Beginning at the common corner of sections #27, #28, and #29, this Block, for the NE corner of this section #30.

Thence S 15°16' E 1911.7 varas strike the concrete monument set for the SW corner of section #29, situated in a flat prairie of firm ground covered by mesquites and catclaw, the brass plate in top of which having been marked as represented in the figure above, from which windmills bear S 30°01' E, S 28°29' E about 1/2 mile, and S 18°07½' W; the windmill at the H.A. Moore farm house bears S 12°02½' W; a mesquite 2" in diameter, marked "X", bears N 46°37' W 28.7 varas.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section #30.

Thence N 15°16' W 1911.7 varas to the SW corner of section #27.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 23, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 226 .

This 1st day of November, 1932.

Also recorded in Book U.T., Vol. 3-A, page 30, Martin County.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 31

MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of 643.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 39' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 11½' to the left of the North point used in the field notes of this survey.

Said survey is situated in MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 28 miles N 54° W of Stanton, the county site.

Beginning at the NW corner of section #30, this Block, being also the SE corner of section #26.

Thence S 15°16' E 1911.7 varas to the SW corner of section #30.

Thence S 74°44' W --- at 233.1 varas point from which the 3-inch iron pipe in two pieces connected by a union driven in ground under a three-wire fence, which is accepted as the NW corner of the Parmer County School Land League #318, bears S 15°16' E 484.3 varas --- at 1900.8 varas set a concrete monument for the SW corner of this section #31, being in a prairie of firm ground covered by mesquites and catclaw, marked the brass plate in top of same as represented in the figure above, from which the center of a small basin bears S 60° 16' E 115 varas; the corner post in a north-south fence at the junction of a fence from east bears S 28°11' E 66.4 varas.

Thence N 15°16' W 1911.7 varas to the SW corner of section #26.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 23, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Adrews County in Book "U T" Vol. 3 Page 227 .

This 1st day of November, 1932.

Also recorded in Book U.T., Vol. 3-A, page 31, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands


Plat of Survey No. 0

The State of Texas

SURVEY NO. 32

MARTIN & ANDREWS County

BLOCK NO. 7



FIELD NOTES of a survey of

643.7 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

366.5 Ac. in Martin County.

277.2 Ac. in Andrews County.

Magnetic Declination 11° 38' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Andrews & Martin County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 29 miles N 55° W of Stanton, and 20½ miles N 81° E of Andrews.

Beginning at the common corner of section #25, #26 and #31.

Thence S 15° 16' E 1911.7 varas to a concrete monument set for the SW corner of section #31, being in a prairie of firm ground covered with mesquites and catclaw, the brass plate in top of which having been marked as represented in the figure above, from which the center of a small basin bears S 60° 16' E 115.0 varas; a corner post in a north-south fence at the junction of a fence from the east bears S 28° 11' E 66.4 varas.

Thence S 74° 44' W --- at 1339.3 varas cross the Hawkins Martin-Andrews County Line --- at 1900.8 varas point for the SW corner of this section #32.

Thence N 15° 16' W 1911.7 varas to the SW corner of section #25.

Thence N 74° 44' E --- at 1075.5 varas cross again the same County Line --- at 1900.8 varas the place of beginning.

Surveyed May 25th, 1931.

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 228 .

This 24th day of November, 1931.


Also recorded in Book U.T., Vol. 3-A, page 32, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Block of Survey No.

The State of Texas } SURVEY NO. 33

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of 643.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the corner of this Block, is 0° 10 1/2' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water sand, dry lake stream, no drainage River about 1 1/2 miles N 81° E of Andrews, the county site.

Beginning at the NW corner of section 32, being also the SE corner of section 24, this Block, for the NE corner of this section 33.

Thence S 15°16' E 1911.7 varas to the SW corner of section 32.

Thence S 74°44' W 1900.8 varas to a point for the SW corner of this section 33, being a concrete monument set in a firm prairie covered with small mesquite brush, marked the brass plate in top of same as is represented in the figure above, from which an allthorn on the north slope of a small knoll bears S 75°31' E 106.0 varas; another allthorn bush bears N 41°06' W 34.5 varas; the windmill at the Bird Ranch and the windmill at the H.A. Moore farm house bear respectively: S 70°40' E and S 58°21' E; two other windmills bear S 73°21' W about 4 miles and S 75°06' W about 3/4 mile.

Thence N 15°16' W 1911.7 varas to the SW corner of section 24.

Thence N 74°44' E 1900.8 varas to point the place of beginning.

Surveyed May 25, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 229.


This 5th day of September, 1933.

Signature of Frank F. Friend, Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 34

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of

643.7 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 36' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWSA County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 18 1/2 miles N 81° E of Andrews, the county site.

Beginning at the common corner of sections #23, #24, and #33, this Block.

Thence S 15°16' E 1911.7 varas to the concrete monument set for the SW corner of section #33, situated in a prairie of firm ground overgrown by small mesquite bushes, the brass plate in its top having been marked as represented in the figure above, from which an allthorn bush on the north slope of a small knoll bears S 75°31' E 106.0 varas; another allthorn bears N 41°06' W 34.5 varas; the windmill at the Bird Ranch and the windmill at the H.A. Moore farm house bear respectively: S 70°40' E and S 58° 21' E; two other windmills bear S 73°21' W about 4 miles and S 75°06' W about 3/4 mile.

Thence S 74°44' W --- at about 1435 varas pass between a windmill and a surface tank --- at 1900.8 varas point for the SW corner of this section #34.

Thence N 15°16' W 1911.7 varas to the SW corner of section #23.

Thence N 74°44' E 1900.8 varas to the place of beginning.

Surveyed May 25, 1931.

Norris B. Creath Chain

Gibbons Poteet } Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 230 .

This 2nd day of November, 1932.


Frank F. Friend Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 35

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of

646.1 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. 000, Block 000, is 0° 09 1/2' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 17 1/2 miles N 82° E of Andrews, the county site.

Beginning at the common corner of sections #22, #23, and #34, this Block.

Thence S 15° 16' E 1911.7 varas to the SW corner of section #34.

Thence S 74° 44' W 1915.3 varas to a large rock set on edge in ground and marked on its west side "37", by the side of which is driven a 1 1/2-inch galvanized iron pipe, marked "MFS NE3 B40 T3N". This rock was identified as the NE corner of survey #3, the SE corner of survey #4, Block #40, T 3 N, G & M M B & A. From this rock a mesquite 3 inches in diameter marked "F" bears N 56° 46' E 131.4 varas; a windmill bears N 74° 34' E about 1 1/4 miles; a concrete monument having a brass plate in its top marked "WITNESS", being set flush with the ground bears N 74° 44' E 1 vara; the windmill at the head-quarter Bird Ranch bears S 89° 06 1/2' E; a point center between gate posts 14 feet high in a north-south four-wire fence bears S 14° 51' E 11 varas.

Thence N 14° 50' W 1911.7 varas to another rock set on edge marked "38", same being identified as the NE corner of section #4 and the SE corner of section #5, Block #40, T 3 N, G & M M B & A. From this rock a concrete monument set flush with the top of the ground with the brass plate in top marked "WITNESS" bears N 74° 44' E 1 vara; windmills bear S 66° 24' E about 1 3/4 miles, S 27° 05 1/2' W about 2 1/2 miles, and S 39° 49' W about 3 1/2 miles; allthorn bushes bear S 83° 46' E 23.5 varas and S 35° 29' W 81.0 varas.

Thence N 74° 44' E 1900.8 varas to the place of beginning.

NOTE: From the SW corner of this survey the rock marked "34" at the SE corner of survey #1, Block #40, T 3 N, G & M M B & A, bears S 15° 54' E 5738.1 varas.

Surveyed May 25, 1931. Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 231. This 2nd day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 36

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of 651.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 36' East.

True North (as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 17 1/2 miles N 85° E of Andrews, the county site.

Beginning at the original NE corner of survey #3, the SE corner of survey #4, Block #40, T 3 N, G & M M B & A, which point has also been made the SW corner of section #35, Block #7, University Land, which point is marked by a rock set on edge in ground marked "37", being under a four-wire fence, there being driven beside it a 1 1/2-inch galvanized iron pipemarked "MFS NE3 B40 T3N", from which rock a mesquite 3 inches in diameter, marked "F", bears N 56°46' E 131.4 varas; a windmill bears N 74°34' E about 1 1/4 miles; a concrete monument set flush with the top of the ground, having in its top a brass plate marked "WITNESS", bears N 74°44' E 1.0 vara; the windmill at the Bird Ranch house bears S 89°06 1/2' E; a point center between two gateposts 14 feet high in a north-south four-wire fence bears S 14°51' E 11.0 varas.

Thence S 14°54' E 1912.7 varas to a point for the SW corner of this section #36, being also the original SE corner of survey #3, the NE corner of survey #2, Block #40, T 3N, G & M M B & A. From this point a rock broken into two pieces, one of which is marked "36", bears S 15°16' E 4.0 varas.

Thence N 74°44' E 1927.5 varas to a point for the SE corner of this section #36.

Thence N 15°16' W 1912.7 varas to the SE corner of section #35.

Thence S 74°44' W 1915.3 varas to the place of beginning.

325.5

Surveyed May 25, 1931. Norris B. Creath Chain Gibbons Poteet Carriers. J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3, Page 232. This 2nd day of November, 1932.


Frank F. Friend Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 37

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of 644.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the center of survey No. 000, this block is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes no drainage about 19 miles N 84° E of Andrews, the county site.

Beginning at the common corner of sections 34, 35, and 36, this Block, for the NW corner of this section 37.

Thence S 15°16' E 1912.7 varas to the SE corner of section 36.

Thence N 74°44' E 1900.8 varas to a point for the SE corner of this section 37.

Thence N 15°16' W 1912.7 varas strike the concrete monument set for the SW corner of section 33, being in a prairie of firm ground covered by small mesquite brush, the brass plate in top of which having been marked as represented in the figure above, from which two allthorn bushes, the first being on the north slope of a small knoll, bear N 75°31' E 106.0 varas and N 41°06' W 34.5 varas; the windmill at the Bird headquarters ranch house and the windmill at the H.A. Moore farm house bear respectively: S 70°40' E and S 58°21' E; two other windmills bear S 73°21' W about 4 miles and S 75°06' W about 3/4 mile.

Thence S 74°44' W --- at about 1435 varas pass between a windmill and a surface tank --- at 1900.8 varas, point the place of beginning.

Surveyed May 25, 1931.

Norris B. Creath

Gibbons Poteet

J. A. Conklin

Chain

Carriers.

Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 233. This 5th day of September, 1933.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 38

The State of Texas

ANDREWS County } SURVEY NO. 38
BLOCK NO. 7



FIELD NOTES of a survey of
644.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 38' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 19½ miles N 84° E of Andrews, the county site.

Beginning at the NE corner of section #37, being a concrete monument set for the SW corner of section #33, situated in a firm prairie covered by small mesquite brush, the brass plate in top of which monument having been marked as represented in the figure above, from which two allthorn bushes, the first on the north slope of a small knoll, bear S 75° 31' E 106.0 varas and N 41° 06' W 34.5 varas; the windmill at the Bird headquarter ranch and the windmill at the H. A. Moore farm house bear respectively: S 70° 40' E and S 58° 21' E; two other windmills bear S 73° 21' W about 4 miles and S 75° 06' W about 3/4 mile.

Thence S 15° 16' E 1912.7 varas strike the SE corner of section #37.

Thence N 74° 44' E 1900.8 varas to a point for the SE corner of this section #38.

Thence N 15° 16' W 1912.7 varas to the SE corner of section #33.

Thence S 74° 44' W 1900.8 varas to the place of beginning.

Surveyed May 25th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 234 .
This 22nd day of November, 1933.

Frank F. Friend


Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 39

MARTIN & ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of

644.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

540.9 Ac. in Martin County.

103.1 Ac. in Andrews County.

Magnetic Declination 11° 39' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Martin & Andrews County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 28 miles N 56° W of Stanton, and 20 1/2 miles N 83° E of Andrews. Beginning at the common corner of sections #32, #33 and #38.

Thence S 15° 16' E 1912.7 varas to the SE corner of section #38.

Thence N 74° 44' E --- at 47.3 varas cross the Hawkins Martin-Andrews County Line --- at about 850 varas point just south of the windmill at the headquarter Bird Ranch --- at 1900.8 varas point for the SE corner of this section #39.

Thence N 15° 16' W 1912.7 varas to the concrete monument set for the SW corner of section #31, situated in a prairie of firm ground covered by mesquite and catclaw, the brass plate in top of which monument having been marked as represented in the figure above, from which the center of a small lake bears S 60° 16' E 115 varas; a post in a north-south fence at the junction of a fence from the east bears S 28° 11' E 66.4 varas.

Thence S 74° 44' W --- at 1339.3 varas recross the same county line --- at 1900.8 varas point, the place of beginning.

Surveyed May 25th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 235 .

This 24th day of November 1933.

Also recorded in Book U.T., Vol. 3-A, page 33, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


Plat of Survey No.

The State of Texas

SURVEY NO. 40

MARTIN & ANDREWS County

BLOCK NO. 7



FIELD NOTES of a survey of

644.0 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

643.3 Ac. in Martin County.

.7 Ac. in Andrews County.

Magnetic Declination 11° 40' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in Martin & Andrews County, Texas, on the waters of sand, dry Laeks Creek, a tributary of no drainage River about 27 miles N 58° W of Stanton, and 21 miles N 86° E of Andrews.

Beginning at the SE corner of section #39, this Block, for the NE corner of this section #40.

Thence S 74° 44' W --- at about 1050.8 varas pass just south of a windmill at the Bird headquarter ranch --- at 1853.6 varas cross the Hawkins Martin-County-Andrews County line --- at 1900.8 varas strike the SW corner of section #39.

Thence S 15° 16' E --- at 175.7 varas recross the same county line --- at 1912.7 varas point for the SW corner of this section #40.

Thence N 74° 44' E --- at 36.1 varas pass a sixty-penny hub nail in a small mound of rocks --- at 1300 varas the center of a small basin bears S 15° 16' E about 110 varas --- at 1887.5 varas pass through at about right angles a three-wire fence --- at 1900.8 varas set a concrete monument in prairie of firm ground, marked the brass plate in its top as represented in the figure above, from which two windmills bear N 41° 10' E about 3 miles and S 29° 22' E about 3/4 mile; the windmill at the H. A. Moore farm house and the windmill at the Bird headquarter ranch house bear respectively: S 53° 05 1/2' E about 3/4 mile and N 43° 48' W about 1 1/2 miles; a mesquite 2 inches in diameter marked "X" bears N 73° 46' W 8.9 varas.

Thence N 15° 16' W 1912.7 varas to the place of beginning.

Surveyed May 25th, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 236. This 24th day of November, 1933.

Also recorded in Book U.T., Vol. 3-A, page 54, Martin County.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 41
ANDREWS & MARTIN County } BLOCK NO. 7



FIELD NOTES of a survey of
644.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.
572.2 Ac. in Andrews County
71.8 Ac. in Martin County

Magnetic Declination 11°39' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 11' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS & MARTIN County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 20 miles N 87° E of Andrews, and 28 miles N 60° W of Stanton. Beginning at the common corner of sections #38, #39 and #40.

Thence S 74° 44' W 1900.8 varas to the SW corner of section #38.

Thence S 15° 16' E 1912.7 varas set a concrete monument in a prairie of firm ground covered by mesquites and catclaw, marked the brass plate in top of same as is represented in the figure above, from which the windmill at the Bird headquarter ranch, the windmill at the H. A. Moore farm house, and the right hand of double windmills, bear respectively: N 39° 50½' E, S 89° 07' E, and S 28° 36' E; two other windmills bear N 72° 06' W and N 35° 50' W; two mesquites, each 1 1/2 inches in diameter, and marked with three bars bear respectively: N 55° 35' E 40.4 varas and N 60° 42' E 73.8 varas.

Thence N 74° 44' E --- at 36.1 varas pass a sixty-penny hub nail in a mound of rocks --- at 702.3 varas pass another hub nail in a mound of rocks --- at 1050 varas in the north edge of a small dry basin --- at 1205 varas and 1264 varas cross roads --- at 1433.8 varas cross the Hawkins Andrews-Martin County Line. --- at 1551.1 varas pass through at right angles a three-wire fence --- at 1900.8 varas strike the SW corner of section #40.

Thence N 15° 16' W --- at 1737.0 varas recross the same county line --- at 1912.7 varas, the place of beginning.

Surveyed May 25th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in ANDREWS & MARTIN County in Book "U T" Vol. 3 Page 237 . This 23rd day of November, 1933.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Also recorded in Book U.T., Vol. 3-A, page 35, Martin County.

Plat of Survey No.

The State of Texas } SURVEY NO. 42

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of 644.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 38' East.

True North as compared to a meridian passing through the center of Andrews County, this block, is 0° 10 1/2' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes Creek, a tributary of no drainage River about 19 miles N 88° E of Andrews, the county site.

Beginning at the NW corner of section 41, being the SE corner of section 37, for the NE corner of this section 42.

Thence S 74°44' W 1900.8 varas strike the SW corner of section 37.

Thence S 15°16' E 1912.7 varas to a point for the SW corner of this section 42.

Thence N 74°44' E --- at 983.8 varas pass a hub nail in a small mound of rocks --- at 1900.8 varas strike the concrete monument set for the SW corner of section 41, being in a prairie of firm ground covered by mesquite and catclaw, marked the brass plate in top of same as is represented in the figure above, from which the windmill at the headquarter Bird Ranch and the windmill at the H.A. Moore farm house bear respectively: N 39°50 1/2' E and S 89°07' E; the right hand of double windmills bears S 28°36' E; two other windmills bear N 72°06' W and N 35°50' W; two mesquites, each 1 1/2 inches in diameter, and marked "≡" (three bars), bear respectively: N 55°35' E 40.4 varas and N 60°42' E 73.8 varas.

Thence N 15°16' W 1912.7 varas to the place of beginning.

Surveyed May 25, 1931.

Norris B. Creath

Chain

Gibbons Potet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 238.

This 5th day of September, 1931.


Frank F. Friend Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~State of Texas~~

The State of Texas } SURVEY NO. 43

ANDREWS County } BLOCK NO. 7



FIELD NOTES of a survey of 655.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 10' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~ ~~waters of~~ sand, dry lakes, ~~or~~ ~~no~~ drainage ~~about~~ 18 miles N 88° E of Andrews, the county site.

Beginning at the common corner of sections #36, #37, and #42, for the NE corner of this section #43.

Thence S 74°44' W 1927.5 varas to the SW corner of section #36, from which a rock broken into two pieces, one of which being marked "36", bears S 15°16' E 4 varas.

Thence S 14°54' E 1912.7 varas set a concrete monument in firm ground in a prairie covered by mesquite and catclaw, marked the brass plate in the monument as is represented in the figure above, from which a mesquite 2 inches in diameter, marked "≡" (three bars), bears S 41°33' E 16.4 varas; a corner post in a north-south fence which is at the junction of a fence from the east bears S 9°46' E 56.0 varas; four windmills bear N 16°48' E 2 1/2 miles, S 63°42' W 1 mile, N 51°59' W 4 miles, and N 41°27' W 2 miles; a 1 1/2-inch iron pipe marked "MFS NE1 B40 T 3 N" bears N 24°59' E 2.0 varas; a rock marked "34" at the original SE corner of survey #1, Block #40, T 3 N, G & M M B & A, bears S 14°54' E 1912.7 varas. This monument which is the SW corner of section #43, Block #7, University Land, is also the NE corner of survey #1, the SE corner of survey #2, Block #40, T 3 N, and is the NW corner of survey #32, Block #39, T 3 N, G & M M B & A.

Thence N 74°44' E 1939.7 varas strike the SW corner of section #42.

Thence N 15°16' W 1912.7 varas to the place of beginning.

NOTE: From the monument at the SW corner of this section #43, a rock marked "35" was found lying on the ground S 20° W 28 varas. Its coloring shows that it has perviously stood on its edge in the ground. This rock is evidently the original called for in the fieldnotes of survey #1, but its position is extremely doubtful and was therefore not accepted in this resurvey.


Surveyed	May 25,	1931.	Norris B. Creath	} Chain Carriers. Transitman.
			Gibbons Poteet	
			J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 239. This 2nd day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
 Plat of Survey No. 00

The State of Texas } SURVEY NO. 1
 ANDREWS County } BLOCK NO. 8



FIELD NOTES of a survey of
 647.3 acres of land made for the
 UNIVERSITY OF TEXAS by virtue of an
 Act approved March 29, 1929.

Magnetic Declination 11° 30' East.
 True North as compared to a meridian passing through the corner of survey No. 000, Block 000, is 0° 08½' to the left of the North point used in the field notes of this survey.
 Said survey is situated in ANDREWS County, Texas, on the ~~water~~ sand, dry lakes ~~and~~ no drainage ~~about~~ about 16½ miles N 68° E of Andrews, the county site.

Beginning at the SE, the SW, and the NW corner respectively of section #37, Block #5, section #49, Block #6, and section #7, Block #7, University Land, for the NE corner of this section #1.

Thence S 15°16' E 1900.8 varas to the concrete monument set for the SW corner of section #7, Block #7, situated in sandy soil covered by shin oak and bear grass, the brass plate in top of which having been marked as represented in the figure above, from which a steel windmill in low ground bears S 20°01' E about 400 varas; an earth mound containing twelve broken clear vaccine bottles bears N 46°16' W 50.0 varas.

Thence S 74°44' W 1922.4 varas to a point for the SW corner of this section #1.

Thence N 15°16' W 1900.8 varas to the SW corner of section #37, Block #5.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 26, 1931. Norris B. Creath } Chain
 Gibbons Poteet } Carriers. s.
 J. A. Conklin } Transitman. n.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 240 .
 This 3rd day of November, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
Plat of Survey No. 000

The State of Texas

SURVEY NO. 2

ANDREWS

County

BLOCK NO. 8

39	38
B	5
U	T
3	2
B	8

FIELD NOTES of a survey of

647.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 08' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water of sand, dry lakes Creek, a tributary of no drainage River about 1 1/2 miles N 67° E of Andrews, the county site.

Beginning at the NW corner of section #1, this Block, being the SE corner of section #38, Block #5, University Land.

Thence S 15°16' E 1900.8 varas to the SW corner of section #1.

Thence S 74°44' W 1922.4 varas to a point on high ground in sand and shin oak brush, for the SW corner of this section #2.

Thence N 15°16' W 1900.8 varas to the concrete monument set for the SW corner of section #38, Block #5, situated on the north slope of a sandy hill, its brass plate in top having been marked as represented in the figure above, from which a sand dune covered with shin oak bears N 49°40' W; a shin oak mott bears N 39°19' E; the center of a large shin oak mott bears S 55°16' E.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 26,

1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 241 .
This 3rd day of November, 1932.

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas

SURVEY NO. 3

ANDREWS County

BLOCK NO. 8

39	38
B	5
U	T
3	2
B	8

FIELD NOTES of a survey of

647.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of section 000, Block 000 is 0° 07½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Green, no drainage about 14½ miles N 66° E of Andrews, the county site.

Beginning at a concrete monument set on the north slope of a sandy hill for the SW corner of section #38, Block #5, its brass plate in top having been marked as represented in the figure above, from which a sand dune covered with shin oaks bears N 49°40' W; a shin oak mott bears N 39°19' E; the center of a large shin oak mott bears S55°16' E.

Thence S 15°16' E 1900.8 varas to a point for the SW corner of section #2, being a point on high ground in sand and shin oak brush.

Thence S 74°44' W 1922.4 varas to a point for the SW corner of this section #3.

Thence N 15°16' W 1900.8 varas to the SW corner of section #39, Block #5.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 26, 1931.

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 242.


This 3rd day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

PLAT OF SURVEY NO. 0

The State of Texas } SURVEY NO. 4
ANDREWS County } BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 07' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water of sand, dry lakes Creek, no drainage River about 13 1/2 miles N 66° E of Andrews, the county site.

Beginning at the NW corner of section #3, this Block, being also the SE corner of section #40, Block #5,

Thence S 15°16' E 1900.8 varas to the SW corner of section #3.

Thence S 74°44' W 1922.4 varas set a concrete monument in deep sand covered by shin oak brush, marked the brass plate in top of same as is represented in the figure above, from which a new steel windmill at a large surface tank bears N 77°07' E about 1/2 mile; an earth mound containing broken glass bears N 40°37' W 42.0 varas.

Thence N 15°16' W 1900.8 varas to the SW corner of section #40, Block #5.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 26, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 243 . This 3rd day of November, 1932 .


Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 5

The State of Texas } SURVEY NO. 5

ANDREWS County } BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as indicated by a meridian passing through the corner of Survey No. 5, Block No. 8, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes, and no drainage about 12 1/2 miles N 65° E of Andrews, the county site.

Beginning at the common corner of sections #41 and #40, Block #5, and section #4, this Block.

Thence S 15°16' E 1900.8 varas strike the concrete monument set for the SW corner of section #4, being in deep sand overgrown by shin oak brush, the brass plate in top of which having been marked as represented in the figure above, from which a new steel windmill at a large surface tank bears N 77°07' E about 1/2 mile; an earth mound containing broken glass bears N 40°37' W 42.0 varas.

Thence S 74°44' W 1922.4 varas to a point for the SW corner of this section #5.

Thence N 15°16' W 1900.8 varas to the SW corner of section #41, Block #5.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 26, 1931

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 244. This 3rd day of November, 1931


Frank F. Friend Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 6

ANDREWS County } BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the center of survey No. , this Block, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water of sand, dry lakes ... of no drainage ... about 1 1/2 miles N 65° E of Andrews, the county site.

Beginning at the SE, the SW, and the NW corner respectively of sections #42 and #41, Block #5, and section #5, this Block.

Thence S 15°16' E 1900.8 varas strike the SW corner of section #5.

Thence S 74°44' W 1922.4 varas to the concrete monument set for the SE corner of section #1, Block #3, University Land, situated on the SE slope of a low ridge in firm ground about 100 varas east of the east edge of an area of deep sand and shin oak brush, the brass plate in top of which monument being marked as in the figure above, from which a mesquite 2 1/2 inches in diameter marked "X", bears S 4°03' E 29.5 varas; double windmills bear S 44°16 1/2' W and S 44°28' W about 1 mile. A line originating on the SE identified corner of Block #41, Twp. 2 N, G & M M B & A, and projecting N 15°16' W passes over at least four other original corners along the east line of said Block #41, and also strikes the monument above described. The NE corner of section #1, Block #2, University Land, being a concrete monument bears S 15°16' E 13,352.1 varas and S 74°44' W 5709.0 varas; the original rock marked "34" at the SE corner of Block #40, Twp. 3 N, G & M M B & A, bears S 15°16' E 13,352.1 varas and N 74°44' E 11,483.2 varas.

Thence N 15°16' W 1900.8 varas to the common corner of Blocks #3, #4, #5, and #8, University Land.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 26, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 245. This 3rd day of November, 1932.

Handwritten signature of Frank F. Friend, Licensed Land Surveyor of Texas, and Special Surveyor of University Lands.

~~PLAT OF SURVEY~~

The State of Texas } SURVEY NO. 7

ANDREWS County } BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of survey, is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes with no drainage about 1 1/2 miles N 71° E of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #1, Block #3, University Land, situated in firm ground about 100 varas east of the east edge of an area of deep sand and shin oak brush, the brass plate in top of which monument being marked as in the figure above, from which a mesquite 2 1/2 inches in diameter, marked "X", bears S 4°03' E 29.5 varas; double windmills bear S 44°16 1/2' W and S 44°28' W about 1 mile. The line originating on the SE identified corner of Block #41, T 2 N, G & M M B & A, and projected N 15°16' W passes over at least four other original corners along the east line of said Block #41, and also strikes the monument above described. The NE corner of section #1, Block #2, University Land, being a concrete monument bears S 15°16' E 13,352.1 varas and S 74°44' W 5709.0 varas; the original rock marked "34" at the SE corner of Block #40, T 3 N, G & M M B & A, bears S 15°16' E 13,352.1 varas and N 74°44' E 11,483.2 varas.

Thence S 15°16' E 1900.8 varas to a point for the SW corner of this section #7, being the SE corner of section #12, Block #3, University Land.

Thence N 74°44' E 1922.4 varas to a point for the SE corner of this section #7.

Thence N 15°16' W 1900.8 varas to the SE corner of section #6, this Block.

Thence S 74° 44' W 1922.4 varas to the place of beginning.

Surveyed May 26, 1931.

Norris B. Creath } Chain
Gibbons Poteat } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 246 . This 3rd day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Block of Survey No.

The State of Texas

ANDREWS County SURVEY NO. 8

BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the Survey No. , this block is 0° 06½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes no drainage about 12½ miles N 71° E of Andrews, the county site.

Beginning at the common corner of sections #5, #6, and #7, this Block, for the NW corner of this section #8.

Thence N 74°44' E 1922.4 varas to the concrete monument set for the SW corner of section #4, situated in deep sand covered with shin oak brush, the brass plate in top of which having been marked as is represented in the figure above, from which a new steel windmill at a large surface tank bears N 77°07' E about 1/2 mile; an earth mound containing broken glass bears N 40°37' W 42.0 varas.

Thence S 15°16' E 1900.8 varas to a point for the SE corner of this section #8.

Thence S 74°44' W 1922.4 varas to the SE corner of section #7.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 26, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 247 .


This 3rd day of November, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

PLAT OF SURVEY NO. 9

The State of Texas

ANDREWS County } SURVEY NO. 9
BLOCK NO. 8



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to the true north passing through the center of Andrews, this block, is 0° 07' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water of sand, dry lakes Creek, a drainage about 13½ miles N 71° E of Andrews, the county site.

Beginning at the NE corner of section #8, being a concrete monument set for the SW corner of section #4, this Block, situated in deep sand overgrown by shin oak brush, the brass plate in top of which having been marked as is represented in the figure above, from which a new steel windmill at a large surface tank bears N 77° 07' E about 1/2 mile; an earth mound containing broken glass bears N 40° 37' W 42.0 varas.

Thence S 15° 16' E 1900.8 varas to the SE corner of section #8.

Thence N 74° 44' E 1922.4 varas to a point for the SE corner of this section #9.

Thence N 15° 16' W 1900.8 varas to the SE corner of section #4.

Thence S 74° 44' W 1922.4 varas to the place of beginning.

Surveyed May 26, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 248. This 3rd day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.


The State of Texas

SURVEY NO. 10

ANDREWS

County

BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 07½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 14½ miles N 71° E of Andrews, the county site.

Beginning at the common corner of sections #3, #4, and #9, this Block, for the NW corner of this section #10.

Thence N 74°44' E 1922.4 varas to a point on high ground in sand covered with shin oak, the SE corner of section #3.

Thence S 15°16' E --- at 746.5 varas pass through the east edge of an oak mott, the trees being from 2 to 6 feet high --- at 1151.1 varas cross a three-wire fence --- at 1300 varas leave sand and shinery, enter firm ground --- at 1620 varas top of firm ridge --- at 1685.5 varas cross a road --- at 1900.8 varas set a concrete monument on the south slope of a small hill covered with bear grass and small mesquite brush, the soil being firm and sandy, marked the brass plate in top as is represented in the figure above, from which a windmill bears S 84°33' E about 1 1/2 miles; a small dry basin bears S 43° W 195 varas.

Thence S 74°44' W 1922.4 varas to the SE corner of section #9.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 26, 1931.

Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3, Page 249. This 3rd day of November, 1932.


Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 11

ANDREWS County } BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 08' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 1 1/2 miles N 72° E of Andrews, the county site.

Beginning at the NE corner of section #10, being the SW corner of section #2, this Block, a point on high ground in sand covered by shin oak brush.

Thence S 15°16' E --- at 746.5 varas pass through the east edge of a mott of oak trees --- at 1151.1 varas pass through a three-wire fence --- at 1300 varas leave sand and shin oaks, enter firm ground --- at 1620 varas top of firm ridge --- at 1685.5 varas cross a road --- at 1900.8 varas strike the concrete monument set for the SE corner of section #10, situated on the south slope of a small hill, being firm sandy soil covered with bear grass and mesquite brush, the brass plate in top of which having been marked as represented in the figure above, from which the windmill bears S 84°33' E about 1 1/2 mile; a small dry basin bears S 43° W 195 varas.

Thence N 74°44' E 1922.4 varas to a point for the SE corner of this section #11.

Thence N 15°16' W 1900.8 varas to the SE corner of section #2.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 26, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 250 . This 3rd day of November , 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 12

ANDREWS County } BLOCK NO. 8



FIELD NOTES of a survey of

647.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 08 1/2' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes no drainage about 16 1/2 miles N 72° E of Andrews, the county site.

Beginning at the SW corner of section #1, being also the NE corner of section #11, this Block.

Thence S 15°16' E 1900.8 varas to the SE corner of section #11.

Thence N 74°44' E 1922.4 varas to the SW corner of section #8, Block #7, University Land.

Thence N 15°16' W 1900.8 varas to the concrete monument set for the SW corner of section #7, Block #7, situated in sandy soil covered with bear grass and shin oak, the brass plate in top of which having been marked as is represented in the figure above, from which a steel windmill in low ground bears S 20°01' E about 400 varas; an earth mound containing twelve broken clear vaccine bottles bears N 46°16' W 50.0 varas.

Thence S 74°44' W 1922.4 varas to the place of beginning.

Surveyed May 26, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 251.


This 3rd day of November, 1932.

Handwritten signature of Frank F. Friend, Licensed Land Surveyor of Texas, and Special Surveyor of University Lands.

Plat of Survey No. 00

The State of Texas

ANDREWS County SURVEY NO. 13
BLOCK NO. 8



FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 09' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes ~~0000.0000000000~~ no drainage ~~0000~~ about 16½ miles N 75° E of Andrews, the county site.

Beginning at the common corner of section #12, Block #8, and sections #8 and #21, Block #7, University Land, for the NE corner of this section #13.

Thence S 15°16' E 1900.8 varas to a concrete monument set in firm sandy soil among scattering mesquites for the SW corner of section #21, Block #7, same being also the NW corner of section #22. This monument is also the NE corner of section #5, Block #40, T 3 N, G & M M B & A. The brass plate in the top of this monument is marked as represented in the figure above, from which a corner post in an east-west fence at the junction of a fence from the south bears N 44°34' E 18.5 varas; a cattle guard in a north-south fence bears S 41°01' E 36 varas; a mesquite 3 inches in diameter marked "X" bears S 6°29' W 94.3 varas; an old windmill bears N 69°19' W about ¾ miles; a corner post in an east-west fence at the junction of a fence from the north bears N 30°46' W 10.7 varas; the original rock marked "38" described as the NE corner of survey #4, Block #40, T 3 N, G & M M B & A, bears S 15°16' E 1900.8 varas.

Thence S 74°44' W 1922.4 varas to the NW corner of survey #5, Block #40, T 3 N, G & M M B & A, being the SW corner of this section #13.

Thence N 15°16' W 1900.8 varas to the SW corner of section #12.

Thence N 74°44' E 1922.4 varas to the place of beginning.

323.65
161.825

Surveyed May 26, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 252 .
This 3rd day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat 0000 Survey No.

The State of Texas } SURVEY NO. 14

ANDREWS County } BLOCK NO. 8

10	11	15	14
B	8	B8	UT
15	14	GMM	B&A
U	T		
Fig. 1		Fig. 2	

FIELD NOTES of a survey of

647.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this block is 0° 08' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes with no drainage about 1 1/2 miles N 75° E of Andrews, the county site.

Beginning at the common corner of sections #11, #12, and #13, for the NE corner of this section #14.

Thence S 74°44' W 1922.4 varas to the concrete monument set for the SE corner of section #10, being on the south slope of a small sandy hill covered with bear grass and mesquite brush, the brass plate in top of which having been marked as in figure #1 above, from which a windmill bears S 84°33' E about 1 1/2 miles; a small dry basin bears S 43° W 195 varas.

Thence S 15°16' E --- at 425 varas point in low firm ground and small mesquites --- at 790 varas on a high point --- at 1402.5 varas cross a road --- at 1900.8 varas set a concrete monument in low firm sandy soil 9.5 varas north of an east-west fence, marked the brass plate in top of same as is represented in figure #2 above, from which windmills bear S 42°04' E about 4 miles and S 80°27' W about 1 1/4 miles and S 57°28' W about 4 miles; an earth mound containing broken glass bears N 66°20' W 35.0 varas.

Thence N 74°44' E 1922.4 varas to the SW corner of section #13.

Thence N 15°16' W 1900.8 varas to the place of beginning.

Surveyed May 27, 1931

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 253.

This 3rd day of November, 1931.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

PLAT OF SURVEY NO. 15

The State of Texas } SURVEY NO. 15
ANDREWS County } BLOCK NO. 8

10	11	15	14
B	8	B8	UT
15	14	GMM B&A	
U	T		
Fig. 1		Fig. 2	

FIELD NOTES of a survey of
647.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 31' East.

True North as compared to a meridian passing through the
of Survey No. , this Block, is 0° 07½' to the left of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lakes and no drainage about
14½ miles N 75° E of Andrews, the county site.

Beginning at a concrete monument set on the south slope of a small
firm sandy hill covered with bear grass and scattering mesquite brush
for the SE corner of section #10, being also the NW corner of section
#14, for the NE corner of this section #15, the brass plate in top of
which monument having been marked as represented in the figure #1
above, from which a windmill bears S 84°33' E about 1 1/2 miles; a
small dry basin bears S 43° W 195 varas.

Thence S 15°16' E --- at 425 varas point in low firm ground, small
mesquites being abundant --- at 790 varas point on a high ridge --- at
1402.5 varas cross a road --- at 1900.8 varas strike the concrete
monument set for the SW corner of section #14, situated in low firm
sandy ground 9.5 varas north of an east-west fence, the brass plate in
top of which having been marked as represented in the figure #2 above,
from which windmills bear S 42°04' E about 4 miles, S 80°27' W about
1 1/4 miles, and S 57°28' W about 4 miles; an earth mound containing
broken glass bears N 66° 20' W 35.0 varas.

Thence S 74°44' W 1922.4 varas to a point for the SW corner of
this section #15, being also a common point for the NW corner of
survey #21 and the NE corner of survey #28, Block #40, T 3 N, G & M
M B & A.

Thence N 15°16' W 1900.8 varas to the SE corner of section #9,
this Block.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 27, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 254 .
This 3rd day of November, 1932.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas

ANDREWS County SURVEY NO. 16

BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 07' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lake Creek, no drainage River about 13 1/2 miles N 75° E of Andrews, the county site.

Beginning at the NW corner of section #15, this Block, being also the SE corner of section #9.

Thence S 15° 16' E 1900.8 varas to the SW corner of section #15, being also the NE and the NW corner respectively of surveys #28, and #21, Block #40, T 3 N, G & M M B & A.

Thence S 74° 44' W 1922.4 varas set a concrete monument in an area of firm ground gradually sloping toward the NE, marked the brass plate in same as represented in the figure above, from which a windmill bears N 67° 53' E about 3/4 mile; a mesquite 3 inches in diameter marked "X" bears S 17° 35' E 97.8 varas. This monument marks also the common northerly corner of surveys #37 and #28, Block #40, T 3 N, G & M M B & A.

Thence N 15° 16' W 1900.8 varas to the SW corner of section #9.

Thence N 74° 44' E 1922.4 varas to the place of beginning.

Surveyed May 27, 19 31

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 255. This 4th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Block No. Survey No.~~

The State of Texas } SURVEY NO. 17

ANDREWS County } BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as shown on a meridian passing through the corner of Survey No. , this Block is 0° 06½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water sand, dry lakes no drainage about 12½ miles N 75° E of Andrews, the county site.

Beginning at the common corner of sections #8, #9, and #16, this Block, for the NE corner of this section #17.

Thence S 15°16' E 1900.8 varas to the concrete monument set for the SW corner of section #16, situated on firm ground gradually sloping toward the NE, the brass plate in top of which having been marked as represented in the figure above, from which a windmill bears N 67°53' E about ¾ mile; a mesquite 3 inches in diameter marked "X" S 17°35' E 97.8 varas. This is also the northerly common corner of surveys #37 and #28, Block #40, T 3 N, G & M M B & A.

Thence S 74°44' W 1922.4 varas to a point for the SW corner of this section #17, being also the NW corner of survey #37, Block #40, T 3 N, G & M M B & A.

Thence N 15°16' W 1900.8 varas to the SW corner of section #8.

Thence N 74°44' E 1922.4 varas to the place of beginning.

Surveyed May 27, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 256. This 4th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


Plat of Survey No.

The State of Texas

ANDREWS County

SURVEY NO. 18

BLOCK NO. 8



FIELD NOTES of a survey of 647.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North ~~is compared to a meridian passing through the~~ ~~of Survey No.~~, ~~this Block~~ is 0° 06' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~ ~~waters of~~ sand, dry lakes ~~and~~ ~~no drainage~~ ~~about~~ 11½ miles N 75° E of Andrews, the county site.

Beginning at the NW corner of section #17, which is the same as the SE corner of section #7, this Block, for the NE corner of this section #18.

Thence S 15°16' E 1900.8 varas to a point for the SW corner of section #17, being also the northerly common corner of surveys #44 and #37, Block #40, T 3 N, G & M M B & A.

Thence S 74°44' W 1922.4 varas strike the concrete monument set for the SE corner of section #13, Block #3, University Land, same being situated on a high rocky ridge in scattered mesquite 49.8 varas northerly from an east-west four-wire fence, being the NW corner of survey #44, Block #40, and the NE corner of survey #5, Block #41, T 3 N, G & M M B & A. The brass plate in top of which monument was marked as represented in the figure above, from which different wind-mills bear N 72°35' E about 2 ¾ miles, S 20°53' E about 7/8 mile, N 51°26' W about 2 1/2 miles, and N 50°54' W about 2 1/2 miles; a wind-mill at a large tree, another at a farm house, and a third at a grove of trees bear respectively: S 66°36' E about 1 mile, S 14°37' E about 1 mile, and S 29°06' W about 3 miles; the NW corner of an old abandoned rock store building at Fasken bears S 39°06' W about 2 miles; a mesquite 2 inches in diameter, marked "X", bears N 77°05' W 83.4 varas. The NE corner of section #1, Block #2, University Land, a concrete monument, bears S 15°16' E 9550.5 varas and S 74°44' W 5709.0 varas; the original rock marked "34" at the SE corner of Block #40, T 3 N, G & M M B & A, bears S 15°16' E 9550.5 varas and N 74°44' E 11,483.2 varas. A line originating from the SE identified corner of Block #41, T 2 N, G & M M B & A, and projected north 15°16' W passes over at least 4 other original corners along the line of (east line) said Block #41, and also strikes the monument above described.

Thence N 15°16' W 1900.8 varas to the NW corner of this section #18, being also the NE corner of section #13, Block #3, University Land.

Thence N 74°44' E 1922.4 varas to the place of beginning.
Surveyed May 27, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 257 .
This 4th day of November, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

ANDREWS County SURVEY NO. 1
BLOCK NO. 9



FIELD NOTES of a survey of
617.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 22' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is the same as of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes Creek, no drainage River about 6½ miles SOUTH of Andrews, the county site.

Beginning at a concrete monument set in firm sandy soil and low ground for the NW corner of section #6, Block #1, University Land, the brass plate in top of which having been marked as is represented in the figure above, from which a fence corner, the north end of a sharp jog, bears S 80°59' E 107.5 varas; a 2-inch iron pipe marked "NE Blk 9 NW Blk 1" set in concrete S 13°37' E 45.4 varas; a 1 1/4-inch iron pipe marked "NW 6 UBL" bears S 5°47' E 26.8 varas; the left hand of two windmills bears S 18°48½' W about 2 miles; another windmill bears N 25°40' W about 3 miles.

Thence S 15°19' E --- at 117.1 varas pass through at about right angles a fence about 100 varas westerly of the south end of a sharp jog --- at 870.6 varas pass a hub nail in a mound of rocks --- at 1463.4 varas pass another hub nail in a mound of rocks --- at 1841.2 varas strike the SW corner of section #6 and the NW corner of section #7, Block #1, University Land.

Thence S 74°45' W 1900.8 varas to a point for the SW corner of this section #1.

Thence N 15°19' W 1829.2 varas to a point for the NW corner of this section #1.

Thence N 74°23' E --- at 1333.5 varas three small pipes driven in ground near each other, all set in concrete, seemingly for the purpose of holding them intact, bears N 15°37' W 176.1 varas. One of the pipes is almost consumed by rust, the other two are more recently placed, one being marked "N LINE BLK P 111" and the other "SE B 43". This point is accepted as the original SE corner of survey #21, Block A 43, P S L --- at 1900.8 varas the place of beginning.


Surveyed May 27, 1931. Norris B. Creath Chain
 Gibbons Poteet Carriers.
 J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 258.
 This 7th day of November, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 2
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 613.9 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 22' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 00½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 6½ miles S 08° W of Andrews, the county site.

Beginning at the NW corner of section #1, this Block, for the NE corner of this section #2.

Thence S 15°19' E 1829.2 varas to the SW corner of section #1.

Thence S 74°45' W 1900.8 varas to a point for the SW corner of this section #2.

Thence N 15°19' W --- at 1671.2 varas pass through at about right angles a fence --- at 1817.2 varas set a concrete monument in deep sand and shin oak brush, marked the brass plate in its top as is represented in the figure above, from which the left hand of two windmills bears S 65°33½' E about 1 1/2 miles; double windmills bear S 3°26½' W and S 3°47½' W about 4 miles; another windmill bears S 6°07' W about 6 miles; an earth mound containing broken glass bears S 14°30' W 50.0 varas; a windmill at a clump of trees bears S60°31'W about 3 miles.

Thence N 74°23' E --- at 600 varas enter firm but sandy soil --- at 1900.8 varas, point, the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 259 .


This 7th day of November, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

PLAT OF SURVEY NO.

The State of Texas } SURVEY NO. 3
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of
609.8 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 22' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 7 miles S 15° W of Andrews, the county site.

Beginning at a concrete monument set in sand among shin oak brush at the NW corner of section #2, this Block, for the NE corner of this section #3, the brass plate in top of which having been marked as is represented in the figure above, from which the left hand of two windmills bears S 65° 33½' E about 1 1/2 miles; double windmills bear S 3° 26½' W and S 3° 47½' W about 4 miles; another windmill bears S 6° 07' W about 6 miles; an earth mound containing broken glass bears S 14° 30' W 50.0 varas; a windmill at a clump of trees bears S 60° 31' W about 3 miles.

Thence S 15° 19' E --- at 146 pass through at about right angles a four-wire fence --- at 1817.2 varas strike the SW corner of section #2.

Thence S 74° 45' W 1900.8 varas to a point for the SW corner of this section #3.

Thence N 15° 19' W 1805.2 varas to a point for the NW corner of this section #3.

Thence N 74° 23' E 1900.8 varas to the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 260 .
This 7th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 4

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 605.8 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 20' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block is 0° 01½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 7½ miles S 22° W of Andrews, the county site.

Beginning at the NW corner of section #3, this Block.

Thence S 15°19' E 1805.2 varas to the SW corner of section #3.

Thence S 74°45' W 1900.8 varas to a point for the SW corner of this section #4.

Thence N 15°19' W 1793.2 varas, set a concrete monument in deep sand among shin oak brush, marked the brass plate in top of same as is represented in the figure above, from which the top of a windmill brs. S 87°25' E about 3 miles; the top of the Fuhrman Ford #1 oil test derrick bears N 52°54' W; an earth mound containing broken glass bears S 53°45' E 50.0 varas.

Thence N 74°23' E --- at 745.0 varas pass through at about right angles a four-wire fence --- at 1336.5 varas pass through a three-wire fence --- at 1900.8 varas, point, the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 261 . This 7th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 5
BLOCK NO. 9



FIELD NOTES of a survey of
601.7 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 18' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 8 miles S 27° W of Andrews, the county site.

Beginning at a concrete monument set for the NW corner of section #4, this Block, being in deep sand among shin oak brush, the brass plate in top of which having been marked as is represented in the figure above, from which the top of a windmill bears S 87° 25' E about 3 miles; the top of the Fuhrman Ford #1 oil test derrick bears N 52° 54' W; an earth mound containing broken glass bears S 53° 45' E 50.0 varas.

Thence S 15° 19' E 1793.2 varas to the SW corner of section #4.

Thence S 74° 45' W 1900.8 varas to a point for the SW corner of this section #5.

Thence N 15° 19' W 1781.2 varas to a point for the NW corner of this section #5.

Thence N 74° 23' E 1900.8 varas to the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 262 .
This 7th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


Plat of Survey No.

The State of Texas

ANDREWS County

SURVEY NO. 6

BLOCK NO. 9



FIELD NOTES of a survey of 597.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11°15' East.

True North ~~as compared to the meridian passing through the corner of Survey No. , this Block,~~ is 0° 02½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~ ~~corner of~~ sand, dry lakes ~~crossing the boundary of~~ no drainage ~~river~~ about 9 miles S 32° W of Andrews, the county site.

Beginning at the NW corner of section #5, this Block.

Thence S 15°19' E 1781.2 varas to the SW corner of section #5.

Thence S 74°45' W 1900.8 varas to a point for the SW corner of this section #6.

Thence N 15°19' W --- at 1761.1 varas pass through at right angles a four-wire fence --- at 1769.2 varas set a concrete monument in a low mesquite flat of firm ground, marked the brass plate in its top as is represented in the figure above, from which the Fuhrman Ford #1 oil test derrick bears N 27°50' E about 1 mile; a windmill bears N 76°10' W about ¾ miles; a mesquite 3 inches in diameter, marked "X", bears S 44°30' W 32.9 varas; a plunger coupling driven in ground bears N 47°00' W 25.7 varas.

Thence N 74°23' E --- at 961.3 varas pass through a wire fence --- at 1900.8 varas, point, the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 263. This 7th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 7

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 657.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 15' East.

True North as compared to a meridian passing through the center of this Block, is 0° 02½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the center of sand, dry lakes Creek, a tributary of no drainage about 9½ miles S 27° W of Andrews, the county site.

Beginning at the SW corner of section #6, this Block for the NW corner of this section #7.

Thence S 15° 19' E 1951.1 varas set a concrete monument for the SW corner of this section #7, situated on a slight swell of deep white sand covered with shin oak brush, marked the brass plate in top as is represented in the figure above, from which the Fuhrman Ford #1 oil test derrick N 4° 03½' E about 3 miles; a windmill at a clump of trees bears N 25° 35½' E about 1 1/2 miles; two windmills bear S 72° 25½' W about 4 miles and N 51° 20½' W about 1 mile; an earth mound containing broken glass bears S 15° 15' W 50.0 varas.

Thence N 74° 45' E --- at 29.3 varas pass through at about right angles a four-wire fence --- at 1900.8 varas point for the SE corner of this section #7.

Thence N 15° 19' W 1951.1 varas to the SE corner of section #6.

Thence S 74° 45' W 1900.8 varas to the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 264. This 7th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Block of Survey No.~~

The State of Texas

ANDREWS County } SURVEY NO. 8
BLOCK NO. 9



FIELD NOTES of a survey of
657.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 18' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 02' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the ~~waters of~~ sand, dry lakes ~~Creek~~ no drainage ~~River~~ about 9 miles S 23° W of Andrews, the county site.

Beginning at the common corner of sections #5, #6, and #7, this Block, for the NW corner of this section #8.

Thence S 15°19' E 1951.1 varas to the SE corner of section #7.

Thence N 74°45' E 1900.8 varas set a concrete monument in deep loose white sand covered with shin oak and bear grass among sand hills, marked the brass plate in top of same as is represented in the figure above, from which a windmill bears N 85°49½' W about 3 miles; a windmill at a clump of trees bears N 52°10' W about 1 1/2 miles; a sand mound containing broken pieces of a brown and white jug bears S 69°15' E 50.0 varas.

Thence N 15°19' W 1951.1 varas to the SE corner of section #5.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 265 .
This 7th day of November , 19 32.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 9
BLOCK NO. 9



FIELD NOTES of a survey of 657.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 21' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, or tributary of no drainage river about 8½ miles S 18° W of Andrews, the county site.

Beginning at the NE corner of section #8, being also the SW corner of section #4, this Block,

Thence S 15°19' E 1951.1 varas to the concrete monument set for the SE corner of section #8, this Block, situated in deep loose white sand among sand hill covered with shin oak and bear grass, the brass plate in top of which having been marked as is represented in the figure above, from which a windmill bears N 85°49½' W about 3 miles; a windmill at a clump of trees bears N 52°10' W about 1 1/2 miles; a sand mound containing white and brown parts of a broken jug bears S 69°15' E 50.0 varas.

Thence N 74°45' E 1900.8 varas to a point for the SE corner of this section #9.

Thence N 15°19' W 1951.1 varas to the SE corner of section #4.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 28, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 266 . This 7th day of November , 19 32.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Plat of Survey No. 10~~

The State of Texas } SURVEY NO. 10

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 657.0 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 24' East.

True North as compared to a meridian passing through the corner of Survey No. 10, Block 9, is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the ~~vaters of sand, dry lakes Creek~~ no drainage ~~river~~ about 8 miles S 11° W of Andrews, the county site.

Beginning at the common corner of sections #3, #4, and #9, this Block.

Thence S 15° 19' E 1951.1 varas to the SE corner of section #9.

Thence N 74° 45' E --- at about 1400 varas cross a string of high sand hills ranging NW-SE --- at 1900.8 varas set a concrete monument in deep sand covered by shin oak brush, marked the brass plate in top of same as is represented in the figure above, from which an earth mound containing broken glass bears S 26° W 50.0 varas; double windmills bear N 38° 05' E and N 38° 56½' E about 1 1/2 miles.

Thence N 15° 19' W 1951.1 varas to SE corner of section #3.

Thence S 74° 45' W 1900.8 varas to the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath Chain
Gibbons Poteet Carriers.
J. A. Conklin Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 267. This 7th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No. 0

The State of Texas

ANDREWS County SURVEY NO. 11
BLOCK NO. 9



FIELD NOTES of a survey of
657.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is the same as the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 7½ miles S 5° W of Andrews, the county site.

Beginning at the common corner of sections #2, #3, and #10, this Block.

Thence S 15° 19' E 1951.1 varas to the concrete monument set for the SE corner of section #10, being in deep sand covered by shin oak brush, the brass plate in top of which having been marked as is represented in the figure above, from which double windmills bear N 38° 05' E and N 38° 56½' E about 1 1/2 miles; an earth mound containing broken glass bears S 26° W 50.0 varas.

Thence N 74° 45' E --- at about 630 varas in firmer but sandy soil --- at 1900.8 varas point for the SE corner of this section #11.

Thence N 15° 19' W 1951.1 varas to the SE corner of section #2.

Thence S 74° 45' W 1900.8 varas to the place of beginning.

Surveyed May 28, 19 31

Norris B. Creath

Gibbons Poteet

J. A. Conklin

Chain


Carriers.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 268 .
This 8th day of November, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

The State of Texas } SURVEY NO. 12
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of
657.0 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. 0000, this block, is the same as of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry Lakes Creek, a tributary of no drainage River about 7 1/2 miles S 3° E of Andrews, the county site.

Beginning at the common corner of sections #1, #2, and #11.

Thence S 15°19' E 1951.1 varas to the SE corner of section #11.

Thence N 74°45' E 1900.8 varas to the concrete monument set for the SW corner of section #7, Block #1, University Land, situated on high sandy ground, the brass plate in top of which having been marked as represented in the figure above, from which the left hand of double windmills bears S 9°59' E about 2 miles; another windmill bears S 33°23' W about 6 miles; the right hand of another set of double windmills bears N 53°38' E about 1 mile; an earth mound containing broken glass bears N 56°30' E 42.0 varas;

Thence N 15°19' W --- at 49.7 varas pass a sixty-penny hub nail in a small mound of rocks --- at 600 varas enter sand and shinnery --- at 745 varas about center of a small basin 30 varas in diameter in low ground --- at 1150 varas leave shinnery on south slope of slightly rising ground --- at 1602.9 varas pass a sixty-penny hub nail in a mound of rocks from which the right hand of two windmills bears S 82°01' W and the left hand of same bears S 80°30' W --- at 1815.0 varas cross a road --- at 1951.1 strike the SW corner of section #6, Block #1, for the NE corner of this section #12.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 269 .
This 8th day of November, 1932 .


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Plat of Survey No.~~

The State of Texas } SURVEY NO. 13

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 654.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a monument passing through the corner of Survey No. , this Block, is the same to the as of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, no drainage River about 8½ miles S 4° E of Andrews, the county site.

Beginning at a concrete monument set in high sandy ground for the SW corner of section #7, Block #1, University Land, the brass plate on top of which having been marked as is represented in the figure above, from which the left hand of two windmills bears S 9°59' E about 2 miles; another windmill bears S 33°23' W about 6 miles; the right hand of double windmills bears N 53°38' W about 1 mile; an earth mound containing broken glass bears N 56°30' E 42.0 varas; then

Thence S 74°45' W 1900.8 varas to the SW corner of section #12.

Thence S 15°19' E 1944.5 varas to a point for the SW corner of this section #13.

Thence N 74°45' E 1900.8 varas strike the SW corner of section #18, Block #1, University Land.

Thence N 15°19' W --- at 460.1 varas pass a hub nail in a small mound of rocks --- 1450 varas enter firm sandy ground --- at 1944.5 varas point, the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 270 . This 8th day of November , 1932 .


Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 14

The State of Texas

ANDREWS County } SURVEY NO. 14
BLOCK NO. 9



FIELD NOTES of a survey of 654.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 29' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is the same as of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 8 1/2 miles S 3° W of Andrews, the county site.

Beginning at the common corner of sections #11, #12, and #13.

Thence S 74°45' W --- at 1270.8 varas point in firm ground --- at 1900.8 varas strike the concrete monument set for the SE corner of section #10, this Block, being in deep sand overgrown by shinnery, the brass plate in top of which having been marked as represented in the figure above, from which double windmills bear N 38°05' E and N 38°56 1/2' E about 1 1/2 miles; an earth mound containing broken glass bears S 26° W 50.0 varas.

Thence S 15°19' E 1944.5 varas to a point for the SW corner of this section #14.

Thence N 74°45' E 1900.8 varas strike the SW corner of section #13.

Thence N 15°19' W 1944.5 varas to the place of beginning.

Surveyed May 28, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 271 .

This 8th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Plat of Survey No.~~

The State of Texas } SURVEY NO. 15

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 654.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 26' East.

True North as compared to a meridian passing through the ~~corner~~ of Survey No. ~~10~~, ~~this block~~ is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the ~~waters of~~ sand, dry lakes ~~Creek~~, ~~no drainage~~ ~~River~~ about 9 miles S 8° W of Andrews, the county site.

Beginning at a concrete monument set in deep sand overgrown by shin oak brush for the SE corner of section #10, being the common corner of this section and also section #11 and #14, the brass plate in top of which having been marked as is represented in the figure above, from which double windmills bear N 38° 05' E and N 38° 56 1/2' E about 1 1/2 miles; an earth mound containing broken glass bears S 26° W 50.0 varas.

Thence S 74° 45' W --- at 500.8 var as pass over a string of high sand hills extending NW-SE --- at 1900.8 varas strike the SW corner of section #10.

Thence S 15° 19' E 1944.5 varas to a point for the SW corner of this section #15.

Thence N 74° 45' E 1900.8 varas to the SW corner of section #14.

Thence N 15° 19' W 1944.5 varas to the place of beginning.

Surveyed May 29, 19 34

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 272 . This 8th day of November, 19 32.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 16

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of

654.7 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 23' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 9 1/2 miles S 14° W of Andrews, the county site.

Beginning at the NW corner of section #15, being also the SE corner of section #9, this Block, for the NE corner of this section #16.

Thence S 15° 19' E 1944.5 varas to the SW corner of section #15.

Thence S 74° 45' W 1900.8 varas to a point for the SW corner of this section #16.

Thence N 15° 19' W, over numerous sand hills, 1944.5 varas to the concrete monument set for the SE corner of section #8, situated in deep loose white sand covered with shin oak brush, the brass plate in top of which having been marked a s is represented in the figure above, from which a windmill bears N 85° 49 1/2' W about 3 miles; another windmill bears N 52° 10' W about 1 1/2 miles; a sand mound containing pieces of a broken white and brown jug bears S 69° 15' E 50.0 varas.

Thence N 74° 45' E 1900.8 varas to the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 273 . This 8th day of November , 19 32.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 17

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 654.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 19' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, no drainage about 10 miles S 19° W of Andrews, the county site.

Beginning at a concrete monument set in loose white deep sand at the SE corner of section #8, this Block, for the NE corner of this section #17, the brass plate in top of which monument having been marked as is represented in the figure above, from which a windmill bears N 85° 49 1/2' W about 3 miles; a windmill at a clump of trees N 52° 10' W about 1 1/2 miles; a sand mound containing parts of a broken brown and white jug bears S 69° 15' E 50.0 varas.

Thence S 15° 19' E, through numerous sand hills, 1944.5 varas to the SW corner of section #16.

Thence S 74° 45' W 1900.8 varas to a point for the SW corner of this section #17.

Thence N 15° 19' W 1944.5 varas strike the SW corner of section #8.

Thence N 74° 45' E 1900.8 varas to the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 274. This 8th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

275

Plat of Survey No.


The State of Texas

SURVEY NO. 18

ANDREWS

County

BLOCK NO. 9



FIELD NOTES of a survey of

654.7 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 15' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, no drainage River about 10½ miles S 24° W of Andrews, the county site.

Beginning at the common corner of sections #7, #8, and #17.

Thence S 15° 19' E 1944.5 varas to the SW corner of section #17.

Thence S 74° 45' W --- at about 1880 varas pass a through a wire fence --- at 1900.8 varas point for the SW corner of this section #18.

Thence N 15° 19' W 1944.5 varas strike the concrete monument set for the SW corner of section #7, being on a swell of deep white loose sand covered with shin oak brush, the brass plate in top of which having been marked as is represented in the figure above, from which the Fuhrman Ford #1 oil test derrick bears N 4° 03½' E about 3 miles; a windmill at a clump of trees bears N 25° 35½' E about 1 1/2 miles; two other windmills bears S 72° 25½' W about 4 miles and N 51° 20½' W about 1 mile; an earth mound containing broken glass bears S 15° 15' W 50.0 varas.

Thence N 74° 45' E --- at 29.3 varas pass through a wire fence --- at 1900.8 varas point, the place of beginning.

Surveyed May 29, 1931

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 275 . This 8th day of November , 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

PLAT OF SURVEY NO. 00


The State of Texas

SURVEY NO. 19

ANDREWS

County

BLOCK NO. 9



FIELD NOTES of a survey of

648.7 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 15' East.

True North as compared to a meridian passing through the corner of Survey No. 00, this Block, is 0° 02' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11 miles S 20° W of Andrews, the county site.

Beginning at the SW corner of section #18, this Block, for the NW of this section #19.

Thence S 15° 19' E 1926.4 varas set a concrete monument in deep loose white sand, marked the brass plate in top of same is represented in the figure above, from which the peak of a sand hill bears S 52° 15' E; a mesquite 3 inches in diameter marked "≡" (three bars) bears N 87° E 42.8 varas.

Thence N 74° 45' E --- at 6.1 varas pass through at about right angles a four-wire fence --- at 1900.8 varas point for the SE corner of this section #19.

Thence N 15° 19' W 1926.4 varas to the SE corner of section #18.

Thence S 74° 45' W --- at 1880.0 varas pass through a four-wire fence --- at 1900.8 varas point, the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 276. This 8th day of November, 1932.

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 0


The State of Texas

SURVEY NO. 20

ANDREWS

County

BLOCK NO. 9



FIELD NOTES of a survey of

648.7 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 20' East.

True North as compared to a meridian passing through the corner of Survey No. 0, this Block, is 0° 01½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, no drainage River about 10½ miles S 16° W of Andrews, the county site.

Beginning at the NE corner of section #19, being also the SW corner of section #17, this Block.

Thence S 15°19' E 1926.4 varas to the SE corner of section #19.

Thence N 74°45' E 1900.8 varas to a concrete monument in deep sand, being in a trough between sand hills, marked the brass plate in top as is represented in the figure above, from which a mesquite 1" in diameter, marked "≡" (three bars) bears N 10°30' W 47.8 varas.

Thence N 15°19' W, through numerous sand hills, 1926.4 varas to the SE corner of section #17.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 277 . This 8th day of November, 1932.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas

SURVEY NO. 21

ANDREWS

County

BLOCK NO. 9

U	T
20	21
29	28
B	9

FIELD NOTES of a survey of 648.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 24' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 10 miles S 12° W of Andrews, the county site.

Beginning at the common corner of sections #16, #17, and #20, this Block.

Thence S 15°19' E, through many sand hills, 1926.4 varas to the concrete monument set for the SE corner of section #20, situated in a low trough of deep sand between high sand hills, the brass plate in top of which having been marked as is represented in the figure above, from which a mesquite 1 inch in diameter marked "≡" (three bars) bears N 10°30' W 47.8 varas.

Thence N 74°45' E, over sand hills, 1900.8 varas to a point for the SE corner of this section #21.

Thence N 15°19' W 1926.4 varas to the SE corner of section #16.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 29, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 278 . This 8th day of November, 19 32.

Frank F. Friend


Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 22

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 648.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 00½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 9½ miles S 6° W of Andrews, the county site.

Beginning at the NE corner of section #21, which is also the SW corner of section #15, this Block, for the NW corner of this section #22.

Thence S 15°19' E 1926.4 varas to the SE corner of section #21.

Thence N 74°45' E 1900.8 varas to a point in a strip of firm ground where was set a concrete monument, having its brass plate in top marked as is represented in the figure above, from which the west prong of an 8-inch forked mesquite marked "X" bears S 51°30' E 61.2 varas; a mesquite 5 inches in diameter, marked "F" bears S 3°30' E 78.3 varas.

Thence N 15°19' W 1926.4 varas to the SE corner of section #15.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath, Chain
Gibbons Poteet } Carriers.
J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 279 . This 8th day of November, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.


The State of Texas

SURVEY NO. 23

ANDREWS

County

BLOCK NO. 9



FIELD NOTES of a survey of 648.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is the same as to the North of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 9 1/2 miles SOUTH of Andrews, the county site.

Beginning at the NE corner of section #22, this Block, for the NW corner of this section #23.

Thence S 15°19' E 1926.4 varas to the concrete monument set for the SE corner of section #22, being in a strip of low firm ground extending NE and SW, the brass plate in top of which having been marked as represented in the figure above, from which the west prong of an 8-inch forked mesquite marked "X" bears S 51°30' E 61.2 varas; a mesquite 5 inches in diameter marked "F" bears S 3°30' E 78.3 varas.

Thence N 74 °45' E 1900.8 varas to a point for the SE corner of this section #23.

Thence N 15°19' W 1926.4 varas to the SE corner of section #14.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath

Gibbons Poteet

J. A. Conklin

Chain

Carriers.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 280 . This 8th day of November 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.


The State of Texas

SURVEY NO. 24

ANDREWS

County

BLOCK NO. 9



FIELD NOTES of a survey of 648.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 00½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 9 miles S 5° E of Andrews, the county site.

Beginning at the NE corner of section #23, being also the SW corner of section #13, this Block.

Thence S 15°19' E 1926.4 varas to the SE corner of section #23.

Thence N 74°45' E 1900.8 varas to the concrete monument set for the SW corner of section #19, Block #1, University Land, situated in sand sparsely covered with bear grass and mesquites, being rather high ground sloping toward the west, the brass plate in top of which monument being marked as is represented in the figure above, from which the windmill at the noted Clabber Hill Ranch bears S 17°01' E about 3 3/4 miles; the left hand windmill of a set of two and the right hand of another set of two bear respectively: S 8°59' W about 1/2 mile and N 29°11' W about 3 miles; a mesquite 3 1/2 inches in diameter, marked "X" bears S 87°30' W 62.0 varas; another mesquite 2 inches in diameter, marked "≡" (three bars) bears N 60°15' E 34.1 varas.

Thence N 15°19' W --- at 84.5 varas a hub nail in a small mound of rocks on a sandy ridge --- at 1345.8 varas another hub nail in a mound of rocks, from which the right hand of two windmills bears N 33°19' W, while the left hand of same bears N 33°25' W --- at 1850 varas enter shin oak brush --- at 1878.0 varas a 1-inch plunger rod coupling bears N 74°41' E 9.1 varas --- at 1926.4 varas strike the NW corner of section #19, Block #1, University Land.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath

Chain

Gibbons Potet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 281 . This 8th day of November, 1932 .

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Selec

Plat of Survey No.


The State of Texas

SURVEY NO. 25

ANDREWS

County

BLOCK NO. 9



FIELD NOTES of a survey of

643.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 00½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 10 miles S 6° E of Andrews, the county site.

Beginning at a concrete monument set for the SW corner of section #19, Block #1, University Land, situated in sand sparsely covered with bear grass and mesquites, being rather high ground sloping toward the west, its brass plate in top having been marked as is represented in the figure above, from which the windmill at the noted Clabber Hill Ranch bears S 17° 01' E about 3 ¾ miles; the left hand windmill of a set of two and the right hand windmill of another set of two bear respectively: S 8° 59' W about 1/2 mile and N 29° 11' W about 3 miles; a mesquite 3 1/2 inches in diameter marked "X" bears S 87° 30' W 62.0 varas; another mesquite 2 inches in diameter marked "≡" (three bars) bears N 60° 15' E 34.1 varas.

Thence S 74° 45' W 1900.8 varas to the SW corner of section #24.

Thence S 15° 19' E 1910.5 varas to a point for the SW corner of this section #25.

Thence N 74° 45' E 1900.8 varas to the westerly common corner of sections #26 and #27, Block #1, University Land.

Thence N 15° 19' W --- at 530.2 varas cross a five-wire fence --- at 1100 varas enter sand covered with bear grass --- at 1173.2 varas a hub nail in a small mound of rocks on a ridge --- at 1573 varas cross a road --- at 1883.6 varas a 1-inch plunger rod coupling bears N 74° 41' E 7.4 varas --- at 1910.5 varas strike the concrete monument, the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 282 . This 8th day of November, 1932 .


Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 26
BLOCK NO. 9



FIELD NOTES of a survey of
643.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 31' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is the same to the as of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 10½ miles SOUTH of Andrews, the county site.

Beginning at the NW corner of section #25, which is the same as the SE corner of section #23, this Block.

Thence S 74°45' W 1900.8 varas to a concrete monument set for the SE corner of section #22, being in a narrow strip of firm ground extending NE and SW, the brass plate in top of which having been marked as is represented in the figure above, from which the west prong of an 8-inch forked mesquite marked "X" bears S 51°30' E 61.2 varas; a mesquite 5 inches marked "F" bears S 3°30' E 78.3 varas.

Thence S 15°19' E 1910.5 varas to a point for the SW corner of this section #26.

Thence N 74°45' E 1900.8 varas to the SW corner of section #25.

Thence N 15°19' W 1910.5 varas to the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 283 .
This 8th day of November, 1932 .


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 27

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 643.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 00½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 10½ miles S 4° W of Andrews, the county site.

Beginning at the concrete monument set for the SE corner of section #22, this Block, situated in a low narrow strip of firm ground extending NE and SW, the brass plate in top of which having been marked as is represented in the figure above, from which the west prong of an 8-inch forked mesquite marked "X" S 51°30' E 61.2 varas; a mesquite 5 inches in diameter marked "F" bears S 3°30' E 78.3 varas.

Thence S 74°45' W 1900.8 varas to the SW corner of section #22.

Thence S 15°19' E 1910.5 varas to a point for the SW corner of this section #27.

Thence N 74°45' E 1900.8 varas to the SW corner of section #26.

Thence N 15°19' W 1910.5 varas to the place of beginning.

Surveyed May 29, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 284 . This 8th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 28

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 643.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11 miles S 9° W of Andrews, the county site.

Beginning at the common corner of sections #21, #22, and #27, this Block.

Thence S 15° 19' E 1910.5 varas to the SW corner of section #27.

Thence S 74° 45' W 1900.8 varas to a point for the SW corner of this section #28.

Thence N 15° 19' W 1910.5 varas strike the concrete monument set for the SE corner of section #20, this Block, situated in a low trough between high sand hills, the brass plate in top of which having been marked as is represented in the figure above, from which a mesquite 1 inch in diameter marked "≡" (three bars) bears N10° 30' W 47.8 varas.

Thence N 74° 45' E, through high sand hills, 1900.8 varas to the place of beginning.

Surveyed May 29, 19 31

Norris B. Creath Chain
Gibbons Poteet Carriers.
J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 285. This 9th day of November, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands


(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas

ANDREWS County SURVEY NO. 29

BLOCK NO. 9



FIELD NOTES of a survey of 643.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 22' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of No drainage River about 11½ miles S 13° W of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #20, this Block, situated in a low trough between high sand hills, the brass plate in top of which having been marked as is represented in the figure above, from which a mesquite 1 inch in diameter marked "≡" (three bars) bears N 10°30' W 47.8 varas.

Thence S 15°19' E 1910.5 varas to the SW corner of section #28.

Thence S 74°45' W 1900.8 varas to a point for the SW corner of this section #29.

Thence N 15°19' W 1910.5 varas to the SW corner of section #20.

Thence N 74°45' E 1900.8 varas to the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath	} Chain Carriers. Transitman.
Gibbons Poteet	
J. A. Conklin	


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 286 . This 9th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page fo this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 30
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 643.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 16' East.
True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02' to the right of the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12 miles S 18° W of Andrews, the county site.
Beginning at the NW corner of section #29, this Block.

Thence S 15° 19' E 1910.5 varas to the SW corner of section #29 .

Thence S 74° 45' W 1900.8 varas to a point in or very near a wire fence for the SW corner of this section #30.

Thence N 15° 19' W 1910.5 varas to the concrete monument set for the SW corner of section #19, situated in deep white loose sand covered with shin oak brush, the brass plate in top of which having been marked as is represented in the figure above, from which the peak of a sand hill bears S 52° 15' E; a mesquite 3 inches in diameter marked "≡" (three bars) bears N 87° E 42.8 varas.

Thence N 74° 45' E --- at 6.1 varas pass through a wire fence --- at 1900.8 varas, point, the place of beginning.

Surveyed May 30, 19 3L

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in ANDREWS County in Book "U T" Vol. 3 Page 287 .
This 9th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 31
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 644.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 20' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0°02' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 13 miles S 15° W of Andrews, the county site.

Beginning at the SW corner of section #30, being a point in or very near a wire fence, for the NW corner of this section #31.

Thence S 15°19' E, through sand dunes, 1912.9 varas set a concrete monument in a low mesquite flat of firm ground, the brass plate in top of which having been marked as is represented in the figure above, from which a corner post in a north-south fence at the junction of a fence from the west bears N 34°30' W 14.5 varas; a mesquite 3 inches in diameter marked "X" bears N 12°15' W 21.8 varas; a 1 1/2-inch iron pipe recently driven bears S 2°15' W 11.7 varas. A point in the T & P center line 1919.4 varas westerly from the original cedar stake at the SE corner of survey #31, Block #43, and 5758.2 varas easterly from the original old cedar stake at the SW corner of survey #34, Block #44, T 1 N, (the course of the center line being S 74°41' W --- N 74°41' E) bears S 74°23' W 372.3 varas and S 15°19' E 19,233.3 varas.

Thence N 74°45' E 1900.8 varas to a point for the SE corner of this section #31.

Thence N 15°19' W 1912.9 varas to the SE corner of section #30.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 288 .

This 9th day of November, 1932 .


Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas

ANDREWS County } SURVEY NO. 32
BLOCK NO. 9



FIELD NOTES of a survey of
644.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 25' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12½ miles S 11° W of Andrews, the county site.

Beginning at the NE corner of section #31, being also the SW corner of section #29, this Block.

Thence S 15°19' E 1912.9 varas to the SE corner of section #31.

Thence N 74°45' E 1900.8 varas set a concrete monument in deep sand covered by shinnery and mesquite brush, marked the brass plate in top of same as is represented in the figure above, from which the windmill at the noted Clabber Hill Ranch bears S 81°53½' E; two other windmills bear S 36°53' E about 1 3/4 miles and N 53°13' W about 600 varas; two points in the center of an old road 18 feet wide and 6 feet deep through the sand bear S 74°45' W 26 varas and S 15°19' E 32 varas.

Thence N 15°19' W 1912.9 varas to the SE corner of section #29.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 289. This 9th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 33
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 644.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12 miles S 7° W of Andrews, the county site.

Beginning at the common corner of sections #28; #29, and #32, this Block.

Thence S 15°19' E 1912.9 varas to a concrete monument set for the SE corner of section #32, being in deep sand covered with shin oaks and mesquite bushes, the brass plate in top of which having been marked as is represented in the figure above, from which the noted Clabber Hill windmill bears S 81°53½' E; two other windmills bear S 36°53' E about 13/4 miles and N 53°13' W about 600 varas; two different points in the center of an old road 18 feet wide by 6 feet deep through the sand bear S 74°45' W 26 varas and S 15°19' E 32 varas.

Thence N 74°45' E 1900.8 varas to a point for the SE corner of this section #33.

Thence N 15°19' W 1912.9 varas to the SE corner of section #28.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 290 . This 9th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T.;, Vol. 4.)

Plat of Survey No. 000


The State of Texas

SURVEY NO. 34

ANDREWS

County

BLOCK NO. 9



FIELD NOTES of a survey of

644.1 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 30' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is the same to the as of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11½ miles S 2° W of Andrews, the county site.

Beginning at the NE corner of section #33, being also the SW corner fo section #27, this Block, for the NW corner of this section #34.

Thence S 15°19' E 1912.9 varas the SE corner of section #33.

Thence N 74°45' E 1900.8 varas set a concrete monument in a depression or gap between two sand ridges, marked the brass plate in top of same as is represented in the figure above, from which the left hand of two windmills bears N 34°11½' E about 2 miles; two other windmills bear S 22°02' W about 2 miles; and S 82°43' W about 2 1/4 miles; and a mesquite 1 1/2 inches in diameter marked "≡" (three bars) bears N 75°15' W 68.4 varas.

Thence N 15°19' W 1912.9 varas to the SE corner of section #27.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 291 .

This 9th day of November, 19 32.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 35
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 644.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is the same to the as the of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand dry lakes Creek, a tributary of no drainage River about 1 1/2 miles S 2° E of Andrews, the county site.

Beginning at the common corner of sections #26, #27, and #34, this Block.

Thence S 15°19' E 1912.9 varas to the concrete monument set for the SE corner of section #34, situated in a depression or gap between two sand ridges, the brass plate in top of which having been marked as is represented in the figure above, from which the left hand of two windmills bears N 34°11 1/2' E about 2 miles; two other windmills bear S 22°02' W about 2 miles and S 82°43' W about 2 1/4 miles; a mesquite 1 1/2 inches in diameter marked "≡" (three bars) bears N 75°15' W 68.4 varas.

Thence N 74°45' E 1900.8 varas to a point for the SE corner of this section #35.

Thence N 15°19' W 1912.9 varas to the SE corner of section #26.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath } Chain s.
Gibbons Poteet } Carriers. n.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in ANDREWS County in Book "U T" Vol. 3 Page 292 . This 9th day of November , 1932 .


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

and
nds

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 36
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of
644.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 35' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11 miles S 7° E of Andrews, the county site.

Beginning at the NE, the SE, and the SW corner respectively of sections #35, #26, and #25.

Thence S 15°19' E 1912.9 varas to the SE corner of section #35.

Thence N 75°45' E 1900.8 varas strike the concrete monument set for the SW corner of section #27, situated near the margin of deep sand and shin oak brush on the south, and firmer sandy soil on the north, the brass plate in top of which monument was marked as is represented in the figure above, from which the windmill at the noted Clabber Hill Ranch bears S 18°58' E; the right hand of double windmills bears N 24°30' W about 2 miles; an earth mound containing broken glass bears N 16°45' E 50.0 varas.

Thence N 15°19' W --- at 79.8 varas strike the sixty-penny hub nail in a mound of rocks from which double windmills bear N 24°46' W and N 25°14' W --- at 800 varas enter red firm sand --- at 948.1 varas pass another sixty-penny hub nail in a mound of rocks --- at 1288.5 varas cross a road --- at 1895.5 varas a bolt driven in the ground bears N 74°41' E 5.9 varas --- at 1912.9 varas strike the SE corner of section #25, being also the westerly common corner of sections #26 and #27, Block #1, University Land.

Thence S 74°45' W 1900.8 varas to the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath } Chain s.
Gibbons Poteet } Carriers. n.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 293 .
This 9th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 00

The State of Texas } SURVEY NO. 37
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of
644.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 38' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12 miles S 8° E of Andrews, the county site.

Beginning at a concrete monument set for the SW corner of section #27, Block #1, University Land, being also the SE corner of section #36, this Block, situated near the margin of an area of sand covered with shin oak brush to the south and firmer sandy soil to the north, the brass plate in top of which monument having been marked as is represented in the figure above, from which the windmill at the noted Clabber Hill Ranch bears S 18° 58' E; the right hand of double windmills bears N 24° 30' W about 2 miles; an earth mound containing broken glass bears N 16° 45' E 50.0 varas.

Thence S 74° 45' W 1900.8 varas to the SW corner of section #36.

Thence S 15° 19' E 1912.8 varas to a point for the SW corner of this section #37.

Thence N 74° 45' E 1900.8 varas to the westerly common corner of sections #34 and #35, Block #1, University Land.

Thence N 15° 19' W --- at 4.3 varas a piece of angle-iron driven in ground N 74° 41' E 1.8 varas --- at 95.4 varas pass a sixty-penny hub nail in a mound of small rocks on a sandy ridge --- at 1000.4 varas cross a three-wire fence --- at 1140.3 varas strike another sixty-penny nail in a mound of rocks --- at 1912.8 varas the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 294 . This 9th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

and
nds

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Plat 0000 Survey No.~~

The State of Texas } SURVEY NO. 38
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 644.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 36' East.

~~True North~~ True North ~~as compared to a meridian passing through the corner of Survey No. 0000, this Block,~~ is 0° 00½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the water~~ sand, dry lakes ~~and~~ no drainage ~~is~~ about 12½ miles S 3° E of Andrews, the county site.

Beginning at the common corner of sections #35, #36, and #37, this Block.

Thence S 15°19' E 1912.8 varas to the SW corner of section #37.

Thence S 74°45' W 1900.8 varas to a point for the SW corner of this section #38.

Thence N 15°19' W 1912.8 varas to the concrete monument set for the SE corner of section #34, situated in a depression or saddle between two sand ridges, the brass plate in top of which having been marked as is represented in the figure above, from which the left hand of double windmills bears N 34°11½' E about 2 miles; two other windmills bear S 22°02' W about 2 miles and S 82°43' W about 2 1/4 miles; a mesquite 1 1/2 inches in diameter marked "≡" (three bars) bears N 75°15' W 68.4 varas.

Thence N 74°45' E 1900.8 varas to the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 295. This 9th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Block 0000 Survey 000~~

The State of Texas } SURVEY NO. 39
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 644.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 33' East.

True North as compared to a meridian passing through the corner of survey 0000, ~~which block~~ is the same ~~to the~~ as the ~~of~~ the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on ~~the~~ ~~vaters~~ sand, dry lakes ~~which are tributary~~ no drainage ~~river~~ about 12 1/2 miles SOUTH of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #34, this Block, being the NW corner of section #38, the monument being situated in a low depression or gap between two sand ridges, the brass plate in top of which having been marked as is represented in the figure above, from which the left hand of double windmills bears N 34° 11 1/2' E about 2 miles; two other windmills bear S 22° 02' W about 2 miles and S 82° 43' W about 2 1/4 miles; a mesquite 1 1/2 inches in diameter marked "≡" (three bars) bears N 75° 15' W 68.4 varas.

Thence S 74° 45' W 1900.8 varas to the SW corner of section #34.

Thence S 15° 19' E 1912.8 varas to the point for the SW corner of this section #39.

Thence N 74° 45' E 1900.8 varas to the SW corner of section #38.

Thence N 15° 19' W 1912.8 varas to the place of beginning.

Surveyed May 30, 19 31.

Norris B. Creath

Gibbons Poteet

J. A. Conklin

Chain

Carriers.

Transitman.

rs.

an.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 296 . This 9th day of November, 19 32.


Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

and
ands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 9

The State of Texas } SURVEY NO. 40
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of 644.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 31' East.

True North as compared to a meridian passing through the corner of Survey No. 9, this Block, is 0° 00½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 13 miles S 5° W of Andrews, the county site.

Beginning at the NW corner of section #39, being also the SE corner of section #33, this Block.

Thence S 15°19' E 1912.8 varas to the SW corner of section #39.

Thence S 74°45' W 1900.8 varas to a point for the SW corner of this section #40.

Thence N 15°19' W 1912.8 varas strike the concrete monument set for the SE corner of section #32, situated in deep sand covered with shin oak brush and small mesquite brush, the brass plate in top of which having been marked as is represented in the figure above, from which the windmill at the noted Clabber Hill Ranch bears S 81°53½' E; two other windmills bear S 36°53' E about 1 3/4 miles and N 53°13' W about 600 varas; two points in the center of a road 18 feet wide by 6 feet deep through the sand bear S 74°45' W 26 varas and S 15°19' E 32 varas.

Thence N 74°45' E 1900.8 varas to the place of beginning.

Surveyed May 30, 1931.

Norris B. Creath Chain
Gibbons Poteet Carriers.
J. A. Conklin Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 297. This 10th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 41
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of
644.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 28' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 13 1/2 miles S 9° W of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #32, this Block, being also the NW corner of section #40, situated in deep sand overgrown by shin oak and mesquite brush, the brass plate in top of which having been marked as is represented in the figure above, from which the windmill at the noted Clabber Hill Ranch bears S 81° 53 1/2' E; two other windmills bear S 36° 53' E about 1 3/4 miles and N 53° 13' W about 600 varas; two different points in the center of a road 18 feet wide by 6 feet deep through deep sand bear S 74° 45' W 26 varas and S 15° 19' E about 32 varas.

Thence S 15° 19' E 1912.8 varas to the SW corner of section #40.

Thence S 74° 45' W 1900.8 varas to a point for the SW corner of this section #41.

Thence N 15° 19' W 1912.8 varas to the SW corner of section #32.

Thence N 74° 45' E 1900.8 varas to the place of beginning.

Surveyed June 1st, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 298. This 10th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

644.000000 Survey No.

The State of Texas

ANDREWS County } SURVEY NO. 42
BLOCK NO. 9



FIELD NOTES of a survey of
644.1 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 24' East.

True North as compared to a meridian passing through the corner of survey No. , this block, is 0° 02' to the right of the North point used in the field notes of this survey.

Said survey is situated in Andrews County, Texas, on the sand, dry lakes Creek, no drainage about 14 miles S 13° W of Andrews, the county site.

Beginning at the NW corner of section #41, which is also the SE corner of section #31, this Block, for the NE corner of this section #42.

Thence S 15°19' E 1912.8 varas to the SW corner of section #41.

Thence S 74°45' W 1900.8 varas to a point for the SW corner of this section #42.

Thence N 15°19' W 1912.8 varas to the concrete monument set for the SW corner of section #31, situated in a mesquite flat in low ground, the brass plate in top of which monument having been marked as is represented in the figure above, from which a mesquite 3 inches in diameter marked "X" bears N 12°15' W 21.8 varas; a corner post in a north-south fence at the junction of a fence from the west bears N 34°30' W 14.5 varas; a 1 1/2-inch iron pipe recently driven in ground bears S 2°15' W 11.7 varas. A point in the T & P center line 1919.4 varas westerly from the original cedar stake at the SE corner of survey #31, Block #43, and 5758.2 varas easterly from the original old cedar stake at the SW corner of survey #34, Block #44, T 1 N, T & P RR Co., (the course of the center line being S 74°41' W --- N 74°41' E) bears S 74°23' W 372.3 varas and S 15°19' E 19,233.3 varas.

Thence N 74°45' E 1900.8 varas to the place of beginning.

Surveyed June 1st, 1931.

Norris B. Creath

Gibbons Poteet

J. A. Conklin

Chain

Carriers.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 299.

This 10th day of November, 1932.

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands


(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
Plat of Survey No.

300

8

The State of Texas

ANDREWS County } SURVEY NO. 43
BLOCK NO. 9



FIELD NOTES of a survey of
636.2 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 27' East.

True North as compared to a meridian passing through the corner of Survey No. 43, this Block, is 0° 01½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of caliche, lakes Creek, a tributary of no drainage River about 14½ miles S 11° W of Andrews, the county site.

Beginning at the SW corner of section #42, this Block.

Thence N 74°45' E 1900.8 varas to the SE corner of section #42.

Thence S 15°19' E 1889.9 varas to a point for the SE corner of this section #43.

Thence S 74°47' W --- at 1790 varas an old dug well bears S 15°16' E 2.5 varas --- at 1800 varas in the center of a surface tank --- at 1900.8 varas set a concrete monument in a low caliche flat, marked the brass plate in top as is represented in the figure above, from which a windmill bears N 84°07' W about 2 miles; a mesquite 3 inches in diameter marked "X" bears N 38° E 33.6 varas; a 1-inch iron pipe driven in a large rock mound, recently built, bears S 11° E 27.1 varas; a corner post at the junction of three fences, one from the north, one from the east, and one from the southwest, bears N 53° W 17.5 .

Thence N 15°19' W 1888.8 varas to the SW corner of section #42, the place of beginning.

Surveyed June 1, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 300 .


This 10th day of November, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 44
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of
636.5 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 32' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 01' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Caliche, Lakes Creek, a tributary of no drainage River about 14 miles S 7° W of Andrews, the county site.

Beginning at the common corner of section #41, #42, and #43, this Block, being the NW corner of section #44.

Thence N 74°45' E 1900.8 varas to the SE corner of section #41.

Thence S 15°19' E 1891.1 varas set a concrete monument 5.8 varas south of a four-wire fence, situated in firm ground covered by limestone pebbles, thick grass and mesquite, marked the brass plate in top of same as is represented in the figure above, from which a windmill bears N 52°57' E about 1500 varas; another windmill bears S 84°03' W about 4 miles; a third windmill bears N 21°20' W about 2 1/4 miles; a mesquite 5 inches in diameter marked "X" bears S 34°45' W 95.1 varas.

Thence S 74°47' W --- at 350 varas enter sandy soil --- at 1450 varas leave sandy soil --- at 1900.8 varas strike the SE corner of section #43.

Thence N 15°19' W 1889.9 varas to the place of beginning.

Surveyed June 1st, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 301 . This 10th day of Novemer, 19 32.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

303
302
8

Plat of Survey No.

The State of Texas } SURVEY NO. 45
ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of
636.9 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination $11^{\circ}35'$ East.
True North as compared to a meridian passing through the corner
of Survey No. , this Block, is $0^{\circ}00\frac{1}{2}'$ to the right of
the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the
waters of Caliche, lakes Creek, a tributary of no drainage River about
14 miles S 4° W of Andrews, the county site.
Beginning at the NE corner of section #44, being the SW corner of
section #40, this Block.

Thence S $15^{\circ}19'$ E --- at 1885.3 varas pass through at about right
angles a four-wire fence --- at 1891.1 varas strike the concrete monu-
ment set for the SE corner of section #44, situated in a prairie of
firm ground covered with limestone pebbles, thick grass and mesquite,
the brass plate in top fo which having been marked as is represented
in the figure above, from which three windmills bear N $52^{\circ}57'$ E about
1500 varas, S $84^{\circ}03'$ W about 4 miles, and N $21^{\circ}20'$ W about 2 $\frac{1}{4}$ miles;
a mesquite 5 inches in diameter marked "X" bears S $34^{\circ}45'$ W 95.1 varas.

Thence N $74^{\circ}47'$ E --- at 1300 varas land in the south portion of
a dry basin --- at 1900.8 varas point for the SE corner of this section
#45.

Thence N $15^{\circ}19'$ W 1892.2 varas to the SE corner of section #40.

Thence S $74^{\circ}45'$ W 1900.8 varas to the place of beginning.

Surveyed June 1st, 191 .

Norris B. Creath

Chain

iers.

Gibbons Poteet

Carriers.

tman.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 302 .
This 10th day of November , 1932 .

Frank F. Friend


Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 46

ANDREWS County } BLOCK NO. 9



FIELD NOTES of a survey of

637.3 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 37' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is the same to the as of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of caliche, lakes creek, a tributary of no drainage River about 13 1/2 miles SOUTH of Andrews, the county site.

Beginning at the NE corner of section #45, this Block, being also the SW corner of section #39.

Thence N 74°45' E 1900.8 varas to the SE corner of section #39.

Thence S 15°19' E 1893.4 varas set a concrete monument in firm rocky soil 6.4 varas north of an east-west fence, marked the brass plate in top of same is represented in the figure above, from which the windmill at the noted Clabber Hill Ranch bears N 68°42' E about 2 1/4 miles; a windmill at a clump of trees and ranch house bears S 40°23 1/2' E about 3 miles; a mesquite 3 inches in diameter marked "≡" (three bars) bears N 50°30' E 17.6 varas.

Thence S 74°47' W 1900.8 varas to the SE corner of section #45.

Thence N 15°19' W 1892.2 varas to the place of beginning.

Surveyed June 1st, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 303 . This 10th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

PLAT OF SURVEY NO. 60

The State of Texas

SURVEY NO. 47

ANDREWS County BLOCK NO. 9



FIELD NOTES of a survey of 637.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 40' East.

True North as compared to a meridian passing through the center of survey No. 60, this block, is 0° 00½' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the western side of Caliche, lakes, and is a tract of no drainage about 13½ miles S 4° E of Andrews, the county site.

Beginning at the common corner of sections #38, #39, and #46, this Block.

Thence N 74°45' E 1900.8 varas to the SE corner of section #38.

Thence S 15°19' E 1894.5 varas to a point for the SE corner of this section #47.

Thence S 74°47' W --- at 1250.7 varas pass through at about right angles a three-wire fence --- at 1390 varas enter a strip of low ground covered by large mesquite --- at 1600 varas leave strip of low ground --- at 1900.8 varas strike the SE corner of section #46, being a concrete monument set in rocky soil 6.4 varas north of an east-west fence, the brass plate in top of which having been marked as is represented in the figure above, from which the windmill at the noted Clabber Hill Ranch bears N 68°42' E about 2 1/4 miles; a windmill at trees and ranch house bears S 40°23½' E about 3 miles; a mesquite 3 inches in diameter marked "≡" (three bars) bears N 50°30' E 17.6 varas.

Thence N 15°19' W 1893.4 varas to the place of beginning.

Surveyed June 1st, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 304.

This 10th day of November, 1932.

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

SURVEY NO. 48

ANDREWS County BLOCK NO. 9

WITN	ESS
May	29
19	31

FIELD NOTES of a survey of

638.1 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 43' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 01' to the left of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Caliche, Lakes Creek, a tributary of no drainage River about 13 miles S 8° E of Andrews, the county site. Beginning at the NE corner of section #47, this Block.

Thence S 15° 19' E 1894.5 varas to the SE corner of section #47.

Thence N 74° 47' E --- at 1654.3 varas cross a road --- at 1661.3 varas pass through at about right angles a five-wire fence --- at 1900.8 varas strike the original NW corner of survey #41, Block #42, T 1 N, G & M M B & A, same being a rock set on end 14" x 2" x 6", being marked on the south side "11" there being driven on the north side of same a 1 3/4-inch galvanized iron pipe appropriately marked. This rock also is the SW corner of section #35, Block #1, University Land, from which the windmill at the noted Clabber Hill Ranch bears N 11° 05' E; another windmill bears S 79° 31' W about 4 miles; a mesquite 3 inches in diameter marked "F" bears N 76° 30' W 63.8 varas; a concrete monument set as a witness, with its brass plate marked as represented in the figure above, bears N 74° 49 1/2' E 1 vara.

Thence N 15° 19' W --- at 300 varas point in low ground --- at 491.0 varas cross a six-wire fence --- at 543 varas cross a sandy road --- at 746.7 varas pass a sixty-penny hub nail on a sandy ridge --- at 923 varas a wagon load of rocks bears N 74° 41' E 26 varas --- at 1000 varas a trash heap bears N 74° 41' E 15 varas --- at 1025.5 varas cross a four-wire fence --- at 1282.1 varas pass a hub nail in a mound of rocks on a sandy ridge --- at 1550 varas point in low ground --- at 1895.7 varas strike the NW corner of section #35, Block #1, University Land, being also the NE corner of this section #48, and the SE corner of section #37, this Block.

Thence S 74° 45' W 1900.8 varas to the place of beginning.

Surveyed June 1, 1931.

Norris B. Creath } Chain
 Gibbons Poteet } Carriers.
 J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 305. This 10th day of November, 1932.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

Survey No.


The State of Texas

SURVEY NO. 1

ANDREWS

County

BLOCK NO. 10



FIELD NOTES of a survey of 611.8 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 11' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 03' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes ~~and~~ no drainage ~~River~~ about 9½ miles S 36° W of Andrews, the county site.

Beginning at a concrete monument set for the NW corner of section #6, Block #9, situated in a low mesquite flat of firm ground, the brass plate in top of which having been marked as is represented in the figure above, from which the Fuhrman Ford Oil derrick #1, bears N 27°50' E about 1 mile; a windmill bears N 76°10' W about ¾ mile; a mesquite 3 inches in diameter marked "X" bears S 44°30' W 32.9 varas; a plunger coupling driven in ground bears N 47°00' W 25.7 varas.

Thence S 74°23' W 1952.1 varas to a point for the NW corner of this section #1.

Thence S 15°19' E 1769.2 varas to a point for the SW corner.

Thence N 74°23' E 1952.1 varas strike the common westerly corner of sections #6 and #7, Block #9, University Land.

Thence N 15°19' W --- at 1761.1 varas pass through at right angles a four-wire fence --- at 1769.2 varas, point, the place of beginning.

Surveyed June 1st, 19 31

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 306 .


This 10th day of November, 19 32 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Block No. Survey No.~~

The State of Texas } SURVEY NO. 2
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of
611.8 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 07' East.

True North as compared to the meridian passing through the corner of Survey No. 1, Block No. 10 is 0° 03½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes no drainage about 10½ miles S 40° W of Andrews, the county site.

Beginning at the NW corner of the section #1, this Block.

Thence S 74°23' W --- at 552.4 varas at the south end of a fence from the north, from which a 3-inch galvanized iron pipe driven in ground bears N 15°19' W 144.5 varas --- at 1952.1 varas set a concrete monument under a three-wire fence in low sandy ground, marked the brass plate in top of same as is represented in the figure above, from which a windmill bears N 19°57½' E about 1 1/2 miles; the right hand of double windmills and the left hand of another set of double windmills bear respectively: N 9°29' W about 1 1/2 miles and N 55°06' W about 2 miles; a mesquite 3 inches in diameter marked "≡" (three bars) bears N 32°08' E 37.5 varas.

Thence S 15°19' E --- at 1299.2 varas on a rough sand ridge --- at 1769.2 varas point in deep rough white sand for the SW corner of this section #2.

Thence N 74°23' E 1952.1 varas to the SW corner of section #1.

Thence N 15°19' W 1769.2 varas to the place of beginning.

Surveyed June 1st, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 307.
This 10th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheet, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 3
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of
611.8 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 06' East.

True North as compared to a meridian passing through the corner of Section No. , this Block, is 0° 04' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage about 11 1/2 miles S 43° W of Andrews, the county site.

Beginning at a concrete monument set for the NW corner of section #2, situated under a three-wire fence and in low sandy ground, the brass plate in top of which having been marked as is represented in the figure above, from which a windmill bears N 19° 57 1/2' E about 1 1/2 miles; the right hand of double windmills and the left hand of another set of double windmills bear respectively: N 9° 29' W about 1 1/2 miles and N 55° 06' W about 2 miles; a mesquite 3 inches in diameter marked "≡" (three bars) bears N 32° 08' E 37.5 varas.

Thence S 74° 23' W --- at 500 varas at the south end of a four-wire fence from the north --- at 512.6 varas a 5-inch galvanized casing marked "NL 3 B 10 SW 11 BLK P" set in concrete about 3 1/2 feet above ground bears N 15° 19' W 24.3 varas --- at 1659.0 varas the south end or junction of a four-wire fence from the north with a three-wire fence running east-west bears N 15° 19' W about 7 varas --- at 1952.1 varas point for the NW corner of this section #3.

Thence S 15° 19' E 1769.2 varas to a point for the SW corner of this section #3.

Thence N 74° 23' E 1952.1 varas to a point in deep rough white sand at the SW corner of section #2.

Thence N 15° 19' W --- at 470 varas on a rough sand ridge --- at 1769.2 varas strike the concrete monument, the place of beginning.

Surveyed June 1st, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 308.

This 10th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)
Plat of Survey No.

309

18


The State of Texas

SURVEY NO. 4

ANDREWS

County

BLOCK NO. 10



FIELD NOTES of a survey of
611.8 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 05' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 05' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12 miles S 45° W of Andrews, the county site.

Beginning at the NW corner of section #3, this Block.

Thence S 74° 23' W 1952.1 varas set a concrete monument 15/8^{varas} south-erly from an east-west fence, situated in deep sand covered by shin oak brush, marked the brass plate in top of same as is represented in the figure above, from which the right hand of double windmills and two other windmills bear respectively : N 45° 01' E about 3 miles, N 57° 03' E about 3 1/2 miles, and S 16° 46 1/2' E about 2 1/4 miles; the Fuhrman Ford #1 oil derrick bears N 61° 45' E; an earth mound containing broken glass bears N 51° 34' W 50.0 varas.

Thence S 15° 19' E 1769.2 varas to a point in deep rough sand for the SW corner of section #4.

Thence N 74° 23' E 1952.1 varas to the SW corner of section #3.

Thence N 15° 19' E 1769.2 varas to the place of beginning.

Surveyed June 1st, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 309 .

This 10th day of November , 1932 .


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 5
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of
611.8 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 05' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 05' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 13 miles S 47° W of Andrews, the county site.

Beginning at a concrete monument set for the NW corner of section #4 in deep sand covered by shin oak brush 15 varas southerly from a three-wire fence, the brass plate in top of which having been marked as is represented in the figure above, from which the right hand of two windmills, and two other windmills bear respectively: N 45°01' E about 3 miles, N 57°03' E about 3 1/2 miles, and S 16°46 1/2' E about 2 1/4 miles; the Fuhrman Ford #1 oil derrick bears N 61°45' E; an earth mound containing broken glass bears N 51°34' W 50.0 varas.

Thence S 74°23' W 1952.1 varas to a point for the NW corner of this section #5.

Thence S 15°19' E 1769.2 varas to a point in sand hills for the SW corner of this section #5.

Thence N 74°23' E 1952.1 varas to a point in deep rough sand at the SW corner of section #4.

Thence N 15°19' W 1769.2 varas to the place of beginning.

Surveyed June 2, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 310 .
This 10th day of November , 19 32.

Frank F. Friend


Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 6

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 611.9 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 06' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 06' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 14 miles S 49° W of Andrews, the county site.

Beginning at the NW corner of section #5, this Block, for the NE corner of this section #6.

Thence S 74°23' W --- at 1690.0 varas a plunger coupling under a three-wire fence running east-west bears N 15°19' W 38.4 varas --- at 1952.4 varas set a concrete monument in a deep bowl shaped sand depression, marked the brass plate in tis top as is represented in the figure above, from which a n earth mound containing broken glass bears S 34° W 50.0 varas; a large shin oak mott high up on the rim of the bowl bears S 84° W about 475 varas.

Thence S 15°19' E --- at 1394.2 varas on a sand dune --- at 1769.2 varas point among sand hills for the SW corner of this section #6.

Thence N 74°23' E 1952.4 varas to a point in sand hills at the SW corner of section #5.

Thence N 15°19' W 1769.2 varas to the place of beginning.

Surveyed June 2nd, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 311 .

This 10th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 7

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 674.8 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 08' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 06' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 14 1/2 miles S 46° W of Andrews, the county site.

Beginning at a point among sand hills at the SW corner of section #6, this Block.

Thence N 74°23' E 1952.4 varas to a point in sand hills at the SE corner of section #6.

Thence S 15°19' E 1951.1 varas to a point for the SE corner of this section #7.

Thence S 74°23' W 1952.4 varas set a concrete monument in deep white rough sand covered by shin oak brush, there being sand hills on all sides, marked the brass plate in its top as is represented in the figure above, from which the right hand of double windmills bears N 37°34' E about 6 3/4 miles; a mesquite 3 inches in diameter marked "≡" (four bars) bears S 54°13' W 52.2 varas; another mesquite 2 inches in diameter marked "≡" (three bars) bears S 48°04' W 53 varas.

Thence N 15°19' W --- at 575 varas enter the bottom of a basin with large scattering wild china trees around its edges, about 300 varas easterly from its west end --- at 700 varas north edge of basin, firm ground --- at 800 varas enter sand and shinnery --- at 1951.1 varas point, the place of beginning.

Surveyed June 2nd, 1931.

Norris B. Creath, Chain

Gibbons Poteet } Carriers.

J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3, Page 312. This 10th day of November, 1932.

Frank F. Friend, Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


313

118

Plat of Survey No. 8

The State of Texas

ANDREWS County SURVEY NO. 8
BLOCK NO. 10



FIELD NOTES of a survey of

674.6 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 07' East.

True North as compared to a meridian passing through the corner of Survey No. 8, this Block, is 0° 05' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 13 1/2 miles S 44° W of Andrews, the county site.

Beginning at the NE corner of section #7, this Block, being also the SW corner of section #5.

Thence S 15° 19' E 1951.1 varas to the SE corner of section #7.

Thence N 74° 23' E 1952.1 varas set a concrete monument on the north side of a depression covered by wind-drifted sand dunes, and mesquite trees, being immediately south of white loose sand banks, marked the brass plate in its top as is represented in the figure above, from which a clump of shin oaks 7 feet high, on a small sand dune, bears N 10° 15' E 25 varas; a mesquite 3 inches in diameter marked "X" bears N 33° 56' E 10.2 varas; a wild china tree 2 1/2 inches in diameter marked "≡" (three bars) bears N 53° 06' E 16.1 varas; a windmill bears S 36° 20' E about 290 varas.

Thence N 15° 19' W --- at 75 varas leave depression, enter deep rough sand and shinnery --- at 660 varas on a white loose sand hill --- at 1951.1 varas point in deep rough sand at the SE corner of section #5.

Thence S 74° 23' W 1952.1 varas to the place of beginning.

Surveyed June 2nd, 1931.

Norris B. Creath	}	Chain
Gibbons Poteet		Carriers.
J. A. Conklin		Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 313.

This 10th day of November, 1932.

Frank F. Friend


 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 9

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of

674.6 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 07' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12½ miles S 42° W of Andrews, the county site.

Beginning at a point in deep rough sand at the NE corner of section #8, being also the SW corner of section #4.

Thence N 74°23' E 1952.1 varas to the SE corner of section #4.

Thence S 15°19' E 1951.1 varas to a point for the SE corner of this section #9.

Thence S 74°23' W 1952.1 varas strike the concrete monument set for the SE corner of section #8, situated on the north side of a depression covered by wind-drifted sand dunes, and mesquite trees, being immediately south of white loose sand banks, the brass plate in top of which monument having been marked as is represented in the figure above, from which a clump of shin oaks 7 feet high on a small sand dune bears N 10°15' E 25 varas; a mesquite 3 inches in diameter marked "X" bears N 33°56' E 10.2 varas; a wild china tree 2 1/2 inches in diameter marked "≡" (three bars) bears N 53°06' E 16.1 varas; a windmill bears S 36°20' E about 290 varas.

Thence N 15°19' W --- at 75 varas leave depression, enter deep rough sand --- at 660 varas on a white loose sand hill --- at 1951.1 varas strike the place of beginning.

Surveyed June 2nd, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 314 . This 10th day of November, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 10

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 674.6 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 07' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12 miles S 39° W of Andrews, the county site.

Beginning at the NE corner of section #9, being also the SW corner of section #3, this Block.

Thence S 15°19' E 1951.1 varas to the SE corner of section #9.

Thence N 74°23' E 1952.1 varas set a concrete monument in deep sand overgrown by shin oak brush, marked the brass plate in its top as is represented in the figure above, from which the center of a large mott of shin oak trees bears N 3°26' E about 1/2 mile; the Fuhrman Ford #1 oil derrick bears N 29° 50' E; a windmill bears N 39°35' E about 1 1/2 miles; an earth mound containing broken glass bears S 79°49' E 50.0 varas; a conspicuous solitary china tree, 15 feet high, bears S 1°27' W 2165 varas; another windmill bears S 70°26' W about 3 miles.

Thence N 15°19' W 1951.1 varas to a point in deep rough white sand at the SE corner of section #3.

Thence S 74°23' W 1952.1 varas to the place of beginning.

Surveyed June 2nd, 1931.

Norris B. Creath Chain
Gibbons Poteet Carriers.
J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 315 . This 10th day of November, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)


Plat of Survey No.

The State of Texas

ANDREWS County

SURVEY NO. 11

BLOCK NO. 10



FIELD NOTES of a survey of 674.6 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 09' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11 miles N 35° W of Andrews, the county site.

Beginning at a point in deep rough white sand at the NE corner of section #10, this Block, being also the SW corner of section #2.

Thence S 15°19' E 1951.1 varas to the concrete monument set for the SE corner of section #10, situated in deep sand covered by shin oak brush, the brass plate in top of which monument being marked as is represented in the figure above, from which the center of a mott of large shin oak trees bears N 3°26' E about 1/2 mile; the Fuhrman Ford #1 oil derrick bears N 29° 50' E; a windmill bears N 39°35' E about 1 1/2 miles; an earth mound containing broken glass bears S 79°49' E 50.0 varas; a conspicuous solitary china tree, 15 feet high, bears S 1°27' W 2165.0 varas; another windmill bears S 70°26' W about 3 miles.

Thence N 74°23' E 1952.1 varas to a point for the SE corner of this section #11.

Thence N 15°19' W 1951.1 varas to the SE corner of section #2.

Thence S 74°23' W 1952.1 varas to the place of beginning.

Surveyed June 2nd, 19 31

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 316. This 10th day of November, 19 32.


Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

PLAT OF SURVEY NO. 000

The State of Texas } SURVEY NO. 12

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 674.6 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 12' East.

True North as compared to a meridian passing through the corner of this survey, and the block is 0° 03' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the corner of sand, dry lakes Creek, a tributary of no drainage River about 10 miles S 32° W of Andrews, the county site.

Beginning at the common corner of sections #1, #2, and #11, for the NW corner of this section #12.

Thence S 15° 19' E 1951.1 varas to the SE corner of section #11.

Thence N 74° 23' E 1952.1 varas to a concrete monument set for the SW corner of section #7, Block #9, University Land, situated on a slight swell of deep white sand covered with shin oak brush, the brass plate in top of which having been marked as is represented in the figure above, from which the Fuhrman Ford #1 oil derrick bears N 4° 03 1/2' E about 3 miles; two windmills, the first at a clump of trees, bear respectively: N 25° 35 1/2' E about 1 1/2 miles and S 72° 25 1/2' W about 4 miles; another windmill bears N 51° 20 1/2' W about 1 mile; an earth mound containing broken glass bears S 15° 15' W 50.0 varas.

Thence N 15° 19' W 1951.1 varas to the westerly common corner of sections #6 and #7, Block #9, University Land, being also the SE corner of section #1, this Block.

Thence S 74° 23' W 1952.1 varas to the place of beginning.

Surveyed June 2nd, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 317. This 10th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

~~Block of Survey No.~~

The State of Texas } SURVEY NO. 13
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of
672.3 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 13' East.
True North as compared to a meridian passing through the corner
~~of Survey No.~~, this Block is 0° 03' to the right of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
~~waters of~~ sand, dry lakes ~~and~~ no drainage ~~River~~ about
11 miles S 24° W of Andrews, the county site.

Beginning at the concrete monument set for the SW corner of section
#7, Block #9, University Land, same being also the NW corner of
section #18, that Block, and the SE corner of section #12, this Block,
being situated on a slight swell of deep white sand covered with shin
oak brush, the brass plate in its top having been marked as is rep-
resented in the figure above, from which the Fuhrman Ford #1 oil
derrick bears N 4° 03½' E about 3 miles; a windmill at a clump of trees
bears N 25° 35½' E about 1 1/2 miles; two other windmills bear
S 72° 25½' W about 4 miles and N 51° 20½' W about 1 mile; an earth
mound containing broken glass bears S 15° 15' W 50.0 varas.

Thence S 74° 23' W 1952.1 varas to the SW corner of section #12.

Thence S 15° 19' E 1944.5 varas to a point for the SW corner of
this section #13.

Thence N 74° 23' E 1952.1 varas to the common westerly corner of
sections #18 and #19, Block #9, University Land.

Thence N 15° 19' W 1944.5 varas to the place of beginning.

Surveyed June 2nd, 19 31

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 318 .

This 10th day of November, 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No. 000

The State of Texas } SURVEY NO. 14
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 672.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 10' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block is 0° 03½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 1½ miles S 32° W of Andrews, the county site.

Beginning at the NW corner of section #13, being also the SE corner of section #11, this Block, for the NE corner of this section #14.

Thence S 15° 19' E 1944.5 varas to the SW corner of section #13.

Thence S 74°23' W 1952.1 varas to a point in rough white sand for the SW corner of this section #14.

Thence N 15° 19' W --- at 169.1 varas pass a sixty-penny nail hub, from which a conspicuous solitary wild china tree 15 feet high bears s 49°11' W about 700 varas --- at 1944.5 varas strike the concrete monument set for the SE corner of section #10, being in deep sand overgrown by shin oak brush, the brass plate in top of which having been marked as is represented in the figure above, from which the center of a large mott of shin oak trees bears N 3°26' E about 1/2 mile; Fuhrman Ford #1 oil derrick bears N 29°50' E; a windmill bears N 39°35' E about 1 1/2 miles; an earth mound containing broken glass bears S 79°49' E 50.0 varas; a conspicuous solitary china tree 15 feet high bears S 1°27' W 2165.0 varas; another windmill bears S 70°26' W about 3 miles.

Thence N 74°23' E 1952.1 varas to the place of beginning.

Surveyed June 2nd, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J/ A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 319 . This 14th day of November , 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No. 0

The State of Texas } SURVEY NO. 15

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 672.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 09' East.

True North as compared to a meridian passing through the corner of Survey No. 0, this Block, is 0° 04' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12 1/2 miles S 35° W of Andrews, the county site.

Beginning at a concrete monument set in deep sand covered with shin oak brush at the SE corner of section #10, which is also the NW corner of section #14, this Block, the brass plate in top of which having been marked as is represented in the figure above, from which the center of a large shin oak mott bears N 3°26' E about 1/2 mile; Fuhrman Ford #1 oil derrick bears N 29°50' E; a windmill bears N 39°35' E about 1 1/2 miles; an earth mound containing broken glass bears S 79°49' E 50.0 varas; a conspicuous solitary china tree 15 feet high bears S 1°27' W 2165.0 varas; another windmill bears S 70°26' W about 3 miles.

Thence S 15°19' E --- at 1775.4 varas pass a sixty-penny hub nail from which a wild china tree 15 feet high bears S 49°11' W about 700 varas --- at 1944;5 varas point in rough white sand at the SW corner of section #14.

Thence S 74°23' W 1952.1 varas to a point for the SW corner of this section #15.

Thence N 15°19' W 1944.5 varas strike the SW corner of section #10.

Thence N 74°23' E 1952.1 varas to the place of beginning.

Surveyed June 2nd, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 320 . This 14th day of November, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.


The State of Texas

SURVEY NO. 16

ANDREWS

County

BLOCK NO. 10



FIELD NOTES of a survey of 672.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 08' East.

True North as compared to a meridian passing through the corner of Survey No. 16, this Block, is 0° 04½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes and no drainage about 13 miles S 38° W of Andrews, the county site.

Beginning at the SE corner of section #9, which is also the NW corner of section #15, this Block, for the NE corner of this section #16.

Thence S 15°19' E 1944.5 varas to the SW corner of section #15.

Thence S 74°23' W 1952.1 varas to a point for the SW corner of this section #16.

Thence N 15°19' W --- at 250 varas enter deep rough sand covered by shin oak brush --- at 1420 varas on the south edge of a depression bordered by high barren sand dunes, covered by wind-drifted dunes, and mesquite bushes, --- at 1944.5 varas strike the concrete monument set for the SE corner of section #8 this Block, being at or near the north edge of a depression covered by wind-drifted sand dunes, and mesquite trees, being immediately south of white loose sand banks, the brass plate in top of which having been marked as is represented in the figure above, from which a clump of shin oaks 7 feet high on a small sand dune bears N 10°15' E 25 varas; a mesquite 3 inches in diameter marked "X" bears N 33°56' E 10.2 varas; a wild china tree 2 1/2 inches in diameter marked "≡" (three bars) bears N 53°06' E 16.1 varas; a windmill bears S 36°20' E about 290 varas.

Thence N 74°23' E 1952.1 varas to the place of beginning.

Surveyed June 2nd, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 321. This 14th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands


Block of Survey No. 10

The State of Texas

ANDREWS County

SURVEY NO. 17

BLOCK NO. 10



FIELD NOTES of a survey of 672.3 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 09' East.

True North as compared to a meridian passing through the corner of this Block, is 0° 05' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes with no drainage about 14 miles S 40° W of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #8, this Block, being on the north edge of a depression covered by wind-drifted sand dunes, and mesquite trees, being immediately south of white loose sand banks, the brass plate in top of which having been marked as is represented in the figure above, from which a clump of shin oaks 7 feet high on a small sand dune bears N 10°15' E 25 varas; a mesquite 3 inches in diameter marked "X" bears N 33°56' E 10.2 varas; a wild china tree 2 1/2 inches in diameter marked "≡" (three bars) bears N 53°06' E 16.1 varas; a windmill bears S 36°20' E about 290 varas.

Thence S 15°19' E --- at 524.5 varas mount higher ground, leaving depression covered with sand dunes, and mesquite trees --- at 1694.5 varas at south edge of deep rough sand covered with shin oak brush --- at 1944.5 varas strike the SW corner of section #16.

Thence S 74°23' W 1952.1 varas to a point for the SW corner of this section #17.

Thence N 15°19' W 1944.5 varas to the SW corner of section #8.

Thence N 74°23' E 1952.1 varas to the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath

Gibbons Poteet

J. A. Conklin

Chain

Carriers.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 322.


This 14th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

Plat of Survey No. 00

The State of Texas } SURVEY NO. 18

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 672.5 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 10' East.

True North as compared to a meridian passing through the corner of Survey No. 00, this Block, is 0° 05 1/2' to the right of the North point used in the field notes of this survey.

Said survey is situated in Andrews County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 15 miles S 42° W of Andrews, the county site.

Beginning at the common corner of sections #7, and #8 and #17, this Block.

Thence S 15° 19' E 1944.5 varas to the SW corner of section #17.

Thence S 74° 23' W 1952.4 varas to a point for the SW corner of this section #18.

Thence N 15° 19' W --- at 644.5 varas pass a sixty-penny hub nail 10 varas east of a high sand peak --- at 1944.5 varas strike the concrete monument set for the SW corner of section #7, this Block, situated in deep rough white sand covered with shin oak brush among numerous sand hills, the brass plate in top of which having been marked as is represented in the figure above, from which the right hand of double windmills bears N 37° 34' E about 6 3/4 miles; a mesquite 3 inches in diameter marked "≡" (four bars) bears S 54° 13' W 52.2 varas; a mesquite 2 inches in diameter marked "≡" (three bars) bears S 48° 04' W 53.0 varas.

Thence N 74° 23' E 1952.4 varas to the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 323. This 14th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plan of Survey No.

The State of Texas } SURVEY NO. 19

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 666.2 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 12' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 05½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes creek, a tributary of no drainage River about 15½ miles S 39° W of Andrews, the county site.

Beginning at the SW corner of section #18, this Block, for the NW corner of this section #19.

Thence N 74°23' E 1952.4 varas to the SE corner of section #18.

Thence S 15°19' E 1926.4 varas to a point for the SE corner of this section #19.

Thence S 74°23' W 1952.4 varas set a concrete monument on the east slope of a large white barren sand hill, marked the brass plate in top of same as is represented in the figure above, from which the Fuhrman Ford #1 oil derrick bears N 39°06½' E; a windmill bears N 32°32' E about 2 1/2 miles; a wild china tree 7 inches in diameter marked "X" bears S 87°17' E 226.9 varas; a steel windmill bears S 2°28' E about 5 miles; the left hand of double windmills bears S 18°55' W about 4 miles.

Thence N 15°19' W --- at 400 varas enter firm ground, thick mesquite bushes --- at 725 varas enter sand and shinnery --- at 1926.4 varas, point, the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath } Chain
Gibbons Potet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 324 . This 14th day of November, 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 20

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of

666.1 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 11' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 05' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 15 miles S 37° W of Andrews, the county site.

Beginning at the NE corner of section #19, this Block, being also the SW corner of section #17.

Thence S 15° 19' E 1926.4 varas to the SE corner of section #19.

Thence N 74° 23' E 1952.1 varas set a concrete monument in deep rough sand covered by shin oak brush, the brass plate in top of which was marked as represented in the figure above, from which a windmill bears N 13° 42½' W about 2 miles; and another bears S 17° 17' W about 3 miles; an earth mound containing broken glass bears S 77° 43' E 50.0 varas.

Thence N 15° 19' W --- at 955 varas point 10 varas west of the west edge of a small dry basin having on its east and southeast sides large mesquite trees, while on the west side sand hill and small mesquite brush --- at 1926.4 varas strike the SE corner of section #17.

Thence S 74° 23' W 1952.1 varas to the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 325.


This 15th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 21

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 666.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 10' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 14 miles S 35° W of Andrews, the county site.

Beginning at the common corner of sections # 16, #17, and #20.

Thence N 74°23' E 1952.1 varas to the SE corner of section #16.

Thence S 15°19' E 1926.4 varas to a point for the SE corner of this section #21.

Thence S 74°23' W 1952.1 varas to the concrete monument set for the SE corner of section #20, situated in deep rough sand covered by shin oak brush, the brass plate in top of which having been marked as is represented in the figure above, from which two windmills bear N 13°42½' W a bout 2 miles and S 17°17' W about 3 miles; an earth mound containing broken glass bears S 77°43' E 50.0 varas.

Thence N 15°19' W --- at 955 varas point 10 varas west of the west edge of a small dry basin, having on its east and its southeast sides large mesquites, while on the west side are sand hills and small mesquite brush --- at 1926.4 varas the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 326.

This 15th day of November, 1932.

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

For Plat see General Sketch

The State of Texas

SECTION No. 22

ANDREWS County } BLOCK No. 10

U	T
22	23
27	26
B	10

FIELD NOTES of a survey of 666.1 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 10' East.

True North is 0° 04' to the right of the North point used in the Field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the drainage of sand, dry lakes, ~~Check conditions of~~ no drainage, about 13 miles S 32° W of Andrews, the county site.

Beginning at the common corner of sections #15, #16, and #21, this Block.

Thence S 15° 19' E 1926.4 varas to the SE corner of section #21.

Thence N 74° 23' E 1952.1 varas set a concrete monument in deep rough sand, marked the brass plate in top of same as is represented in the figure above, from which a solitary china tree about 12 inches in diameter and 15 feet high bears N 34° 28' W 1903 varas; a windmill bears N 61° 58½' W about 3 miles; an earth mound containing broken glass bears N 29° 26' E 50.0 varas.

Thence N 15° 19' W 1926.4 varas to the SW corner of section #14.

Thence S 74° 23' W 1952.1 varas to the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath } Chainmen.
Gibbons Poteet }
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in ANDREWS County in Book UT Vol. 3 page 327 This 15th day of November, 1932.

Frank F. Friend


Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 0

The State of Texas } SURVEY NO. 23

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 666.1 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 12' East.

True North as compared to a meridian passing through the corner of Survey No. 0, this Block is 0° 03' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12 1/2 miles S 28° W of Andrews, the county site.

Beginning at the common corner of section #14, #15, and #22, being a point in rough white sand.

Thence N 74° 23' E 1952.1 varas to the SE corner of section #14.

Thence S 15° 19' E 1926.4 varas to a point for the SE corner of this section #23.

Thence S 74° 23' W 1952.1 varas to the concrete monument set for the SE corner of section #22, situated in deep rough white sand, the brass plate in top of which having been marked as is represented in the figure above, from which a solitary china tree about 12 inches in diameter and 15 feet high bears N 34° 28' W 1903 varas; a windmill bears N 61° 58 1/2' W about 3 miles; an earth mound containing broken glass bears N 29° 26' E 50.0 varas.

Thence N 15° 19' W 1926.4 varas to the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 328.

This 15th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000


The State of Texas

SURVEY NO. 24

ANDREWS

County

BLOCK NO. 10



FIELD NOTES of a survey of

666.1 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 13' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 11½ miles S 25° W of Andrews, the county site.

Beginning at the SW corner of section #13, being also the NE corner of section #23, this Block.

Thence N 74° 23' E 1952.1 varas to the westerly common corner of sections #18 and #19, Block #9, University Land, being also the SE corner of section #13, this Block.

Thence S 15° 19' E 1926.4 varas to a concrete monument set in deep white loose sand covered with shin oak brush 6.1 varas west of a north-south fence, the brass plate in top of which having been marked as is represented in the figure above, from which the peak of a sand hill bears S 52° 15' E; a mesquite 3 inches in diameter marked "≡" (three bars) bears N 87° E 42.8 varas. This monument was set for the SW corner of section #19, Block #9, University Land.

Thence S 74° 23' W 1952.1 varas to the SE corner of section #23, this Block.

Thence N 15° 19' W 1926.4 varas to the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 329.

This 15th day of November, 1932.

Frank F. Friend


Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas

ANDREWS County SURVEY NO. 25
BLOCK NO. 10



FIELD NOTES of a survey of
660.6 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 14' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 12½ miles S 22° W of Andrews, the county site.

Beginning at the SE corner of section #24, being a concrete monument set in deep white sand covered with shin oak brush 6.1 varas west of a north-south fence for the SW corner of section #19, Block #9, the brass plate in top of which having been marked as is represented in the figure above, from which the peak of a sand hill S 52°15' E; a mesquite 3 inches in diameter marked "≡" (three bars) bears N 87° E 42.8 varas.

Thence S 15°19' E 1910.5 varas to the westerly common corner of sections #30 and #31, Block #9, University Land.

Thence S 74°23' W 1952.1 varas to a point for the SW corner of this section #25.

Thence N 15°19' W 1910.5 varas to the SW corner of section #24.

Thence N 74°23' E 1952.1 varas to the place of beginning.

Surveyed June 3rd, 19 31

Norris D. Creath } Chain
Gibbons Poteet } Carriers.
J. A/ Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 330 .
This 15th day of November , 19 32.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U. T., Vol. 4.)

PLAT OF SURVEY NO. 26


The State of Texas

SURVEY NO. 26

ANDREWS

County

BLOCK NO. 10



FIELD NOTES of a survey of 660.6 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 13' East.

True North as compared to the meridian passing through the corner of section 22, this Block is 0° 03' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the sand, dry lakes Creek, no drainage about 13 miles S 25° W of Andrews, the county site.

Beginning at the NW corner of section #25, being also the SE corner of section #23, this Block.

Thence S 15° 19' E 1910.5 varas to the SW corner of section #25.

Thence S 74° 23' W 1952.1 varas to a point for the SW corner of this section #26.

Thence N 15° 19' W --- at 1011.6 varas pass a sixty-penny hub nail in shin oak brush on a sand dune --- at 1910.5 varas strike the concrete monument set for the SE corner of section #22, situated in deep rough white sand, the brass plate in top of which having been marked as is represented in the figure above, from which a lone china tree about 12 inches in diameter and 15 feet high bears N 34° 28' W 1903.0 varas; a windmill bears N 61° 58½' W about 3 miles; an earth mound containing broken glass bears N 29° 26' E 50.0 varas.

Thence N 74° 23' E 1952.1 varas to the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath

Chain

Gibbons Poteet

Carriers.

J. A. Conklin

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 331. This 15th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Block of Survey No.


The State of Texas

SURVEY NO. 27

ANDREWS

County

BLOCK NO. 10



FIELD NOTES of a survey of

660.6 acres of land made for the

UNIVERSITY OF TEXAS by virtue of an

Act approved March 29, 1929.

Magnetic Declination 11° 13' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 03½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the water sand, dry lakes Creek, a tributary of no drainage River about 14 miles S 28° W of Andrews, the county site.

Beginning at a concrete monument set for the SE corner of section #22, this Block, situated in deep rough white sand, the brass plate in its top having been marked as is represented in the figure above, from which a solitary china tree about 12 inches in diameter and 15 feet high bears N 34° 28' W 1903 varas; a windmill bears N 61° 58½' W about 3 miles; an earth mound containing broken glass bears N 29° 26' E 50.0 varas.

Thence S 74° 23' W 1952.1 varas to the SW corner of section #22.

Thence S 15° 19' E 1910.5 varas to a point for the SW corner of this section #27.

Thence N 74° 23' E 1952.1 varas to the SW corner of section #26.

Thence N 15° 19' W --- at 1011.6 varas pass a 60-penny hub nail on top of a sand dune covered by shin oak brush, --- at 1910.5 varas the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath	} Chain Carriers. Transitman.
Gibbons Poteet	
J. A. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 332 .


This 15th day of November, 19 32.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 0

The State of Texas } SURVEY NO. 28,
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of
660.6 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 12' East.
True North as compared to a meridian passing through the corner
of Survey No. 0, this Block, is 0° 04' to the right of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of sand, dry lakes Creek, a tributary of no drainage River about
14½ miles S 31° W of Andrews, the county site.

Beginning at the common corner of sections #21, #22, and #27, this
Block .

Thence S 15° 19' E 1910.5 varas to the SW corner of section #27.

Thence S 74° 23' W 1952.1 varas to a point on the south edge of a
sand crater 15 varas in diameter, for the SW corner of this section
#28.

Thence N 15° 19' W 1910.5 varas to the concrete monument set for
the SE corner of section #20, same being situated in rough white sand,
and the brass plate in its top having been marked as is represented
in the figure above, from which two windmills bears N 13° 42½' W about
2 miles and S 17° 17' W about 3 miles; an earth mound containing broken
glass S 77° 43' E 50.0 varas.

Thence N 74° 23' E 1952.1 varas to the place of beginning.

Surveyed June 3rd, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 333 .
This 15th day of November, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 29
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of
660.6 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 13' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 05' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 1 1/2 miles S 34° W of Andrews, the county site.

Beginning at a concrete monument set in deep rough white sand for the SE corner of section #20, this Block, the brass plate in top of which having been marked as is represented in the figure above, from which two windmills bear N 13° 42 1/2' W about 2 miles and S 17° 17' W about 3 miles; an earth mound containing broken glass bears S 77° 43' E 50.0 varas.

Thence S 15° 19' E 1910.5 varas to a point on the south edge of a sand crater 15 varas in diameter, at the SW corner of section #28.

Thence S 74° 23' W 1952.1 varas to a point for the SW corner of this section #29.

Thence N 15° 19' W 1910.5 varas to the SW corner of section #20.

Thence N 74° 23' E 1952.1 varas to the place of beginning.

Surveyed June 4th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A/ Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 334. This 15th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas } SURVEY NO. 30
ANDREWS County } BLOCK NO. 10

U	T
24	19
25	30
B 11	B 10

FIELD NOTES of a survey of 660.7 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 14' East.
True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 05' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of sand, dry lakes Creek, a tributary of no drainage River about 16 miles S 36° W of Andrews, the county site.

Beginning at the SE corner of section #19, being also the NW corner of section #29, this Block, for the NE corner of this section #30.

Thence S 74°23' W 1952.4 varas to the concrete monument set for the SW corner of section #19, situated on the east slope of a large white barren sand hill, the brass plate in top of which monument having been marked as is represented in the figure above, from which the Fuhrman Ford #1 oil derrick bears N 39°06½' E; a single windmill, a steel windmill, and the left hand of double windmills bear respectively: N 32°32' E about 2 1/2 miles, S 2°28' E about 5 miles, and S 18°55' W about 4 miles; a wild china tree 7 inches in diameter marked "X" bears S 87°17' E 226.9 varas.

Thence S 15°19' E --- at 1360.5 varas on a high sand mountain --- at 1910.5 varas point for the SW corner of this section #30.

Thence N 74°23' E 1952.4 varas strike the SW corner of section #29.

Thence N 15°19' W 1910.5 varas to the place of beginning.

Surveyed June 4th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 335 .


This 15th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 00

The State of Texas } SURVEY NO. 31
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 661.6 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 15' East.
True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 05' to the right of the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the waters of Caliche, Lake Creek, a tributary of no drainage River about 17 miles S 34° W of Andrews, the county site.
Beginning at the SW corner of section #30, this Block, for the NW corner of this section #31.

Thence N 74°23' E 1952.4 varas to the SE corner of section #30.

Thence S 15°19' E 1912.9 varas to a point for the SE corner of this section #31.

Thence S 74°23' W 1952.4 varas set a concrete monument for the SW corner of this section #31, in a caliche prairie, marked the brass plate in top of which monument as is represented in the figure above, from which a sharp high sand peak bears N 20°42' E; the windmill at the Lindsey Ranch bears N 47°59½' E; a single windmill, the right hand of double windmills, and a third windmill bear respectively: N 72°15' E about 8 miles, S 58°42' W about 1 1/2 miles, and S 85°30' W about 1 mile; the NE corner of a pasture enclosed by net wire bears S 75°19' W 172.2 varas.

Thence N 15°19' W --- at 37.8 varas cross a brush cut line --- at 939.0 varas cross a road --- at 1049.5 varas cross a three-wire fence --- at 1385 varas enter white barren sand hills --- at 1912.9 varas point, the place of beginning.

Surveyed June 4th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 336 .
This 15th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No.

The State of Texas } SURVEY NO. 32
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 661.5 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 14' East.
True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 04½' to the right of the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the waters of Caliche, lakes Creek, a tributary of no drainage River about 16 miles S 31° W of Andrews; the county site.
Beginning at the common corner of sections #29, #30, and #31.

Thence S 15°19' E 1912.9 varas to the SE corner of section #31.

Thence N 74°23' E 1952.1 varas set a concrete monument in a mesquite prairie, marked the brass plate in its top as is represented in the figure above, from which a mesquite 2 1/2 inches in diameter marked "X" bears S 49°02' W 35.4 varas; the windmill at the Lindsey Ranch and the windmill at the Francis Ranch bear respectively: N 74°30' W about 1 1/2 miles and N 61°28' E about 2 miles.

Thence N 15°19' W --- at 30.1 varas cross a brush-cut-out line --- at 776 varas cross a road --- at 778 varas cross a three-wire fence --- at 1076 varas cross another three-wire fence --- at 1150 varas enter sand and shinnery --- at 1425 varas enter sand hills --- at 1912.9 varas point on the south edge of a large sand crater 15 varas in diameter, being the SE corner of section #29.

Thence S 74°23' W 1952.1 varas to the place of beginning.

Surveyed June 4th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 337 .
This 15th day of November , 1932.


Frank F. Friend
Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 000

The State of Texas } SURVEY NO. 33

ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of 661.5 acres of land made for the UNIVERSITY OF TEXAS by virtue of an Act approved March 29, 1929.

Magnetic Declination 11° 14' East.

True North as compared to a meridian passing through the corner of Survey No. 000, this Block, is 0° 04' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Caliche, lakes Creek, a tributary of no drainage River about 15 miles S 28° W of Andrews, the county site.

Beginning at a point on the south edge of a large sand crater 15 varas in diameter at the NE corner of section #32.

Thence N 74° 23' E 1952.1 varas to the SE corner of section #28, this Block.

Thence S 15° 19' E 1912.9 varas to a point for the SE corner of this section #33.

Thence S 74° 23' W --- at 271.2 varas cross a fence --- at 480 varas point in the east edge of a basin --- at 985 varas point in the west edge of same basin --- at 1952.1 varas strike the concrete monument set for the SE corner of section #32, being in mesquite prairie, the brass plate in top of which monument having been marked as is represented in the figure above, from which a mesquite 2 1/2 inches in diameter marked "X" bears S 49° 02' W 35.4 varas; the windmill at the Lindsey Ranch and the windmill at the Francis Ranch bear respectively: N 74° 30' W about 1 1/2 miles and N 61° 28' E about 2 miles.

Thence N 15° 19' W --- at 30.1 varas cross a brush-cut-out line --- at 776 varas cross a road --- at 778 varas cross a three-wire fence --- at 1076 varas cross another three-wire fence --- at 1150 varas enter sand and shin oaks --- at 1425 varas enter sand hills --- at 1912.9 varas point, the place of beginning.

Surveyed June 4th, 19 31

Norris B. Creath Chain

Gibbons Poteet Carriers.

J. A. Conklin Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 338.


This 15th day of November, 19 32.

Frank F. Friend Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat of Survey No. 0

The State of Texas } SURVEY NO. 34
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of
661.5 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 15' East.
True North (as compared to a meridian passing through the corner
of Survey No. 0, this Block, is 0° 03½' to the right of
the North point used in the field notes of this survey.
Said survey is situated in ANDREWS County, Texas, on the
waters of Caliche, Lake Creek, a tributary of no drainage River about
14½ miles S 26° W of Andrews, the county site.
Beginning at the NE corner of section #33, which is also the SW
corner of section #27, this Block.

Thence S 15° 19' E 1912.9 varas to the SE corner of section #33.

Thence N 74° 23' E --- at 1838.6 varas the junction in an east-west
fence by a fence from the north bears N 15° 19' W 22 varas --- at 1855.8
varas cross a road ---- at 1952.1 varas set a concrete monument in
a firm prairie covered by mesquites, marked the brass plate in its
top as is represented in the figure above, from which a windmill bears
S 38° 09' E about 1/2 mile; a mesquite 3 inches in diameter marked
"≡" (three bars) bears S 40° W 10.9 varas.

Thence N 15° 19' W --- at 22.5 varas cross a brush-cut-out line
--- at 767.5 varas cross a road --- at 917.6 varas cross a three-
wire fence --- at 1515.6 varas cross over a mound of burned rocks
15 feet in diameter on a bed of red clay --- at 1592.2 varas on a
sand dune --- at 1912.9 varas strike the SE corner of section #27.

Thence S 74° 23' W 1952.1 varas to the place of beginning.

Surveyed June 4th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 339 .
This 15th day of NOVEMBER, 1932 .

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

(For plat see sketch on last page of this Vol. For report, balance sheets, etc., see Book U.T., Vol. 4.)

Plat 060 Survey No.

The State of Texas } SURVEY NO. 35
ANDREWS County } BLOCK NO. 10



FIELD NOTES of a survey of
661.5 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 15' East.
True North as compared to a meridian passing through the corner
of Survey No. 00000000, this meridian, is 0° 03' to the right of
the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the
waters of Caliche, lakes Creek, a tributary of no drainage River about
14 miles S 22° W of Andrews, the county site.

Beginning at the common corner of sections #26, #27, and #34.

Thence N 74° 23' E 1952.1 varas to the SE corner of section #26.

Thence S 15° 19' E 1912.9 varas to a point for the SE corner of this
section #35.

Thence S 74° 23' W 1952.1 varas to the concrete monument set for
the SE corner of section #34, situated in a firm prairie covered by
mesquite brush, the brass plate in top of which monument having been
marked as is represented in the figure above, from which a windmill
bears S 38° 09' E about 1/2 mile; a mesquite 3 inches in diameter marked
"≡" (three bars) bears S 40° W 10.9 varas.

Thence N 15° 19' W --- at 22.5 varas cross a brush-cut-out line
--- at 767.5 varas cross a road --- at 917.6 varas cross a three-wire
fence --- at 1515.6 varas cross over a large mound of burned rocks
15 feet in diameter on a bed of red clay --- at 1592.2 varas on a sand
dune --- at 1912.9 varas point, the place of beginning.

Surveyed June 4th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers.
J. A. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special
Surveyor of University Lands, do hereby certify that the foregoing
survey was made by me in the field and according to law; that the
limits, boundaries and corners, with the marks, natural and artificial
are truly described in the foregoing plat and field notes, just as I
found them on the ground; and that they are recorded in the Surveyor's
Records in Andrews County in Book "U T" Vol. 3 Page 340 .
This 15th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

Plat of Survey No.

The State of Texas

ANDREWS County SURVEY NO. 36
BLOCK NO. 10



FIELD NOTES of a survey of
661.5 acres of land made for the
UNIVERSITY OF TEXAS by virtue of an
Act approved March 29, 1929.

Magnetic Declination 11° 17' East.

True North as compared to a meridian passing through the corner of Survey No. , this Block, is 0° 02½' to the right of the North point used in the field notes of this survey.

Said survey is situated in ANDREWS County, Texas, on the waters of Caliche, lakes Creek, a tributary of no drainage River about 13½ miles S 20° W of Andrews, the county site.

Beginning at the NE corner of section #35, being also the SW corner of section #25, this Block, for the NW corner of this section #36.

Thence N 74°23' E 1952.1 varas to the westerly common corner of section #30 and #31, Block #9, University Land, being also the SE corner of section #25, this Block.

Thence S 15°19' E 1912.9 varas to the concrete monument set for the SW corner of section #31, Block #9, situated in a low mesquite flat 4.8 varas east of a north-south fence, the brass plate in top of which having been marked as is represented in the figure above, from which a mesquite 3 inches in diameter marked "X" bears N 12°15' W 21.8 varas; the junction post in a north-south fence by a fence from the west bears N 34°39' W 14.5 varas; a 1 1/2-inch iron pipe driven in ground bears S 2°15' W 11.7 varas.

Thence S 74°23' W --- at 372.3 varas the original old cedar stake at the SE corner of survey #31, Block #43, T 1 N, T & P RR Co., bears S 15°19' E 19,233.3 varas and N 74°41' E 1919.4 varas; the original old cedar stake at the SW corner of survey #34, Block #44, T 1 N, T & P RR Co., bears S 15°19' E 19,233.3 varas and S 74°41' W 5758.2 varas. --- at 1952.1 varas strike the SE corner of section #35.


Thence N 15°19' W 1912.9 varas to the place of beginning.


Surveyed June 4th, 1931.

Norris B. Creath } Chain
Gibbons Poteet } Carriers
J. A. Conklin } Transitman

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries and corners, with the marks, natural and artificial are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Andrews County in Book "U T" Vol. 3 Page 341. This 15th day of November, 1932.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands





UNIVERSITY LANDS
BLOCKS 1 TO 14
 ANDREWS~MARTIN~GAINES~DAWSON~WINKLER
 COUNTIES
 AS RESURVEYED BY FRANK F. FRIEND SCALE 3000 VARAS = 1 INCH

- LEGEND**
- ORIGINAL CORNERS FOUND AND IDENTIFIED
 - CONCRETE MONUMENTS SET DURING THIS RESURVEY
 - TELEPHONE AND PIPE LINES
 - BARBED WIRE FENCE
 - WAGON ROADS
 - HIGHWAYS
 - + CHILTS
 - WINDMILL

THIS MAP OF UNIVERSITY LAND AND OTHER LAND ADJACENT
 THERETO SHOWING NATURAL AND ARTIFICIAL OBJECTS ORIGINAL
 CORNERS FOUND AND CORNERS SET DURING THIS RESURVEY IS
 TRUE AND CORRECT, BEING BASED UPON A SURVEY MADE UPON
 THE GROUND AT INTERVALS FROM JUNE 20, 1930 TO JUNE 15, 1931.
 Frank F. Friend
 SPECIAL SURVEYOR UNIVERSITY LANDS
 SAN ANGELO, TEXAS
 APR. 6, 1934

