

TERRELL
COUNTY

261


UNIVERSITY
LANDS

BOOK
U. T.

VOL. 13

38

BLOCKS
34 TO 37



1244

I, Wm. H. McDonald, Commissioner of the General
Land Office of the State of Texas, do hereby
certify:

That this book designated as "Book U. T., Volume
13" contains field notes of all the sections in
Blocks 34 to 37, inclusive, University Land in
Terrell County, surveyed under an Act approved
March 29, 1929, by Frank F. Friend, Special Surveyor
of University Lands, which field notes numbered from
Page 1 to Page 96, inclusive, have been examined,
approved, and filed as of this date *May 27th, 1938.*
IN TESTIMONY WHEREOF, I hereunto set my hand, and
affix the seal of said office at Austin, Texas,
this the *27th* day of *May* A. D., 1938.

Wm H McDonald
Commissioner, General
Land Office,
State of Texas.



TERRELL COUNTY

This Book U. T., Volume 13, contains:

	Pages
Fieldnotes of Sections 1 to 24, Block 34 - - - - -	1 to 24
Fieldnotes of Sections 1 to 36, Block 35 - - - - -	25 to 60
Fieldnotes of Sections 1 to 12, Block 36 - - - - -	61 to 72
Fieldnotes of Sections 1 to 24, Block 37 - - - - -	73 to 96
Surveyor's Report - - - - -	97
General Map of Blocks 34 to 37, Terrell County-Back of Volume	
Isogonic Chart, Blocks 34 to 37, Terrell County-Back of Volume	

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 1

TERRELL

County

BLOCK No. 34


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 22' East.

True North is 0° 21' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 42 miles N50° E of Sanderson, the County site.

Beginning in the middle of the present stream of Independence Creek where it empties into the Pecos River; thence N 37° 25' W 100 varas to a point on the present North bank of Independence Creek; thence N 13° 40' W --- at 170.5 varas top of second bank --- at 179.5 varas stone mound around a 60d nail from which a white spot on a rock bluff across the Pecos River (middle of three 8-inch holes) bears S 16° 09' E; West edge of bluff near top bears S 10° 26' E; a large rock 3 feet by 6 feet on the East bank of the Pecos River bears S 72° 40' E 153.5 varas; thence N 58° 43' W --- at 138 varas cross an old fence line --- at 184.4 varas set a 60d hub nail in a rock mound in a field --- at 188 varas cross a road --- at 320 varas leave the field on the West edge about 3 varas South of its NW corner --- at 335.3 varas set a 60d hub nail in a small rock mound; thence N 13° 52' E --- at 84 varas cross a road --- at 133.8 varas set another 60d hub nail in a stone mound on bare rocky ground from which a large rock on the East edge of a round mountain bears N 8° 11' W; thence West 15,735.9 varas and North 11,253.7 varas to a point identified as the original NE corner of this section No. 1, Block 34, being an old stone mound of 16 stones 4 feet at base and 2 feet high, situated on a high divide about 200 varas North of the head of a deep canyon running SE. From an "X" cut in a central stone of this mound a letter "T", a letter "F", and a letter "X" cut in the faces of fixed rocks bear respectively N 43° 35' W 9.5 varas, N 23° 36' E 5.9 varas, and S 39° 00' W 11.8 varas; a cedar 10 inches in diameter having a top spread of 15 feet bears S 44° 28' W 43.0 varas.

Thence South 1900.8 varas to a point for the SE corner of this section No. 1.

Thence West 1922.8 varas to a point for its SW corner.

Thence North 1900.8 varas to a point for its NW corner.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 23, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath } Transitman.
 W. P. Conklin

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 1 This 18th day of March, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 2

TERRELL

County

BLOCK No. 34


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination $11^{\circ} 23'$ East.

True North is $0^{\circ} 21' 15''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 4.1 miles N $51^{\circ} E$ of Sanderson, the County site.

Beginning at the SE corner of Section No. 1, this Block.

Thence South --- at 1251.1 varas set a 60d hub nail in a stone mound on the NW bank of a branch running SW, a tributary of Independence Creek --- at 1253 varas point in the NW edge of said dry creek --- at 1273 varas point in the SE edge of the same creek --- at 1382 varas cross an E-W road --- at 1657 varas cross a drain running NW --- at 1832 varas cross a rocky drain running NW --- at 1872 varas pass through the West edge of a pin-oak mott 20 feet high --- at 1900.8 varas set a concrete monument on side of a hill facing North about $1/3$ of the distance down from the cap rock, stamped its brass plate in top as is represented in the figure above, from which a steel windmill bears N $26^{\circ} 43'$ E about 800 varas; an "X", and an "F" cut on large boulders bear respectively N $27^{\circ} 14'$ E 24.8 varas, and S $84^{\circ} 45'$ W 7.4 varas; the SW tip of a projecting rock on the point of a mountain bears N $55^{\circ} 29'$ W.

Thence West --- at 1906.3 varas point in the bed of Independence Creek running SE, 15 varas North of a spring --- at 1922.8 varas point on the high SW bank of Independence Creek, the SW corner of this section No. 2.

Thence North immediately recrossing Independence Creek 1900.8 varas to the SW corner of section No. 1.

Thence East 1922.8 varas to the place of beginning.

NOTE: From the concrete monument mentioned in the foregoing fieldnote, also a 20-inch cedar bears N $73^{\circ} 04'$ W 19.0 varas.

Surveyed July 23, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 2 This 21st day of March, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 3

TERRELL

County

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B 34	
2	
3	
UT	

Mag. Declination 11° 24' East.

True North is 0° 21' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 41 miles N 52° E of Sanderson, the County site.

Beginning at a concrete monument set for the SE corner of section No. 2, this Block, situated on the side of a hill facing North, about 1/3 of the distance down from the cap rock, its brass plate in top having been stamped as is represented in the figure above, from which a steel windmill bears N 26° 43' E about 800 varas; an "X", and an "F" cut on large boulders bear respectively N 27° 14' E 24.8 varas, and S 84° 45' W 7.4 varas; the SW tip of a projecting rock on the point of a mountain bears N 55° 29' W.

Thence South 1900.8 varas to a point for the SE corner of this section No. 3.

Thence West crossing Independence Creek 1922.8 varas to a point for its SW corner.

Thence North 1900.8 varas to a point on the high SW bank of Independence Creek, the SW corner of section No. 2.

Thence East --- at 16.5 varas point in the bed of Independence Creek, about 15 varas North of a spring --- at 1922.8 varas, the place of beginning.

NOTE: From the concrete monument mentioned in the foregoing fieldnote, also a 20-inch cedar bears N 73° 04' W 19.0 varas.

Surveyed July 23, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath } Transitman.
W. P. Conklin

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 3 This 21st day of March, 1938.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 4



TERRELL

County

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 25' East.

True North is 0° 21' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 40 miles N 53° E of Sanderson, the County site.

Beginning at the SE corner of section No. 3, this Block.

Thence South along the East side of the valley of Independence Creek 1900.8 varas set a concrete monument in said valley on a gravelly prairie sloping SW for the SE corner of this section No. 4, stamped its brass plate in top as is represented in the figure above, from which a conspicuous knoll on the North edge of a divide bears S 27° 03' E; the most Westerly of 3 cedar trees on top of a small knoll bears S 25° 38' E; a stone mound under a N-S fence bears S 11° 04' W 105.2 varas; a 4-inch mesquite marked "T", a 6-inch mesquite marked "Y", and a 5-inch mesquite marked "X" bear respectively S 87° 43' W 29.9 varas, N 39° 51' W 136.3 varas, and N 11° 59' W 51.5 varas; the extreme tip of the West end of a cap rock bears N 15° 31' E; a large cedar on the same divide bears N 19° 03' E; the extreme South edge of the lowest of 3 ledges bears N 81° 16' E; a windmill bears N 51° 39' 30" W about 1800 varas.

Thence West --- at 23.0 varas cross at nearly right angles a 36-inch net wire fence having 1 barbed wire above the net --- at about 600 varas cross Independence Creek --- at 1922.8 varas point for the SW corner of this section No. 4.

Thence North 1900.8 varas to the SW corner of section No. 3.

Thence East recross^{-ing} Independence Creek 1922.8 varas to the place of beginning.

Surveyed July 23, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 4

This 21st day of March, 1938.


Frank F. Friend

 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 5



TERRELL

County

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 25' East.

True North is 0° 21' 15"

to the left

of the North point used in

the Field notes of this survey.

Said survey is situated in

TERRELL

County, Texas,

on the drainage of Independence

Creek, a tributary of Pecos River

about 39 miles N 54° E of Sanderson, the County site.

Beginning at a concrete monument set in the valley of Independence Creek on a gravelly prairie sloping SW for the SE corner of section No. 4, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a conspicuous knoll on the North edge of a divide bears S 27° 03' E; the most Westerly of 3 cedar trees on top of a small knoll bears S 25° 38' E; a stone mound under a N-S fence bears S 11° 04' W 105.2 varas; a 4-inch mesquite marked "T", a 6-inch mesquite marked "Y", and a 5-inch mesquite marked "X" bear respectively S 87° 43' W 29.9 varas, N 39° 51' W 136.3 varas, and N 11° 59' W 51.5 varas; the extreme tip of the West end of a cap rock bears N 15° 31' E; a large cedar on the same divide bears N 19° 03' E; the extreme South edge of the lowest of 3 ledges bears N 81° 16' E; a windmill bears N 51° 39' 30" W about 1800 varas.

Thence South --- at 540 varas point in the bed of Independence Creek running SE --- at 1900.8 varas point for the SE corner of this section No. 5.

Thence West 1922.8 varas to a point for its SW corner.

Thence North 1900.8 varas to the SW corner of section No. 4.

Thence East --- at about 1322.8 varas recross Independence Creek --- at 1899.8 varas pass through at about right angles a 36-inch net wire fence having 1 barbed wire above the net --- at 1922.8 varas, the place of beginning.

Surveyed July 23, 1934.

Gibbons Poteet

Norris B. Creath


W. P. Conklin

} Chainmen.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 5

This 21st day of March, 1938.



Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 6

TERRELL

County

BLOCK No. 34


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination $11^{\circ} 24'$ East.

True North is $0^{\circ} 21' 15''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 39 miles N 55° E of Sanderson, the County site.

Beginning at the SE corner of section No. 5, this Block.

Thence South 1900.8 varas to a brass plate cemented in the top of a large stone $14'' \times 14'' \times 12''$ embedded in soil, the stone marked "FFF", other stones being stacked around same to make a mound 4 feet at the base and 2 feet high, there being placed on top a large flat stone marked "T", the brass plate being stamped as is represented in the figure above, situated on top of a high divide about 600 varas North of the end of a point of the mountain projecting South and about 300 varas East of a deep canyon running South, and 50 varas South of a small hill covered with cedar, being also 5 varas East of an abandoned N-S fence. From the brass plate a letter "T" cut on a fixed rock bears S $11^{\circ} 45'$ W 31.6 varas; a windmill on the horizon bears S $31^{\circ} 46'$ W about 6 miles; a letter "F" cut on a fixed rock bears N $81^{\circ} 12'$ W 36.1 varas; a cedar, marked "X" 12 feet high bears N $12^{\circ} 29'$ E 118 varas; an old stone mound identified by its bearings as the original common corner of surveys Nos. 10, 11, 13, and 14, Block 1, T. C. RR. Co. bears South 2016.9 varas and East 15 varas; another old stone mound identified as the original East common corner of said surveys Nos. 10 and 11 bears South 1966.1 varas and East 1984.4 varas.

Thence West 1922.8 varas to a point for the SW corner of this section No. 6.

Thence North 1900.8 varas to the SW corner of section No. 5.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 23, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 6

This 21st day of March, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 7

BLOCK No. 34

TERRELL

County

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

U	T
B	34
18	7

Mag. Declination 11° 26' East.

True North is 0° 20' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 55° E of Sanderson, the County site.

Beginning at the SW corner of section No. 6, this Block.

Thence North 1900.8 varas to the SW corner of section No. 5, being the NW corner of said section No. 6.

Thence West 1922.8 varas to a point for the NW corner of this section No. 7.

Thence South --- at 1715.8 varas cross a rocky drain in a canyon running SW --- at 1877.1 varas cross a 40-inch net wire fence having 2 barbed wires above the net coursing about NE and SW --- at 1900.8 varas set a concrete monument on the West side of a rocky hill about mid-way between top and bottom, 84 varas North of an abandoned E-W fence line (posts still standing) and 77 varas North of a small drain running East, same being for the SW corner of this section No. 7, its brass plate in top having been stamped as is represented in the figure above, from which a windmill near a house bears S 67° 27' 30" W; the NW corner of a pasture bears S 85° 00' W 290.8 varas; the SW edge of a cap rock bears N 47° 18' W; the SW tip of a projecting rock bears N 7° 03' W; the center of a cave in a cap rock bears N 8° 38' E; a letter "U" on the lowest ledge of a cap rock bears S 85° 56' E 45.3 varas, angle of elevation 20°; a letter "F" on the same ledge bears S 74° 36' E 46.5 varas; a letter "T" on the same ledge bears S 70° 04' E 48.1 varas.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 25, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 7 This 29th day of March, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 8

TERRELL

County

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	34
16	9
17	8
U	T

Mag. Declination 11° 26' East.

True North is 0° 20' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 39 miles N 53°E of Sanderson, the County site.

Beginning at the NW corner of section No. 7, this Block.

Thence North 1900.8 varas set a concrete monument for the NW corner of this section No. 8, situated on a high divide between Independence and Dry Creeks, stamped its brass plate in top as is represented in the figure above, from which a letter "F" cut on the face of a fixed rock bears S 9° 47' W 40.3 varas; a cedar 4 feet high marked "T" bears S 38° 04' W 13.0 varas; a steel windmill bears N 77° 24' W about 6 miles; another windmill bears N 66° 18' W about 2 miles; a triangulation station by the United States Coast & Geodetic Survey marked "Moser 1935" bears N 66° 13' W about 2 1/4 miles; a letter "T" cut on the face of a fixed rock bears N 32° 29' E 16.9 varas; a windmill on the distant horizon bears S 50° 12' E; a junction of fences bears S 41° 54' E 484.0 varas.

Thence East 1922.8 varas to the SW corner of section No. 4 and the NW corner of section No. 5.

Thence South 1900.8 varas to the NW corner of section No. 6.

Thence West 1922.8 varas to the place of beginning.

Surveyed July 25, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 8

This 29th day of March, 1938.

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 9

BLOCK No. 34

TERRELL

County

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	34
16 9	
17 8	
U	T

Mag. Declination 11° 25' East.

True North is 0° 20' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 39 miles N 52° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 8, this Block, situated on a high divide between Independence Creek and Dry Creek, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" cut on the face of a fixed rock bears S 9° 47' W 40.3 varas; a cedar 4 feet high marked "T" bears S 38° 04' W 13.0 varas; a steel windmill bears N 77° 24' W about 6 miles; another windmill bears N 66° 18' W about 2 miles; a triangulation station by the United States Coast & Geodetic Survey marked "Moser 1935" bears N 66° 13' W about 2 1/4 miles; a letter "T" cut on the face of a fixed rock bears N 32° 29' E 16.9 varas; a windmill on the distant horizon bears S 50° 12' E; a junction of fences bears S 41° 54' E 484.0 varas.

Thence North 1900.8 varas to a point for the NW corner of this section No. 9.

Thence East 1922.8 varas to the West common corner of sections No. 3 and No. 4.

Thence South 1900.8 varas to the NW corner of section No. 5 and the NE corner of section No. 8.

Thence West 1922.8 varas to the place of beginning.

Surveyed July 25, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath }
 W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 9 This 29th day of March, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 10

TERRELL

County

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	34
14	11
15	10
U	T

Mag. Declination $11^{\circ} 25'$ East.

True North is $0^{\circ} 20' 45''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 40 miles N 51° E of Sanderson, the County site.

Beginning at the NW corner of section No. 9, this Block.

Thence North 1900.8 varas set a brass plate in solid rock in the bottom of a drain running SE, about 200 varas North of a large drain running NE, about 10 varas NW of a dim road running NE and SW, same being for the NW corner of this section No. 10, said plate being stamped as is represented in the figure above, from which the South end of cap rocks bear N $67^{\circ} 04' 30''$ E, S $75^{\circ} 43'$ E and S $78^{\circ} 00'$ W, the latter being distant about 600 varas; the NW end of another cap rock bears S $48^{\circ} 06' 30''$ W; the East end of a cap rock bears N $40^{\circ} 45'$ W about 300 varas; a letter "T" and a letter "X" cut on the faces of fixed rocks bear respectively N $54^{\circ} 30'$ E 9.4 varas and S $53^{\circ} 30'$ E 4.8 varas; a cedar 6 inches in diameter marked "F" bears S $50^{\circ} 30'$ E 25.7 varas.

Thence East 1922.8 varas to a point on a high bank on the SW side of Independence Creek, the SW corner of section No. 2 and the NW corner of section No. 3.

Thence South 1900.8 varas to the NW corner of section No. 4 and the NE corner of section No. 9.

Thence West 1922.8 varas to the place of beginning.

Surveyed July 25, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 10
This 30th day of March, 1938.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 11



TERRELL

County

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 24' East.

True North is 0° 20' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 4.1 miles N 50° E of Sanderson, the County site.

Beginning at the NW corner of section No. 10, this Block, being a brass plate anchored in solid rock in the bed of a drain running SE, about 200 varas North of a large drain running NE, 10 varas North of a dim road running NE and SW, the plate having been stamped as is represented in the figure above, from which the South end of cap rocks bear N 67° 04' 30" E, S 75° 43' E and S 78° 00' W, the latter being distant about 600 varas; the NW end of another cap rock bears S 48° 06' 30" W; the East end of a cap rock bears N 40° 45' W about 300 varas; a letter "T" and a letter "X" cut on the faces of fixed rocks bear respectively N 54° 30' E 9.4 varas and S 53° 30' E 4.8 varas; a cedar 6 inches in diameter marked "F" bears S 50° 30' E 25.7 varas.

Thence East 1922.8 varas to a point on the high SW bank of Independence Creek, the NE corner of said section No. 10, the SW corner of section No. 2, and the NW corner of section No. 3, this Block.

Thence North immediately crossing Independence Creek 1900.8 varas to the NW corner of section No. 2, and the SW corner of section No. 1.

Thence West recrossing Independence Creek 1922.8 varas to a point for the NW corner of this section No. 11.

Thence South --- at 101.6 varas set a 60d hub nail in a rock mound in a smoothe valley --- at 537 varas cross a road running NW and SE in a flat drain running SE --- at 790 varas cross a gully running NE --- at 1014 varas cross a rocky drain running E --- at 1382 varas and at 1466 varas cross gullys running down a hillside, the first running NE, the second running East --- at 1621.1 varas set another 60d hub nail in a rock mound on the point of a hill --- at 1900.8 varas, the place of beginning.

Surveyed July 25, 1934.


Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 11 This 30th day of March, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas



TERRELL

County

SECTION No. 12

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination $11^{\circ} 23'$ East.

True North is $0^{\circ} 20' 45''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 4.1 miles N 49° E of Sanderson, the County site.

Beginning at the NW corner of section No. 11, this Block.

Thence East crossing Independence Creek 1922.8 varas to the SW corner of section No. 1, the NW corner of section No. 2, and the NE corner of said section No. 11.

Thence North 1900.8 varas to the NW corner of said section No. 1.

Thence West 1922.8 varas set a concrete monument for the NW corner of this section No. 12, situated in a mesquite covered prairie sloping West, about 150 varas East of a large drain running South into Independence Creek and about 300 varas West of a small rocky point, stamped its brass plate in top as is represented in the figure above, from which an old wooden windmill bears S $58^{\circ} 14'$ W; a steel windmill at the Moser Ranch House bears N $63^{\circ} 19'$ W; the West end of a cap rock bears N $16^{\circ} 05'$ E; the South end of another cap rock bears N $56^{\circ} 16'$ E; the North end, the SW end and the NE end of cap rocks bear respectively S $87^{\circ} 13' 30''$ E, S $34^{\circ} 20'$ E, and S $19^{\circ} 25'$ E; 2 twisted hackberrys 6 inches in diameter marked "T" bear S $68^{\circ} 15'$ W 157.6 varas; an 8-inch hackberry marked "X" bears S $81^{\circ} 05'$ W 164.7 varas; a letter "U" cut on the face of a fixed rock bears N $87^{\circ} 20'$ E 293.0 varas; a stone monument 5 feet at base and 18 inches high on the NW foot of the point of hill bears N $70^{\circ} 21'$ E 286.0 varas; another small stone mound bears N $70^{\circ} 00'$ E 245 varas.

Thence South --- at 390.8 varas set a 60d hub nail in a rock mound from which an old wooden windmill bears S $72^{\circ} 01'$ W about $3/4$ mile; the windmill near the Moser Ranch House bears N $48^{\circ} 05'$ W --- at 834.0 varas set another 60d hub nail in a rock mound --- at 837.9 varas cross a 36-inch net wire fence having 3 barbed wires above the net coursing N $33^{\circ} 45'$ W, S $33^{\circ} 45'$ E --- at 855.8 varas cross the Dryden-Sheffield road about 75 varas SE of where it turns West --- at 1290.8 varas cross an old road running NW and SE --- at 1347.8 varas point on the North bank of Independence Creek --- at 1534.8 varas point on the South bank of said creek --- at 1740.8 varas cross a drain running East --- at 1900.8 varas, the place of beginning.

Surveyed July 25, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 12

This 30th day of March, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 13

TERRELL

County

BLOCK No. 34


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 21' East.

True North is 0° 20' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 40 miles N 48° E of Sanderson, the County site.

Beginning at the NW corner of section No. 12, this Block, being a concrete monument set in a mesquite covered prairie sloping West, about 150 varas East of a large drain running South into Independence Creek and about 300 varas West of a small rocky point of hill, its brass plate in top having been stamped as is represented in the figure above, from which an old wooden windmill bears S 58° 14' W; a steel windmill at the Moser Ranch House bears N 63° 19' W; the West end of a cap rock bears N 16° 05' E; the South end of another cap rock bears N 56° 16' E; the North end, the SW end and the NE end of cap rocks bear respectively S 87° 13' 30" E, S 34° 20' E, and S 19° 25' E; 2 twisted hackberrys 6 inches in diameter marked "T" bear S 68° 15' W 157.6 varas; an 8-inch hackberry marked "X" bears S 81° 05' W 164.7 varas; a letter "U" cut on the face of a fixed rock bears N 87° 20' E 293.0 varas; a stone monument 5 feet at base and 18 inches high on the NW foot of the point of hill bears N 70° 21' E 286.0 varas; another small stone mound bears N 70° 00' E 245 varas.

Thence South --- at 390.8 varas pass a 60d hub nail in a rock mound from which an old wooden windmill bears S 72° 01' W about 3/4 mile; the windmill near the Moser Ranch House bears N 48° 05' W --- at 834.0 varas pass another 60d hub nail in a rock mound --- at 837.9 varas cross a 36-inch net wire fence having 3 barbed wires above the net coursing N 33° 45' W, S 33° 45' E --- at 855.8 varas cross the Dryden-Sheffield road about 75 varas SE of where it turns West --- at 1290.8 varas cross an old road running NW and SE --- at 1347.8 varas point on the North bank of Independence Creek --- at 1534.8 varas point on the South bank of said creek. --- at 1740.8 varas cross a drain running East --- at 1900.8 varas strike the NW corner of section No. 11.

Thence West 1922.8 varas to a point for the SW corner of this section No, 13.

Thence North 1900.8 varas to a point for its NW corner.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 25, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 13

This 30th day of March, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 14

TERRELL

County

BLOCK No. 34


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 22' East.

True North is 0° 20' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 40 miles N 49° E of Sanderson, the County site.

Beginning at the SE corner of section No. 13, this Block, being the NW corner of section No. 11 and the SW corner of section No. 12.

Thence West 1922.8 varas to the SW corner of said section No. 13.

Thence South 1900.8 varas to a point for the SW corner of this section No. 14.

Thence East 1922.8 varas to the brass plate set in solid rock in the bottom of a drain running SE for the NW corner of section No. 10, this Block, situated about 200 varas North of a large drain running NE and 10 varas NW of a road running NE and SW, the plate having been stamped as is represented in the figure above, from which, the South end of cap rocks bear N 67° 04' 30" E, S 75° 43' E and S 78° 00' W, the latter being distant about 600 varas; the NW end of another cap rock bears S 48° 06' 30" W; the East end of a cap rock bears N 40° 45' W about 300 varas; a letter "T" and a letter "X" cut on the faces of fixed rocks bear respectively N 54° 30' E 9.4 varas and S 53° 30' E 4.8 varas; a cedar 6 inches in diameter marked "F" bears S 50° 30' E 25.7 varas.

Thence North --- at 279.7 varas pass a 60d hub nail in a rock mound on the point of a hill --- at 434.8 varas and at 518.8 varas cross gullys coursing down a hillside, the first running East, the second running NE --- at 886.8 varas cross a rocky drain running East --- at 1110.8 varas cross a gully running NE --- at 1363.8 varas cross a road running NW and SE in a flat drain running SE --- at 1799.2 varas pass another 60d hub nail in a rock mound --- at 1900.8 varas, the place of beginning.

Surveyed July 25, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 14.

This 1st day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 15

TERRELL

County } BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	34
14 11	
15 10	
U	T

Mag. Declination $11^{\circ} 24'$ East.

True North is $0^{\circ} 20' 15''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 39 miles N $50^{\circ} E$ of Sanderson, the County site.

Beginning at the common corner of sections Nos. 10, 11, and 14, a brass plate set in solid rock in the bottom of a drain running SE about 200 varas North of a large drain running NE and 10 varas NW of a road running NE and SW, said plate having been stamped as is represented in the figure above, from which the South end of cap rocks bear N $67^{\circ} 04' 30'' E$, S $75^{\circ} 43' E$ and S $78^{\circ} 00' W$; the latter being distant about 600 varas; the NW end of another cap rock bears S $48^{\circ} 06' 30'' W$; the East end of a cap rock bears N $40^{\circ} 45' W$ about 300 varas; a letter "T" and a letter "X" cut on the faces of fixed rocks bear respectively N $54^{\circ} 30' E$ 9.4 varas and S $53^{\circ} 30' E$ 4.8 varas; a cedar 6 inches in diameter marked "F" bears S $50^{\circ} 30' E$ 25.7 varas.

Thence South 1900.8 varas to the NW corner of section No. 9.

Thence West 1922.8 varas to a point for the SW corner of this section No. 15.

Thence North 1900.8 varas to the SW corner of section No. 14.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 25, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 15

This 1st day of April, 1938.

Frank F. Friend


Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 16

BLOCK No. 34



TERRELL

County

647.4

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 25' East.

True North is 0° 20' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 51° E of Sanderson, the County site.

Beginning at the NW, the SW and the SE corner respectively of sections Nos. 9, 10, and 15, this Block.

Thence West 1922.8 varas to the SW corner of said section No. 15.

Thence South 1900.8 varas to a point for the SW corner of this section No. 16.

Thence East 1922.8 varas to the concrete monument set for the NW corner of section No. 8, being the SW corner of section No. 9, situated on a high divide between Independence Creek and Dry Creek, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" cut on the face of a fixed rock bears S 9° 47' W 40.3 varas; a cedar 4 feet high marked "T" bears S 38° 04' W 13.0 varas; a steel windmill bears N 77° 24' W about 6 miles; another windmill bears N 66° 18' W about 2 miles; a triangulation station set by the United States Coast & Geodetic Survey marked "Moser 1935" bears N 66° 13' W about 2 1/4 miles; a letter "T" cut on the face of a fixed rock bears N 32° 29' E 16.9 varas; a windmill on the distant horizon bears S 50° 12' E; a junction of fences bears S 41° 54' E 484.0 varas.

Thence North 1900.8 varas to the place of beginning.

Surveyed July 27, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 16

This 2nd day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 17

TERRELL

County

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	34
16 9	
17 8	
U	T

Mag. Declination 11° 26' East.

True North is 0° 20' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 52° E of Sanderson, the County site.

Beginning at a concrete monument set on a high divide between Dry Creek and Independence Creek for the NW corner of section No. 8, being the SW corner of section No. 9 and the SE corner of section No. 16, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" cut on the face of a fixed rock bears S 9° 47' W 40.3 varas; a cedar 4 feet high marked "T" bears S 38° 04' W 13.0 varas; a steel windmill bears N 77° 24' W about 6 miles; another windmill bears N 66° 18' W about 2 miles; a triangulation station set by the United States Coast & Geodetic Survey marked "Moser 1935" bears N 66° 13' W about 2 1/4 miles; a letter "T" cut on the face of a fixed rock bears N 32° 29' E 16.9 varas; a windmill on the distant horizon bears S 50° 12' E; a junction of fences bears S 41° 54' E 484.0 varas.

Thence West 1922.8 varas to the SW corner of said section No. 16.

Thence South 1900.8 varas to a point for the SW corner of this section No. 17.

Thence East 1922.8 varas to the NW corner of section No. 7, and the SW corner of section No. 8.

Thence North 1900.8 varas to the place of beginning.

Surveyed July 27, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 17

This 4th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

	U B	T 34	
	18	7	

TERRELL County } SECTION No. 18
BLOCK No. 34

647.4 FIELD NOTES of a survey of ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 26' East.
True North is 0° 20' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 37 miles N 53° E of Sanderson, the County site.

Beginning at the NW, the SW and the SE corner respectively of sections Nos. 7, 8, and 17, this Block.

Thence West 1922.8 varas to the SW corner of said section No. 17.

Thence South 1900.8 varas to a point for the SW corner of this section No. 18.

Thence East 1922.8 varas to the concrete monument set for the SW corner of section No. 7, situated on the West side of a rocky hill about 1/2 way between the bottom and the top, 84 varas North of an abandoned E-W fence (only the posts standing) and 77 varas North of a small drain running East, its brass plate in top having been stamped as is represented in the figure above, from which a wind-mill near a house bears S 67° 27' 30" W; the NW corner of a pasture bears S 85° 00' W 290.8 varas; the SW edge of a cap rock bears N 47° 18' W; the SW tip of a projecting rock bears N 7° 03' W; the center of a cave in a cap rock bears N 8° 38' E; a letter "U" on the lowest ledge of a cap rock bears S 85° 56' E 45.3 varas, angle of elevation, 20°; a letter "F" on the same ledge bears S 74° 36' E 46.5 varas; a letter "T" on the same ledge bears S 70° 04' E 48.1 varas.

Thence North --- at 23.7 varas cross a 40-inch net wire fence having 2 barbed wires above the net coursing about NE and SW --- at 185 varas cross a rocky drain in a canyon running SW --- at 1900.8 varas, the place of beginning.

Surveyed July 27, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 18 This 4th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 19

TERRELL

County

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

U B 35	T B 34
6	19

Mag. Declination 11° 25' East.

True North is 0° 19' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 52° E of Sanderson, the County site.

Beginning at the SW corner of section No. 18, this Block.

Thence West 1922.8 varas set a concrete monument in a greasewood and mesquite covered prairie sloping North for the SW corner of this section No. 19, stamped its brass plate in top as is represented in the figure above, from which an earth mound containing broken glass bears S 63° 24' W 15.9 varas; a green thorn-bush 5 1/2 feet high bears West 50 varas; the NW tip of a rounded point of cap rock bears N 0° 38' 30" W; a large spreading cedar about 50 varas below the top ledge on the SE end of a hill bears N 34° 55' E; the extreme tip of a rock on the SE end of the same hill bears N 42° 12' E; a wild china tree 6 inches in diameter marked "F" bears N 49° 32' E 49.7 varas; a double cedar 7 inches in diameter marked "T" bears N 57° 38' E 51.0 varas; a steel windmill bears N 61° 14' 30" E about 600 varas; the SE tip of a projecting ledge bears N 88° 56' E.

Thence North --- at 12 varas cross a road running NW and SE --- at 54 varas point on the SW bank of Dry Creek running SE --- at 1900.8 varas point for the NW corner of this section No. 19.

Thence East 1922.8 varas to the SW corner of section No. 17 and the NW corner of section No. 18.

Thence South 1900.8 varas to the place of beginning.

Surveyed July 27, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 19 This 4th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 20

TERRELL

County

BLOCK No. 34


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 24' East.

True North is 0° 19' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 37 miles N 51°E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 17, 18 and 19, this Block.

Thence West 1922.8 varas to the NW corner of said section No. 19.

Thence North 1900.8 varas set a concrete monument for the NW corner of this section No. 20, situated on the high divide between Independence and Dry Creeks about 1/2 mile East of a deep canyon running South, stamped its brass plate in top as is represented in the figure above, from which a windmill bears N 70° 54' 30" W about 1/4 miles; another windmill bears N 6° 17' W about 1/2 mile; a windmill on the distant horizon bears S 59° 31' 30" E; a triangulation station set by the United States Coast and Geodetic Survey marked "Moser 1935" bears N 6° 44' W about 1 mile; another windmill on the horizon bears S 10° 52' E.

Thence East 1922.8 varas to the West common corner of sections Nos. 16 and 17.

Thence South 1900.8 varas to the place of beginning.

Surveyed July 27, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 20 This 4th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 21

TERRELL

County

BLOCK No. 34


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 23' East.

True North is 0° 19' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 28 miles N 50° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 20, this Block, situated on a high divide between Independence Creek and Dry Creek about 1/2 mile East of a deep canyon running South, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears N 70° 54' 30" W about 4 miles; another windmill bears N 6° 17' W about 1/2 mile; a windmill on the distant horizon bears S 59° 31' 30" E; a triangulation station set by the United States Coast & Geodetic Survey marked "Moser 1935" bears N 6° 44' W about 1 mile; another windmill on the horizon bears S 10° 52' E.

Thence North --- at 1800.2 varas a triangulation station set by the United States Coast & Geodetic Survey marked "Moser 1935" bears West 211.1 varas --- at 1900.8 varas point for the NW corner of this section No. 21.

Thence East 1922.8 varas to the SW corner of section No. 15 and the NW corner of section No. 16.

Thence South 1900.8 varas to the NW corner of section No. 17 and the NE corner of section No. 20.

Thence West 1922.8 varas to the place of beginning.

Surveyed July 27, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 21.

This 4th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 22
BLOCK No. 34

B 35		
2	23	
3	22	
U	B 34	T

TERRELL

County

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 22' East.

True North is 0° 19' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 49° E of Sanderson, the County site.

Beginning at the NW corner of section No. 21, this Block.

Thence North 1900.8 varas set a concrete monument for the NW corner of this section No. 22, situated about 100 varas South of a cedar covered E-W ridge in a cedar covered slope toward the South, being about 300 varas North of the NW edge of a deep canyon running NE, stamped its brass plate in top as is represented in the figure above, from which a 4-inch cedar marked "T" bears N 74° 03' E 31.7 varas; a stone mound containing broken glass recently set bears S 52° 12' E 17.0 varas; a windmill on the horizon bears S 5° 31' 30" W about 1 mile; a large cedar 15 feet high with a 15-foot spread marked "F" bears N 49° 19' W 188.7 varas.

Thence East 1922.8 varas to the West common corner of sections Nos. 14 and 15.

Thence South 1900.8 varas to the NW corner of section No. 16.

Thence West 1922.8 varas to the place of beginning.

Surveyed July 27, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 22 This 4th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 23

TERRELL

County

BLOCK No. 34

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	35	
	2	23
	3	22
U		B 34 T

Mag. Declination 11° 19' East.

True North is 0° 19' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 39 miles N 48° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 22, this Block, situated about 100 varas South of a cedar covered E-W ridge in a cedar covered prairie sloping South and about 300 varas North of the NW edge of a deep canyon running NE, its brass plate in top having been stamped as is represented in the figure above, from which a 4-inch cedar marked "T" bears N 74° 03' E 31.7 varas; a stone mound containing broken glass recently set bears S 52° 12' E 17.0 varas; a windmill on the horizon bears S 5° 31' 30" W about 1 mile; a large cedar 15 feet high with a 15-foot spread marked "F" bears N 49° 19' W 188.7 varas.

Thence East 1922.8 varas to the SW corner of section No. 14 and the NW corner of section No. 15.

Thence North 1900.8 varas to the SW corner of section No. 13.

Thence West 1922.8 varas to a point in a flat drain running East, the NW corner of this section No. 23.

Thence South --- at 65 varas point on the South edge of said flat drain --- at 757.5 varas set a 60d hub nail in a rock mound from which a windmill bears S 3° 33' W about 1 1/2 miles --- at 769.7 varas cross a 40-inch net wire fence coursing about N 80° E - S 80° W --- at 1337 varas point on the South edge of an E-W ridge being the North edge of a wide, flat, smooth drain running East --- at 1537 varas point near the center of the drain --- at 1637 varas point on the North foot of a small ridge being also the South edge of the same drain --- at 1760.8 varas set another 60d hub nail in a rock mound on a cedar covered ridge --- at 1900.8 varas, the place of beginning.

Surveyed July 27, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 23

This 5th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 24

TERRELL

County

BLOCK No. 34


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 17' East.

True North is 0° 19' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 40 miles N 47° E of Sanderson, the County site.

Beginning at the NW corner of section No. 23, this Block, a point in a flat drain running East.

Thence East 1922.8 varas to the SW corner of section No. 13 and the NW corner of section No. 14.

Thence North 1900.8 varas to the NW corner of said section No. 13.

Thence West 1922.8 varas set a concrete monument for the NW corner of this section No. 24, situated on a gravelly prairie sloping NE, 45 varas West of a N-S 36-inch net wire fence having 1 barbed wire above the net, being 30 varas West of a flat drain running North and 326 varas South of the Sheffield-Sanderson road, also about 300 varas NE of the foot of a high, round knoll, stamped the brass plate in said monument as is represented in the figure above, from which the West end of a cap rock bears N 27° 11' E; a 4-inch mesquite marked "T", a 2-inch mesquite marked "F" and a 3-inch mesquite marked "X" bear respectively N 30° 25' E 72.2 varas, S 30° 39' W 87.5 varas, and N 37° 37' W 87.5 varas; the windmill at the Moser ranch house bears N 80° 08' E; the NE tip of a cap rock bears S 57° 21' E; a steel windmill bears N 61° 39' W about 1 1/4 miles; a large cedar bush on the NE end of a mountain bears N 64° 06' W.

Thence South --- at 837.9 varas set a 60d hub nail in a rock mound --- at 1214.7 varas set another 60d hub nail in a rock mound --- at 1827 varas point on the North edge of a flat drain --- at 1838 varas pass about 100 varas West of a small dirt tank --- at 1900.8 varas, the place of beginning.

Surveyed July 27, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13, page 24. This 5th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 1

TERRELL

County } BLOCK No. 35


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 14' East.

True North is 0° 19' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 39 miles N 45° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 24, Block 34, University Land, situated on a gravelly prairie sloping NE, 45 varas West of a N-S 36-inch net wire fence having one barbed wire above the net, being 30 varas West of a flat drain running North and 326 varas South of the Sheffield-Sanderson road, also about 300 varas NE of the foot of a high round knoll, the brass plate in top of which monument having been stamped as is represented in the figure above, from which the West end of a cap rock bears N 27° 11' E; a 4-inch mesquite marked "T", a 2-inch mesquite marked "F", and a 3-inch mesquite marked "X" bear respectively N 30° 25' E 72.2 varas, S 30° 39' W 87.5 varas, and N 37° 37' W 87.5 varas; the windmill at the Moser Ranch House bears N 80° 08' E; the NE tip of a cap rock bears S 57° 21' E; a steel windmill bears N 61° 39' W about 1 1/4 miles; a large cedar bush on the NE end of a mountain bears N 64° 06' W.

Thence South --- at 837.9 varas and at 1214.7 varas pass 60d hub nails in rock mounds --- at 1827 varas point on the North edge of a flat drain --- at 1838 varas pass about 100 varas West of a small dirt tank --- at 1900.8 varas point in a flat drain running East, the SW corner of said section No. 24 and the NW corner of section No. 23, Block 34, being the SE corner of this section No. 1, Block 35.

Thence West 1922.8 varas to a point for the SW corner of this section No. 1.

Thence North 1900.8 varas to a point for its NW corner.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath }
 W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 25 This 12th day of April, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.


The State of Texas

SECTION No. 2

TERRELL

County

BLOCK No. 35



647.4

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 16' East.

True North is 0° 19' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 47° E of Sanderson, the County site.

Beginning at the SE corner of section No. 1, this Block, being the West common corner of sections Nos. 23 and 24, Block 34, University Land, a point in a flat drain running East.

Thence South --- at 65 varas point on the South edge of said flat drain --- at 757.5 varas pass a 60d hub nail in a rock mound from which a windmill bears S 3° 33' W about 1 1/2 miles --- at 769.7 varas cross a 40-inch net wire fence coursing about N 80° E - S 80° W --- at 1337 varas point on the South edge of an E-W ridge, being the North edge of a wide, flat, smoothe drain running East --- at 1537 varas point near the center of said flat drain --- at 1637 varas point on the North foot of a small ridge, being also the South edge of the same drain --- at 1760.8 varas pass another 60d hub nail in a rock mound on a cedar covered ridge --- at 1900.8 varas strike the concrete monument set for the NW corner of section No. 22, being the SW corner of section No. 23, Block 34, situated about 100 varas South of a cedar covered E-W ridge in a cedar covered prairie sloping South, and about 300 varas North of the NW edge of a deep canyon running NE, its brass plate in top having been stamped as is represented in the figure above, from which a 4-inch cedar marked "T" bears N 74° 03' E 31.7 varas; a stone mound containing broken glass recently set bears S 52° 12' E 17.0 varas; a windmill on the horizon bears S 5° 31' 30" W about 1 mile; a large cedar 15 feet high with a 15-foot spread marked "F" bears N 49° 19' W 188.7 varas.

Thence West 1922.8 varas to a point for the SW corner of this section No. 2.

Thence North 1900.8 varas to the SW corner of section No. 1.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath }
 W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 26 This 12th day of April, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

	B 35		
	2	23	
	3	22	B 34
U			T

TERRELL

County

SECTION No. 3

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 18' East.

True North is 0° 19' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 48° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 22, being the SW corner of section No. 23, Block 34, University Land, also it is the SE corner of section No. 2 and the NE corner of this section No. 3, Block 35, same being situated about 100 varas South of a cedar covered E-W ridge in a cedar covered slope toward the South, being about 300 varas North of the NW edge of a deep canyon running NE, its brass plate in top having been stamped as is represented in the figure above, from which a 4-inch cedar marked "T" bears N 74° 03' E 31.7 varas; a stone mound containing broken glass recently set bears S 52° 12' E 17.0 varas; a windmill on the horizon bears S 5° 31' 30" W about 1 mile; a large cedar 15 feet high with a 15-foot spread marked "F" bears N 49° 19' W 188.7 varas.

Thence South 1900.8 varas to a point for the SE corner of this section No. 3, being the NW and the SW corner respectively of sections No. 21 and No. 22, Block 34.

Thence West 1922.8 varas to a point for the SW corner of this section No. 3.

Thence North 1900.8 varas to the SW corner of section No. 2.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 27 This 12th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 4

TERRELL

County

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B 35		
4	21	
5	20	B 34
U	T	

Mag. Declination 11° 20' East.

True North is 0° 19' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 37 miles N 49° E of Sanderson, the County site.

Beginning at the SE corner of section No. 3, this Block, being the West common corner of sections No. 21 and No. 22, Block 34, University Land.

Thence South --- at 100.6 varas point from which a triangulation station set by the United States Coast & Geodetic Survey marked "Moser 1935" bears West 211.1 varas --- at 1900.8 varas strike the concrete monument set for the NW corner of section No. 20, Block 34, situated on a high divide between Independence Creek and Dry Creek, being about 1/2 mile East of a deep canyon running South, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears N 70° 54' 30" W about 4 miles; another windmill bears N 6° 17' W about 1/2 mile; a windmill on the distant horizon bears S 59° 31' 30" E; a triangulation station set by the United States Coast and Geodetic Survey marked "Moser 1935" bears N 6° 44' W about 1 mile; another windmill on the horizon bears S 10° 52' E.

Thence West 1922.8 varas to a point for the SW corner of this section No. 4.

Thence North 1900.8 varas to the SW corner of section No. 3.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath }
 W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 28 This 12th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 5

TERRELL

County

BLOCK No. 35


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 22' East.

True North is 0° 19' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 50° E of Sanderson, the County site.

Beginning at a concrete monument set on a high divide between Independence Creek and Dry Creek about 1/2 mile East of a deep canyon running South for the NW corner of section No. 20, being the SW corner of section No. 21, Block 34, University Land, and the SE corner of section No. 4, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a windmill bears N 70° 54' 30" W about 4 miles; another windmill bears N 6° 17' W about 1/2 mile; a windmill on the distant horizon bears S 59° 31' 30" E; a triangulation station set by the United States Coast and Geodetic Survey marked "Moser 1935" bears N 6° 44' W about 1 mile; another windmill on the horizon bears S 10° 52' E.

Thence South 1900.8 varas to the NW corner of section No. 19, Block 34.

Thence West 1922.8 varas to a point for the SW corner of this section No. 5.

Thence North 1900.8 varas to the SW corner of section No. 4.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet	} Chainmen.
Norris B. Creath	
W. P. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 29

This 12th day of April, 1938.

Frank F. Friend

 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 6

TERRELL

County

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

U	T
B 35	B 34
6	19

Mag. Declination 11° 24' East.

True North is 0° 19' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 51° E of Sanderson, the County site.

Beginning for the NE corner of this section No. 6 at the SE corner of section No. 5, being the NW corner of section No. 19 and the SW corner of section No. 20, Block 34, University Land.

Thence South --- at 1846.8 varas point on the SW bank of Dry Creek running SE --- at 1888.8 varas cross a road running NW and SE --- at 1900.8 varas strike the concrete monument set for the SW corner of said section No. 19, Block 34, situated in a greasewood and mesquite covered prairie sloping North, its brass plate in top having been stamped as is represented in the figure above, from which an earth mound containing broken glass bears S 63° 24' W 15.9 varas; a green thorn bush 5 1/2 feet high bears West 50 varas; the NW tip of a rounded point of cap rock bears N 0° 38' 30"W; a large spreading cedar about 50 varas below the top ledge on the SE end of a hill bears N 34° 55' E; the extreme tip of a rock on the SE end of the same hill bears N 42° 12' E; a wild china tree 6 inches in diameter marked "F" bears N 49° 32' E 49.7 varas; a double cedar 7 inches in diameter marked "T" bears N 57° 38' E 51.0 varas; a steel windmill bears N 61° 14' 30" E about 600 varas; the SE tip of a projecting ledge bears N 88° 56' E.

Thence West 1922.8 varas to a point for the SW corner of this section No. 6.

Thence North 1900.8 varas to the SW corner of section No. 5.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 30 This 12th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 7

TERRELL

County

BLOCK No. 35


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 23' East.

True North is 0° 18' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 50° E of Sanderson, the County site.

Beginning at the SW corner of section No. 6, this Block, for the SE corner of this section No. 7.

Thence West 1922.8 varas to a brass plate cemented in a shelf chiseled on the North face of an almost perpendicular rock wall in the extreme head of a rock bound canyon running NE into another large canyon which runs North into Dry Creek, said plate being stamped as is represented in the figure above, from which a 2 1/4-inch letter "T" cut in the rock wall of the canyon bears about N 10° W 10.5 varas; a 2 1/4-inch letter "F" cut in the face of the rock floor of the canyon bears about S 85° E 4.5 varas; a double cedar 50 inches in diameter marked "U" directly above the brass plate bears about S 45° E 13.4 varas.

Thence North crossing Dry Creek 1900.8 varas to a point for the NW corner of this section No. 7.

Thence East 1922.8 varas to the SW corner and the NW corner respectively of sections No. 5 and No. 6.

Thence South 1900.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath } Transitman.
W. P. Conklin

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 31 This 12th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 8

TERRELL

County } BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	35
16	9
17	8
U	T

Mag. Declination 11° 20' East.

True North is 0° 18' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 49° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 5, 6, and 7, this Block, for the SE corner of this section No. 8.

Thence North 1900.8 varas to the SW corner of section No. 4.

Thence West 1922.8 varas set a concrete monument on divide between Dry Creek and Independence Creek in a prairie covered with greasewood, from which a windmill (only wheel being visible) bears S 17° 12' 30" W; a cedar 36 inches in diameter marked "F" near the head of a canyon running SW bears N 61° 40' W 369 varas; a letter "F", a letter "T", a letter "X", and a letter "U" cut in the face of a flat rock on the SE edge of a low cedar covered hill bear respectively N 60° 51' W 37.0 varas, N 59° 40' W 47.3 varas, N 49° 27' W 51.0 varas, and N 36° 58' W 53.6 varas; a cedar 10 feet high with a wild china tree beside it bears N 42° 43' E 68.2 varas.

Thence South 1900.8 varas to the NW corner of section No. 7.

Thence East 1922.8 varas to the place of beginning.

NOTE: The brass plate in top of the concrete monument mentioned in the foregoing fieldnotes was stamped as is represented by the figure in the upper left hand corner of this page.

Surveyed July 30, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 32 This 12th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 9

TERRELL

County

BLOCK No. 35

	B	35	
	16	9	
	17	8	
	U	T	

FIELD NOTES of a survey of

647.4 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 17' East.

True North is 0° 18' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 48° E of Sanderson, the County site.

Beginning at a concrete monument set on a high divide between Dry Creek and Independence Creek in a prairie covered with greasewood for the NW corner of section No. 8, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a windmill (only wheel being visible) bears S 17° 12' 30" W; a cedar 36 inches in diameter marked "F" near the head of a canyon running SW bears N 61° 40' W 369 varas; a letter "F", a letter "T", a letter "X", and a letter "U" cut in the face of a flat rock on the SE edge of a low cedar covered hill bear respectively N 6° 51' W 37.0 varas, N 59° 40' W 47.3 varas, N 49° 27' W 51.0 varas, and N 36° 58' W 53.6 varas; a cedar 10 feet high with a wild china tree beside it bears N 42° 43' E 68.2 varas.

Thence North 1900.8 varas to a point for the NW corner of this section No. 9.

Thence East 1922.8 varas to the SW corner of section No. 3, and the NW corner of section No. 4.

Thence South 1900.8 varas to the NW corner of section No. 5 and the NE corner of section No. 8.

Thence West 1922.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath } Transitman.
W. P. Conklin }

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 33

This 12th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.


The State of Texas

SECTION No. 10

TERRELL

County

BLOCK No. 35



FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 15' East.

True North is 0° 18' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 37 miles N 47° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 3, 4, and 9, this Block, for the SE corner of this section No. 10.

Thence North 1900.8 varas to the SW corner of section No. 2.

Thence West 1922.8 varas cemented a concrete monument in a rock ledge about 36 varas SW of the SW edge of a deep narrow canyon running NW, at the bottom of which gorge at a point about due North of the monument is a rock and concrete dam about 20 feet high, same being for the NW corner of this section No. 10, its brass plate in top being stamped as is represented in the figure above, from which a pinoak 6 inches in diameter marked "F" bears S 60° 57' W 17.5 varas; a letter "F", a letter "X", and a letter "U" cut on the faces of fixed rocks bear respectively N 30° 29' W 14.5 varas, S 82° 23' E 22.2 varas, and S 69° 12' E 34.5 varas; a cedar 8 inches in diameter marked "T" bears S 50° 09' E 18.0 varas.

Thence South 1900.8 varas to the NW corner of section No. 9.

Thence East 1922.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath } Transitman.
W. P. Conklin }

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 34
This day of

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 11

TERRELL

County

BLOCK No. 35


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 12' East.

True North is 0° 18' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 46° E of Sanderson, the County site.

Beginning at a concrete monument cemented in a rock ledge about 36 varas SW of the SW edge of a deep, narrow canyon in the bottom of which gorge and about due North of the monument is a rock and concrete dam 20 feet high, said monument being the NW corner of section No. 10, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a pinoak 6 inches in diameter marked "F" bears S 60° 57' W 17.5 varas; a letter "F", a letter "X", and a letter "U" cut on the faces of fixed rocks bear respectively N 30° 29' W 14.5 varas, S 82° 23' E 22.2 varas, and S 69° 12' E 34.5 varas; a cedar 8 inches in diameter marked "T" bears S 50° 09' E 18.0 varas.

Thence North immediately crossing the gorge near the dam, 1900.8 varas to a point for the NW corner of this section No. 11.

Thence East 1922.8 varas to the West common corner of sections No. 1 and No. 2.

Thence South 1900.8 varas to the NW corner of section No. 3.

Thence West 1922.8 varas to the place of beginning.

Surveyed July 30, 1934.

Gibbons Poteet

Norris B. Creath

W. P. Conklin

} Chainmen.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 35 This 12th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas


SECTION No. 12
BLOCK No. 35

TERRELL

County

647.4

FIELD NOTES of a survey of
ACRES of land made for THE
UNIVERSITY OF TEXAS by virtue of an
ACT approved March 29, 1929.



Mag. Declination 10° 11' East.
True North is 0° 18' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 45° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 1, 2, and 11, this Block for the SE corner of this section No. 12.

Thence North 1900.8 varas to the NW corner of said section No. 1.

Thence West 1922.8 varas set a concrete monument among greasewood brush in the NW side of a valley running NE for the NW corner of this section No. 12, stamped its brass plate in top as is represented in the figure above, from which a 5-inch mesquite marked "X" bears S 3° 08' W 31.7 varas; the extreme tip of the lowest projecting rock at the NW end of a hill bears S 40° 53' W; a cleft in the skyline formed by the South end of a rock bears S 44° 57' 30" W; a cedar tree 15 feet high marked "X" bears N 77° 02' W 44.7 varas; a 4-pronged mesquite 3 inches in diameter marked "T" bears N 14° 49' W 44.4 varas; a gunsight in cap rock at the SW end of a hill bears N 0° 09' E; a new steel windmill bears N 51° 48' E about 1500 varas; the NE tip of a cap rock bears N 86° 01' E; a spire-shaped boulder 1/3 the distance down from the top of a hill bears S 33° 49' E.

Thence South --- at 9.0 varas pass through a 40-inch net wire fence running nearly NE and SW --- at 1900.8 varas strike the NW corner of section No. 11.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 2, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 36 This 13th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas


SECTION No. 13
BLOCK No. 35

TERRELL

County

647.4

FIELD NOTES of a survey of
ACRES of land made for THE
UNIVERSITY OF TEXAS by virtue of an
ACT approved March 29, 1929.



Mag. Declination 11° 10' East.
True North is 0° 19' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 44° E of Sanderson, the County site.

Beginning at a concrete monument set on the NW side of a valley running NE among greasewood brush for the NW corner of section No. 12, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite, marked "X" bears S 3° 08' W 31.7 varas; the extreme tip of the lowest projecting rock at the NW end of a hill bears S 40° 53' W; a cleft in the skyline formed by the South end of a rock bears S 44° 57' 30" W; a cedar tree 15 feet high marked "X" bears N 77° 02' W 44.7 varas; a 4-pronged mesquite 3 inches in diameter marked "T" bears N 14° 49' W 44.4 varas; a gunsight in cap rock at the SW end of a hill bears N 0° 09' E; a new steel windmill bears N 51° 48' E about 1500 varas; the NE tip of a cap rock bears N 86° 01' E; a spire-shaped boulder 1/3 the distance down from the top of a hill bears S 33° 49' E.

Thence West 1922.8 varas to a point for the NW corner of this section No. 13.

Thence South 1900.8 varas to a point for its SW corner.

Thence East 1922.8 varas to the NW corner of section No. 11 and the SW corner of section No. 12.

Thence North --- at 1891.8 varas cross a 40-inch net wire fence running about NE and SW --- at 1900.8 varas, the place of beginning.

Surveyed August 2, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath } Transitman.
W. P. Conklin

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 37
This 13th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 14

TERRELL

County

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

	B	35	
	14	11	
	15	10	
	U	T	

Mag. Declination 11° 10' East.

True North is 0° 18' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 37 miles N 45° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 11, 12, and 13, this Block for the NE corner of this section No. 14.

Thence West 1922.8 varas to the SW corner of said section No. 13.

Thence South 1900.8 varas to a point for the SW corner of this section No. 14.

Thence East 1922.8 varas to a concrete monument cemented in a rock ledge for the NW corner of section No. 10, being the SW corner of section No. 11, situated about 36 varas SW of the SW rim of a deep narrow canyon running NW in the bottom of which canyon about due North of the monument is a rock and concrete dam 20 feet high, the brass plate in which monument having been stamped as is represented in the figure above, from which a pinoak 6 inches in diameter marked "F" bears S 60° 57' W 17.5 varas; a letter "F", a letter "X", and a letter "U" cut on the faces of fixed rocks bear respectively N 30° 29' W 14.5 varas, S 82° 23' E 22.2 varas, and S 69° 12' E 34.5 varas; a cedar 8 inches in diameter marked "T" bears S 50° 09' E 18.0 varas.

Thence North immediately crossing canyon near dam, 1900.8 varas to the place of beginning.

Surveyed August 2, 1934.

Gibbons Poteet	} Chainmen.
Norris B. Creath	
W. P. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 38 This 13th day of April, 1938.

Frank F. Friend

 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 15

TERRELL

County

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	35
14	11
15	10
U	T

Mag. Declination 11° 13' East.

True North is 0° 18' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 46° E of Sanderson, the County site.

Beginning at a concrete monument cemented in a rock ledge for the NW corner of section No. 10, being the SW corner of section No. 11, and the SE corner of section No. 14, situated about 36 varas SW of the SW edge of a deep narrow gorge at the bottom of which gorge about due North of the monument is a rock and concrete dam 20 feet high, the brass plate in top of which monument having been stamped as is represented in the figure above, from which a pinoak 6 inches in diameter marked "F" bears S 60° 57' W 17.5 varas; a letter "F", a letter "X", and a letter "U" cut on the faces of fixed rocks bear respectively N 30° 29' W 14.5 varas, S 82° 23' E 22.2 varas, and S 69° 12' E 34.5 varas; a cedar 8 inches in diameter marked "T" bears S 50° 09' E 18.0 varas.

Thence South 1900.8 varas to the NW corner of section No. 9.

Thence West 1922.8 varas to a point for the SW corner of this section No. 15.

Thence North 1900.8 varas to the SW corner of section No. 14.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 2, 1934.

Gibbons Poteet

Norris B. Creath

W. P. Conklin

Chainmen.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 39

This 13th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 16

TERRELL

County

BLOCK No. 35


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 15' East.

True North is 0° 18' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 47° E of Sanderson, the County site.

Beginning at the NW, the SW, and the SE corner respectively of sections Nos. 9, 10, and 15, this Block, for the NE corner of this section No. 16.

Thence South 1900.8 varas to the concrete monument set for the NW corner of section No. 8, being the SW corner of section No. 9 and the SE corner of this section No. 16, situated on a divide in a prairie covered with greasewood, its brass plate in top having been stamped as is represented in the figure above, from which a windmill (only wheel being visible) bears S 17° 12' 30" W; a cedar 36 inches in diameter marked "F" near the head of a canyon running SW bears N 61° 40' W 369 varas; a letter "F", a letter "T", a letter "X", and a letter "U" cut in the face of a flat rock on the SE edge of a low cedar covered hill bear respectively N 60° 51' W 37.0 varas, N 59° 40' W 47.3 varas, N 49° 27' W 51.0 varas, and N 36° 58' W 53.6 varas; a cedar 10 feet high with a wild china tree beside it bears N 42° 43' E 68.2 varas.

Thence West 1922.8 varas to a point for the SW corner of this section No. 16.

Thence North 1900.8 varas to the SW corner of section No. 15.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 2, 1934.

Gibbons Poteet	} Chainmen.
Norris B. Creath	
W. P. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 40 This 14th day of April, 1938.

Frank F. Friend

 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 17

TERRELL

County } BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

	B	35	
	16	9	
	17	8	
	U	T	

Mag. Declination 11° 17' East.

True North is 0° 18' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 48° E of Sanderson, the County site.

Beginning at a concrete monument set on divide in a prairie among greasewood brush for the NW corner of section No. 8, being the SW corner of section No. 9, and the SE corner of section No. 16, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a windmill (only wheel being visible) bears S 17° 12' 30" W; a cedar 36 inches in diameter marked "F" near the head of a canyon running SW bears N 61° 40' W 369 varas; a letter "F", a letter "T", a letter "X", and a letter "U" cut in the face of a flat rock on the SE edge of a low cedar covered hill bear respectively N 60° 51' W 37.0 varas, N 59° 40' W 47.3 varas, N 49° 27' W 51.0 varas, and N 36° 58' W 53.6 varas; a cedar 10 feet high with a wild china tree beside it bears N 42° 43' E 68.2 varas.

Thence South 1900.8 varas to the NW corner of section No. 7.

Thence West 1922.8 varas to a point for the SW corner of this section No. 17.

Thence North 1900.8 varas to the SW corner of section No. 16.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 2, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 41

This 14th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

U	T
B	35
18	7

TERRELL

SECTION No. 18
 County } BLOCK No. 35

647.4

FIELD NOTES of a survey of
 ACRES of land made for THE
 UNIVERSITY OF TEXAS by virtue of an
 ACT approved March 29, 1929.

Mag. Declination 11° 20' East.

True North is 0° 18' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas,
 on the drainage of Independence Creek, a tributary of Pecos River
 about 34 miles N 50° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 7, 8, and 17, this Block, for the NE corner of this section No. 18.

Thence South crossing Dry Creek 1900.8 varas to a brass plate cemented in a shelf chiseled on the North face of an almost perpendicular rock wall in the extreme head of a rock-bound canyon running NE into another large canyon which runs North into Dry Creek, said plate having been set for the SW corner of section No. 7, this Block and stamped as is represented in the figure above, from which a 24-inch letter "T" cut in the rock wall of the canyon bears about N 10° W 10.5 varas; a 24-inch letter "F" cut in the face of the rock floor of the canyon bears about S 85° E 4.5 varas; a double cedar 50 inches in diameter marked "U" directly above the brass plate bears about S 45° E 13.4 varas.

Thence West 1922.8 varas to a point for the SW corner of this section No. 18.

Thence North recrossing Dry Creek 1900.8 varas to the SW corner of section No. 17.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 2, 1934.

Gibbons Poteet
 Norris B. Creath
 W. P. Conklin

} Chainmen.
 Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 42
 This 14th day of April, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 19

TERRELL

County

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

U	T
B	35
30	19

Mag. Declination 11° 19' East.

True North is 0° 17' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 33 miles N 48° E of Sanderson, the County site.

Beginning at the SW corner of section No. 18, this Block.

Thence West 1922.8 varas set a concrete monument on the North foot of a hill at top of which, due South, is a broken cap rock of about 25 large boulders, said monument being set for the SW corner of this section No. 19, its brass plate in top having been stamped as is represented in the figure above, from which a 4-inch cedar marked "F" bears S 9° 34' W 10.7 varas; a letter "Y", a letter "X", and a letter "T" cut on the faces of fixed rocks bear respectively S 53° 19' W 8.9 varas, S 85° 27' E 20.8 varas, and S 54° 43' E 9.1 varas; the NW end of a boulder in a cap rock on a distant point of a hill appearing slightly over a nearby point bears S 60° 51' W.

Thence North --- at 15 varas cross a short drain running West --- at 121.6 varas point from which a Samson windmill near a house bears N 27° 41' E 198.8 varas --- continuing North and crossing Dry Creek at 1900.8 varas point for the NW corner of this section No. 19.

Thence East 1922.8 varas strike the West common corner of sections No. 17 and No. 18.

Thence South recrossing Dry Creek 1900.8 varas to the place of beginning.

Surveyed August 2, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath }
 W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 43 This 14th day of April, 1938.

Frank F. Friend

 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 20

TERRELL

County

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	35
28	21
29	20
U	T

Mag. Declination 11° 16' East.

True North is 0° 17' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 34 miles N 47° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 17, 18 and 19, this Block for the SE corner of this section No. 20.

Thence North 1900.8 varas to the SW corner of section No. 16.

Thence West 1922.8 varas set a concrete monument on high mesa between Dry Creek and Independence Creek being about 500 varas West and 1,000 varas East of deep ravines, each running South, being in a rocky area about 100 varas East of the high part of a N-S ridge, same being set for the NW corner of this section No. 20, its brass plate in top being stamped as is represented in the figure above, from which a letter "X", a letter "F", and a letter "T" cut on the faces of fixed rocks bear respectively S 11° 46' W 11.8 varas, N 51° 45' W 22.0 varas, and N 38° 19' E 4.7 varas; a windmill bears N 16° 20' E about 1 1/2 miles; a single conspicuous cedar 10 feet high bears N 28° 54' E 68.8 varas; a triangulation station set by the United States Coast & Geodetic Survey marked "Moser 1935" bears N 76° 34' E about 4 miles; another windmill bears N 76° 41' E about 4 miles; another windmill on the horizon near a red-roofed house bears S 69° 42' 30" E.

Thence South 1900.8 varas to the NW corner of section No. 19.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 6, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 44 This 15th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 21

TERRELL

County

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

	B	35	
	28	21	
	29	20	
	U	T	

Mag. Declination 11° 14' East.

True North is 0° 17' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 46° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 20, this Block, situated on a high mesa between Dry Creek and Independence Creek about 500 varas West and about 1,000 varas East of deep ravines running South in a rocky area and about 100 varas East of the high part of a N-S ridge, its brass plate in top having been stamped as is represented in the figure above, from which a letter "X", a letter "F", and a letter "T" cut on the faces of fixed rocks bear respectively S 11° 46' W 11.8 varas, N 51° 45' W 22.0 varas, and N 38° 19' E 4.7 varas; a windmill bears N 16° 20' E about 1 1/2 miles; a single conspicuous cedar 10 feet high bears N 28° 54' E 68.8 varas; a triangulation station set by the United States Coast & Geodetic Survey marked "Moser 1935" bears N 76° 34' E about 4 miles; another windmill bears N 76° 41' E about 4 miles; another windmill on the horizon near a red-roofed house bears S 69° 42' 30" E.

Thence North 1900.8 varas to a point for the NW corner of this section No. 21.

Thence East 1922.8 varas to the SW corner of section No. 15 and the NW corner of section No. 16.

Thence South 1900.8 varas to the NW corner of section No. 17 and the NE corner of section No. 20.

Thence West 1922.8 varas to the place of beginning.

Surveyed August 6, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath } Transitman.
 W. P. Conklin }

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 45

This 15th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 22

TERRELL

County

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	35
26	23
27	22
U	T

Mag. Declination 11° 13' East.

True North is 0° 17' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 45° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 15, 16 and 21, this Block for the SE corner of this section No. 22.

Thence North 1900.8 varas to the SW corner of section No. 14.

Thence West 1922.8 varas set a concrete monument for the NW corner of this section No. 22, situated about 100 varas from the NW brink of a deep ravine running NE, about 20 varas below the SE edge of a high level plain, its brass plate in top having been stamped as is represented in the figure above, from which a letter "X", a letter "T", and a letter "U" cut on the faces of fixed rocks bear respectively S 67° 22' W 23.2 varas; North 56° 27' W 15.8 varas, and N 35° 40' W 15.4 varas; a windmill bears S 27° 05' 30" E about 1500 varas.

Thence South 1900.8 varas to the NW corner of section No. 21.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 6, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 46

This 14th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 23

TERRELL

County

BLOCK No. 35


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 11' East.

True North is 0° 17' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 44° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 22, this Block, situated about 100 varas NW of the brink of a deep raving running NE being about 20 varas below the SE edge of a high level plain, its brass plate in top having been stamped as is represented in the figure above, from which a letter "X", a letter "T", and a letter "U" cut on the faces of fixed rocks bear respectively S 67° 22' W 23.2 varas, N 56° 27' W 15.8 varas, and N 35° 40' W 15.4 varas; a windmill bears S 27° 05' 30" E about 1500 varas.

Thence North 1900.8 varas to a point for the NW corner of this section No. 23.

Thence East 1922.8 varas to the SW corner of section No. 13 and the NW corner of section No. 14.

Thence South 1900.8 varas to the NW corner of section No. 15 and the NE corner of said section No. 22.

Thence West 1922.8 varas to the place of beginning.

Surveyed August 6, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrel County in Book UT Vol. 13 page 47


This 15th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas



TERRELL County } SECTION No. 24
 BLOCK No. 35

FIELD NOTES of a survey of
 647.4 ACRES of land made for THE
 UNIVERSITY OF TEXAS by virtue of an
 ACT approved March 29, 1929.

Mag. Declination 11° 10' East.
 True North is 0° 17' 45" to the left of the North point used in
 the Field notes of this survey.

Said survey is situated in TERRELL County, Texas,
 on the drainage of Independence Creek, a tributary of Pecos River
 about 37 miles N 43° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 13, 14 and 23, this
 Block for the SE corner of this section No. 24.

Thence North 1900.8 varas to the NW corner of said section No. 13.

Thence West 1922.8 varas set a concrete monument for the NW corner
 of this section No. 24, situated on the East side of a rocky hill
 1/3 the distance down from the top on the North side of a shallow
 drain down the hillside and about 200 varas South of the SW end of
 a rugged narrow line of cap rock boulders, stamped its brass plate
 in top as is represented in the figure above, from which a cedar
 bush at the South end of the hill bears S 71° 54' W 42.0 varas; a
 letter "F", a letter "T", and a letter "U" cut in a solid rock
 ledge bear respectively (airline distance) S 80° 12' W 19.5 varas,
 N 53° 51' W 15.6 varas, and N 29° 14' W 14.6 varas; the South tip
 of a cap rock on a nearby hill bears N 54° 34' E about 700 varas;
 a steel windmill on the North side of a dirt tank bears S 73° 12' 30" E
 about 950 varas.

Thence South --- at 115 varas cross a rocky drain running SE --- at
 197 varas pass 50 varas East of the top of a conspicuous round knoll
 --- at 345 varas cross a rocky narrow drain running East --- at
 1900.8 varas strike the NW corner of section No. 23.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 6, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath }
 W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University
 Lands, do hereby certify that the foregoing survey was made by me in the field and according to law;
 that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described
 in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded
 in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 48
 This 15th day of April, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 25

TERRELL

County

BLOCK No. 35


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination $11^{\circ} 14'$ East.

True North is $0^{\circ} 17' 15''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles $N 42^{\circ} E$ of Sanderson, the County site.

Beginning at the NW corner of section No. 24, this Block, being a concrete monument set on the East side of a rocky hill about $\frac{1}{3}$ down from the top of same, being on the North side of a shallow drain down the hillside and about 200 varas South of the SW end of a rugged line of cap rock boulders, its brass plate in top having been stamped as is represented in the figure above, from which a cedar bush at the South end of the hill bears $S 71^{\circ} 54' W$ 42.0 varas; a letter "F", a letter "T", and a letter "U" cut in a solid rock ledge bear respectively (airline distance) $S 80^{\circ} 12' W$ 19.5 varas, $N 53^{\circ} 51' W$ 15.6 varas, and $N 29^{\circ} 14' W$ 14.6 varas; the South tip of a cap rock on a nearby hill bears $N 54^{\circ} 34' E$ about 700 varas; a steel windmill on the North side of a dirt tank bears $S 73^{\circ} 12' 30'' E$ about 950 varas.

Thence South --- at 115 varas cross a rocky drain running SE --- at 197 varas pass 50 varas East of the top of a conspicuous round knoll --- at 345 varas cross a rocky narrow drain running East --- at 1900.8 varas strike the NW corner of section No. 23.

Thence West 1922.8 varas to a point for the SW corner of this section No. 25.

Thence North 1900.8 varas to a point for its NW corner.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 6, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 49 This 15th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.


The State of Texas

SECTION No. 26

TERRELL

County

BLOCK No. 35



FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination $11^{\circ} 14'$ East.

True North is $0^{\circ} 17' 15''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N $42^{\circ} E$ of Sanderson, the County site.

Beginning at the common corner of sections Nos. 23, 24 and 25, this Block for the NE corner of this section No. 26.

Thence South 1900.8 varas to the concrete monument set for the NW corner of section No. 22, situated about 100 varas NW of the brink of a deep ravine running NE, being about 20 varas below or SE of the edge of a high level plain, its brass plate in top having been stamped as is represented in the figure above, from which a letter "X", a letter "T", and a letter "U" cut on the faces of fixed rocks bear respectively S $67^{\circ} 22' W$ 23.2 varas; N $56^{\circ} 27' W$ 15.8 varas, and N $35^{\circ} 40' W$ 15.4 varas; a windmill bears S $27^{\circ} 05' 30'' E$ about 1500 varas.

Thence West 1922.8 varas to a point for the SW corner of this section No. 26.

Thence North 1900.8 varas to the SW corner of section No. 25.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 6, 1934.

Gibbons Poteet	} Chainmen.
Norris B. Creath	
W. P. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 50


This 15th day of April, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 27
BLOCK No. 35



TERRELL

County

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 14' East.
True North is 0° 17' 15"

to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 44° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 22, being the SW corner of section No. 23 and the SE corner of section No. 26, this Block, situated about 100 varas NW of the rim of a deep ravine running NE and about 20 varas below or SE of the edge of a high level plain, its brass plate in top having been stamped as is represented in the figure above, from which a letter "X", a letter "T", and a letter "U" cut on the faces of fixed rocks bear respectively S 67° 22' W 23.2 varas, N 56° 27' W 15.8 varas, and N 35° 40' W 15.4 varas; a windmill bears S 27° 05' 30" E about 1500 varas.

Thence West 1922.8 varas to the SW corner of said section No. 26.

Thence South 1900.8 varas to a point for the SW corner of this section No. 27.

Thence East 1922.8 varas to the NW corner of section No. 21 and the SW corner of section No. 22.

Thence North 1900.8 varas to the place of beginning.

Surveyed August 6, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 51 This 15th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 28

TERRELL

County

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

	B	35	
	28	21	
	29	20	
	U	T	

Mag. Declination 11° 15' East.

True North is 0° 17' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 34 miles N 45° E of Sanderson, the County site.

Beginning at the SW corner of section No. 27, this Block for the NW corner of this section No. 28.

Thence South 1900.8 varas to a point for the SW corner of this section No. 28.

Thence East 1922.8 varas to the concrete monument set for the NW corner of section No. 20, being the SW corner of section No. 21, situated on a high mesa between Independence Creek and Dry Creek about 500 varas West and about 1,000 varas East of deep ravines each running South, being in a rocky area about 100 varas East of the highest part of a N-S ridge, its brass plate in top having been stamped as is represented in the figure above, from which a letter "X", a letter "F", and a letter "T" cut on the faces of fixed rocks bear respectively S 11° 46' W 11.8 varas, N 51° 45' W 22.0 varas, and N 38° 19' E 4.7 varas; a windmill bears N 16° 20' E about 1 1/2 miles; a single conspicuous cedar 10 feet high bears N 28° 54' E 68.8 varas; a triangulation station set by the U. S. C. & G. S. marked "Moser 1935" bears N 76° 34' E about 4 miles; another windmill bears N 76° 41' E about 4 miles; another windmill on the horizon near a red-roofed house bears S 69° 42' 30" E.

Thence North 1900.8 varas to the NW corner of section No. 21, the SW corner of section No. 22 and the SE corner of section No. 27.

Thence West 1922.8 varas to the place of beginning.

Surveyed August 8, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 52

This 15th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

TERRELL County } SECTION No. 29
BLOCK No. 35

FIELD NOTES of a survey of
647.4 ACRES of land made for THE
UNIVERSITY OF TEXAS by virtue of an
ACT approved March 29, 1929.

B	35
28	21
29	20
U	T

Mag. Declination $11^{\circ} 16'$ East.

True North is $0^{\circ} 17' 15''$ to the left of the North point used in
the Field notes of this survey.

Said survey is situated in TERRELL County, Texas,
on the drainage of Independence Creek, a tributary of Pecos River
about 33 miles N 46° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section
No. 20, being the SW corner of section No. 21 and the SE corner of
section No. 28, this Block, situated on a high mesa between Dry
Creek and Independence Creek about 500 varas West and about 1,000
varas East of deep ravines each running South, in a rocky area about
100 varas East of the highest part of a N-S ridge, the brass plate
in which monument having been stamped as is represented in the
figure above, from which a letter "X", a letter "F", and a letter
"T" cut on the faces of fixed rocks bear respectively S $11^{\circ} 46'$ W
11.8 varas, N $51^{\circ} 45'$ W 22.0 varas, and N $38^{\circ} 19'$ E 4.7 varas;
a windmill bears N $16^{\circ} 20'$ E about 1 1/2 miles; a single con-
spicuous cedar 10 feet high bears N $28^{\circ} 54'$ E 68.8 varas; a tri-
angulation station set by the U. S. C. & G. S. marked "Moser 1935"
bears N $76^{\circ} 34'$ E about 4 miles; another windmill bears N $76^{\circ} 41'$ E
about 4 miles; another windmill on the horizon near a red-roofed
house bears S $69^{\circ} 42' 30''$ E.

Thence West 1922.8 varas to the SW corner of section No. 28.

Thence South 1900.8 varas to a point for the SW corner of this
section No. 29.

Thence East 1922.8 varas to the West common corner of sections
No. 19 and No. 20.

Thence North 1900.8 varas to the place of beginning.

Surveyed August 8, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University
Lands, do hereby certify that the foregoing survey was made by me in the field and according to law;
that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described
in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded
in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 53
This 15th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 30
BLOCK No. 35

TERRELL County

U	T
B	35
30	19

647.4 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 17' East.
True North is 0° 17' 15" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 33 miles N 47° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 19, 20 and 29 for the NE corner of this section No. 30.

Thence West 1922.8 varas to the SW corner of said section No. 29.

Thence South crossing Dry Creek 1900.8 varas to a point for the SW corner of this section No. 30.

Thence East 1922.8 varas to the concrete monument set for the SW corner of section No. 19, situated on the North foot of a hill at top of which due South of the monument is a broken mass of cap rock stone consisting of about 25 large boulders, its brass plate in top having been stamped as is represented in the figure above, from which a 4-inch cedar marked "F" bears S 9° 34' W 10.7 varas; a letter "Y", a letter "X", and a letter "T" cut on the faces of fixed rocks bear respectively S 53° 19' W 8.9 varas, S 85° 27' E 20.8 varas, and S 54° 43' E 9.1 varas; the NW end of a boulder in a cap rock on a distant point of a hill appearing slightly over a nearby point bears S 60° 51' W.

Thence North --- at 15 varas cross a drain running West --- at 121.6 varas point from which a samson windmill near a house bears N 27° 41' E 198.8 varas --- continuing North and recrossing Dry Creek at 1900.8 varas, the place of beginning.

Surveyed August 8, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 54 This 15th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 31

TERRELL

County

BLOCK No. 35


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination $11^{\circ} 18'$ East.

True North is $0^{\circ} 16' 45''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 32 miles N $46^{\circ} E$ of Sanderson, the County site.

Beginning at the SW corner of section No. 30, this Block for the SE corner of this section No. 31.

Thence West 1922.8 varas to a large stone mound 5 feet at base and 3 feet high situated on a solid rock ledge on the North side of a deep narrow canyon running East about $\frac{1}{3}$ the distance down from the top of the rim, about 50 varas NW of the junction of this canyon with another from the South, identified as the original SW corner of this section No. 31, from which monument the following bearings were taken: a letter "F", a "Z", an "X", an "U", and a "T" cut on the face of a solid rock bear respectively S $22^{\circ} 08' W$ 5.7 varas, N $62^{\circ} 55' W$ 17.5 varas, N $19^{\circ} 49' E$ 14.5 varas, N $26^{\circ} 33' W$ 10.3 varas, and N $70^{\circ} 39' E$ 14.4 varas; a large cedar tree 25 feet high bears N $81^{\circ} 46' 25'' E$ about 300 varas; an old stone mound of about 10 flat rocks, one 14"x12"x7" lying on top from which a clump of cedar in the head of the drain bears S $6^{\circ} 30' E$ (variation $11^{\circ} E$) about 400 varas, which may or may not be the original common corner of surveys Nos. 65, 66, 69 and 70, Block 1; Texas Central Railroad Co. bears S 4255.6 varas and W 137.1 varas.

Thence North crossing Dry Creek 1900.8 varas to a point for the NW corner of this section No. 31.

Thence East 1922.8 varas to the SW corner of section No. 29 and the NW corner of section No. 30.

Thence South recrossing Dry Creek 1900.8 varas to the place of beginning.

Surveyed August 8, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 55
This 15th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

		B 35	
		33	
		32	
		UT	

TERRELL

County

SECTION No. 32

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 17' East.

True North is 0° 16' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 33 miles N 45° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 29, 30 and 31, this Block, for the SE corner of this section No. 32.

Thence North 1900.8 varas to the SW corner of section No. 28.

Thence West --- at 1624.9 varas pass through at about right angles a net wire fence having 3 barbed wires above the net --- at 1922.8 varas set a concrete monument on divide about 300 varas East of a drain running South into Dry Creek, stamped its brass plate in top as is represented in the figure above, from which windmills on the horizon bear S 53° 47' E about 5 miles and S 47° 21' E about 4 miles; another windmill bears S 29° 04' E about 3 miles; a windmill, the wheel only of which being visible, bears S 28° 47' E; a cedar 10 feet high marked "T" which stands 50 varas East of the East edge of a deep ravine running SE bears S 14° 29' W 206 varas; another cedar marked "X" bears N 55° 24' W 133 varas.

Thence South --- at 364.2 varas cross at about right angles a 40-inch net wire fence having 1 barbed wire above the net --- at 1900.8 varas strike the NW corner of section No. 31.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 8, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 56 This 16th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 33

TERRELL

County

BLOCK No. 35


FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 16' East.

True North is 0° 16' 45" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 33 miles N 44° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 28, 29 and 32, this Block for the SE corner of this section No. 33.

Thence North 1900.8 varas to the SW corner of section No. 27.

Thence West 1922.8 varas to a point for the NW corner of this section No. 33.

Thence South 1900.8 varas to the concrete monument set for the NW corner of section No. 32, situated on a divide about 300 varas East of a drain running South into Dry Creek, its brass plate in top having been stamped as is represented in the figure above, from which windmills on the horizon bear S 53° 47' E about 5 miles and S 47° 21' E about 4 miles; another windmill bears S 29° 04' E about 3 miles; a windmill, the wheel only of which being visible, bears S 28° 47' E; a cedar 10 feet high marked "T" which stands 50 varas East of the East edge of a deep ravine running SE bears S 14° 29' W 206 varas; another cedar marked "X" bears N 55° 24' W 133 varas.

Thence East --- at 297.9 varas cross at about right angles a net wire fence having 3 barbed wires above the net --- at 1922.8 varas, the place of beginning.

Surveyed August 8, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 57

This 16th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

	B 35	
	35	
	34	
	UT	

TERRELL

County

SECTION No. 34

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination $11^{\circ} 16'$ East.

True North is $0^{\circ} 16' 45''$ to the left of the North point used in
the Field notes of this survey.

Said survey is situated in TERRELL County, Texas,
on the drainage of Independence Creek, a tributary of Pecos River
about 34 miles N 43° E of Sanderson, the County site.

Beginning at the NW corner of section No. 33, this Block.

Thence East 1922.8 varas to the West common corner of sections
No. 27 and No. 28.

Thence North 1900.8 varas to the SW corner of section No. 26.

Thence West 1922.8 varas set a concrete monument for the NW corner
of this section No. 34, same being situated on a small gravel hum-
mock in a canyon, stamped its brass plate in top as is represented
in the figure above, from which a letter "F" cut on the face of a
cap rock bears N $24^{\circ} 57'$ W 81.8 varas; the South tip of an upper
cap rock bears S $84^{\circ} 47'$ E; a fissure in a cap rock bears S $48^{\circ} 51'$ E ;
a letter "T" cut on a boulder on the South edge of a ravine bears
S $13^{\circ} 33'$ W 60 varas; an "X" cut on a boulder on the North slope
of a hill about 30 varas below a perpendicular cap rock bears
S $22^{\circ} 35'$ W 76.9 varas.

Thence South 1900.8 varas, the place of beginning.

Surveyed August 8, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University
Lands, do hereby certify that the foregoing survey was made by me in the field and according to law;
that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described
in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded
in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 58
This 16th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

TERRELL

County

SECTION No. 35

BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

		B 35	
		35	
		34	
		UT	

Mag. Declination $11^{\circ} 16'$ East.

True North is $0^{\circ} 16' 45''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 41° E of Sanderson, the County site.

Beginning at a concrete monument set in a canyon on a small gravel hummock for the NW corner of section No. 34, this Block, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F" cut on the face of a cap rock bears N $24^{\circ} 57'$ W 81.8 varas; the South tip of an upper cap rock bears S $84^{\circ} 47'$ E; a fissure in a cap rock bears S $48^{\circ} 51'$ E; a letter "T" cut on a boulder on the South edge of a ravine bears S $13^{\circ} 33'$ W 60 varas; an "X" cut on a boulder on the North slope of a hill about 30 varas below a perpendicular cap rock bears S $22^{\circ} 35'$ W 76.9 varas.

Thence East 1922.8 varas to the SW corner of section No. 26 and the NW corner of section No. 27.

Thence North 1900.8 varas to the SW corner of section No. 25.

Thence West 1922.8 varas to a point for the NW corner of this section No. 35.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 8, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin


} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 59 This 16th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas



TERRELL

SECTION No. 36

County } BLOCK No. 35

FIELD NOTES of a survey of

647.4

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination $11^{\circ} 16'$ East.

True North is $0^{\circ} 15' 45''$ to the left of the North point used in
the Field notes of this survey.

Said survey is situated in TERRELL County, Texas,
on the drainage of Independence Creek, a tributary of Pecos River
about 36 miles N 40° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 25, 26 and 35 for the
SE corner of this section No. 36.

Thence North 1900.8 varas to the NW corner of said section No. 25.

Thence West 1922.8 varas set a concrete monument for the NW corner
of this section No. 36, situated in a wide valley over-grown by
thick grass, mesquite and cedar, stamped its brass plate in top as
is represented in the figure above, from which a 4-inch mesquite
marked "F" bears N $89^{\circ} 27'$ W 29.4 varas; a cedar bush 10 feet high
bears N $85^{\circ} 31'$ W 45 varas; a 3-inch double mesquite marked "T"
bears N $49^{\circ} 23'$ W 6.1 varas; the East tip of a cap rock bears
N $15^{\circ} 31'$ W; the left-hand cedar bush in a gap on divide bears
N $57^{\circ} 37'$ E; the right-hand cedar bush in the same gap bears
N $57^{\circ} 49'$ E; a cedar bush 10 feet high bears S $76^{\circ} 05'$ E 34 varas;
a 4-inch mesquite marked "X" bears S $4^{\circ} 29'$ E 22 varas; the NW
tip of a small projecting rock in a cap rock bears S $24^{\circ} 01' 30''$ W
about 700 varas; the South edge of a cap rock West of the Mitchell
house bears S $77^{\circ} 34'$ W; the windmill at the Mitchell house bears
S $87^{\circ} 20' 30''$ W.

Thence South 1900.8 varas to the NW corner of section No. 35.

Thence East 1922.8 varas to the place of beginning.

Surveyed August 8, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University
Lands, do hereby certify that the foregoing survey was made by me in the field and according to law;
that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described
in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded
in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 60
This 16th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 1

BLOCK No. 36

TERRELL

County


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 27' East.

True North is 0° 15' 30" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 33 miles N 39° E of Sanderson, the County site.

Beginning at a concrete monument set on a high divide on the West side of a flat drain running South being 65 varas North of an E-W 36-inch net wire fence having 3 smoothe wires above the net, said monument being 6,000 varas North and 2500 varas West of a large stone monument 5 feet at base and 3 feet high on the North side of a deep, narrow canyon running East, said stone monument having been identified as the original SW corner of section No. 31, Block 35, University Land; said concrete monument being set for the SE corner of this section No. 1, the brass plate in top of which being stamped as is represented in the figure above, from which the right-hand gate post in an E-W fence bears S 83° 34' E about 552 varas; cedar bushes, each about 5 feet high, bear S 66° E 48 varas, N 38° W 26 varas, and N 1° W 55 varas; a bench mark by the United States Geological Survey embedded in cement in the top of a 10" x 6" stone set in the ground bears E 664.2 varas and N 183.2 varas.

Thence West --- at 336.8 varas set a 60d hub nail in a rock mound --- at 710.3 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires above the net 73.8 varas North of its junction with an E-W fence --- at 829 varas cross a small drain running SW --- at 1150.4 varas set another 60d hub nail in a stone mound from which a U. S. C. & G. S. station Mitchell bears N 62° 29' 00" W --- at 1250 varas cross a large drain running South --- at 1900.8 varas point for the SW corner of this section No. 1.

Thence North 1900.8 varas to a point for its NW corner.

Thence East 1900.8 varas to a point for its NE corner.

Thence South --- at 187.6 varas set a 60d hub nail in a rock mound on top of a small cedar covered knoll on the NW side of a wide cedar covered drain running NE --- at 1361.8 varas point on the SE edge of a wide thickly cedar covered drain running NE --- at 1513.2 varas set another 60d hub nail in a rock mound --- at 1606.8 varas cross an E-W road --- at 1900.8 varas, the place of beginning.

Surveyed August 11, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath }
 W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 61
 This 18th day of April, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 2

TERRELL

County

BLOCK No. 36


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 32' East.

True North is 0° 15' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 32 miles N 38° E of Sanderson, the County site.

Beginning at the SW corner of section No. 1, this Block.

Thence West --- at 416.0 varas and at 545.0 varas set 60d hub nails in rock mounds, the first of which being 92.5 varas North of an E-W 36-inch net wire fence having 3 barbed wires and 1 telephone wire above the net --- continuing West crossing a large drain running South --- at 1753.8 varas set a 60d hub nail in a stone mound about 150 varas West of the West edge of said drain --- at 1900.8 varas set a concrete monument on a rocky hill top for the SW corner of this section No. 2, being 408 varas South of the Sheffield-Sanderson graded road and 94.0 varas North of an E-W 36-inch net wire fence having 3 barbed wires and a telephone wire above the net, being about 3/4 mile South of the highest point of divide; around the monument are stacked numerous stones, its brass plate in top being stamped as is represented in the figure above, from which a letter "U", a letter "X", a letter "F", and a letter "T" cut on the faces of fixed rocks bear respectively S 35° 58' E 25.2 varas, N 72° 35' W 12.3 varas, N 39° 06' W 10.1 varas, and N 23° 03' W 15.1 varas; the U. S. C. & G. S. triangulation station "Mitchell" bears N 7° 00' 30" E about 3/4 mile.

Thence North 1900.8 varas to a point for the NW corner of this section No. 2.

Thence East 1900.8 varas to the NW corner of section No. 1.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 11, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 62

This 18th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

	U B	T 36	
	3	2	

TERRELL

SECTION No. 3

County } BLOCK No. 36

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination $11^{\circ} 37'$ East.

True North is $0^{\circ} 14' 30''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 32 miles N 35° E of Sanderson, the County site.

Beginning at the SW corner of section No. 2, this Block, same being a concrete monument around which is stacked numerous stones, situated on a rocky hill top 408 varas South of the Sheffield-Sanderson graded road and 94.0 varas North of an E-W 36-inch net wire fence having 3 barbed wires and 1 telephone wire above the net; it is also about $\frac{3}{4}$ mile South of the highest point of divide, its brass plate in top having been stamped as is represented in the figure above, from which a letter "U", a letter "X", a letter "F", and a letter "T" cut on the faces of fixed rocks bear respectively S $35^{\circ} 58'$ E 25.2 varas, N $72^{\circ} 35'$ W 12.3 varas, N $39^{\circ} 06'$ W 10.1 varas and N $23^{\circ} 03'$ W 15.1 varas; the U. S. C. & G. S. triangulation station "Mitchell" bears N $7^{\circ} 00' 30''$ E about $\frac{3}{4}$ mile.

Thence West at 92 varas point on the East edge of the head of a canyon --- at 260 varas bottom of said canyon about 30 varas South of the head of same --- at 303 varas point on the West edge of the same canyon --- at 356.3 varas set a 60d hub nail in a rock mound on top of divide 98 varas North of a net wire fence --- at 515 varas point on the West edge of divide and East side of a valley running South --- at 660 varas cross the Sheffield-Sanderson graded road 90.0 varas North of a cattle guard in an E-W fence --- at 703 varas cross a drain running South --- at 764 varas East foot of a hill, West edge of valley --- at 843 varas East edge of divide --- at 1183.5 varas and at 1678.2 varas set 60d hub nails in rock mounds on high divide, the latter being 106.1 varas North of an E-W fence --- at 1900.8 varas point on top of smooth divide, the SW corner of this section No. 3, from which point an old stone mound on the West slope on the East side of a narrow canyon about 40 varas below top of hill, which may or may not be the original North common corner of surveys No. 10 and No. 32, Block 1, C. C. S. D. & R. G. N. G. RR Co. bears S 406.3 varas and East 14.4 varas.

Thence North 1900.8 varas to a point for the NW corner of this section No. 3.

Thence East 1900.8 varas to the NW corner of section No. 2.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 11, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 63

This 18th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 4

TERRELL

County

BLOCK No. 36

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

	UT B 36	
	4	

Mag. Declination 11° 45' East.

True North is 0° 14' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 31 miles N 35° E of Sanderson, the County site.

Beginning at a point on top of a smoothe divide, the SW corner of section No. 3, this Block for the SE corner of this section No. 4, from which point an old stone mound on the West slope on the East side of a narrow canyon about 40 varas below top of hill, which may or may not be the original North common corner of surveys No. 10 and No. 32, Block 1, C. C. S. D. & R. G. N. G. RR Co. bears S 406.3 varas and East 14.4 varas.

Thence West --- at 29 varas point on the East edge of a ravine running South --- at 100 varas bottom of ravine --- at 200 varas West edge of ravine --- at 704.1 varas and at 1094.4 varas set 60d hub nails in rock mounds, the first being on high divide --- at 1197 varas point on the East edge of a canyon running South --- at 1345 varas point on the East edge of valley --- at 1533 varas cross a rocky drain at West edge of valley --- at 1599 varas point on the West edge and top of canyon --- at 1724.3 varas set another hub nail in a rock mound on the NE side of divide about 200 varas NE of its summit --- at 1900.8 varas set a concrete monument for the SW corner of this section No. 4 around which is stacked 10 large rocks, situated on the NW side of a rocky hill, 50 varas West and about 100 varas North of its highest part, being 395 varas North of a crooked net wire fence having 3 barbed wires and a telephone wire above the net, its brass plate in top being stamped as is represented in the figure above, from which a 4-inch cedar marked "X" bears S 81° 25' E 19.4 varas; a letter "F", a letter "U", a letter "C", and a letter "T" cut on the faces of fixed rocks bear respectively S 0° 34' W 12.5 varas, S 41° 05' W 18.9 varas, N 84° 48' W 9.0 varas, and N 65° 48' E 5.9 varas; a large Spanish dagger bears N 9° 02' W about 400 varas; an old stone mound of 22 stones averaging in size from 6" x 3" to 2" x 2" deeply embedded in grass covered soil situated on a N-S ridge from which stone mound the letters "J L L R" cut on a fixed stone bear N 45° W 4.3 varas, which is evidently the original North common corner of surveys No. 32 and No. 33, Block 1, C.C.S.D. & R.G.N.G.RR Co., bears S 0° 04' E 405.9 varas; another old stone mound partially embedded in soil from which a bush on a rocky point bears N 11° 40' E, evidently the common corner of surveys No. 33 and No. 58, Block 1, and survey No. 1, Block 2, C.C.S.D. & R.G.N.G.RR Co. bears West 1973.0 varas and S 390.1 varas.

Thence North 1900.8 varas to a point for the NW corner of this section No. 4.

Thence East 1900.8 varas to the NW corner of section No. 3.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 11, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13, page 64. This 18th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 5

TERRELL

County

BLOCK No. 36


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 45' East.

True North is 0° 14' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 32 miles N 34° E of Sanderson, the County site.

Beginning at the NW corner of section No. 4, this Block.

Thence North 1900.8 varas set a concrete monument for the NW corner of this section No. 5, around which was stacked 9 large stones, situated on the NW side of a long low rocky ridge extending NE and SW about 30 varas NW of its highest part, stamped its brass plate in top as is represented in the figure above, from which an "X", an "F" and a "T" cut on the faces of fixed rocks bear respectively S 75° 28' E 21.6 varas, N 72° 13' W 20.7 varas, and N 39° 14' W 13.9 varas.

Thence East 1900.8 varas to a point for its NE corner.

Thence South 1900.8 varas to the NW corner of section No. 3 and the NE corner of section No. 4.

Thence West 1900.8 varas to the place of beginning.

Surveyed August 11, 1934.

Gibbons Poteet	} Chainmen.
Norris B. Creath	
W. P. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 65 This 18th day of April, 1938.

Frank F. Friend

 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

B	36
11 6	10 7
U	T

TERRELL

County

SECTION No. 6

BLOCK No. 36

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination $11^{\circ} 40'$ East.

True North is $0^{\circ} 14' 30''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 32 miles $N 36^{\circ} E$ of Sanderson, the County site.

Beginning at the common corner of sections Nos. 3, 4, and 5, this Block.

Thence East 1900.8 varas to the NW corner of section No. 2.

Thence North 1900.8 varas cemented a brass plate in solid flat rock around which was stacked numerous stones for the NE corner of this section No. 6, situated on top of a high hill, the plate being stamped as is represented in the figure above, from which a letter "F", a letter "X", a letter "U", and a letter "T" cut on the faces of fixed rocks bear respectively $S 6^{\circ} 38' W 10.0$ varas, $S 62^{\circ} 22' W 12.1$ varas, $N 18^{\circ} 08' E 17.5$ varas, and $S 36^{\circ} 06' E 13.4$ varas; a cedar bush bears $S 79^{\circ} 27' W 20.9$ varas; the upper edge of the projecting rim rock on a point of hill jutting South bears $S 49^{\circ} 34' E$; the triangulation station set by the U. S. C. & G. S. marked "Mitchell" bears $S 3^{\circ} 38' 30'' E$ about 2500 varas.

Thence West 1900.8 varas to the NE corner of section No. 5.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 11, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 66

This 18th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 7

TERRELL

County

BLOCK No. 36


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination $11^{\circ} 34'$ East.

True North is $0^{\circ} 15' 00''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 33 miles N $37^{\circ} E$ of Sanderson, the County site.

Beginning at a brass plate cemented in a solid flat rock having numerous stones stacked around it for the NE corner of section No. 6, this Block, situated on top of a high hill, the same having been stamped as is represented in the figure above, from which a letter "F", a letter "X", a letter "U", and a letter "T" cut on the faces of fixed rocks bear respectively S $6^{\circ} 38' W$ 10.0 varas, S $62^{\circ} 22' W$ 12.1 varas, N $18^{\circ} 08' E$ 17.5 varas, and S $36^{\circ} 06' E$ 13.4 varas; a cedar bush bears S $79^{\circ} 27' W$ 20.9 varas; the upper edge of the projecting rim rock on a point of hill jutting South bears S $49^{\circ} 34' E$; the triangulation station set by the U.S.C. & G.S. marked "Mitchell" bears S $3^{\circ} 38' 30'' E$ about 2500 varas.

Thence South 1900.8 varas to the NW corner of section No. 2 and the NE corner of section No. 3.

Thence East 1900.8 varas to the NW corner of section No. 1.

Thence North 1900.8 varas to a point for the NE corner of this section No. 7.

Thence West 1900.8 varas to the place of beginning.

Surveyed August 11, 1934.

Gibbons Poteet	} Chainmen.
Norris B. Creath	
W. P. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 67. This 19th day of April, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.


The State of Texas

SECTION No. 8

TERRELL

County

BLOCK No. 36



FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 27' East.

True North is 0° 15' 30" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 34 miles N 38° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 1, 2 and 7, this Block.

Thence East 1900.8 varas to the NE corner of said section No. 1.

Thence North --- at 86.4 varas pass 35.1 varas West of a stone mound --- at 472.6 varas and at 750.6 varas set 60d hub nails in rock mounds, the latter being 50 varas South of the North rim of a cap rock on a point of hill projecting North --- at 1900.8 varas set a concrete monument for the NE corner of this section No. 8, being in a gravelly prairie on the SE side of a valley running NE about 90 varas West of the foot of a hill projecting North, its brass plate in top being stamped as is represented in the figure above, from which a windmill bears S 85° 41' W about 1/2 mile; an 8-inch and a 4-inch hackberry each marked "T" bear respectively N 78° 37' W 247.4 varas and N 21° 14' W 131.3 varas; a 6-inch mesquite marked "F" bears N 14° 31' E 151.7 varas; the windmill near the Mitchell ranch, only the top half of the wheel being visible, bears N 21° 55' E; a projecting ledge in the lowest part of a cap rock bears N 17° 33' E.

Thence West 1900.8 varas to the NE corner of section No. 7.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 11, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 68


This 19th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas



TERRELL

SECTION No. 9
County } BLOCK No. 36

640.0 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Fig. #1
Mag. Declination 11° 28' East.
True North is 0° 15' 30" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 3/4 miles N 37° E of Sanderson, the County site.

Beginning at a concrete monument set for the NE corner of section No. 8, this Block, situated on the SE side of a valley in a gravelly prairie, about 90 varas West of the foot of a hill projecting North, its brass plate in top having been stamped as is represented in Figure No. 1 above, from which a windmill bears S 85° 41' W about 1/2 mile; an 8-inch and a 4-inch hackberry each marked "T" bear respectively N 78° 37' W 247.4 varas and N 21° 14' W 131.3 varas; a 6-inch mesquite marked "F" bears N 14° 31' E 151.7 varas; the windmill near the Mitchell ranch, only the top half of the wheel being visible, bears N 21° 55' E; a projecting ledge in the lowest part of a cap rock bears N 17° 33' E.

Thence North --- at 29.5 varas set a 60d hub nail in a rock mound --- at 250 varas point in a drain running NE --- at 256.5 varas pass under a telephone line running NE -SW --- at 568 varas cross the Sheffield-Sanderson graded road --- at 726.2 varas set another 60d hub nail in a rock mound --- at 773 varas pass about 100 varas West of the remains of an old rock house --- at 1305.2 varas set a 60d hub nail in a rock mound 20 varas East of the East edge of a deep canyon running SE, being about 100 varas North of the South edge of the point of a hill projecting East --- at 1371.5 varas cross at about right angles a 36-inch net wire fence having 3 barbed wires and 1 smooth wire above the net --- at 1434.7 varas set a 60d hub nail in a rock mound on top of a point projecting East --- at 1643.9 varas cut an "X" on a solid rock over which was built a stone mound in cap rock at the North side of a point of hill --- at 1900.8 varas set a concrete monument for the NE corner of this section No. 9, situated on the South side of a valley running East, about 100 varas North of the North foot of a hill projecting East, being about 20 varas South of a dim E-W road, its brass plate in top having been stamped as is represented in Figure No. 2 above, from which a 5-inch mesquite marked "T" bears N 22° 08' E 58.5 varas; the South tip of a projecting ledge bears N 56° 11' E about 700 varas; a boulder marked "F" on the North side of a hill bears S 2° 54' E 109.7 varas; a 6-inch hackberry marked "X" in a group of 4 on the North bank of a drain bears N 1° 53' W 136.2 varas.

Thence West 1900.8 varas to a point for the NW corner of this section No. 9.
Thence South 1900.8 varas to the NE corner of section No. 7.
Thence East 1900.8 varas to the place of beginning.

Surveyed August 11, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 69 This 19th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 10
BLOCK No. 36

TERRELL

County

B	37	B	36
2	3	11	10
11	10	6	7
B	36	U	T
U	T		

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Fig. No. 1 Fig. No. 2
Mag. Declination 11° 34' East.

True North is 0° 15' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 34 miles N 36° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 7, 8 and 9, this Block.

Thence North 1900.8 varas to the NW corner of said section No. 9.

Thence West 1900.8 varas set a concrete monument around which was stacked numerous stones for the NW corner of this section No. 10, situated on the East side of a canyon running South about 20 varas below a broken irregular cap rock, stamped its brass plate in top as is represented in Fig. #1 above, from which a letter "F", a letter "T", and a letter "X" cut on the cap rock, and a letter "U" cut on the face of a fixed rock bear respectively N 52° 31' E 20.4 varas, N 75° 09' E 20.0 varas, S 74° 34' E 21.0 varas, and S 61° 08' E 10.1 varas; a windmill, the wheel only being visible bears S 18° 31' E about 1 mile.

Thence South 1900.8 varas strike the brass plate set in solid rock in a rock mound on top of a high hill for the NE corner of section No. 6, being the NW corner of section No. 7, the plate having been stamped as is represented in Fig. #2 above, from which a letter "F", a letter "X", a letter "U", and a letter "T" cut on the faces of fixed rocks bear respectively S 6° 38' W 10.0 varas, S 62° 22' W 12.1 varas, N 18° 08' E 17.5 varas, and S 36° 06' E 13.4 varas; a cedar bush bears S 79° 27' W 20.9 varas; the upper edge of the projecting rim rock on a point of hill jutting South bears S 49° 34' E; the triangulation station set by the U. S. C. & G. S. marked "Mitchell" bears S 3° 38' 30" E about 2500 varas.

Thence East 1900.8 varas to the place of beginning.

Surveyed August 13, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 70 This 19th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 11

TERRELL

County

BLOCK No. 36

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	36	B	37
11	10	2	3
6	7	11	10
U	T	B	36
		U	T

Fig. #1

Fig. #2

Mag. Declination $11^{\circ} 40'$ East.

True North is $0^{\circ} 14' 30''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 33 miles N $34^{\circ} E$ of Sanderson, the County site.

Beginning at the common corner of sections Nos. 6, 7 and 10, this Block, being a brass plate cemented in solid rock in a rock mound on top of a high hill, having been stamped as is represented in Fig. #1 above, from which a letter "F", a letter "X", a letter "U", and a letter "T" cut on the faces of fixed rocks bear respectively S $6^{\circ} 38' W$ 10.0 varas, S $62^{\circ} 22' W$ 12.1 varas, N $18^{\circ} 08' E$ 17.5 varas, and S $36^{\circ} 06' E$ 13.4 varas; a cedar bush bears S $79^{\circ} 27' W$ 20.9 varas; the upper edge of the projecting rim rock on a point of hill jutting South bears S $49^{\circ} 34' E$; the triangulation station set by the U. S. C. & G. S. marked "Mitchell" bears S $3^{\circ} 38' 30'' E$ about 2500 varas.

Thence North 1900.8 varas to the concrete monument set for the NW corner of said section No. 10, situated on the East side of a canyon running South, about 20 varas below a broken irregular cap rock, said monument being surrounded by numerous stones, its brass plate in top having been stamped as is represented in Fig. #2 above, from which a letter "F", a letter "T", and a letter "X" cut on the cap rock, and a letter "U" cut on the face of a fixed rock bear respectively N $52^{\circ} 31' E$ 20.4 varas, N $75^{\circ} 09' E$ 20.0 varas, S $74^{\circ} 34' E$ 21.0 varas, and S $61^{\circ} 08' E$ 10.1 varas; a windmill, the wheel only being visible, bears S $18^{\circ} 31' E$ about 1 mile.

Thence West 1900.8 varas to a point for the NW corner of this section No. 11.

Thence South 1900.8 varas to the NE corner of section No. 5 and the NW corner of section No. 6.

Thence East 1900.8 varas to the place of beginning.

Surveyed August 13, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 71

This 19th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 12

TERRELL

County

BLOCK No. 36

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

	B 36		B 37
	12		1
	5		12
	UT		B 36
			UT

Fig. #1

Fig. #2

Mag. Declination 11° 46' East.

True North is 0° 14' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 33 miles N 37° E of Sanderson, the County site.

Beginning at the NW corner of section No. 11, this Block.

Thence South 1900.8 varas to the NE, the NW, and the SW corner respectively of sections Nos. 5, 6 and 11.

Thence West 1900.8 varas to the concrete monument set for the NW corner of said section No. 5, around which were stacked 9 large stones, situated on the NW side of a long low rocky point of hill projecting NE, being 30 varas NW of its highest part, its brass plate in top having been stamped as is represented in Fig. #1 above, from which a letter "X", an "F", and a "T" cut on the faces of fixed rocks bear respectively S 75° 28' E 21.6 varas, N 72° 13' W 20.7 varas and N 39° 14' W 13.9 varas.

Thence North 1900.8 varas set a concrete monument for the NW corner of this section No. 12, situated on a rough divide among cedar, grease-wood and sotol, stamped its brass plate in top as is represented in Fig. #2 above, from which a dagger 6 feet high bears N 66° 54' E 168.4 varas; built a large stone mound over an abandoned deadman near a "T" cut on a fixed rock bears S 82° 53' E 204 varas; a letter "U" cut on the face of a fixed rock bears S 22° 10' E 91.7 varas; a cedar bush 8 feet high marked "X" bears S 8° 23' E 64 varas; an old stone mound of 17 stones, one fan-shaped stone marked "SE 24" on one side and "NE 13" on the other side set by A. N. Lea, County Surveyor of Pecos County, from which stone mound a large mesquite bears N 61° 58' E 172.5 varas (Lea, N 61° 45' E 180 varas); a windmill on divide bears N 18° 13' W (Lea, N 18° 25' W) --- bears West 1870.2 varas and South 221.0 varas.

Thence East 1900.8 varas to the place of beginning.

Surveyed August 13, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 72

This 19th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.


The State of Texas

SECTION No. 1

TERRELL

County

BLOCK No. 37



640.0

FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 48' East.

True North is 0° 14' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 33 miles N 31° E of Sanderson, the County site.

Beginning at the NW corner of section No. 12, Block 36, University Land, being a concrete monument set on a rough divide among cedar and greasewood brush and sotol, its brass plate in top having been stamped as is represented in the figure above, from which a dagger 6 feet high bears N 66° 54' E 168.4 varas; built a large stone mound over an abandoned deadman near a "T" cut on a fixed rock bears S 82° 53' E 204 varas; a letter "U" cut on the face of a fixed rock bears S 22° 10' E 91.7 varas; a cedar bush 8 feet high marked "X" bears S 8° 23' E 64 varas; an old stone mound of 17 stones, one fan-shaped stone marked "SE 24" on one side and "NE 13" on the other side set by A. N. Lea, County Surveyor of Pecos County, from which stone mound a large mesquite bears N 61° 58' E 172.5 varas (Lea, N 61° 45' E 180 varas); a windmill on divide bears N 18° 13' W (Lea, N 18° 25' W) --- bears West 1870.2 varas and South 221.0 varas.

Thence North 1900.8 varas to a point for the NW corner of this section No. 1.

Thence East 1900.8 varas to a point for its NE corner.

Thence South 1900.8 varas strike the NW corner of section No. 11 and the NE corner of section No. 12, Block 36.

Thence West 1900.8 varas to the place of beginning.

Surveyed August 13, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 73

This 20th day of April, 1938.

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

74

B	37
2	3
11	10
B	36
U	T

TERRELL

County

SECTION No. 2

BLOCK No. 37

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination $11^{\circ} 41'$ East.

True North is $0^{\circ} 14' 30''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about $3\frac{1}{4}$ miles N $33^{\circ} E$ of Sanderson, the County site.

Beginning at the common corner of sections Nos. 1, this Block, and 11 and 12, Block 36, University Land.

Thence North 1900.8 varas to the NE corner of said section No. 1.

Thence East 1900.8 varas to a point for the NE corner of this section No. 2.

Thence South 1900.8 varas to the concrete monument in the center of a stone mound set for the NW corner of section No. 10, being the NE corner of section No. 11, Block 36, situated on the East side of a canyon running South about 20 varas below a broken irregular cap rock, its brass plate in top having been stamped as is represented in the figure above, from which a letter "F", a letter "T", and a letter "X" cut on the cap rock, and a letter "U" cut on the face of a fixed rock bear respectively N $52^{\circ} 31'$ E 20.4 varas, N $75^{\circ} 09'$ E 20.0 varas, S $74^{\circ} 34'$ E 21.0 varas, and S $61^{\circ} 08'$ E 10.1 varas; a windmill, the wheel only being visible, bears S $18^{\circ} 31'$ E about 1 mile.

Thence West 1900.8 varas to the place of beginning.

Surveyed August 13, 1934.

Gibbons Poteet

Norris B. Creath

W. P. Conklin

} Chainmen.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 74

This 20th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 3

TERRELL

County

BLOCK No. 37


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 35' East.

True North is 0° 15' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 35° E of Sanderson, the County site.

Beginning at a concrete monument set in a rock mound on the East side of a canyon running South, about 20 varas below a broken irregular cap rock, same being the NW corner of section No. 10, the NE corner of section No. 11, Block 36, University Land, and the SE corner of section No. 2, this Block, the brass plate in top of which monument having been stamped as is represented in the figure above, from which a letter "F", a letter "T", and a letter "X" cut on the cap rock, and a letter "U" cut on the face of a fixed rock bear respectively N 52° 31' E 20.4 varas, N 75° 09' E 20.0 varas, S 74° 34' E 21.0 varas, and S 61° 08' E 10.1 varas; a windmill, the wheel only being visible, bears S 18° 31' E about 1 mile.

Thence East 1900.8 varas to the NW corner of section No. 9, Block 36.

Thence North 1900.8 varas to a point for the NE corner of this section No. 3.

Thence West 1900.8 varas to the NE corner of section No. 2.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 13, 1934.

Gibbons Poteet	} Chainmen.
Norris B. Creath	
W. P. Conklin	


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 75 This 20th day of April, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

78



TERRELL

County

SECTION No. 4

BLOCK No. 37

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination $11^{\circ} 29'$ East.

True North is $0^{\circ} 15' 30''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 36° E of Sanderson, the County site.

Beginning at the SE corner of section No. 3, this Block, being the NW corner of section No. 9 and the NE corner of section No. 10, Block 36, University Land.

Thence East 1900.8 varas to the concrete monument set for the NE corner of said section No. 9, Block 36, situated on the South side of a valley running East about 100 varas North of the North foot of a hill projecting East, being about 20 varas South of a dim E-W road, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch mesquite marked "T" bears N $22^{\circ} 08'$ E 58.5 varas; the South tip of a projecting ledge bears N $56^{\circ} 11'$ E about 700 varas; a boulder marked "F" on the North side of a hill bears S $2^{\circ} 54'$ E 109.7 varas; a 6-inch hackberry marked "X" in a group of 4 on the North bank of a drain bears N $1^{\circ} 53'$ W 136.2 varas.

Thence North --- at 133 varas, at 153 varas, and at 230 varas points on the SW edge, the gravel bed at bottom, and the NE edge respectively of a drain running SE --- at 450 varas, North edge of greasewood brush --- at 473.7 varas set a 60d hub nail in a rock mound about 200 varas South of a drain running SE from which hub nail the windmill at the Mitchell ranch bears S $35^{\circ} 21'$ E about $3/4$ mile --- at 1398.1 varas set another 60d hub nail in a rock mound on the West edge of a mesa above cap rock --- at 1444.1 varas set a 3rd 60d hub nail in a rock mound on top of mesa projecting West, being 50 varas South of the South edge of a deep canyon running West --- at 1900.8 varas point for the NE corner of this section No. 4.

Thence West 1900.8 varas to the NE corner of section No. 3.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 13, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 76

This 20th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 5

BLOCK No. 37

TERRELL

County

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B 37		
12		
5		
UT		

Mag. Declination 11° 30' East.

True North is 0° 15' 30" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 35° E of Sanderson, the County site.

Beginning at the NE corner of section No. 3, this Block, being the NW corner of section No. 4.

Thence East 1900.8 varas to the NE corner of said section No. 4.

Thence North --- at 397.6 varas set a 60d hub nail in a rock mound 70 varas East of the West edge of a point of hill projecting West --- at 450 varas, at 470 varas and at 650 varas points in the South edge, the center and the North edge respectively of a short drain running West 75 varas into a deep canyon running South --- at 750 varas center of another short drain running West into a canyon --- at 845.4 varas pass through a 36-inch net wire fence running NW and SE --- at 1460.4 varas and at 1726.4 varas set 60d hub nails, the first being on top of mesa, the second on the first shelf of a deep canyon running East --- at 1900.8 varas set a concrete monument on the South side of a deep canyon running East about 40 varas South of the rim for the NE corner of this section No. 5, stamped its brass plate in top as is represented in the figure above, from which a letter "X", a letter "T", a letter "F", and a letter "U" cut on the faces of fixed rocks bear respectively S 83° 07' W 10.8 varas, N 31° 17' W 12.2 varas, N 24° 56' E 9.1 varas, and N 59° 53' E 10.3 varas; the East end of a perpendicular ledge bears N 8° 16' W.

Thence West 1900.8 varas to a point for the NW corner of this section No. 5.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 13, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 77

This 20th day of April, 1938.


Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 6



TERRELL

County

BLOCK No. 37

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 36' East.

True North is 0° 15' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 34° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 3, 4, and 5, this Block.

Thence West 1900.8 varas to the NW corner of section No. 3.

Thence North 1900.8 varas set a concrete monument on the rocky South edge of a deep canyon running West into a very deep canyon running North, stamped its brass plate in top as is represented in the figure above, from which a letter "U", a letter "F", a letter "P", and a letter "X" cut on a solid rock ledge bear respectively N 30° 36' E 5.4 varas, N 81° 03' E 9.8 varas, S 9° 14' W 13.0 varas, and S 57° 01' W 14.4 varas; a letter "T" cut on the face of a fixed rock bears S 85° 06' W 11.5 varas; the North edge of a perpendicular ledge bears N 69° 31' W; the SW edge of a perpendicular ledge bears N 54° 52' W.

Thence East --- at 299.8 varas set a 60d hub nail in a rock mound about 200 varas North of a conspicuous round knoll from which hub nail a windmill bears N 41° 06' W about 7 miles; another windmill near a house bears N 38° 36' W about 5 miles; the Sheffield - Sanderson road on the distant horizon bears S 18° 40' W --- at 1900.8 varas strike the NW corner of section No. 5.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 14, 1934.


Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 78 This 20th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas



TERRELL County } SECTION No. 7
BLOCK No. 37

FIELD NOTES of a survey of
640.0 ACRES of land made for THE
UNIVERSITY OF TEXAS by virtue of an
ACT approved March 29, 1929.

Mag. Declination 11° 42' East.
True North is 0° 14' 30" to the left of the North point used in
the Field notes of this survey.
Said survey is situated in TERRELL County, Texas,
on the drainage of Independence Creek, a tributary of Pecos River
about 35 miles N 32° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 2, 3, and 6, this Block.

Thence North 1900.8 varas to the concrete monument set for the NW corner of said section No. 6, situated on the rocky South edge of a deep canyon running West into another deep canyon running North, its brass plate in top having been stamped as is represented in the figure above, from which a letter "U", a letter "F", a letter "P", and a letter "X" cut on a solid rock ledge bear respectively N 30° 36' E 5.4 varas, N 81° 03' E 9.8 varas, S 9° 14' W 13.0 varas, and S 57° 01' W 14.4 varas; a letter "T" cut on the face of a fixed rock bears S 85° 06' W 11.5 varas; the North edge of a perpendicular ledge bears N 69° 31' W; the SW edge of a perpendicular ledge bears N 54° 52' W.

Thence West, immediately crossing the deep canyon running North, 1900.8 varas to a point for the NW corner of this section No. 7.

Thence South 1900.8 varas to the NE corner of section No. 1, and the NW corner of section No. 2.

Thence East 1900.8 varas to the place of beginning.

Surveyed August 14, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 79
This 20th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 8

		B 37	
		9	
		8	
		UT	

TERRELL

County

BLOCK No. 37

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 47' East.

True North is 0° 14' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 34 miles N 31° E of Sanderson, the County site.

Beginning at the NE, the NW, and the SW corner respectively of sections Nos. 1, 2 and 7, this Block.

Thence West 1900.8 varas to the NW corner of said section No. 1.

Thence North 1900.8 varas set a concrete monument in the SE edge of a wide valley running NE, stamped its brass plate in top as is represented in the figure above, from which the center of a small rock on top of a huge boulder 1/2 the distance down the East point of a hill bears N 18° 59' E; a steel windmill bears N 23° 36' E about 350 varas; a 12-inch mesquite marked "T" bears S 79° 26' W 110.4 varas; a 6-inch double mesquite marked "F" bears N 12° 54' W 135.8 varas; a verticle crack in a thick ledge 1/2 the distance down hill bears N 6° 57' W.

Thence East ascending mesa 1900.8 varas to the NW corner of section No. 7.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 14, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath }
 W. P. Conklin } Transitman.


I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 80 This 20th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas



TERRELL

County

SECTION No. 9

BLOCK No. 37

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 48' East.

True North is 0° 14' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 30°E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 8, this Block, situated in the SE edge of a wide valley running NE, its brass plate in top having been stamped as is represented in the figure above, from which the center of a small rock on top of a huge boulder 1/2 the distance down the East point of a hill bears N 18° 59' E; a steel windmill bears N 23° 36' E about 350 varas; a 12-inch mesquite marked "T" bears S 79° 26' W 110.4 varas; a 6-inch double mesquite marked "F" bears N 12° 54' W 135.8 varas; a verticle crack in a thick ledge 1/2 the distance down hill bears N 6° 57' W.

Thence East, ascending mesa, 1900.8 varas to the NW corner of section No. 7.

Thence North 1900.8 varas to a point for the NE corner of this section No. 9.

Thence West 1900.8 varas to a point for its NW corner.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 14, 1934.

Gibbons Poteet

Norris B. Creath

W. P. Conklin

Chainmen.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 81

This 20th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 9

TERRELL

County

BLOCK No. 37


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 48' East.

True North is 0° 14' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 35 miles N 30° E of Sanderson, the County site.

Beginning at a concrete monument set for the NW corner of section No. 8, this Block, situated in the SE edge of a wide valley running NE, its brass plate in top having been stamped as is represented in the figure above, from which the center of a small rock on top of a huge boulder 1/2 the distance down the East point of a hill bears N 18° 59' E; a steel windmill bears N 23° 36' E about 350 varas; a 12-inch mesquite marked "T" bears S 79° 26' W 110.4 varas; a 6-inch double mesquite marked "F" bears N 12° 54' W 135.8 varas; a verticle crack in a thick ledge 1/2 the distance down hill bears N 6° 57' W.

Thence East, ascending mesa, 1900.8 varas to the NW corner of section No. 7.

Thence North 1900.8 varas to a point for the NE corner of this section No. 9.

Thence West 1900.8 varas to a point for its NW corner.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 14, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 81

This 20th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.


The State of Texas

SECTION No. 10

TERRELL

County

BLOCK No. 37



FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 43' East.

True North is 0° 14' 30" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 31° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 7, 8 and 9, this Block.

Thence North 1900.8 varas to the NE corner of said section No. 9.

Thence East 1900.8 varas to a point for the NE corner of this section No. 10.

Thence South 1900.8 varas to the concrete monument set for the NW corner of section No. 6, being the NE corner of section No. 7, situated on the rocky South edge of a deep canyon running West into another deeper canyon running North, its brass plate in top having been stamped as is represented in the figure above, from which a letter "U", a letter "F", a letter "P", and a letter "X" cut on a solid rock ledge bear respectively N 30° 36' E 5.4 varas, N 81° 03' E 9.8 varas, S 9° 14' W 13.0 varas, and S 57° 01' W 14.4 varas; a letter "T" cut on the face of a fixed rock bears S 85° 06' W 11.5 varas; the North edge of a perpendicular ledge bears N 69° 31' W; the SW edge of a perpendicular ledge bears N 54° 52' W.

Thence West, immediately crossing the deep canyon running North, 1900.8 varas, the place of beginning.

Surveyed August 14, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 82

This 20th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.


The State of Texas

SECTION No. 11

TERRELL County } BLOCK No. 37

FIELD NOTES of a survey of

640.0 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.



Mag. Declination 11° 37' East. True North is 9° 15' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 33°E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 6, 7 and 10, this Block, being a concrete monument set on the rocky South edge of a deep canyon running West into another deeper canyon running North, its brass plate in top having been stamped as is represented in the figure above, from which a letter "U", a letter "F", a letter "P", and a letter "X" cut on a solid rock ledge bear respectively N 30° 36' E 5.4 varas, N 81° 03' E 9.8 varas, S 9° 14' W 13.0 varas, and S 57° 01' W 14.4 varas; a letter "T" cut on the face of a fixed rock bears S 85° 06' W 11.5 varas; the North edge of a perpendicular ledge bears N 69° 31' W; the SW edge of a perpendicular ledge bears N 54° 52' W.

Thence East --- at 299.8 varas pass a 60d hub nail in a rock mound about 200 varas North of a conspicuous round knoll from which hub nail a windmill bears N 41° 06' W about 7 miles; another windmill at a house bears N 38° 36' W about 5 miles; the Sheffield-Sanderson road along the distant horizon bears S 18° 40' W --- at 1900.8 varas strike the NW corner of section No. 5.

Thence North 1900.8 varas to a point for the NE corner of this section No. 11.

Thence West 1900.8 varas to the NE corner of section No. 10.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 14, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 83 This 20th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No.

BLOCK No.

	B 37		
	12		
	5		
	UT		

TERRELL

County

FIELD NOTES of a survey

640.0

ACRES of land made for

UNIVERSITY OF TEXAS by virtue of

ACT approved March 29, 1929.

Mag. Declination $11^{\circ} 31'$ East.
True North is $0^{\circ} 15' 30''$ to the left of the North point used
the Field notes of this survey.

Said survey is situated in TERRELL County, Texas
on the drainage of Independence Creek, a tributary of Pecos River
about 37 miles $N 34^{\circ} E$ of Sanderson, the County site.

Beginning at the NW, the NE and the SE corner respectively of
sections Nos. 5, 6 and 11, this Block.

Thence East 1900.8 varas to the concrete monument set on the South
side about 40 varas back from the rim of a deep canyon for the NE
corner of section No. 5, its brass plate in top having been stamped
as is represented in the figure above, from which a letter "X", a
letter "T", a letter "F", and a letter "U" cut on the faces of fixed
rocks bear respectively $S 83^{\circ} 07' W 10.8$ varas; $N 31^{\circ} 17' W 12.2$
varas, $N 24^{\circ} 56' E 9.1$ varas, and $N 59^{\circ} 53' E 10.3$ varas; the East
end of a perpendicular ledge bears $N 8^{\circ} 16' W$.

Thence North, immediately crossing said canyon --- at 772.4 varas
set a 60d hub nail in a rock mound on a high mesa --- at 875.0 varas
cross at about right angles a 36-inch net wire fence having 3 barbed
wires above the net, said crossing being approximately 400 varas
East of where the fence corners and turns South --- at 1006 varas
point in the bottom of a short steep drain running East --- at 1276
varas point on the South edge of a ravine running East --- at 1329
varas, bottom of drain --- at 1356 varas, North edge of drain --- at
1744.3 varas set a 60d hub nail in a rock mound about 100 varas East
of the East edge of a canyon running North into Independence Creek
at 1777.3 varas set another 60d hub nail in a rock mound about 50
varas from the rim, being the South edge of the valley of Independence
Creek, from which hub nail a windmill on divide bears $N 53^{\circ} 51' 30''$
about 7 miles; bottom edge of cap rock bears $N 47^{\circ} 42' W$ about 600
varas; the West edge of a perpendicular cap rock on low rounded point
projecting West bears $N 28^{\circ} 16' W$ about 1 1/2 miles; another windmill
on divide bears $N 4^{\circ} 54' 30'' E$ about 7 miles; the NE edge of the low
visible cap rock bears $N 13^{\circ} 00' E$ --- at 1900.8 varas point on the
North side of a high mesa, the NE corner of this section No. 12.

Thence West 1900.8 varas to the NE corner of section No. 11.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 14, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chain
Transit

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University
Lands, do hereby certify that the foregoing survey was made by me in the field and according to
that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described
in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded
in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page
This 20th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 13

TERRELL

County

BLOCK No. 37

FIELD NOTES of a survey of

640.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	37
20	
13	
UT	

Mag. Declination $11^{\circ} 33'$ East.

True North is $0^{\circ} 15' 30''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 33° E, of Sanderson, the County site.

Beginning at a point on the North side of a high mesa, the NE corner of section No. 12, this Block.

Thence North --- at 1191 varas cross an E-W road in the valley of Independence Creek --- at 1235.4 varas set a 60d hub nail in a pebble mound --- at 1380 varas point on the South bank of Independence Creek --- at 1469 varas point on the North bank of same --- at 1606 varas and at 1686 varas points on the South and North banks respectively of a smooth flat drain running East --- at 1745.9 varas cross at about right angles a 36-inch net wire fence having 2 barbed wires above the net, 91.8 varas East of where it bends slightly Northward --- at 1900.8 varas set a concrete monument in a greasewood covered prairie for the NE corner of this section No. 13, stamped its brass plate in top as is represented in the figure above, from which a large fixed rock marked "T" bears N $0^{\circ} 35'$ E 70.4 varas; a stone mound bears N $2^{\circ} 18'$ E 128.8 varas; a windmill near a house bears N $86^{\circ} 59'$ E about 1 mile; the left-hand of 2 peaks bears N $85^{\circ} 40'$ W; the South end of the uppermost ledge on the South end of a hill bears N $77^{\circ} 26'$ W; a large boulder marked "X" bears N $10^{\circ} 16'$ W 101.3 varas.

Thence West --- at 450 varas point on the East bank of a brushy drain running South --- at 600 varas point on the West bank of same drain --- at 785.0 varas set a 60d hub nail in a rock mound --- at 798.0 varas pass through a 36-inch net wire fence running NW and SE --- at 900 varas enter thick brush which was cleared out of line --- at 1374.4 varas set a 60d hub nail in a rock mound --- at 1376 varas point on the NE bank of Independence Creek --- at 1600 varas, SW edge of main channel of Independence Creek --- at 1882.4 varas set another 60d hub nail in a rock mound --- at 1900.8 varas point for the NW corner of this section No. 13.

Thence South 1900.8 varas to the NE corner of section No. 11.

Thence East 1900.8 varas to the place of beginning.

Surveyed August 14, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 85
This 20th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 14

TERRELL

County } BLOCK No. 37

FIELD NOTES of a survey of

640.0 ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B	37
WIT	NESS
18	19
15	14
17.9	vr. South
U	T

Mag. Declination 11° 37' East.
True North is 0° 15' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 37 miles N 32°E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 11, 12 and 13, this Block.

Thence West 1900.8 varas to the NE corner of section No. 10.

Thence North 1900.8 varas to a point in a wet-weather water hole in the bed of Independence Creek, being the NW corner of this section No. 14, from which point a concrete monument set higher on the North bank of said creek bears North 17.9 varas, the brass plate in which monument was stamped as is represented in the figure above from which monument a 5-inch wild china tree marked "X" bears S 43° 27' W 27.7 varas; a 3-inch mesquite marked "Z" bears N 39° 48' W 21.2 varas; a 7-inch wild china tree, 25 feet high marked "T" bears N 67° 41' E 81.6 varas; the West tip of a projecting ledge bears S 0° 00' 20" West.

Thence East, from point in water hole, the NW corner of this section, 1900.8 varas to the NW corner of section No. 13.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 14, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 86 This 20th day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 15

TERRELL

County

BLOCK No. 37

B	37
WITNESS	
18	19
15	14
17.9 vr.	South
U	T

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination 11° 42' East.

True North is 0° 14' 30" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 37 miles N31°E of Sanderson, the County site.

Beginning at the NE, the NW, and the SW corner respectively of sections Nos. 10, 11 and 14, this Block.

Thence North 1900.8 varas to a point in a wet-weather water hole in the bed of Independence Creek, the NW corner of section No. 14 and the NE corner of this section No. 15, from which point a concrete monument set higher on the North bank of said creek bears N 17.9 varas. The brass plate in this monument was stamped as is represented in the figure above, from which monument a 5-inch wild china tree marked "X" bears S 43° 27' W 27.7 varas; a 3-inch mesquite marked "Z" bears N 39° 48' W 21.2 varas; a 7-inch wild china tree, 25 feet high marked "T" bears N 67° 41' E 81.6 varas; the West tip of a projecting ledge bears S 0° 00' 20" W.

Thence, from point in water hole, the NE corner of section No. 14, West 1900.8 varas to a point for the NW corner of this section No. 15.

Thence South 1900.8 varas to the NE corner of section No. 9 and the NW corner of section No. 10.

Thence East 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 87

This 20th day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 16

TERRELL

County

BLOCK No. 37


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 48' East.

True North is 0° 14' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 36 miles N 29° E of Sanderson, the County site.

Beginning at the NE, the NW and the SW corner respectively of sections Nos. 9, 10 and 15, this Block, for the SE corner of this section No. 16.

Thence West 1900.8 varas to the NW corner of said section No. 9.

Thence North, crossing a South prong of Independence Creek, 1900.8 varas to a point on the NE side of a nearly perpendicular cliff 40 feet high, from which point a 6-inch letter "X" cut on top of the rim rock bears W 5.4 varas; from this letter "X" a windmill bears S 47° 25' E about 2 miles; a letter "T", a letter "X", and a letter "F" cut on the cap rock bear respectively S 31° 09' E 14.0 varas, S 70° 28' W 28.6 varas, and S 81° 53' W 28.1 varas; a windmill near a ranch house bears N 6° 55' E about 3 miles; another windmill bears S 48° 36' E about 700 varas; a windmill at a ranch house bears N 89° 22' E about 5 miles.

Thence, from its NW corner, East 1900.8 varas to the NW corner of section No. 15.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 88

This 22nd day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 17

TERRELL

County

BLOCK No. 37


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination $11^{\circ} 48'$ East.

True North is $0^{\circ} 14' 00''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 37 miles N 29° E of Sanderson, the County site.

Beginning at a point on the NE face of an almost perpendicular rock cliff 40 feet high, the NW corner of section No. 16, this Block, from which point a letter "X" cut on top of cliff bears West 5.4 varas; from the "X" on cliff a windmill bears S $47^{\circ} 25'$ E about 2 miles; a letter "T", a letter "X", and a letter "F" cut on the cap rock bear respectively S $31^{\circ} 09'$ E 14.0 varas, S $70^{\circ} 28'$ W 28.6 varas, and S $81^{\circ} 53'$ W 28.1 varas; a windmill near a ranch house bears N $6^{\circ} 55'$ E about 3 miles; another windmill bears S $48^{\circ} 36'$ E about 700 varas; a windmill at a ranch house bears N $89^{\circ} 22'$ E about 5 miles.

Thence East 1900.8 varas to the NW corner of section No. 15.

Thence North 1900.8 varas to a point for the NE corner of this section No. 17.

Thence West 1900.8 varas to a point for its NW corner.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet
Norris B. Creath
W. P. Conklin

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 89

This 22nd day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 18

TERRELL

County

BLOCK No. 37

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

	B	37
	WITNESS	
	18	19
	15	14
17.9 vrs.	U	South T

Mag. Declination 11° 43' East.

True North is 0° 14' 30" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 37 miles N 30°E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 15, 16 and 17, this Block.

Thence East 1900.8 varas to a point in a wet-weather water hole in the bed of Independence Creek, the NW corner of section No. 14 and the NE corner of section No. 15.

Thence North --- at 17.9 varas pass a concrete monument on the North bank of Independence Creek, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch wild china tree marked "X" bears S 43° 27' W 27.7 varas; a 3-inch mesquite marked "Z" bears N 39° 48' W 21.2 varas; a 7-inch wild china tree, 25 feet high marked "T" bears N 67° 41' E 81.6; the West tip of a projecting ledge bears S 0° 00' 20" W --- at 1900.8 varas, point for the NE corner of this section No. 18.

Thence West 1900.8 varas to the NE corner of section No. 17.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 90

This 22nd day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 19

TERRELL

County

BLOCK No. 37

B	37
WIT	NESS
18	19
15	14
17.9 vr.	South
U	T

640.0 ACRES of land made for THE UNIVERSITY OF TEXAS by virtue of an ACT approved March 29, 1929.

Mag. Declination 11° 37' East.

True North is 0° 15' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 31°E of Sanderson, the County site.

Beginning at a point in a wet-weather water hole in the bed of Independence Creek, the NW corner, the NE corner and the SE corner respectively of sections Nos. 14, 15 and 18, this Block.

Thence North --- at 17.9 varas pass a concrete monument on the North bank of said creek, its brass plate in top having been stamped as is represented in the figure above, from which a 5-inch wild china tree marked "X" bears S 43° 27' W 27.7 varas; a 3-inch mesquite marked "Z" bears N 39° 48' W 21.2 varas; a 7-inch wild china tree, 25 feet high marked "T" bears N 67° 41' E 81.6 varas; the West tip of a projecting ledge bears S 0° 00' 20" W --- at 1900.8 varas strike the NE corner of said section No. 18.

Thence East 1900.8 varas to a point for the NE corner of this section No. 19.

Thence South 1900.8 varas to the NW corner of section No. 13 and the NE corner of section No. 14.

Thence West 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet } Chainmen.
 Norris B. Creath }
 W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 91

This 22nd day of April, 1938.

Frank F. Friend
 Licensed Land Surveyor of Texas, and
 Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 20
BLOCK No. 37

TERRELL

County

FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

B 37		
20		
13		
UT		

Mag. Declination 11° 33' East.
True North is 0° 15' 30" to the

of the North point used in

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 39 miles N 32° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 13, 14 and 19, this Block.

Thence East --- at 18.4 varas pass a 60d hub nail in a rock mound --- at 300.8 varas point on the SW bank of the main channel of Independence Creek --- at 524.8 varas, point on the NE high bank of same creek --- at 526.4 varas pass another 60d hub nail in a rock mound --- at 1000.8 varas, end of brush cut out in line --- at 1102.8 varas pass through a net wire fence running NW and SE --- at 1115.8 varas pass another 60d hub nail in a rock mound --- at 1300.8 varas, point on the West bank of a brushy drain running South --- at 1450.8 varas, point on the East bank of same drain --- at 1900.8 varas strike the concrete monument set for the NE corner of section No. 13, situated in a greasewood prairie, its brass plate in top having been stamped as is represented in the figure above, from which a large fixed rock marked "T" bears N 0° 35' E 70.4 varas; a stone mound bears N 2° 18' E 128.8 varas; a windmill near a house bears N 86° 59' E about 1 mile; the left-hand of 2 peaks bears N 85° 40' W; the South end of the uppermost ledge on the South end of a hill bears N 77° 26' W; a large boulder marked "X" bears N 10° 16' W 101.3 varas.

Thence North --- at 128.7 varas set a 60d hub nail in a rock mound in a greasewood flat, from which a boulder marked "X" bears S 33° 15' W 34.0 varas; a stone mound of 7 stones bears East 5.3 varas; a windmill near a house bears S 89° 17' E about 1 mile; another windmill bears S 85° 24' E about 3 miles --- at 245 varas cross a short drain running East --- at 405 varas point on the SW bank of a creek running SE --- at 496.8 varas cross at about right angles a 36-inch net wire fence in bed of creek running South --- at 549 varas cross an E-W road, also in bed of same creek --- at 624 varas point on the NE bank of said creek, 15 varas West of the mouth of another creek from the NE --- at 926.7 varas set a 60d hub nail in a rock mound, 10 varas East of the East bank of same creek --- at 955 varas point on the SE bank of same creek --- at 1140 varas point on the NW bank of same creek --- at 1555 varas cross a road --- at 1650 varas point in the middle of an old road --- at 1693 varas point in the middle of a new road --- at 1859 varas recross old road --- at 1900.8 varas point for the NE corner of this section No. 20.

Thence West 1900.8 varas to the NE corner of section No. 19.
Thence South 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 92 This 22nd day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at
back of this Volume.

The State of Texas

SECTION No. 21

TERRELL

County

BLOCK No. 37


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination $11^{\circ} 34'$ East.

True North is $0^{\circ} 15' 30''$ to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 39 miles $N 32^{\circ} E$ of Sanderson, the County site.

Beginning at the NE corner of section No. 20, this Block.

Thence North --- at 58 varas cross an old road --- at 76.4 varas set a 60d hub nail in a rock mound 5 varas East of a very old road, 2 varas West of another old road and 7 varas East of a used road --- at 184 varas cross a short drain running East --- at 259 varas recross the used road --- at 1143.9 varas set another 60d hub nail in a rock mound on a low point of hill extending East --- at 1279 varas recross road --- at 1554 varas point in the bottom of drain running East 12 varas East of road --- at 1621 varas center of a smooth drain running East --- at 1681 varas and at 1773 varas, points on the South and North banks respectively of a drain running East --- at 1900.8 varas set a concrete monument in a greasewood covered valley for the NE corner of this section No. 21, stamped its brass plate in top as is represented in the figure above, from which the extreme West end of a cap rock on nearby horizon bears $S 40^{\circ} 00' W$; a 4-pronged mesquite marked "F" bears $N 52^{\circ} 40' W$ 5.4 varas; a 4-inch mesquite marked "T" bears $N 35^{\circ} 51' W$ 36.2 varas; the most Western tip of a projecting ledge about $1/3$ down from the top of mountain bears $N 26^{\circ} 20' W$; a stone mound on the South side of an E-W 36-inch net wire fence, 138 varas West of its SW corner bears $N 16^{\circ} 40' W$ 130.0 varas; a clump of mesquites, one marked "X", bears $N 69^{\circ} 45' E$ 14.8 varas; the West tip of a cap rock on the North edge of the valley of Independence Creek bears $S 9^{\circ} 45' 30'' E$.

Thence West, mounting at about 500 varas the high mesa, 1900.8 varas to a point for the NW corner of this section No. 21.

Thence South 1900.8 varas to the North common corner of sections No. 19 and No. 20.

Thence East 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 93

This 22nd day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 22

TERRELL

County

BLOCK No. 37


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 38' East.

True North is 0° 15' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 39 miles N 30° E of Sanderson, the County site.

Beginning at the common corner of sections Nos. 19, 20 and 21, this Block.

Thence North 1900.8 varas to the NW corner of said section No. 21.

Thence West, crossing a deep canyon running South, 1900.8 varas set a concrete monument on high divide for the NW corner of section No. 22, stamped its brass plate in top as is represented in the figure above, from which the West tip of a cap rock on a hill on the North side of the valley of Independence Creek bears S 10° 46' 30" W; a steel windmill bears S 26° 47' W about 3 miles; a rock cairn on the East end of a sawtooth point projecting East bears S 39° 48' W; a 5-inch mesquite marked "T" bears N 74° 15' E 57.5 varas; a cedar 10 feet high bears S 62° 49' E 142.7 varas; a Spanish dagger bears S 24° 15' E 75.7 varas.

Thence South 1900.8 varas to the North common corner of sections No. 18 and No. 19.

Thence East 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet

Norris B. Creath

W. P. Conklin

Chainmen.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terrell County in Book UT Vol. 13 page 94

This 22nd day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands

For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 23

TERRELL

County

BLOCK No. 37


FIELD NOTES of a survey of

640.0

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.



Mag. Declination 11° 43' East.

True North is 0° 14' 30" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 29° E of Sanderson, the County site.

Beginning at the NE, the NW and the SW corner respectively of sections Nos. 18, 19 and 22, this Block.

Thence West 1900.8 varas to the NE corner of section No. 17.

Thence North 1900.8 varas to a point in valley, the NW corner of this section No. 23.

Thence East 1900.8 varas to a point on high divide, the NW corner of section No. 22, being a concrete monument with its brass plate stamped as is represented in the figure above, from which the West tip of a cap rock on a hill on the North side of the valley of Independence Creek bears S 10° 46' 30" W; a steel windmill bears S 26° 47' W about 3 miles; a rock cairn on the East end of a saw-tooth point projecting East bears S 39° 48' W; a 5-inch mesquite marked "T" bears N 74° 15' E 57.5 varas; a cedar 10 feet high bears S 62° 49' E 142.7 varas; a Spanish dagger bears S 24° 15' E 75.7 varas.

Thence South 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet	} Chainmen.
Norris B. Creath	
W. P. Conklin	

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 95

This 22nd day of April, 1938.

Frank F. Friend

Licensed Land Surveyor of Texas, and Special Surveyor of University Lands


For Plat see General Sketch at back of this Volume.

The State of Texas

SECTION No. 24
BLOCK No. 37

TERRELL

County



FIELD NOTES of a survey of
640.0 ACRES of land made for THE
UNIVERSITY OF TEXAS by virtue of an
ACT approved March 29, 1929.

Mag. Declination 11° 49' East.
True North is 0° 14' 00" to the left of the North point used in the Field notes of this survey.

Said survey is situated in TERRELL County, Texas, on the drainage of Independence Creek, a tributary of Pecos River about 38 miles N 28° E of Sanderson, the County site.

Beginning at a point in a valley, the NW corner of section No. 23, this Block.

Thence South 1900.8 varas to the NE corner of section No. 17, the NW corner of section No. 18 and the SW corner of section No. 23.

Thence West 1900.8 varas to the NW corner of section No. 17.

Thence North 1900.8 varas set a concrete monument on a high mesa, about 150 varas North of the center of a deep canyon running East and about 200 varas West of the cap rock, for the NW corner of this section No. 24, stamped its brass plate in top as is represented in the figure above, from which a letter "U", a letter "F", a letter "T", and a letter "X" cut on the faces of fixed rocks bear respectively S 55° 04' W 16.0 varas, N 7° 25' W 19.4 varas, N 9° 16' E 32.9 varas, and N 21° 31' E 31.8 varas; a windmill near a house on divide bears N 56° 25' W about 1 mile; another windmill near a house in valley bears N 23° 19' 30" E about 1500 varas; the East end of a perpendicular ledge on a dome-shaped hill above the house bears N 25° 02' 30" E; a perpendicular ledge on the point of a hill extending South bears S 48° 17' 30" E; another windmill in valley bears S 23° 28' E about 3 miles.

Thence East 1900.8 varas to the place of beginning.

Surveyed August 15, 1934.

Gibbons Poteet } Chainmen.
Norris B. Creath }
W. P. Conklin } Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in Sanderson, Texas, Terre County in Book UT Vol. 13 page 96 This 22nd day of April, 1938.

Frank F. Friend
Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Survey

The State of Texas

County BLOCK No.

REPORT OF A RESURVEY

UNIVERSITY LANDS

BLOCKS 34 to 37, INC.

Mag. Declination

True North is

the field notes of this survey.

Said survey is situated

on the drainage of
about miles

TERRELL COUNTY

by

Frank F. Friend
Special Surveyor
University Lands

University Land, Blocks 34 to 37, inclusive, Terrell (formerly Pecos) County was surveyed by R. M. Thomson in the month of December, 1879. It covers the area drained by Independence Creek, the greater part of which area is cut by deep canyons and gorges. A permanent spring is found near the common corner of sections Nos. 2, 3, 10, and 11, Block 34, thus fulfilling the requirement that the land be placed on or near living water.

Of the 64 stone mounds called for by Thomson in the original fieldnotes, only 2 were ever found on these four blocks, one of these being the NE corner of Block 34, the other the SW corner of Block 35.

Blocks 36 and 37 were placed according to original fieldnote calls, course and distance from the original marker at the SW corner of Block 35.

All details of the resurvey being plainly shown upon the map, a worded discourse is thereby rendered needless.

Very truly yours,

Frank F. Friend
Special Surveyor
University Lands

San Angelo, Texas


May 11, 1938.

For Plat see General Sketch

The State of Texas

SECTION No.

County } BLOCK No.



FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination East.

True North is the Field notes of this survey.

to the

of the North point used in

Said survey is situated in on the drainage of about miles of

Creek, a tributary of

County, Texas,

Surveyed

} Chainmen.
Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in County in Book UT Vol. page

This day of


Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

For Plat see General Sketch

The State of Texas

SECTION No.

County } BLOCK No.



FIELD NOTES of a survey of

ACRES of land made for THE

UNIVERSITY OF TEXAS by virtue of an

ACT approved March 29, 1929.

Mag. Declination East.

True North is to the

of the North point used in

the Field notes of this survey.

Said survey is situated in

County, Texas,

on the drainage of

Creek, a tributary of

about miles of

Surveyed

} Chainmen.

Transitman.

I, Frank F. Friend, Licensed Land Surveyor of Texas and Special Surveyor of University Lands, do hereby certify that the foregoing survey was made by me in the field and according to law; that the limits, boundaries, and corners, with the marks, natural and artificial, are truly described in the foregoing plat and field notes, just as I found them on the ground; and that they are recorded in the Surveyor's Records in County in Book UT Vol. page

This day of

Licensed Land Surveyor of Texas, and
Special Surveyor of University Lands

UNIVERSITY LANDS BLOCKS 34 TO 37




TERRELL COUNTY


SCALE 1 IN. = 1000 VRS.

- Original Corner
 - Corner set during this resurvey
 - ▲ U.S.C. & G. Triangulation Station
 - Resurvey Corner by A.N.Lea
 - ⊗ Corner which may or may not be Original
 - ⊙ Windmill and Well
- All University survey lines are North-South-East-West.

This map of University Lands and other Land adjacent thereto showing natural and artificial objects, original corners found, and corners set during this resurvey, is true and correct, being based upon a survey made upon the ground in July and August 1934.

Frank F. Fiebert
Special Surveyor of University Lands
San Angelo, Texas April 15, 1938







UNIVERSITY LANDS BLOCKS 34 TO 37
 TERRELL COUNTY
 ISOGONIC CHART & MERIDIAN CHANGES

SCALE 1 IN. = 4000 VRS.

FRANK F. FRIEND, SPECIAL SURVEYOR OF UNIVERSITY LANDS

U. T. Vol. 13.



SANDERSON

J. A. Conklin